

Table S2. Complete list of hymenopteran s

Insect Taxonomy						Network Stats					Network Stats (no Apis)				
Family	Tribe	Scientific Name	Freq.	Rel. Abund.	Acr.*	k	s	bc	cc	d	k2	s2	bc2	cc2	d2
APIDAE	Apini	<i>Apis mellifera</i>	1212	57.36%	apimel	139	103.92	0.82	0.04	0.20					
	Indet	Indet	144	6.81%											
APIDAE	Xylocopini	<i>Xylocopa cf. viridigastrea</i>	130	6.15%	xylcf.	34	15.45	0.02	0.03	0.29	34	21.35	0.28	0.03	0.29
POMPIDIDAE	Pepsini	<i>Pepsis cf. grossa</i>	66	3.12%	pepcf.	11	4.79	0.14	0.03	0.61	11	5.99	0.19	0.03	0.61
HALICTIDAE	Halictini	<i>Lasioglossum sp.</i>	61	2.89%	lassp.	20	5.03	0.00	0.03	0.34	20	9.36	0.11	0.03	0.33
APIDAE	Bombini	<i>Bombus robustus group</i>	59	2.79%	bomrob	28	7.08	0.00	0.03	0.27	28	10.95	0.14	0.03	0.26
APIDAE	Bombini	<i>Bombus funebris</i>	48	2.27%	bomfun	23	9.99	0.02	0.02	0.26	23	12.04	0.07	0.02	0.25
MEGACHILIDAE	Megachilini	<i>Megachile ecuadoria</i>	45	2.13%	megecu	22	6.83	0.00	0.02	0.29	22	10.85	0.05	0.02	0.28
APIDAE	Eucerini	<i>Thygater aethiops</i>	42	1.99%	thyaet	24	10.26	0.00	0.02	0.24	24	12.50	0.00	0.02	0.24
SCOLIIDAE	Campsomerini	<i>Pygodasis ephippium</i>	38	1.80%	pygeph	18	5.14	0.00	0.02	0.27	18	9.73	0.03	0.02	0.27
HALICTIDAE	Halictini	<i>Agapostemon cf. nasutus</i>	34	1.61%	agacf.	13	2.21	0.00	0.02	0.35	13	4.86	0.08	0.02	0.34
APIDAE	Anthophorini	<i>Anthophora pilifrons</i>	29	1.37%	antpil	14	3.25	0.00	0.02	0.35	14	4.30	0.01	0.02	0.35
SCOLIIDAE	Campsomerini	<i>Dielis dorsata</i>	19	0.90%		9	1.96	0.00	0.02	0.44	9	2.46	0.02	0.02	0.44
APIDAE	Exomalopsini	<i>Exomalopsis sp.</i>	17	0.80%		10	1.62	0.00	0.02	0.36	10	3.12	0.01	0.02	0.36
HALICTIDAE	Augochlorini	<i>Neocorynura sp2.</i>	17	0.80%		5	1.21	0.00	0.01	0.49	5	1.54	0.02	0.02	0.49
FORMICIDAE	Leptomyrmecini	<i>Linepithema humile</i>	16	0.76%		10	3.13	0.00	0.01	0.33	10	4.35	0.00	0.01	0.32
ICHNEUMONIDAE	Cryptini	<i>Compsocryptus sp.</i>	16	0.76%		10	4.64	0.00	0.01	0.36	10	5.23	0.00	0.01	0.36
SPHECIDAE	Ammophilini	<i>Ammophila sp.</i>	10	0.47%		8	1.19	0.00	0.01	0.37	8	2.49	0.00	0.01	0.37
HALICTIDAE	Halictini	<i>Caenohalictus sp.</i>	9	0.43%		7	0.52	0.00	0.01	0.39	7	1.74	0.00	0.01	0.39
APIDAE	Bombini	<i>Bombus rubicundus</i>	8	0.38%		4	1.67	0.00	0.01	0.55	4	2.20	0.00	0.01	0.55
VESPIDAE	Polistini	<i>Polistes weyrauchorum</i>	8	0.38%		5	1.46	0.00	0.01	0.51	5	1.79	0.00	0.01	0.51
SPHECIDAE	Prionychini	<i>Prionyx sp.</i>	7	0.33%		6	1.95	0.00	0.01	0.42	6	3.65	0.00	0.01	0.42
VESPIDAE	Eumeninae*	<i>Hypodynerus andeus</i>	7	0.33%		4	0.60	0.00	0.01	0.62	4	0.67	0.00	0.01	0.62
HALICTIDAE	Augochlorini	<i>Augochlora sp.</i>	6	0.28%		6	0.55	0.00	0.01	0.40	6	1.00	0.00	0.01	0.40
SPHECIDAE	Sphecini	<i>Sphech ichneumoneus</i>	6	0.28%		4	0.59	0.00	0.01	0.52	4	0.79	0.00	0.01	0.52
COLLETIDAE	Caupolicanini	<i>Caupolicana niveofasciata</i>	5	0.24%		1	0.05	0.00	0.01	1.00	1	0.07	0.00	0.01	1.00
COLLETIDAE	Hylaeinae*	<i>Hylaeus sp.</i>	4	0.19%		2	0.10	0.00	0.01	0.79	2	0.37	0.00	0.01	0.79
HALICTIDAE	Augochlorini	<i>Pseudaugochlora sp.</i>	4	0.19%		3	0.15	0.00	0.01	0.61	3	0.47	0.00	0.01	0.61
MEGACHILIDAE	Anthidiini	<i>Anthidium vigintiduopunctatum</i>	4	0.19%		4	2.04	0.00	0.00	0.50	4	2.08	0.00	0.01	0.49
MEGACHILIDAE	Megachilini	<i>Coelioxys sp.</i>	4	0.19%		3	0.07	0.00	0.01	0.61	3	0.12	0.00	0.01	0.61
APIDAE	Euglossini	<i>Eulaema polychroma</i>	3	0.14%		3	1.17	0.00	0.00	0.57	3	1.38	0.00	0.01	0.57
APIDAE	Nomadini	<i>Nomada sp.</i>	3	0.14%		3	0.14	0.00	0.00	0.57	3	0.23	0.00	0.01	0.57
HALICTIDAE	Augochlorini	<i>Neocorynura sp1.</i>	3	0.14%		3	1.03	0.00	0.00	0.57	3	1.08	0.00	0.01	0.57
HALICTIDAE	Sphecodini	<i>Sphecodes sp.</i>	3	0.14%		1	0.03	0.00	0.01	1.00	1	0.04	0.00	0.01	1.00
VESPIDAE	Eumeninae*	<i>Pachodynerus sp.</i>	3	0.14%		2	0.52	0.00	0.00	0.74	2	1.02	0.00	0.01	0.74
APIDAE	Centridini	<i>Centris sp.</i>	2	0.09%		1	1.00	0.00	0.00	1.00	1	1.00	0.00	0.00	1.00
CRABRONIDAE	Cercerini	<i>Cerceris sp.</i>	2	0.09%		1	0.02	0.00	0.00	1.00	1	0.02	0.00	0.01	1.00
HALICTIDAE	Augochlorini	<i>Neocorynura sp3.</i>	2	0.09%		1	0.06	0.00	0.00	1.00	1	0.14	0.00	0.01	1.00
THYNNIDAE	Myzininae*	<i>Myzinum sp.</i>	2	0.09%		2	0.05	0.00	0.00	0.71	2	0.06	0.00	0.01	0.70
VESPIDAE	Epiponini	<i>Polybia sp.</i>	2	0.09%		2	0.39	0.00	0.00	0.71	2	1.50	0.00	0.00	0.70
VESPIDAE	Eumeninae*	<i>Parancistrocerus sp.</i>	2	0.09%		2	0.36	0.00	0.00	0.71	2	0.55	0.00	0.00	0.70
VESPIDAE	Eumeninae*	<i>Symmorphus sp.</i>	2	0.09%		2	0.21	0.00	0.00	0.71	2	0.39	0.00	0.01	0.70
ANDRENIDAE	Protandrenini	<i>Andinopanurgus sp.</i>	1	0.05%		1	0.25	0.00	0.00	1.00	1	1.00	0.00	0.00	1.00
CHRYSIDIDAE	Chrysidini	<i>Chrysis sp.</i>	1	0.05%		1	0.25	0.00	0.00	1.00	1	0.33	0.00	0.00	1.00
COLLETIDAE	Xeromelissinae*	<i>Chilicola sp.</i>	1	0.05%		1	0.01	0.00	0.00	1.00	1	0.01	0.00	0.00	1.00
CRABRONIDAE	Bembicini	<i>Bembix sp.</i>	1	0.05%		1	0.01	0.00	0.00	1.00	1	0.01	0.00	0.00	1.00

CRABRONIDAE	Crabronini	<i>Podagritus sp.</i>	1	0.05%	1	0.01	0.00	0.00	1.00	1	0.01	0.00	0.00	1.00
CRABRONIDAE	Pemphredonini	<i>Microstigmus sp.</i>	1	0.05%	1	0.04	0.00	0.00	1.00	1	0.05	0.00	0.00	1.00
CRABRONIDAE	Pemphredonini	<i>Stigmus sp.</i>	1	0.05%	1	0.01	0.00	0.00	1.00	1	0.06	0.00	0.00	1.00
FORMICIDAE	Myrmelachistini	<i>Brachymyrmex sp.</i>	1	0.05%	1	1.00	0.00	0.00	1.00	1	1.00	0.00	0.00	1.00
FORMICIDAE	Solenopsidini	<i>Monomorium sp.</i>	1	0.05%	1	0.03	0.00	0.00	1.00	1	0.05	0.00	0.00	1.00

*Acronyms used in Figure 3 (PCAs)