


GDPS METRO GLOBAL – LAB: SECONDARY DISK OUTAGE



Unplanned Secondary disk outage

- triggering a freeze with initial configuration MGM cascaded
 - Starting configuration



Unplanned secondary disk outage

- triggering a freeze with initial configuration MGM cascaded

■ High level steps


- Secondary disk failure (PPRC suspension) triggered unplanned freeze of RegA.RS2 disks
- Metro Mirror between RegA.RS1 and RegA.RS2 is frozen (FRZ)
- Application system GOP1 is running on RegA.RS1
- DR position is aging, since GM session is running from frozen RegA.RS2 disks
- GM to be moved to run from RegA.RS1 disks to regain DR
- Run MGM4SITE_MOVEGM procedure
- Note: this will also remove the MM relationship

■ Additional consideration

- If entire RegA.RS2 disk subsystem is affected, isolate CDS in RS1
- For instance with a RSE script statement:
`REMOTE='ALLKP SCRIPT=CDS_SITE1'`


Unplanned Secondary disk outage

- triggering a freeze with initial configuration MGM cascaded
 - Intermediate configuration after freeze



Unplanned Secondary disk outage

- triggering a freeze with initial configuration MGM cascaded
 - Target configuration



Unplanned secondary disk outage – return to normal

- to initial configuration MGM cascaded

■ How to return to normal

- Establish Metro Mirror between RegA.RS1 and RegA.RS2 with START SECONDARY, entering a MT configuration
 - **NOTE: this is a full copy!**
- Run MGM4SITE_RESTORE procedure to move to a cascaded configuration with primary MM disks in RegA.RS1 and primary GM disks in RegA.RS2

■ Important consideration

- Run START SECONDARY prior to MGM4SITE_RESTORE to perform the full initial copy while maintaining DR
 - this will reduce the time of the GM suspension during MGM4SITE_RESTORE
 - RS2 disk may not have all metadata

Unplanned secondary disk outage


- triggering a freeze with initial configuration MGM cascaded

- Used scripts:

- Control script for START SECONDARY RegA.RS1 > RegA.RS2
- Control script for MGM4SITE_RESTORE procedure

Unplanned Secondary disk outage

- triggering a freeze with initial configuration MGM multi-target
 - Starting configuration



Unplanned secondary disk outage

- triggering a freeze with initial configuration MGM multi-target

▪ High level steps


- Secondary disk failure (PPRC suspension) triggered unplanned freeze of RegA.RS2 disks
- Metro Mirror between RegA.RS1 and RegA.RS2 is frozen (FRZ)
- Application system G0P1 is running on RegA.RS1
- GM session not affected, running from RegA.RS1 to RegB.RS1, DR protection maintained

▪ Additional considerations to be covered after outage

- if SIMPLEX DASD in RS2 affected, move Kg-Sys to G0C1 and
- Isolate CDS in RS1, for instance with a RSE script statement:
REMOTE='ALLKP SCRIPT=CDS_SITE1'

Unplanned secondary disk outage

- triggering a freeze with initial configuration MGM multi-target
 - Target configuration



Unplanned secondary disk outage – return to normal

- to initial configuration MGM multi-target

- How to return to normal


- If Kg-Sys has been moved, move it back to G0C2
 - Establish Metro Mirror between RegA.RS1 and RegA.RS2 with START SECONDARY (full initial copy, maintaining DR)

- Used scripts:

- Control script for START SECONDARY RegA.RS1 > RegA.RS2

Planned Secondary disk outage

- planned freeze with initial configuration MGM cascaded
- Starting configuration



Planned secondary disk outage

- planned freeze with initial configuration MGM cascaded

- High level steps


- Run Control script with MGM4SITE_MOVEGM procedure to move GM session to RegA.RS1 > RegB.RS1
- Metro Mirror between RegA.RS1 and RegA.RS2 is frozen (FRZ)
- Application system GOP1 running on RegA.RS2

- Additional consideration

- The GM session is moved before the planned freeze to avoid an aging DR position
- Isolate CDS in RS1, for instance with a RSE script statement:
REMOTE='ALLKP SCRIPT=CDS_SITE1'

Planned Secondary disk outage

- planned freeze with initial configuration MGM cascaded
- Target configuration



Planned secondary disk outage – return to normal

- to initial configuration MGM cascaded

- How to return to normal

- Optionally, establish Metro Mirror between RegA.RS1 and RegA.RS2 with START SECONDARY, entering a MT configuration

- **NOTE: this is a full copy!**

- Run MGM4SITE_RESTORE procedure to move to a cascaded configuration with primary MM disks in RegA.RS1 and primary GM disks in RegA.RS2

- Important consideration

- Run START SECONDARY prior to MGM4SITE_RESTORE to perform the full initial copy while maintaining DR

- this will reduce the time of the HA&DR outage during MGM4SITE_RESTORE

Planned secondary disk outage – return to normal


- to initial configuration MGM cascaded

- Used scripts:

- Control script for MGM4SITE_MOVEGM
- Control script for START SECONDARY RegA.RS1 > RegA.RS2
- Control script for MGM4SITE_RESTORE procedure

Planned secondary disk outage

- Planned freeze with initial configuration MGM multi-target
 - Starting configuration



Planned secondary disk outage

- planned freeze with initial configuration MGM multi-target

- High level steps


- Run script with STOP SECONDARY for a planned freeze
- Metro Mirror between RegA.RS1 and RegA.RS2 is frozen (FRZ)
- Application system GOP1 is running on RegA.RS1
- GM session not affected, running from RegA.RS1 to RegB.RS1, DR protection maintained

- Additional considerations to be covered after outage

- if SIMPLEX DASD in RS2 affected, move Kg-Sys to G0C1 and
- Isolate CDS in RS1, for instance with a RSE script statement:
REMOTE='ALLKP SCRIPT=CDS_SITE1'

Planned secondary disk outage

- Planned freeze with initial configuration MGM multi-target
 - Target configuration



Planned secondary disk outage - return to normal

- to initial configuration MGM multi-target

- How to return to normal

- If Kg-Sys has been moved, move it back to G0C2
- Establish Metro Mirror between RegA.RS1 and RegA.RS2 with START SECONDARY (full initial copy, maintaining DR)

- Used scripts:

- Control script for STOP SECONDARY
- Control script for START SECONDARY RegA.RS1 > RegA.RS2

END OF LECTURE