

Free harmonic oscillators

Math 352 Differential Equations

April 4, 2013

Second-order phenomena in nature

- ▶ When $b^2 - 4ac < 0$, we observe phenomena that oscillate with decay.
- ▶ If in addition $b = 0$, the fundamental solutions are pure sinusoidal (no exponential modulation).
- ▶ This is called *simple harmonic oscillation*.
- ▶ The simplest example is a spring-mass system.

The equation of motion

The simplest physical model of a free harmonic oscillator is the vibrating spring, subject to Hooke's law (for the spring's restoring force) and viscous damping. The equation of motion (from Newton's Second Law) is:

$$mu'' = mg + F_s + F_d + F$$

where F_s is the spring restoring force, F_d is the *damping* due to air resistance, and F is any other external force applied to the system.

The forces

- ▶ Hooke's Law: $F_s = -k(L + u)$
- ▶ Viscous damping: $F_d = -\gamma u'$
- ▶ Unforced vibration: $F = 0$

Hooke's Law is certainly valid for small displacements u . Similarly, damping due to air resistance is approximately viscous when u' is not too big. We shall take up the case $F \neq 0$ in the next section.

The equation

Hooke's Law implies that $mg = kL$, so we can rewrite the equation of motion as

$$mu'' + \gamma u' + ku = 0.$$

- ▶ In practice, k is determined by using the equation above and a measured value of L .

Let us first examine the case $\gamma = 0$, the *undamped free oscillation*.

UFO

The characteristic equation is $mr^2 + k = 0$. This has two pure imaginary roots, $r = \pm i\sqrt{k/m}$.

Hence, the general solution to the equation for the UFO is the general sinusoidal function with frequency $\omega_0 = \sqrt{k/m}$.

The amplitude of the system is related to the total energy. Since $\gamma = 0$, all energy put into the system by the initial conditions will stay there forever.

With damping

When $\gamma > 0$, the air resistance eventually consumes all the energy imparted by the system to the initial conditions.

$$\lim_{t \rightarrow \infty} u = 0.$$

There are three kinds of damping.

- ▶ Underdamped: $D = \sqrt{\gamma^2 - 4mk} < 0$.
- ▶ Overdamped: $D > 0$.
- ▶ Critically damped: $D = 0$.