Dot and cross product

Math 251 Calculus 3

September 18, 2013

► Ready?

- ► Ready?
- ► OK FAST what is the dot product—cosine formula?

- ► Ready?
- ▶ OK FAST what is the dot product—cosine formula?
- $\blacktriangleright \vec{\mathbf{v}} \cdot \vec{\mathbf{w}} = ||\vec{\mathbf{v}}|| ||\vec{\mathbf{w}}|| \cos \theta$

- ► Ready?
- ► OK FAST what is the dot product—cosine formula?
- ▶ Here, we agree to always choose $0 \le \theta \le \pi$.

- ► Ready?
- OK FAST what is the dot product-cosine formula?
- ▶ Here, we agree to always choose $0 \le \theta \le \pi$.
- ▶ Suppose $\|\vec{v}\| = 3$ and $\|\vec{w}\| = 2$. What are the maximal and minimal possible values of $\vec{v} \cdot \vec{w}$?

▶ Suppose $\vec{v} \cdot \vec{w} = ||\vec{v}|| ||\vec{w}||$. What can you conclude about the orientation of the vectors? It helps to picture them in standard position.

- ▶ Suppose $\vec{v} \cdot \vec{w} = ||\vec{v}|| ||\vec{w}||$. What can you conclude about the orientation of the vectors? It helps to picture them in standard position.
- ▶ Suppose $\vec{v} \cdot \vec{w} = -\|\vec{v}\| \|\vec{w}\|$. Now what can you conclude?

- ▶ Suppose $\vec{v} \cdot \vec{w} = ||\vec{v}|| ||\vec{w}||$. What can you conclude about the orientation of the vectors? It helps to picture them in standard position.
- ▶ Suppose $\vec{v} \cdot \vec{w} = -\|\vec{v}\| \|\vec{w}\|$. Now what can you conclude?
- ▶ Suppose $\vec{v} \cdot \vec{w} = 0$. Now what can you conclude?

Frequent uses of dot product

- ► Test for *orthogonality*: i.e., whether two vectors are perpendicular
- ► Projection: part 3 of Workshop 02

- \blacktriangleright Cross product of vectors is specific to \mathbb{R}^3 ... kind of.
- ▶ It is designed to "complete" an independent set.
- ► Fundamental geometric properties:

- ▶ Cross product of vectors is specific to \mathbb{R}^3 ... kind of.
- ▶ It is designed to "complete" an independent set.
- Fundamental geometric properties:
 - ► Complementarity: $\vec{v} \times \vec{w}$ is orthogonal to each of \vec{v} and \vec{w} ; in other words, $\vec{v} \cdot (\vec{v} \times \vec{w}) = 0 = \vec{w} \cdot (\vec{v} \times \vec{w})$

- ► Cross product of vectors is specific to **R**³ . . . kind of.
- ▶ It is designed to "complete" an independent set.
- Fundamental geometric properties:
 - ► Complementarity: $\vec{v} \times \vec{w}$ is orthogonal to each of \vec{v} and \vec{w} ; in other words, $\vec{v} \cdot (\vec{v} \times \vec{w}) = 0 = \vec{w} \cdot (\vec{v} \times \vec{w})$
 - ▶ *Orientation*: The ordered system $\{\vec{v}, \vec{w}, \vec{v} \times \vec{w}\}$ is right-handed

- ► Cross product of vectors is specific to **R**³ . . . kind of.
- ▶ It is designed to "complete" an independent set.
- Fundamental geometric properties:
 - ► Complementarity: $\vec{v} \times \vec{w}$ is orthogonal to each of \vec{v} and \vec{w} ; in other words, $\vec{v} \cdot (\vec{v} \times \vec{w}) = 0 = \vec{w} \cdot (\vec{v} \times \vec{w})$
 - ▶ *Orientation*: The ordered system $\{\vec{v}, \vec{w}, \vec{v} \times \vec{w}\}$ is right-handed
 - Cross product–sine formula: $\|\vec{v} \times \vec{w}\| = \|\vec{v}\| \|\vec{w}\| \sin \theta$.

The cross product has the following algebraic properties, as a consequence of its geometric ones.

• Anticommutativity: $\vec{v} \times \vec{w} = -\vec{w} \times \vec{v}$

- Anticommutativity: $\vec{v} \times \vec{w} = -\vec{w} \times \vec{v}$
- Nilpotence: $\vec{v} \times \vec{v} = \vec{0}$

- Anticommutativity: $\vec{v} \times \vec{w} = -\vec{w} \times \vec{v}$
- ► Nilpotence: $\vec{v} \times \vec{v} = \vec{0}$
- Zerodivisors: $\vec{v} \times \vec{w} = \vec{0}$ iff $\vec{w} = \lambda \vec{v}$ or $\vec{v} = \vec{0}$

- Anticommutativity: $\vec{v} \times \vec{w} = -\vec{w} \times \vec{v}$
- ► Nilpotence: $\vec{v} \times \vec{v} = \vec{0}$
- ► Zerodivisors: $\vec{v} \times \vec{w} = \vec{0}$ iff $\vec{w} = \lambda \vec{v}$ or $\vec{v} = \vec{0}$
- Bilinearity:

- Anticommutativity: $\vec{v} \times \vec{w} = -\vec{w} \times \vec{v}$
- Nilpotence: $\vec{v} \times \vec{v} = \vec{0}$
- Zerodivisors: $\vec{v} \times \vec{w} = \vec{0}$ iff $\vec{w} = \lambda \vec{v}$ or $\vec{v} = \vec{0}$
- Bilinearity:
 - $\blacktriangleright \ (\lambda \vec{v}) \times \vec{w} = \vec{v} \times (\lambda \vec{w}) = \lambda (\vec{v} \times \vec{w})$

- Anticommutativity: $\vec{v} \times \vec{w} = -\vec{w} \times \vec{v}$
- ► Nilpotence: $\vec{v} \times \vec{v} = \vec{0}$
- Zerodivisors: $\vec{v} \times \vec{w} = \vec{0}$ iff $\vec{w} = \lambda \vec{v}$ or $\vec{v} = \vec{0}$
- Bilinearity:

 - $\qquad \qquad \bullet \quad (\vec{u} + \vec{v}) \times \vec{w} = \vec{u} \times \vec{w} + \vec{v} \times \vec{w}$

- Anticommutativity: $\vec{v} \times \vec{w} = -\vec{w} \times \vec{v}$
- ► Nilpotence: $\vec{v} \times \vec{v} = \vec{0}$
- Zerodivisors: $\vec{v} \times \vec{w} = \vec{0}$ iff $\vec{w} = \lambda \vec{v}$ or $\vec{v} = \vec{0}$
- Bilinearity:

 - $\qquad \qquad \bullet \quad (\vec{u} + \vec{v}) \times \vec{w} = \vec{u} \times \vec{w} + \vec{v} \times \vec{w}$
 - $\qquad \qquad \vec{u} \times (\vec{v} + \vec{w}) = \vec{u} \times \vec{v} + \vec{u} \times \vec{w}$

Computing cross products

- ► There is a method based on the formula for 3 × 3 determinants outlined in the text.
- I prefer to use bilinearity/distributivity, combined with the fundamental relations
 - $\hat{i} \times \hat{j} = \hat{k}$
 - $\hat{\jmath} \times \hat{k} = \hat{\imath}$
 - $\hat{k} \times \hat{\imath} = \hat{\jmath}$
- With anticommutativity, these generate another three relations
 - $\hat{j} \times \hat{i} = -\hat{k}$
 - $\hat{\mathbf{k}} \times \hat{\mathbf{j}} = -\hat{\mathbf{i}}$
 - $\hat{\imath} \times \hat{k} = -\hat{\jmath}$

