Dot and cross product

Math 251 Calculus 3

September 18, 2013

► Ready?

- ► Ready?
- ► OK FAST what is the dot product—cosine formula?

- ► Ready?
- ▶ OK FAST what is the dot product—cosine formula?
- $\blacktriangleright \vec{\mathbf{v}} \cdot \vec{\mathbf{w}} = ||\vec{\mathbf{v}}|| ||\vec{\mathbf{w}}|| \cos \theta$

- ► Ready?
- ► OK FAST what is the dot product—cosine formula?
- ▶ Here, we agree to always choose $0 \le \theta \le \pi$.

- ► Ready?
- OK FAST what is the dot product-cosine formula?
- ▶ Here, we agree to always choose $0 \le \theta \le \pi$.
- ▶ Suppose $\|\vec{v}\| = 3$ and $\|\vec{w}\| = 2$. What are the maximal and minimal possible values of $\vec{v} \cdot \vec{w}$?

▶ Suppose $\vec{v} \cdot \vec{w} = ||\vec{v}|| ||\vec{w}||$. What can you conclude about the orientation of the vectors? It helps to picture them in standard position.

- ▶ Suppose $\vec{v} \cdot \vec{w} = ||\vec{v}|| ||\vec{w}||$. What can you conclude about the orientation of the vectors? It helps to picture them in standard position.
- ▶ Suppose $\vec{v} \cdots \vec{w} = -\|\vec{v}\| \|\vec{w}\|$. Now what can you conclude?

- ▶ Suppose $\vec{v} \cdot \vec{w} = ||\vec{v}|| ||\vec{w}||$. What can you conclude about the orientation of the vectors? It helps to picture them in standard position.
- ▶ Suppose $\vec{v} \cdots \vec{w} = -\|\vec{v}\| \|\vec{w}\|$. Now what can you conclude?
- ▶ Suppose $\vec{v} \cdots \vec{w} = 0$. Now what can you conclude?

Frequent uses of dot product

- ► Test for *orthogonality*: i.e., whether two vectors are perpendicular
- ► Projection: part 3 of Workshop 02

ightharpoonup Cross product of vectors is specific to $m {\bf R}^3$... kind of.

- ► Cross product of vectors is specific to **R**³ ... kind of.
- ▶ It is designed to "complete" an independent set.

- ▶ Cross product of vectors is specific to \mathbb{R}^3 ... kind of.
- ▶ It is designed to "complete" an independent set.
- ► Fundamental properties:

- ► Cross product of vectors is specific to **R**³ . . . kind of.
- ▶ It is designed to "complete" an independent set.
- ► Fundamental properties:
 - Anticommutativity: $\vec{v} \times \vec{w} = -\vec{w} \times \vec{v}$

- ▶ Cross product of vectors is specific to \mathbb{R}^3 ... kind of.
- ▶ It is designed to "complete" an independent set.
- Fundamental properties:
 - Anticommutativity: $\vec{v} \times \vec{w} = -\vec{w} \times \vec{v}$
 - ► *Nilpotence*: $\vec{v} \times \vec{v} = 0$

- ► Cross product of vectors is specific to **R**³ . . . kind of.
- ▶ It is designed to "complete" an independent set.
- Fundamental properties:
 - Anticommutativity: $\vec{v} \times \vec{w} = -\vec{w} \times \vec{v}$
 - ► *Nilpotence*: $\vec{v} \times \vec{v} = 0$
 - Zerodivisors: $\vec{v} \times \vec{w} = 0$ iff $\vec{w} = \lambda \vec{v}$ or $\vec{v} = 0$

- ► Cross product of vectors is specific to **R**³ . . . kind of.
- ▶ It is designed to "complete" an independent set.
- Fundamental properties:
 - Anticommutativity: $\vec{v} \times \vec{w} = -\vec{w} \times \vec{v}$
 - ► *Nilpotence*: $\vec{v} \times \vec{v} = 0$
 - Zerodivisors: $\vec{v} \times \vec{w} = 0$ iff $\vec{w} = \lambda \vec{v}$ or $\vec{v} = 0$
 - ► Bilinearity:

- ► Cross product of vectors is specific to **R**³ . . . kind of.
- ▶ It is designed to "complete" an independent set.
- ► Fundamental properties:
 - Anticommutativity: $\vec{v} \times \vec{w} = -\vec{w} \times \vec{v}$
 - ▶ *Nilpotence*: $\vec{v} \times \vec{v} = 0$
 - Zerodivisors: $\vec{v} \times \vec{w} = 0$ iff $\vec{w} = \lambda \vec{v}$ or $\vec{v} = 0$
 - Bilinearity:
 - $\qquad \qquad \bullet \quad (\lambda \vec{v}) \times \vec{w} = \vec{v} \times (\lambda \vec{w}) = \lambda (\vec{v} \times \vec{w})$

- ► Cross product of vectors is specific to R³ . . . kind of.
- ▶ It is designed to "complete" an independent set.
- ► Fundamental properties:
 - Anticommutativity: $\vec{v} \times \vec{w} = -\vec{w} \times \vec{v}$
 - ► *Nilpotence*: $\vec{v} \times \vec{v} = 0$
 - Zerodivisors: $\vec{v} \times \vec{w} = 0$ iff $\vec{w} = \lambda \vec{v}$ or $\vec{v} = 0$
 - ► Bilinearity:
 - $\qquad \qquad (\lambda \vec{v}) \times \vec{w} = \vec{v} \times (\lambda \vec{w}) = \lambda (\vec{v} \times \vec{w})$
 - $\qquad \qquad (\vec{u} + \vec{v}) \times \vec{w} = \vec{u} \times \vec{w} + \vec{v} \times \vec{w}$

- ► Cross product of vectors is specific to **R**³ . . . kind of.
- ▶ It is designed to "complete" an independent set.
- ► Fundamental properties:
 - Anticommutativity: $\vec{v} \times \vec{w} = -\vec{w} \times \vec{v}$
 - ► *Nilpotence*: $\vec{v} \times \vec{v} = 0$
 - Zerodivisors: $\vec{v} \times \vec{w} = 0$ iff $\vec{w} = \lambda \vec{v}$ or $\vec{v} = 0$
 - ► Bilinearity:
 - $\qquad \qquad (\lambda \vec{v}) \times \vec{w} = \vec{v} \times (\lambda \vec{w}) = \lambda (\vec{v} \times \vec{w})$
 - $\qquad \qquad \bullet \quad (\vec{u} + \vec{v}) \times \vec{w} = \vec{u} \times \vec{w} + \vec{v} \times \vec{w}$

► There is a method based on the formula for 3 × 3 determinants outlined in the text.

- ► There is a method based on the formula for 3 × 3 determinants outlined in the text.
- I prefer to use bilinearity/distributivity, combined with the fundamental relations

- ► There is a method based on the formula for 3 × 3 determinants outlined in the text.
- I prefer to use bilinearity/distributivity, combined with the fundamental relations
 - $\hat{\imath} \times \hat{\jmath} = \hat{k}$

- ► There is a method based on the formula for 3 × 3 determinants outlined in the text.
- I prefer to use bilinearity/distributivity, combined with the fundamental relations
 - $\hat{\imath} \times \hat{\jmath} = \hat{k}$
 - $\hat{\jmath} \times \hat{k} = \hat{\imath}$

- ► There is a method based on the formula for 3 × 3 determinants outlined in the text.
- ► I prefer to use bilinearity/distributivity, combined with the fundamental relations
 - $\hat{i} \times \hat{j} = \hat{k}$
 - $\hat{\jmath} \times \hat{k} = \hat{\imath}$
 - $\hat{\mathbf{k}} \times \hat{\imath} = \hat{\jmath}$