

Deploying 777forals.com — GitHub Pages + Porkbun

This guide walks you through putting the website live for **free** using **GitHub Pages**, then pointing your **Porkbun** domain (`777forals.com`) at it.

You do **not** need to know how to code. Just follow each step in order. Total time: ~30–45 minutes (plus up to a few hours of waiting for DNS to “propagate” at the end — that part is automatic).

What you’ll be doing (the big picture)

1. **Put the website files on GitHub** (a free file host for websites).
2. **Turn on GitHub Pages** so GitHub serves those files as a live website.
3. **Tell Porkbun** (where you bought the domain) to send `777forals.com` visitors to GitHub.
4. **Wait** for it to go live, then confirm `https://777forals.com` works.

Throughout, replace `YOUR-USERNAME` with the GitHub username you create.

Part 1 — Create a free GitHub account

1. Go to <https://github.com/signup>
 2. Enter your email, a password, and a username (e.g. `daveruns777`). Write the username down.
 3. Verify your email when GitHub sends you the confirmation.
-

Part 2 — Create the repository (the “folder” for your site)

1. Once logged in, click the + in the top-right corner → **New repository**.
2. **Repository name:** `777forals` (any name is fine).
3. Set it to **Public**. (Pages is free for public repos.)
4. Leave everything else unchecked. Click **Create repository**.

You’ll land on a page that says “Quick setup”. Keep this tab open.

Part 3 — Upload the website files

You have two options. **Option A (drag-and-drop) is easiest** and needs no software.

Option A — Upload through the website (recommended, no install)

1. Download the whole `777forals_website` folder to your computer (use the **Files** icon at the top right of this chat to download everything, then unzip it if needed).

2. On your new repo page, click the link **“uploading an existing file”** (or go to **Add file → Upload files**).
3. Open the downloaded `777forals_website` folder on your computer, select **ALL** the files inside it (the `.html` files, the `assets / images` folders, `style.css`, `main.js`, `CNAME`, etc.), and **drag them into the browser** upload box.
 - Important: upload the **contents** of the folder, not the folder itself. The file `index.html` must end up at the top level of the repo.
4. Scroll down and click **Commit changes**.

You do **not** need to upload `build.py` or `pages.py` — those are only used to regenerate the site. Uploading them does no harm, but the live site only needs the `.html`, `.css`, `.js`, image files, and `CNAME`.

Option B — Use Git (only if you’re comfortable with a terminal)

```
cd 777forals_website
git remote add origin https://github.com/YOUR-USERNAME/777forals.git
git branch -M main
git push -u origin main
```

Part 4 — Turn on GitHub Pages

1. In your repo, click **Settings** (top menu).
2. In the left sidebar, click **Pages**.
3. Under **“Build and deployment” → Source**, choose **Deploy from a branch**.
4. Under **Branch**, pick **main** (or **master**) and the folder **/ (root)**. Click **Save**.
5. Wait 1–2 minutes, then refresh. You’ll see a message like:

“Your site is live at <https://YOUR-USERNAME.github.io/777forals/>”.

Click that link to confirm the site loads. 🎉 (The custom domain comes next.)

Part 5 — Add your custom domain in GitHub

1. Still on **Settings → Pages**, find the **“Custom domain”** box.
2. Type `777forals.com` and click **Save**.
 - This creates/uses the `CNAME` file in your repo (it’s already included for you).
3. Leave **“Enforce HTTPS”** unchecked for now — you’ll check it later, after DNS is working.

Part 6 — Point Porkbun at GitHub (the DNS step)

This is where you tell your domain to load the GitHub site.

1. Log in at <https://porkbun.com> → **Account** → **Domain Management**.
2. Find `777forals.com` and click the **Details / DNS** button (looks like a small “DNS” or gear icon) to open **“Edit DNS Records”**.

3. **Delete** any existing `A` records or parking/redirect records for the bare domain (the “`A`” type rows pointing at Porkbun’s parking page). Leave `NS` and `SOA` records alone.
4. **Add these four A records** (for the bare domain `777forals.com`).
For each one: Type = **A**, Host = leave **blank** (or `@`), Answer/Value = the IP below, TTL = `600` :

Type	Host	Answer / Value
A	(blank)	<code>185.199.108.153</code>
A	(blank)	<code>185.199.109.153</code>
A	(blank)	<code>185.199.110.153</code>
A	(blank)	<code>185.199.111.153</code>

1. **Add one CNAME record** so `www.777forals.com` also works:

Type	Host	Answer / Value
CNAME	<code>www</code>	<code>YOUR-USERNAME.github.io</code>

(Type the trailing nothing — just `YOUR-USERNAME.github.io`. No `https://`, no slash.)

1. Click **Save / Add** for each record.

Why four IP addresses? Those are GitHub Pages’ official servers. Using all four gives your site redundancy. They are the same for every GitHub Pages site.

Part 7 — Wait, then verify

1. DNS changes can take anywhere from **10 minutes to a few hours** (occasionally up to 24h).
2. After a while, visit **`https://777forals.com`** — it should show your site.
3. Go back to **GitHub → Settings → Pages**. Once GitHub confirms the domain (green check), tick **“Enforce HTTPS”** so visitors always get the secure `https://` version.

That’s it — the site is live on your own domain. 🚩

Updating the site later

Whenever you want to change the site:

- **Easiest:** edit the file on GitHub (open the file → pencil icon → edit → Commit), or re-upload changed files via **Add file → Upload files**.
- **If you (or I) regenerate the site** from `build.py`, just re-upload the new `.html` / `.css` / `.js` / image files. GitHub Pages redeploys automatically within a minute or two.

Keep the `CNAME` file in the repo — if it’s deleted, the custom domain disconnects.

Quick troubleshooting

Problem	Fix
Site shows GitHub 404	Make sure <code>index.html</code> is at the root of the repo, not inside a sub-folder.
“Domain’s DNS record could not be retrieved” in GitHub	DNS hasn’t propagated yet — wait and click Check again .
<code>https://</code> warning / not secure	Wait for DNS to finish, then enable Enforce HTTPS in Settings → Pages.
<code>www.</code> version doesn’t work	Confirm the CNAME record <code>www</code> → <code>YOUR-USER-NAME.github.io</code> is saved in Porkbun.
Changes not showing	Hard-refresh your browser (Ctrl/Cmd + Shift + R); GitHub may take 1–2 min to redeploy.