

DAVEMA

Market Intelligence API — Full Documentation

46 SMC / ICT endpoints · 89 instruments · live MT5 feed

Generated 2026-08-05

1. Overview

DAVEMA turns your MT5 terminal into a market-intelligence API. A single Expert Advisor computes every SMC/ICT, classic and synthetic module locally and pushes one JSON snapshot to the ingest webhook. The public API then serves that snapshot — and its history — to any language over plain HTTPS GET.

Base URL

```
https://srzaqmvnrnfeduiqvbgv.supabase.co/functions/v1/v1
```

Request pattern

```
GET {base}/{endpoint}?symbol=EURUSD&tf=M15
GET {base}/{endpoint}?symbol=EURUSD&tf=M15&from=<ISO>&to=<ISO>
```

Response envelope

```
{
  "symbol": "EURUSD",
  "timeframe": "M15",
  "timestamp": "2026-08-02T10:04:57Z",
  "endpoint": "structure",
  "data": { ... }
}
```

2. Authentication

Send your key in the x-api-key header on every request. Keys start with sk_live_ followed by 48 hex characters. /ping is the only endpoint that needs no key. Keys can be revoked (instantly rejected) or deleted permanently from the dashboard.

```
curl -H "x-api-key: sk_live_XXXXX"
"https://srzaqmvnrnfeduiqvbgv.supabase.co/functions/v1/v1/structure?symbol=EURUSD&tf=M15"
```

3. Status codes

200 — Success — snapshot or history returned. Fix: —
400 — Missing or malformed query params. Fix: Always send `symbol`; `tf` defaults to M15.
401 — Missing / invalid / revoked `x-api-key`. Fix: Check the key is active in the Keys tab.
404 — Unknown endpoint, or no live data for that symbol+tf. Fix: Make sure your EA is pushing that symbol and timeframe.
500 — Upstream database error. Fix: Retry with backoff; if it persists contact support.

4. Skills & recipes

Skill 1 — Your first call in 60 seconds

Create a key in the API keys tab, copy it once (it is shown in full only while you keep the row expanded), then send it in the x-api-key header on every request.

Every response has the same envelope: symbol, timeframe, timestamp, endpoint, data. Your code should always read response.data and never assume field order.

[curl]

```
curl -H "x-api-key: sk_live_XXXXX" \
  "https://srzaqmvnrnfeduiqvbgv.supabase.co/functions/v1/v1/price?symbol=EURUSD&tf=M15"
```

[python]

```
import requests

BASE = "https://srzaqmvnrnfeduiqvbgv.supabase.co/functions/v1/v1"
HEAD = {"x-api-key": "sk_live_XXXXX"}

def get(endpoint, symbol, tf="M15", **params):
    r = requests.get(f"{BASE}/{endpoint}",
                    headers=HEAD,
                    params={"symbol": symbol, "tf": tf, **params},
                    timeout=10)
    r.raise_for_status()
    return r.json()["data"]

print(get("price", "EURUSD"))
```

Skill 2 — Build a multi-timeframe bias filter

Top-down analysis is just three calls. Pull /trend on H4 and H1 for direction, then /structure on M15 for the entry-timeframe shift. Only trade when the higher timeframes agree.

[python]

```
def bias(symbol):
    h4 = get("trend", symbol, "H4")
    h1 = get("trend", symbol, "H1")
    m15 = get("structure", symbol, "M15")
    if h4["score"] >= 2 and h1["score"] >= 1 and m15["choch"] == "BULL":
        return "LONG"
    if h4["score"] <= -2 and h1["score"] <= -1 and m15["choch"] == "BEAR":
        return "SHORT"
    return "STAND ASIDE"
```

Skill 3 — A liquidity-sweep + FVG entry model

The classic ICT model: price sweeps a liquidity pool, prints a displacement leg leaving a fair value gap, then retraces into that gap. /liquidity gives you the sweep, /ict gives you the FVG and killzone, /zones confirms the point of interest.

[python]

```
def sweep_fvg(symbol, tf="M15"):
    liq = get("liquidity", symbol, tf)
    ict = get("ict", symbol, tf)
    if not ict.get("killzone"):
        return None
    if liq["ssl_swept"]:
        gaps = [g for g in ict["fvg"] if g["type"] == "BULL" and not g["filled"]]
        if gaps:
            return {"side": "BUY", "entry": gaps[0]["ce"],
                    "invalidation": liq["nearest_ssl"]["level"]}
    if liq["bsl_swept"]:
        gaps = [g for g in ict["fvg"] if g["type"] == "BEAR" and not g["filled"]]
        if gaps:
            return {"side": "SELL", "entry": gaps[0]["ce"],
                    "invalidation": liq["nearest_bsl"]["level"]}
    return None
```

Skill 4 — Score a setup and size the position

/confluence returns a 0-100 agreement score across every module. /risk_metrics turns ATR into stop distances, targets and lot sizes. Combine them: only take A+ setups, and let ATR pick the stop instead of a fixed pip value.

[python]

```
c = get("confluence", "XAUUSD", "H1")
r = get("risk_metrics", "XAUUSD", "H1")

if c["score"] >= 75 and c["direction"] == "BULL":
    lots = r["position_sizing"]["lot_per_1pct_risk"]
    print("BUY", lots, "lots | SL", r["sl_1_5x_pips"], "pips | TP", r["tp_3x_pips"], "pips")
```

Skill 5 — Scan the whole watchlist in one pass

There is no batch endpoint by design — parallel requests are cheap. Fan out with async and rank results by confluence score to get a ready-made watchlist every morning.

[javascript]

```
const KEY = "sk_live_XXXXX";
const BASE = "https://srzaqmvrnfeduiqvbgv.supabase.co/functions/v1/v1";
const list = ["EURUSD", "GBPJPY", "XAUUSD", "BOOM_100", "VOL_80", "CRASH_200"];

const rows = await Promise.all(list.map(async (symbol) => {
    const res = await fetch(`${BASE}/confluence?symbol=${symbol}&tf=H1`, {
        headers: { "x-api-key": KEY },
    });
    const { data } = await res.json();
    return { symbol, score: data.score, dir: data.direction };
}));

rows.sort((a, b) => b.score - a.score).forEach(r =>
```

```
console.log(r.symbol.padEnd(10), r.dir, r.score));
```

Skill 6 — Query history instead of the live snapshot

Add ISO-8601 `from` and `to` params to any endpoint and you get a time series of that endpoint instead of one snapshot — up to 2000 rows, oldest first, each row shaped { timestamp, value }. Use it to backtest a filter or to chart how confluence evolved through a session.

[curl]

```
curl -H "x-api-key: sk_live_XXXXX" \
  "https://srzaqmvrnfeduiqvbgv.supabase.co/functions/v1/v1/confluence?symbol=EURUSD&tf=M15&from=2026-08-01T00:00:00Z&to=2026-08-02T00:00:00Z"
```

Skill 7 — Trade synthetics (Deriv & Headway)

Synthetic instruments run 24/7 and have no session bias, so ignore /session and /macro on them and lean on /synthetic, /volatility and /structure instead.

Deriv symbols always carry Index in the name (BOOM_1000_INDEX, VOLATILITY_75_INDEX, STEP_INDEX). Headway symbols never do (BOOM_100, CRASH_200, VOL_80, STORM_500, HW_100). Send the symbol exactly as your broker's MT5 Market Watch spells it — that is the string the EA pushes.

On Boom/Crash, spikes are one-directional: Boom spikes up, Crash spikes down. The /synthetic endpoint returns spike counters, distance since the last spike and a spike-probability read you can use as a filter.

[curl]

```
curl -H "x-api-key: sk_live_XXXXX" \
  "https://srzaqmvrnfeduiqvbgv.supabase.co/functions/v1/v1/synthetic?symbol=BOOM_100&tf=M5"
```

Skill 8 — Production hygiene

Never ship a key in browser code — proxy through your own server or an edge function. Keys are revocable and deletable from the Keys tab; rotate on a schedule and revoke immediately if a key leaks.

Cache aggressively: the EA pushes every few seconds, so polling faster than the push interval only burns quota. Retry 5xx with exponential backoff, treat 404 as "feed not live yet", and log the timestamp field to detect a stale feed.

5. MT5 Expert Advisor

The EA posts a full snapshot every PushSeconds seconds to: <https://srzaqmvrnfeduiqvbgv.supabase.co/functions/v1/ingest>

1. Download DAVEMA_EA.mq5 and save it to MQL5/Experts/DAVEMA/DAVEMA_EA.mq5.

2. Open it in MetaEditor and press F7 to compile.

3. In MT5 go to Tools !' Options !' Expert Advisors !' Allow WebRequest for listed URL

4. Attach the EA to any chart and paste your IngestUrl and EaToken.

5. Fill ExtraSymbols with every market you want live — including synthetics, spelled exactly as in Market Watch.

6. Set Timeframes (e.g. M5,M15,H1,H4,D1) and PushSeconds, then enable AutoTrading.

6. Instrument coverage

Forex (28)

EURUSD, GBPUSD, USDJPY, USDCHF, AUDUSD, USDCAD, NZDUSD, EURGBP, EURJPY, GBPJPY, EURAUD, EURCHF, EURCAD, EURNZD, GBPAUD, GBPCAD, GBPCHF, GBPNZD, AUDJPY, AUDCAD, AUDCHF, AUDNZD, CADJPY, CADCHF, CHFJPY, NZDJPY, NZDCAD, NZDCHF

Metals (4)

XAUUSD, XAGUSD, XPTUSD, XAUEUR

Energy (3)

USOIL, UKOIL, NATGAS

Crypto (6)

BTCUSD, ETHUSD, SOLUSD, XRPUSD, BNBUSD, DOGEUSD

Indices (8)

US30, US100, US500, GER40, UK100, JP225, HK50, AUS200

Deriv (24)

VOLATILITY_10_INDEX, VOLATILITY_25_INDEX, VOLATILITY_50_INDEX, VOLATILITY_75_INDEX, VOLATILITY_100_INDEX, VOLATILITY_10_1S_INDEX, VOLATILITY_25_1S_INDEX, VOLATILITY_50_1S_INDEX, VOLATILITY_75_1S_INDEX, VOLATILITY_100_1S_INDEX, BOOM_300_INDEX, BOOM_500_INDEX, BOOM_1000_INDEX, CRASH_300_INDEX, CRASH_500_INDEX, CRASH_1000_INDEX, STEP_INDEX, JUMP_10_INDEX, JUMP_25_INDEX, JUMP_50_INDEX, JUMP_75_INDEX, JUMP_100_INDEX, RANGE_BREAK_100_INDEX, RANGE_BREAK_200_INDEX

Headway (16)

VOL_10, VOL_20, VOL_30, VOL_40, VOL_50, VOL_80, VOL_100, BOOM_100, BOOM_200, BOOM_300, CRASH_100, CRASH_200, CRASH_300, STORM_200, STORM_500, HW_100

Deriv synthetics always contain 'Index' in the symbol name; Headway synthetics never do. Always use the exact spelling from your broker's Market Watch.

7. Endpoint register

01 /price

Live quote, spread, ranges and contract specs.

Fields: bid, ask, mid, spread_pts, spread_pips, day_high, day_low, day_range_pips, prev_close, prev_open, change_pts, change_pct, week_high, week_low, week_range_pips, month_high, month_low, hi_52w, lo_52w, digits, point, pip, tick_value, tick_size, swap_long, swap_short, min_lot, max_lot, lot_step

02 /structure

Market structure: BOS, CHoCH, MSS, CISD, swings and dealing range.

Fields: trend (HH_HL/LH_LL/HH_LL/LH_HL), bos (BULL/BEAR), choch (BULL/BEAR), mss (BULL/BEAR), cisd (BULL/BEAR), idm: {detected, level, type, bar}, qml: {detected, level, type}, hh, hl, lh, ll, eq_highs: [array], eq_lows: [array], swing_high, swing_low, prev_high, prev_low, dealing_range_high, dealing_range_low, equilibrium, premium_discount, ote_zone_high, ote_zone_low, ce, internal_bos, external_bos, bars_since_bos, trend_strength, swing_highs_array: [last 5], swing_lows_array: [last 5]

03 /zones

Supply and demand zones with freshness, strength and mitigation.

Fields: supply: [{top, bot, bar, fresh, strength, tests, body_ratio, mitigation_pct}], demand: [{top, bot, bar, fresh, strength, tests, body_ratio, mitigation_pct}], supply_count, demand_count, nearest_supply: {level, dist_pips}, nearest_demand: {level, dist_pips}, price_in_zone, zone_at_price, strongest_zone: {type, level}

04 /liquidity

Buy/sell side liquidity, sweeps, voids and equal highs/lows.

Fields: bsl: [{level, bar1, bar2, dist_pips}], ssl: [{level, bar1, bar2, dist_pips}], bsl_count, ssl_count, bsl_swept, ssl_swept, nearest_bsl: {level, dist_pips}, nearest_ssl: {level, dist_pips}, idm: {level, type}, irl: [{level, type}], erl: [{level, type}], liquidity_void_above, liquidity_void_below, equal_highs: [array], equal_lows: [array], most_recent_sweep: {type, level, bar}

05 /trend

Directional bias with moving average alignment and slopes.

Fields: bias (STRONG_BULL/BULL/NEUTRAL/BEAR/STRONG_BEAR), score (-5 to +5), slope_20, slope_50, ma20, ma50, ma200, ema9, ema21, price_vs_ma20, price_vs_ma50, price_vs_ma200, ema9_vs_ema21, ema_cross, ma_rising_20, ma_rising_50, ma_rising_200, golden_cross, death_cross, price_above_all_mas, ma_alignment (PERFECT_BULL/PERFECT_BEAR/MIXED), dist_ma200_pips, dist_ma50_pips

06 /momentum

RSI, MACD, Stochastic, CCI, Williams %R and a combined score.

Fields: rsi, rsi_prev, rsi_zone, rsi_slope, macd_main, macd_signal, macd_hist, macd_dir, macd_cross, macd_above_zero, macd_hist_growing, stoch_k, stoch_d, stoch_zone, stoch_cross, cci, cci_zone, williams_r, williams_zone, roc, momentum_score, max_score, overall_signal, bull_signals_count, bear_signals_count

07 /volatility

ATR, Bollinger and Keltner state plus volatility regime.

Fields: atr, atr_pips, atr_state, atr_percentile, atr_vs_avg, bb_upper, bb_mid, bb_lower, bb_width_pips, bb_position, bb_pct_b, bb_squeeze, kc_upper, kc_lower, kc_position, expanding, contracting, historical_vol_10, regime (HIGH/NORMAL/LOW)

08 /volume

Volume averages, delta bias, spikes and climaxes.

Fields: current, avg_20, avg_50, state, vs_avg20, trending_up, bull_vol, bear_vol, delta_pct, vol_bias, vol_spike, vol_climax, rising_price_rising_vol, rising_price_falling_vol, last_10: [array]

09 /ichimoku

Full Ichimoku Kinko Hyo state with cloud and scoring.

Fields: tenkan, kijun, senkou_a, senkou_b, chikou, cloud: {color, top, bottom, thickness_pips, price_inside}, price_vs_cloud, price_vs_tenkan, price_vs_kijun, tk_cross, tenkan_slope, kijun_slope, chikou_vs_price, chikou_vs_cloud, flat_kijun, kijun_support, kijun_resistance, kumo_twist, signal, score, max_score, dist_tenkan_pips, dist_kijun_pips, all_conditions_bull, all_conditions_bear

10 /fibonacci

Retracements, extensions, OTE and nearest level distance.

Fields: high, low, range_pips, swing_up, f0, f236, f382, f500, f618, f786, f100, e127, e161, e200, e261, nearest_level, nearest_price, dist_to_nearest_pips, pos_in_range, price_zone, ote, in_ote, retracement_depth_pct, confluence_with_ma, golden_ratio_bounce

11 /candles

Last 10 bars with body/wick anatomy and imbalance flags.

Fields: array of last 10 bars, each: t, o, h, l, c, v, d, body, upper_wick, lower_wick, body_ratio, wick_ratio, size_pips, size_vs_atr, type, gap, gap_type, is_imbalance

12 /patterns

Single, double and triple candlestick pattern detection.

Fields: single: {doji, hammer, inverted_hammer, shooting_star, marubozu, pin_bar, spinning_top}, double: {engulfing, harami, harami_cross, tweezers, piercing_line, dark_cloud_cover, inside_bar, outside_bar}, triple: {morning_star, evening_star, three_white_soldiers, three_black_crows, three_inside_up, three_inside_down}, strongest, bias, reliability

13 /ict

FVG, IFVG, BPR, order blocks, killzones, AMD and DOL.

Fields: fvg: [{type, top, bot, ce, filled, bar}], ifvg: [{type, top, bot, bar}], bpr: {detected, top, bot}, vi: [{gap, bar}], ob: {type, high, low, ce, mt, bar, valid, tested}, breaker: {type, high, low, bar}, mb: {detected, level}, sweep: {type, level, bar}, bsl: [levels], ssl: [levels], idm: {level, type, bar}, ndog: {detected, open, prev_close, gap_pips}, nwog: {detected, open, prev_close, gap_pips}, mop, asian_range: {high, low, range_pips}, killzone, silver_bullet, silver_bullet_window, judas_swing, amd_phase, cbdr: {active, high, low}, dol, dol_dir, premium_discount, ote_zone: {high, low}, poi_count, smt: {detected}, mmbm, mmsm

14 /wyckoff

Wyckoff phase, schematic events and effort vs result.

Fields: phase, sub_phase, event, schematic, avg_vol, recent_vol, vol_ratio, effort_result, trading_range_high, trading_range_low, breakout_direction, cause_bars, recent_range, prev_range

15 /divergence

Regular and hidden divergences across RSI, MACD and Stochastic.

Fields: rsi_bull_div, rsi_bear_div, rsi_hidden_bull, rsi_hidden_bear, macd_bull_div, macd_bear_div, macd_hidden_bull, macd_hidden_bear, stoch_bull_div, price_high1, price_high2, price_low1, price_low2, rsi_now, rsi_at_prev_high, rsi_at_prev_low, strongest, confirmed, bars_since_div

16 /session

Active session, overlaps, countdowns and Asian range.

Fields: current, tokyo, london, new_york, sydney, overlap, overlap_type, hour_utc, min_utc, to_london_min, to_ny_min, to_tokyo_min, to_sydney_min, silver_bullet_window, cbdr_active, high_impact_hours, session_open_price, session_high, session_low, asian_range_high, asian_range_low, asian_range_pips, session_time_elapsed_min

17 /pivots

Classic, Fibonacci and Camarilla pivots plus PDH/PDL.

Fields: classic: {p, r1, r2, r3, s1, s2, s3}, fibonacci: {p, r1, r2, r3, s1, s2, s3}, camarilla: {r1, r2, r3, r4, s1, s2, s3, s4}, weekly: {p, r1, s1, high, low}, monthly: {p, r1, s1}, pdh, pdl, pdc, pdo, pwh, pwl, nearest_pivot, dist_to_nearest_pips, price_vs_pivot

18 /levels

Round numbers, big figures, magnets and 52-week extremes.

Fields: nearest, above, below, mid, dist_pips, step_size, big_figure, half_figure, dist_to_big_figure_pips, dist_to_half_figure_pips, psychological_level, magnet_level, nearby_rounds: [array], hi_52w, lo_52w, dist_to_52h_pips, dist_to_52l_pips

19 /orderflow

Delta, absorption, initiative vs responsive participants.

Fields: delta, bias, buy_vol, sell_vol, consecutive, consecutive_dir, absorption_bars, momentum_acceleration, climax_buy, climax_sell, initiative_buyers, initiative_sellers, responsive_buyers, responsive_sellers, stop_run, momentum_ignition

20 /confluence

Aggregated 0-100 confluence score with signal breakdown.

Fields: score (0-100), direction, strength, bull_signals, bear_signals, total_signals, agreement_pct, confidence, signal_breakdown: {ma_trend, rsi, macd, adx_trend, price_action}

21 /risk_metrics

ATR-based stops, targets, R:R and position sizing.

Fields: atr_pips, sl_1x_pips, sl_1_5x_pips, sl_2x_pips, sl_3x_pips, tp_1_5x_pips, tp_2x_pips, tp_3x_pips, tp_5x_pips, rr_1_5, rr_2, rr_3, pip_value, spread_pips, spread_pct_of_sl, daily_range_pips, atr_pct_of_daily_range, max_recommended_sl_pips, position_sizing: {lot_per_1pct_risk, lot_per_2pct_risk}

22 /synthetic

Boom/Crash/Volatility index spike analytics.

Fields: type (BOOM/CRASH/VOL/STORM/FLAME/HW_INDEX/FOREX), tick_interval_number, spike_dir, spike_count, bars_since_spike, avg_between, is_due, is_overdue, estimated_bars_to_spike, spike_probability, dominant_dir, micro_trend, spike_threshold, avg_candle_range, volatility_class, recent_spikes: [{bar, dir, size_pips}]

23 /elliott

Elliott wave count, ratios, targets and invalidation.

Fields: wave, impulse, pivots, ab_ratio, bc_ratio, cd_ratio, current_wave_high, current_wave_low, wave_target, wave_invalidation, correction_type, confidence, wave_degree, bars_in_wave

24 /correlation

Cross-pair and DXY correlation with risk-on/off read.

Fields: ret_5bar, ret_20bar, vs_eurusd, corr_label, vs_dxy, risk_on, safe_haven, momentum_sync, positive_pairs, negative_pairs

25 /strength

Currency strength meter for the 8 majors.

Fields: base, quote, bias, ret_10bar, base_score, quote_score, strength_diff, trend_alignment, currency_scores: {USD, EUR, GBP, JPY, CHF, AUD, CAD, NZD}, strongest_currency, weakest_currency, best_pair_to_trade

26 /heatmap

Multi-horizon performance heat and ranking.

Fields: day_chg, week_chg, month_chg, quarter_chg, year_chg, heat (-3 to +3), color (GREEN/YELLOW/RED), momentum_direction, above_avg_move, day_rank_in_20

27 /fractal

Bill Williams fractals with break detection.

Fields: up: [{price, bar, strength}], down: [{price, bar, strength}], up_count, down_count, last_up: {price, bar}, last_down: {price, bar}, fractal_broken_up, fractal_broken_down, nearest_fractal_pips, fractal_direction_bias

28 /harmonic

Harmonic pattern detection with PRZ and targets.

Fields: pattern, direction, xa_ratio, ab_ratio, bc_ratio, cd_ratio, found, completion_pct, prz_high, prz_low, stop_loss, target_1, target_2, reliability, x_point, a_point, b_point, c_point, d_point

29 /mean_reversion

Z-score, regression bands and reversion probability.

Fields: z_score, signal, mean, stdev, dist_from_mean_pips, regression_pips, bands_2std_high, bands_2std_low, bands_1std_high, bands_1std_low, outside_1std, outside_2std, reversion_probability, mean_slope

30 /tape

Short-term tape pressure, exhaustion and momentum shift.

Fields: consecutive, direction, pressure, accelerating, decelerating, bull_mom, bear_mom, tape_score (0-100), exhaustion, reversal_candle, first_opposing_bar, momentum_shift

31 /seasonality

Time-of-day, day-of-week and calendar tendencies.

Fields: day, day_tendency, time_tendency, end_of_month, end_of_quarter, month, quarter, week_of_year, day_of_month, best_hours_utc: [array], avoid_hours_utc: [array], typical_range_pips, above_typical_range, monthly_bias

32 /spread_analysis

Spread state vs normal, cost and liquidity context.

Fields: spread_pts, spread_pips, state, normal_est, pct_of_normal, vs_atr_pct, round_trip_cost_pips, high_spread_warning, liquidity_level, session_context

33 /gann

Gann fans, Square of 9 and time cycles.

Fields: swing_low, swing_bar, g1x8, g1x4, g1x2, g1x1, g2x1, g4x1, g8x1, position, sq9_current, sq9_next, sq9_prev, sq9_ring, time_cycle_90, time_cycle_180, time_cycle_360, days_from_swing, gann_fan_resistance, gann_fan_support

34 /market_profile

POC, value area, single prints and balance.

Fields: poc, va_high, va_low, range_hi, range_lo, price_pos, value_area_width_pips, poc_dist_pips, developing_poc, virgin_poc, single_prints: [levels], imbalance, tpo_count, balance_point

35 /tape_flow

Block trades, absorption and institutional footprint.

Fields: block_trades: [{bar, vol, dir}], block_count, absorption_bars, avg_vol, institutional, flow_bias, large_buyer, large_seller, iceberg_order, stop_run, momentum_ignition

36 /macro

Central bank stance, rate differential and carry.

Fields: base_cb, base_rate, base_stance, quote_cb, quote_rate, quote_stance, rate_diff, carry, macro_dir, risk_environment, usd_bias, global_cycle, quarter, end_quarter

37 /news

Upcoming events, impact and blackout windows.

Fields: next_event, mins_away, impact, high_impact_soon, blackout_period, post_news_volatility, hour_utc, next_high_impact_event, next_high_impact_mins, events_today: [{name, time_utc, impact}]

38 /sentiment

Retail vs smart money bias and fear/greed index.

Fields: pos_in_52w_range, retail_bias, smart_money_bias, rsi_sentiment, hi_52w, lo_52w, cot_proxy, fear_greed_index (0-100), fear_greed_label, commitment_proxy

39 /regime

Trending vs ranging regime with ADX and chopiness.

Fields: regime, adx, di_plus, di_minus, trend_dir, trending, ranging, atr_ratio, regime_change, chopiness_index, trend_strength, bars_in_current_regime

40 /backtest

Rolling setup counts, win rates and expectancy.

Fields: bull_setups, bear_setups, bull_winrate, bear_winrate, overall_winrate, avg_bull_gain_pips, avg_bear_gain_pips, best_setup, expectancy_pips, sample_bars, total_trades

41 /swing

Major/minor swings, retracement and projections.

Fields: major_swing_high, major_swing_low, minor_swing_high, minor_swing_low, current_swing_dir, swing_size_pips, swing_age_bars, swing_leg_count, retracement_pct, at_fibonacci, stacked_fib, impulse_bars, pullback_bars, swing_target, swing_invalidations, projected_extension_pips

42 /order_blocks

Bullish/bearish OBs, breakers and mitigation blocks.

Fields: bullish_obs: [{high, low, ce, mt, bar, fresh, tested, strength}], bearish_obs: [{high, low, ce, mt, bar, fresh, tested, strength}], breaker_blocks: [{type, high, low, bar}], mitigation_blocks: [{high, low, bar, pct}], rejection_blocks: [{high, low, bar}], nearest_ob: {type, level, dist_pips}, price_at_ob, ob_confluence, freshest_ob, strongest_ob, ob_count_bull, ob_count_bear

43 /inducement

IDM detection, traps and liquidity grabs.

Fields: detected, level, type, bar, taken, post_idm_target, strength, multiple_idm: [{level, type, taken}], trap_confirmed, liquidity_grab, bars_since_idm, idm_size_pips

44 /premium_discount

Dealing range equilibrium, PD arrays and optimal zones.

Fields: current_zone, equilibrium, position_pct, premium_zone: {high, low}, discount_zone: {high, low}, ote_zone: {high, low}, dealing_range_high, dealing_range_low, pd_arrays: [ranked_levels], optimal_buy_zone: {high, low}, optimal_sell_zone: {high, low}, price_in_premium, price_in_discount, price_in_ote, price_in_discount_ote, ce, dist_to_eq_pips, dist_to_range_high_pips, dist_to_range_low_pips

45 /all

The complete data object — every endpoint in one response.

Fields: Returns all 44 sub-objects for the requested symbol and timeframe.

46 /ping

Health check. No authentication required.

Fields: Returns { status: "ok", time: <ISO timestamp> }