

**Before the
FEDERAL COMMUNICATIONS COMMISSION
Washington, DC 20554**

In the Matter of	)	
	)	
Facilitating Implementation of Next	)	PS Docket No. 21-479
Generation 9-1-1 Services (NG911)	)	
	)	
Massachusetts State 911 Department	)	PS Docket No. 25-143
Request of April 4, 2025	)	

REPLY COMMENTS OF INTRADO LIFE & SAFETY, INC.

Sean Ward
VP Deputy General Counsel
Intrado Life & Safety, Inc.
sward@intrado.com

Lauren Kravetz
VP Government Affairs
Intrado Life & Safety, Inc.
lauren.kravetz@intrado.com

Intrado Life & Safety, Inc.
1601 Dry Creek Drive
Longmont, CO 80503

May 11, 2026

TABLE OF CONTENTS

I. INTRODUCTION	1
II. THE MA STATE 911 AUTHORITY IS INCORRECT REGARDING THE COMPLIANCE OF INTRADO'S PHASE 1 SOLUTION FOR OSPs.	2
A. Intrado Connects to the MA State 911 Authority's Designated Delivery Points in the Required IP-Based SIP Format Via Sinch's ESGW Service.	2
B. The MA State 911 Authority is Conflating Sinch's ESGW Service With Sinch's ESInet Aggregation Service.....	4
C. The PS/ALI Issue Addressed in The Petition Is Neither Caused Nor Controlled By Intrado, But It Is Nonetheless a Novel Issue Warranting Waiver Relief.....	5
III. THE MA STATE 911 AUTHORITY'S PHASE 2 ARGUMENTS ARE OUTSIDE THE SCOPE OF THE PETITION AND MISSTATE THE RELEVANT OBLIGATIONS.	6
IV. PHASE 2 IS AN EXTRAORDINARY UNDERTAKING AND INTRADO HAS BEEN WORKING ON DEVELOPING AND IMPLEMENTING ITS PHASE 2 PLATFORM FOR MANY YEARS.	7
A. Intrado's Phase 2 Development Efforts Began Years Before the MA State 911 Authority's Phase 2 RFS.....	7
B. The Total Phase 2 Development Effort Is Unprecedented in Scale.....	8
C. Intrado, As a 9-1-1 Vendor to OSPs, Cannot Compel OSPs to Subscribe to Our, or Any 9-1-1 Vendor's, Phase 1/Phase 2 Services.....	9
D. Coordination Barriers With the State's NGCSP Along With the State's Non-i3-Compliant CHE and Non-i3-Based Requirements Are Extending Timelines.....	10
E. Revised Phase 2 Timeline.....	13
V. THE MA STATE 911 AUTHORITY'S COST ARGUMENTS ARE MISDIRECTED AND WILL NOT BE RESOLVED BY STRICTER ENFORCEMENT.	14
VI. CONCLUSION	15

EXHIBIT A

**Before the
FEDERAL COMMUNICATIONS COMMISSION
Washington, DC 20554**

In the Matter of	)	
	)	
Facilitating Implementation of Next	)	PS Docket No. 21-479
Generation 9-1-1 Services (NG911)	)	
	)	
Massachusetts State 911 Department	)	PS Docket No. 25-143
Request of April 4, 2025	)	

REPLY COMMENTS OF INTRADO LIFE & SAFETY, INC.

Intrado Life & Safety, Inc. (“Intrado”) submits these reply comments in support of the Verizon Petition for Waiver¹ and the comments filed by the industry associations.² In addition, Intrado responds to correct the factual record as described in comments of the Massachusetts State 911 Department.³

I. INTRODUCTION

Intrado is the country’s largest provider of 9-1-1 and Next Generation 9-1-1 (“NG9-1-1”) services and serves both Originating Service Providers (“OSPs”) and State 9-1-1 Authorities and agencies. As a 9-1-1 vendor/subcontractor, Intrado offers OSPs its commercially branded NEXUS solution to support their NG9-1-1 Phase 1 and Phase 2 implementations. Intrado has deployed Phase 1 Session Initiated Protocol (“SIP”) connectivity to over 3,300 of the nation’s Public Safety

¹ Verizon Petition for Waiver, PS Docket No. 21-479 (filed Apr. 17, 2026) (“Verizon Petition”); *see also Public Safety and Homeland Security Bureau Seeks Comment on Verizon Petition for Waiver of Next Generation 911 (NG911) Phase 1 Deadlines*, Public Notice, DA 26-407 (PSHSB Apr. 24, 2026).

² *See* Comments of CTIA, PS Dkt. No. 21-479 (filed May 4, 2026) (“CTIA Comments”); Comments of USTelecom—The Broadband Association PS Dkt. Nos. 21-479, 25-143 (filed May 4, 2026) (“USTelecom Comments”); *Ex Parte* Letter of NCTA – The Internet & Television Association, PS Docket Nos. 21-479, 13-75, filed May 4, 2026 (“NCTA Ex Parte”).

³ Massachusetts State 911 Department Response to and Comments on Verizon Petition for Waiver, PS Dkt. No. 21-479 (filed May 4, 2026) (“MA Response Comments”).

Answering Points (“PSAPs”). This is a complex undertaking, especially for Phase 2, and has required Intrado to invest thousands of hours of engineering effort.

In this proceeding, the Massachusetts State 911 Department’s (the “MA State 911 Authority”) comments include: (1) multiple misstatements regarding the compliance of Intrado’s Phase 1 solution for OSPs; (2) mischaracterizations of the nature of Intrado’s Phase 2 implementation work and timeline; and (3) Phase 2 policy arguments that fall outside the scope of the Verizon Petition entirely. Intrado writes to correct those errors and ensure the Commission has an accurate picture of what has been accomplished, what remains, and why Verizon’s requested relief is warranted and necessary for public safety given its clear showing of just cause for a waiver.

II. THE MA STATE 911 AUTHORITY IS INCORRECT REGARDING THE COMPLIANCE OF INTRADO’S PHASE 1 SOLUTION FOR OSPs.

As a prefatory matter, in advance of filing this Reply, Intrado met on May 8, 2026, with the leadership of the MA State 9-1-1 Authority to walk through the factual record regarding the compliance of Intrado’s Phase 1 solution for OSPs. That meeting was productive, and Intrado is hopeful that the MA State 911 Authority will clarify or correct several of the factual assertions addressed in its comments.

A. Intrado Connects to the MA State 911 Authority’s Designated Delivery Points in the Required IP-Based SIP Format Via Sinch’s ESGW Service.

A substantial portion of MA State 911 Authority’s Phase 1 compliance objection rests on a core factual error. Specifically, the MA State 911 Authority asserts that Intrado’s Phase 1 SIP connectivity does not connect to the Commonwealth’s designated NG9-1-1 Point of Interconnection (“POI”) and instead relies on State-funded, non-compliant Phase 1 transport

infrastructure provided by Sinch to reach the Emergency Services IP Network (“ESInet”).⁴ Neither claim is true.

Intrado delivers its OSP customers’ Phase 1 9-1-1 traffic to the Massachusetts designated NG9-1-1 POIs through Sinch's Emergency Services Gateway (“ESGW”) service. Sinch has confirmed in writing that its ESGW service connects to the official, in-state Massachusetts NG9-1-1 POIs and that the service is not funded by the State.⁵ Intrado discussed this precise issue with MA State 911 Authority staff on an April 23, 2026 call, and State staff and Comtech (the State’s NG9-1-1 Core Service Provider (“NGCSP”)) confirmed their understanding that Sinch’s ESGW service connects appropriately to the designated in-state NG9-1-1 POIs.⁶ We do not know why the State suddenly asserted the opposite.

Intrado has successfully completed Phase 1 SIP delivery across more than 3,300 PSAPs. Intrado’s Phase 1 deployments have proceeded smoothly, with the limited delays attributable to network provisioning timing issues common across the country. On the whole, State 911 Authorities across the country have worked through these issues collaboratively with OSPs and their vendors as the Commission encouraged in the *NG9-1-1 Transition Order*.⁷ Massachusetts has been an exception. The MA State 911 Authority’s characterization of Intrado’s Phase 1 service as non-compliant is inconsistent with both the service that Intrado provides in Massachusetts and Intrado’s broader national track record.

⁴ MA Response Comments at 6-7.

⁵ See Exhibit A, Email from Josh Burch, Sinch, to Sean Ward, Intrado, dated May 5, 2026 (confirming ESGW terminates at in-state Massachusetts NG9-1-1 POIs and that the service is not State-funded).

⁶ Charles Ashworth of the MA State 911 Authority and the Bill Mikucki, VP of Infrastructure, Engineering, and Operations at Comtech, were in attendance, and each individually confirmed that the Sinch ESGW connection is compliant for Phase 1 and approved for initial Phase 2 implementation while Intrado procures and deploys its direct connection to the designed NG9-1-1 POI (as directed by the MA State 911 Authority).

⁷ *Facilitating Implementation of Next Generation 911 Services (NG911)*, PS Dkt. No. 21-479, Report and Order, 39 FCC Red 8137, ¶¶ 5, 75, 87 (2024) (“*NG9-1-1 Transition Order*”).

Lastly, to complete the factual record, Verizon will rely on Intrado for Phase 1 transport only for a limited subset of its overall Massachusetts 9-1-1 traffic, specifically its wireline and VoIP enterprise 9-1-1 calls. The vast majority of Verizon’s Massachusetts 9-1-1 traffic (more than 80%) is wireless traffic handled by Comtech, which serves as both the MA State 911 Authority’s NGCSP and Verizon’s nationwide wireless 9-1-1 vendor. Comtech’s Phase 1 deployment for Verizon Wireless in Massachusetts involved multiple delays and relies on out-of-state POIs for which the MA State 911 Authority has no mutual agreements.⁸ Intrado has adhered to the Commonwealth’s preference for in-state POIs for wireline and VoIP traffic despite the associated challenges, and flexibility is warranted for Verizon’s wireline Phase 1 timeline as well.⁹

B. The MA State 911 Authority is Conflating Sinch’s ESGW Service With Sinch’s ESInet Aggregation Service.

The MA State 911 Authority conflates two technically and commercially distinct services offered by Sinch. Sinch’s ESInet aggregation service operates within a state’s ESInet environment on behalf of the state or its NGCSP, collecting 9-1-1 traffic and routing it through a state’s dedicated 9-1-1 network to the PSAP. This is the service for which the MA State 911 Authority pays Sinch. By contrast, Sinch’s ESGW transport service is a standards-based, SIP interconnect service that operates on the OSP/ingress side of the network, procured and paid for by the OSP or its vendor, delivering traffic to the 9-1-1 Authority’s designated NG9-1-1 POI in the required IP-based basic SIP format. These are not the same service.

⁸ MA Response Comments at 5-6.

⁹ *Id.* at 4 (stating it is “State 911’s policy to never recommend or disparage one private entity over another”). We are compelled to comment further on this point as Intrado has received reports from at least four OSP customers that MA State 911 Authority staff have over the last several months made disparaging remarks to them about Intrado and our services. We discussed this disparagement with the MA State 911 Authority on April 17, 2026 on a call between Intrado leadership and MA State 911 Authority leadership and revisited the issue on a May 8, 2026 call as the remarks to OSPs had not ceased.

Intrado relies exclusively on Sinch's ESGW service to achieve Phase 1 compliance at no cost to Massachusetts and in compliance with the Commission's rules, the MA State 911 Authority's Phase 1 RFS, and the i3 standard. The Commission's rules do not require OSPs or their vendors to build dedicated, physical circuits directly to each NG9-1-1 POI without the use of ingress aggregation services like Sinch's ESGW solution. Rather, the rules require delivery of 9-1-1 traffic to the 9-1-1 Authority's designated delivery points in the required IP-based SIP format.¹⁰ Intrado is achieving a compliant Phase 1 solution for OSP's via Sinch's ESGW service.

C. The PS/ALI Issue Addressed in The Petition Is Neither Caused Nor Controlled By Intrado, But It Is Nonetheless a Novel Issue Warranting Waiver Relief.

The MA State 911 Authority's comments misattribute the Verizon Private Switch/Automatic Location Information ("PS/ALI") routing issue at the heart of the Verizon Petition to Intrado's Phase 1 and 2 platform.¹¹ Intrado has no role in providing PS/ALI service to Verizon's enterprise customers. The PS/ALI issue addressed in Verizon's Petition arises because certain Verizon enterprise customers subscribe to PS/ALI products through which they (not Verizon) bear responsibility for maintaining location data in the relevant 9-1-1 ALI database. When a PS/ALI customer has not provided current location data, neither Verizon nor Intrado has the information needed to route the call directly to the PSAP.¹²

No other carriers, 9-1-1 vendors, or industry experts identified this architectural interaction between legacy PS/ALI products and Phase 1 SIP connectivity until Verizon's January 2026 first office application ("FOA") testing revealed it. As Verizon and USTelecom have noted, it has

¹⁰ 47 C.F.R. §§ 9.29(a), 9.33(a)(1).

¹¹ MA Response Comments at 5, 7-8.

¹² Verizon Petition at 7-8.

implications for OSPs and State 911 Authorities well beyond Massachusetts.¹³ It is precisely the kind of novel, unforeseen implementation challenge that the Commission’s *NG9-1-1 Transition Order* and general waiver framework under Section 1.3 of the Commission’s rules exist to address.¹⁴ Verizon, in the interest of public safety, reasonably needs time to educate potentially affected PS/ALI customers before it effectively flips the Phase 1 switch. That is not a basis for denying waiver relief, it is a basis for granting it while the industry works toward a durable solution.

III. THE MA STATE 911 AUTHORITY’S PHASE 2 ARGUMENTS ARE OUTSIDE THE SCOPE OF THE PETITION AND MISSTATE THE RELEVANT OBLIGATIONS.

A substantial portion of the MA State 911 Authority’s comments address Phase 2 matters. Specifically, the State’s comments address Intrado’s Phase 2 implementation plan letter to the State, Location Validation Function (“LVF”) queries, Presence Information Data Formation – Location Object (“PIDF-LO”) transmission, and the May 13, 2026 Phase 2 compliance date.¹⁵ The Bureau should decline to address or resolve Phase 2 compliance questions in the context of Verizon’s waiver request for an extension of time to deploy Phase 1.

Though out of scope of the Verizon Petition, Intrado addresses the MA State 911 Authority’s Phase 2 and cost arguments below in Section IV to correct the factual record and provide necessary context. We reserve more detailed comments on Phase 2 deployment for any future proceeding in which those issues are directly in scope.

¹³ See Verizon Petition at 7-8; USTelecom Comments at 3.

¹⁴ *Facilitating Implementation of Next Generation 911 Services (NG911), Location-Based Routing for Wireless 911 Calls*, Report and Order, 39 FCC Rcd 8137, 8194 ¶ 127, 8195 ¶ 129 (2024) (*NG9-1-1 Transition Order*); 47 C.F.R. § 1.3; see also CTIA Comments at 2.

¹⁵ MA Response Comments at 7-8, Appendices 3-5.

The MA State 911 Authority also refers to Intrado's inclusion on the States' Registry of Non-Compliant Multi-Line Telephone Systems ("MLTS") Communication Service Providers as evidence of Phase 1 and/or Phase 2 unreadiness. This conflates two entirely distinct regulatory frameworks. The MA State 911 Authority's MLTS compliance program operates under Massachusetts state regulation and concerns MLTS relied upon and operated by enterprises based in Massachusetts. It has nothing to do with Intrado's role as a VoIP 9-1-1 routing vendor under the FCC's NG9-1-1 rules, and it imposes no obligations on OSPs providing VoIP service under the Commission's Phase 1 or Phase 2 framework. The MA State 911 Authority's Registry listing is irrelevant to the Verizon Petition.

IV. PHASE 2 IS AN EXTRAORDINARY UNDERTAKING AND INTRADO HAS BEEN WORKING ON DEVELOPING AND IMPLEMENTING ITS PHASE 2 PLATFORM FOR MANY YEARS.

NG9-1-1 Phase 2 is a wholly different and vastly more complex undertaking than Phase 1, and the enormity of the transition was unknown, and could not have been known, at the time of the Commission's *NG9-1-1 Transition Order*. Achieving a fully compliant Phase 2 solution requires Intrado, as a 9-1-1 vendor to OSPs, to rebuild five major production systems and invest thousands of engineering hours. This work began many years ago and is continuing.

A. Intrado's Phase 2 Development Efforts Began Years Before the MA State 911 Authority's Phase 2 RFS.

The MA State 911 Authority's implies that Intrado's Phase 2 implementation timeline reflects inadequate preparation.¹⁶ The opposite is true. Intrado began foundational Phase 2 infrastructure work years before the Phase 2 RFS was filed. Work on the HTTP-Enabled Location Delivery (HELD)/Additional Data Repository (ADR) interface to the Intrado Fixed Mobile Convergence Center ("FMCC") call routing engine began approximately in 2020. Implementation

¹⁶ MA Response Comments at 5, 8-9.

of SIP Proxy and i3 signaling for Location by Value (“LbV”) in the FMCC was completed between 2023 and 2024. When the MA State 911 Authority’s submitted its Phase 2 RFS in November 2025,¹⁷ Intrado had already invested thousands of hours across multiple systems. Intrado requested the LVF technical specification from the MA State 911 Authority in June 2025, months before the Phase 2 RFS was filed, and received it in July 2025. Static record LVF validation development for VoIP provisioning, representing approximately 4,700 engineering hours, began in May 2025 and is now complete and ready for OSP implementation and testing. The new Intrado DALI address database platform, representing approximately 1,850 hours of development, is also complete and ready for VoIP record migration and then testing. The suggestion that Intrado was caught flat-footed is contradicted by facts.

B. The Total Phase 2 Development Effort Is Unprecedented in Scale.

Phase 2 has required Intrado to simultaneously rebuild or significantly modify five major proprietary production systems: VSuite (VoIP provisioning), DALI (address database), FMCC (call routing engine), ERS (enterprise routing service), and a newly deployed Location Information Server (LIS) that did not previously exist in Intrado’s production environment. Total engineering effort across all five systems will exceed 18,000 hours, without considering project management, testing coordination, regulatory compliance review, data migration, or operational support.

Massachusetts is correct that they are out in front of other states with respect to NG9-1-1 deployment as only they and one other 9-1-1 Authority have submitted a Phase 2 RFS. This is also Intrado’s first Phase 2 implementation in the country and its first Phase 2 deployment where Comtech is the state NGCSP. This is to say that no mature industry precedent exists.

¹⁷ Massachusetts NG911 Phase 2 Request for Service, PS Docket No. 25-143, posted Nov. 13, 2025 (“Phase 2 RFS”).

The Commission recognized in the *NG9-1-1 Transition Order* that first-time NG9-1-1 onboarding can take several months to a year and may warrant waiver relief.¹⁸ Phase 2 is orders of magnitude more complex than Phase 1 onboarding, involving bulk record migrations, LVF interface development, dynamic call flow infrastructure, dual-site LIS deployment across geographically separate facilities, and extensive interoperability testing. Given these complexities, a reasonable degree of timeline flexibility will be necessary for Phase 2, particularly with respect to the MA State 911 Authority's May 13, 2026 Phase 2 compliance date.

C. Intrado, As a 9-1-1 Vendor to OSPs, Cannot Compel OSPs to Subscribe to Our, or Any 9-1-1 Vendor's, Phase 1/Phase 2 Services.

The Bureau should also consider a fundamental structural point. Intrado operates as a 9-1-1 vendor to OSPs and functions as an intermediate network element between the OSP and the ESInet. Intrado cannot unilaterally make an OSP comply or become compliant with Phase 2. Rather, it can only make its platform available for OSPs that choose to subscribe to NEXUS Phase 2 services. For OSPs that subscribe, Intrado will deliver calls in the Phase 2 SIP format in conformance with commonly-accepted industry standards.¹⁹

This means that even when Intrado's Phase 2 platform is fully operational, the MA State 911 Authority will still face a fragmented compliance landscape. Not all OSPs use Intrado, and not all Intrado customers are purchasing Intrado's NEXUS Phase 2 solution. OSPs that are not Intrado customers will pursue their own Phase 2 approaches or may not have a Phase 2 solution at all, and many of them will almost certainly continue sending traffic via Phase 1 call flows for some time. Among those, there will be OSPs that send only LbV, which, as described below, will create

¹⁸ *NG9-1-1 Transition Order* ¶ 127.

¹⁹ For Intrado's OSP customers of legacy 9-1-1 services that do not subscribe to NEXUS, calls will continue to be processed via the Phase 1 call flow without Phase 2 formatting.

routing and display issues due to the Commonwealth’s PSAPs’ non-i3 Call Handling Equipment (“CHE”), regardless of what Intrado does.²⁰

Additionally, not all 9-1-1 traffic is technically capable of being pre-validated against an LVF, including certain dynamic VoIP calls that provision location only at call time. Nor do all 9-1-1 call sources originate from an OSP; these include MLTS, satellite, IoT/over-the-top devices, SOS requests, alarm/security services, and telematics services. The MA State 911 Authority will therefore need to maintain legacy E9-1-1 infrastructure (*e.g.*, Automatic Location Information, Master Street Address Guide) to support this long tail of non-Phase-2 traffic. Intrado’s platform readiness is a meaningful step forward, but it is not the finish line for NG9-1-1 compliance in Massachusetts, and the MA State 911 Authority’s ultimate Phase 2 trajectory will be determined by the full universe of OSP decisions, over most of which Intrado has little ability to exert influence.

D. Coordination Barriers With the State’s NGCSP Along With the State’s Non-i3-Compliant CHE and Non-i3-Based Requirements Are Extending Timelines.

Coordination with NGCSP. Despite Intrado’s proactive communication efforts with the MA State 911 Authority and its vendor Comtech, significant coordination barriers remain. The MA State 911 Authority’s governance structure is set up so that the MA State 911 Authority owns the 9-1-1 system while Comtech operates it and provides support services as the NGCSP. A separate company, DDTI/Datamark, provides separate LVF and GIS services to the Commonwealth. This creates persistent ambiguity about which entity has authority to make

²⁰ NENA i3 Standard for Next Generation 9-1-1 NENA-STA-010.3f-2021, dated October 7, 2021, § 3.2 (Location) (“i3 Standard”) (“**The NG9-1-1 system supports location included by value in the body of a SIP message, with a pointer to it (i.e., a cid URL) in the Geolocation header field (RFC 6442) of the SIP message. It also supports location by reference, when a location URI is populated in the Geolocation header field. All NGCS that receive location as a PIDF-LO must be prepared to receive location by reference and to use location by reference the NGCS MUST implement SIP and HTTP Enabled Location Delivery (HELD) (RFC 5985) de-referencing protocols. A Location Information Server (LIS) MUST implement one or both of these protocols.**”) (emphasis added).

technical decisions and schedule testing. Intrado and OSPs are regularly redirected between the three entities, which causes delays that no amount of internal preparation can eliminate.

By way of example, before Intrado could even initiate Phase 2 interoperability testing with Comtech, it first had to obtain clearance from the MA State 911 Authority to engage Comtech directly on Phase 2 testing matters. Once that clearance was obtained, Intrado initiated written outreach to Comtech simply to begin Phase 2 interoperability testing. It soon became evident that Comtech had no established process for Phase 2 testing and no prior agreement with the MA State 911 Authority to perform this work. Further, Comtech initially indicated there would be costs associated with the testing, a position inconsistent with the Commission's rules.²¹

Obtaining any response to our requests required repeated follow-up emails and escalation to Comtech's senior contacts by Intrado's Deputy General Counsel. Once the fee issue was resolved, Comtech continued to struggle to make testing resources available, with Comtech's Program Director leading interoperability testing acknowledging in late April 2026 that Comtech could not commit internal resources due to competing priorities. This was nearly six weeks after Intrado's initial outreach.

It was not until after Intrado escalated by two separate senior executive meetings with Comtech, most recently on May 5, 2026, that Comtech provided even a basic substantive response. The actual Phase 2 interoperability testing work with Comtech has not yet begun, and Comtech's sustained engagement will be critical to any realistic Phase 2 timeline. This pattern of delay is difficult to reconcile with the MA State 911 Authority's Phase 2 certification under 47 C.F.R. § 9.31(b)(3) that "it has obtained commitments from any ESInet provider, Next Generation 911 Core Services provider, and/or call handling equipment provider needed to facilitate and complete

²¹ See 47 C.F.R. § 9.33(b).

connectivity testing within the compliance timeframe applicable to the originating service provider.”

Non-i3-Conforming CHE. The MA State 911 Authority’s chosen NG9-1-1 solution imposes requirements inconsistent with the i3 Standard²² and the Commission’s rules. Because the MA State 911 Authority’s legacy CHE does not support LbV,²³ OSPs are being directed by the MA State 911 Authority to send both Location by Reference (“LbR”) and LbV, or only LbR, in every 9-1-1 call, a request with no basis in the i3 Standard or Section 9.28 of the Commission’s rules.²⁴

Lack of ESInet Support for Real-Time Text. The MA State 911 Authority’s ESInet also does not support Real-Time Text (“RTT”) and therefore does not conform with the i3 Standard. This deficiency imposes RTT/TTY transcoding obligations on OSPs that properly rest with the ESInet after establishing Phase 1 connectivity, and forces PSAPs to rely on antiquated TTY technology while denying the deaf and hard of hearing community the benefits of IP-based RTT.²⁵

²² i3 Standard at §§ 3.2, 4.10.

²³ Intrado’s understanding, based on conversations with the MA State 911 Authority and Comtech, is that the Commonwealth’s PSAPs rely on legacy, end-of-life Motorola CallWorks CHE that does not support LbV. The MA State 911 Authority acknowledged the need for replacement by issuing an RFI in December 2024 for an i3-compliant call handling solution. See COMMBUYS Bid Solicitation BD-25-1044-EPS90-1044E-106718, State 911 Department 25-001 Call Handling Software, available at <https://www.commbuys.com/bsa/external/bidDetail.sdo?docId=BD-25-1044-EPS90-1044E-106718>. No contract has been awarded as of the date of this filing. Even if a contract were awarded in the near term, statewide deployment across Massachusetts’ 204 PSAPs would likely take at least two years, meaning PSAPs will remain unable to display LbV-only calls until mid-2028 at the earliest.

²⁴ See 47 C.F.R. § 9.28; i3 Standard at § 4.2. Intrado notes that LbR is a pull method requiring the NGCS to dereference a URI by querying the OSP’s LIS at call time via HELD, conceptually similar to a legacy ALI dip. If the LIS is unavailable or slow to respond, location delivery fails. This is one reason why ESInet, NGCS and CHE support of LbV is critical for NG9-1-1 reliability. LbV embeds the PIDF-LO directly in the SIP INVITE, eliminating query latency and LIS dependency and providing reliable location delivery at time of call, particularly for static locations that do change and device-based hybrid location where the device itself is the most accurate and timely source of location data.

²⁵ See *In the Matter of the Transition from TTY to Real-Time Text Technology*, Order, DA 17-1084, ¶¶ 1, 7-8 (PSHSB and CGB, Nov. 3, 2017) (“T-Mobile RTT Order”) (granting Petition of T-Mobile for Clarification by clarifying that when a Commercial Radio Service (“CMRS”) provider connects to an ESInet to deliver RTT 911 calls, the CMRS provider need not convert RTT to TTY because the conversion to circuit-switched format is the

These non-i3 elements in the Commonwealth are inconsistent with “NG911 commonly accepted standards” and add OSP development and testing burden that was neither evident from the face of the Phase 2 RFS nor openly communicated by the MA State 911 Authority.²⁶ Nevertheless, Intrado intends to address and remedy these non-i3 limitations for OSP customers subscribing to our Phase 2 NEXUS service to enable implementation for Massachusetts PSAPs. Intrado’s Phase 2 NEXUS solution will support sending both LbR and LbV delivery for VoIP calls processed by the Intrado FMCC and will continue to offer RTT transcoding after Phase 1 implementation.

E. Revised Phase 2 Timeline.

Based on Intrado’s current assessment, taking into account the recent confirmation that its Phase 1 Sinch ESGW connection is compliant, and assuming good-faith testing participation from Comtech with support from the MA State 911 Authority, Intrado’s revised Phase 2 readiness projections for Massachusetts are as follows:

- **Wireless:** June–July 2026, subject to LIS/LbR completion and testing.
- **Static VoIP (bulk of VoIP records):** August–September 2026, subject to development completion, LVF testing, and excluding error correction. The original December 2026 projection in Intrado’s March 2026 letter was based on the MA State 911 Authority’s instruction that Phase 2 must be implemented over a direct physical circuit connection to the ESInet rather than over Intrado’s existing Sinch ESGW connection, a requirement the MA State 911 Authority’s appears to be maintaining notwithstanding the analysis above. If the MA State 911 Authority’s direct-connect requirement is ultimately confirmed, the December 2026 timeline for static records would apply and the dynamic timeline would extend accordingly

responsibility of the ESInet); i3 Standard at §§ 3.1.9, 3.1.10, 4.6.2, 4.8.1, 6.2.1.4; *see also NG9-1-1 Transition Order* ¶¶ 36-37 (discussing NG9-1-1 definition and noting comments of Mission Critical and others advocating to address baseline requirements including ESInet support of RTT).

²⁶ *See* 47 C.F.R. § 9.31(b). Intrado further notes that ESInet and CHE support of RTT is essential to driving PSAP RTT adoption and ensuring ESInet and CHE providers and PSAPs meet their accessibility and obligations under the Americans with Disabilities Act of 1990. State 911 Authorities and their PSAPs should not be allowed to simply never “opt-in” to RTT, but this is what has occurred for all 200+ PSAPs in Massachusetts, despite the MA State 911 Authority committing \$250 million in a 2024 NG9-1-1 contract with Comtech and certifying in its Phase 2 RFS to installation of all required NG9-1-1 equipment and systems.

subject to timely circuit delivery by Intrado's third-party circuit provider and testing.

- **Dynamic VoIP (approximately 5-10% of VoIP records):** December 2026–January 2027, subject to development completion, dynamic call flow testing, and excluding time for record error correction.

As noted, these projections remain contingent on the State's and Comtech's timely engagement in interoperability and LVF testing. Further, they apply only to OSP customers that have subscribed to Intrado's Phase 2 NEXUS service. 9-1-1 calls from non-subscribing OSPs will continue to process via the Phase 1 call flow.

We raise the points above not to obstruct the NG9-1-1 transition but to ensure the Bureau has an accurate picture of what is driving implementation complexity in Massachusetts. The technical difficulties OSPs and their vendors face are not solely attributable to OSP unreadiness. They reflect in significant part the State's continued reliance on both legacy and NG9-1-1 infrastructure inconsistent with i3 standards.²⁷ That is a compelling reason for the Bureau to be flexible on timelines, grant the Verizon Petition, and allow the parties to work collaboratively toward a durable solution.

V. THE MA STATE 911 AUTHORITY'S COST ARGUMENTS ARE MISDIRECTED AND WILL NOT BE RESOLVED BY STRICTER ENFORCEMENT.

The MA State 911 Authority complains that OSP non-compliance has forced it to incur ongoing costs to maintain legacy transport infrastructure.²⁸ This argument misunderstands both the cause of those costs and the remedy the MA State 911 Authority seeks. As addressed above in

²⁷ The Commission's rules require a 9-1-1 Authority to certify, before submitting a Phase 2 RFS, that it has installed and placed into operation all of the infrastructure needed to receive and process Phase 2 traffic and interface with the LIS in accordance with the i3 Standard. *See* 47 C.F.R. § 9.31(b). A State whose legacy CHE cannot process LbV and whose ESInet does not support RTT has not satisfied that certification.

²⁸ MA Response Comments at 4 (asserting State 911 "will continue to incur unfair and unexpected expenses" because OSPs have not met compliance dates).

Section II.B, the MA State 911 Authority's ongoing costs are not a product of Intrado's Phase 1 service arrangement over Sinch's ESGW solution. Those costs exist because the Commonwealth purchased a separate ESInet aggregation service from Sinch completely unrelated to Intrado's Phase 1 compliance.

The MA State 911 Authority's insistence on direct physical circuit connectivity, rather than accepting the Sinch ESGW connectivity that has been functioning reliably, is itself generating costs and delays that the MA State 911 Authority has no basis to attribute to Intrado or Verizon. Moreover, the NG9-1-1 transition is inherently a dual-running period in which legacy and IP systems must operate in parallel until all OSPs have achieved compliance. That is true regardless of what IP-based transport solution Intrado relies upon to reach the designated NG9-1-1 POIs.

Furthermore, the MA State 911 Authority's cost position will not improve meaningfully even after Intrado's Phase 2 platform is fully operational. As described above, Intrado cannot compel OSPs to subscribe to Phase 2 services, and many will not. The MA State 911 Authority will be required to maintain legacy ALI service, MSAG databases, and other E9-1-1 infrastructure to support that long tail of non-Phase-2 traffic for years. The timing of Intrado's Phase 2 readiness does not eliminate or materially change the MA State 911 Authority's dual-running costs.

VI. CONCLUSION

For the foregoing reasons, Intrado respectfully requests that the Bureau grant the Verizon Petition, which presents a unique implementation challenge that warrants flexibility in the interest of public safety. Intrado further requests that the Bureau decline to resolve Phase 2

compliance questions in this proceeding and reserve those issues for the appropriate future proceeding.

Dated: May 11, 2026

Respectfully submitted,

Sean Ward
VP Deputy General Counsel
Intrado Life & Safety, Inc.
sward@intrado.com

Lauren Kravetz
VP Government Affairs
Intrado Life & Safety, Inc.
lauren.kravetz@intrado.com

EXHIBIT A

From: [Josh Burch](#)
To: [Sean Ward](#); [Chris Seyer](#)
Cc: [Brian Davenport](#); [Lauren Kravetz](#); [Deidy Rozales-Rodriguez](#)
Subject: [EXT] Re: Sinch EGW Question - MA Phase 1
Date: Tuesday, May 5, 2026 12:34:14 PM

ATTENTION: The source of this email is outside of Intrado. Please use caution when opening any attachments.

Hi Sean,

Who is making these statements on the state of MA side and when? Guessing very recently? I thought we had cleared that up with that state.

No, the state is not funding our ESGW services and yes we are delivering to the state of MA POIs listed in their Phase 1 letter. You are not our first customer of ESGW were this issue has been raised by the state but thought we had them on the right track after a conversation a couple of weeks ago.

Let me know who is saying this and I can reach out.

Josh Burch

Sr. Director, Emergency Services Operations

+1 303 945 9688

Sinch



Follow us

#wearesinch



NOTE: This message and any attached files may contain information that is confidential and/or subject of legal privilege. If you are not the intended recipient or the person responsible for delivering the message, be advised that you have received this message in error and that any dissemination, copying or use of this message or attachment is forbidden, as is the disclosure of the information therein. If you have received this message in error please notify the sender immediately and delete the message.

From: Sean Ward <ward@intrado.com>

Sent: Tuesday, May 5, 2026 12:28 PM

To: Josh Burch <josh.burch@sinch.com>; Chris Seyer <chris.seyer@sinch.com>

Cc: Brian Davenport <bdavenport@intrado.com>; Lauren Kravetz <lauren.kravetz@intrado.com>;

Deidy Rozales-Rodriguez <drosales@intrado.com>

Subject: Sinch EGW Question - MA Phase 1

Chris/Josh,

The MA 911 Dept. is claiming that Intrado does not connect to the State's Designated Delivery Points and instead we are using a State 911 funded transport provider (Sinch) that connects to the Designated Delivery Points and this is costing the state money (and Intrado should pay for this cost). Is the State funding your EGW service? Is your EGW service connected to the official NG911 911 POIs identified in MA's Phase 1 RFS? Are the POI locations between Sinch/Comtech in-state?

Why does the State think the Sinch EGW is not Phase 1 complaint? It seems like they are confusing EGW with ESInet aggregation. Have you clarified this distinction with the State?

Best,

Sean Ward

VP, Deputy General Counsel

o 720.864.5510 c 720.839.1978

e ward@intrado.com