TempleFieldWorkOrderApp-1353124 Documentation

Generated at: 11/15/2022, 10:56:00 PM



A prototype for a universal work order app for field use.

Data Summary 4 Tables 46 Columns

7 Slices

UX Summary 32 Views

0 Format Rules

Behavior Summary 27 Actions

0 Workflow Rules

Short Name Temple Field Work Order App

Short Description A prototype for a universal work order app for field use.

Version 1.000188

Default app folder /appsheet/data/TempleFieldWorkOrderApp-1353124

Category Professional Solution

Function Field_Service

Industry Education

Runnable? Yes

Deployable? No

Personal use only? No

About Url Reference Url https://github.com/daveyloder/Temple-Code-FinalProject https://github.com/daveyloder/Temple-Code-FinalProject

Data

Tables

Table name _Per User Settings

Table name __Per User Settings

Visible? NEVER

Shared? No

Data locale en-US

Schema __Per User Settings_Schema

Are updates allowed? UPDATES_ONLY

Source Path __Per User Settings

Data Source native

Store for image and file

capture

_Default

Column Order List _RowNumber

Partitioned across many

files/sources?

No

Partitioned across many

worksheets?

No

Table name Work Orders

Table name Work Orders

Visible? ALWAYS

Shared? Yes

Data locale en-US

Schema Work Orders_Schema

Are updates allowed? ALL_CHANGES

Source Path Temple Work Order App

Worksheet Name/Qualifier Work Orders

Data Source google

Store for image and file

_Default

capture

Column Order List _RowNumber

No

Partitioned across many

files/sources?

Partitioned across many

worksheets?

No

Table name Users

Table name Users

Visible? ALWAYS

Shared? Yes

Data locale en-US

Schema Users_Schema

Are updates allowed? ALL_CHANGES

Source Path Temple Work Order App

Worksheet Name/Qualifier Users

Data Source google

Store for image and file

capture

_Default

Column Order List _RowNumber

Partitioned across many

files/sources?

No

Partitioned across many

worksheets?

No

Table name Task

Table name Task

Visible? ALWAYS

Shared? Yes

Data locale en-US

Schema Task_Schema

Are updates allowed? ALL_CHANGES

Source Path Temple Work Order App

_Default

Worksheet Name/Qualifier Task

Data Source google

3...3

Store for image and file

capture

Column Order List _RowNumber

Partitioned across many

No files/sources?

Partitioned across many

worksheets?

No

Columns

Schema Name _Per User Settings_Schema

_Per User Settings_Schema Schema Name

Visible? **ALWAYS**

Column 1: _RowNumber

Column _RowNumber

name

Visible? **ALWAYS**

Type Number

Type

{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThc

Qualifier

Read-Only Yes

Hidden Yes

Label No

Formula

0 version

Reset on

No edit?

System Yes

Defined?

Key No

Part of Key? No

Fixed

Yes definition?

Yes

Editable

Initial

Value?

Virtual? No

LocaleName en-US

Searchable No

Scannable No

Sensitive

data

No

Column 2: _EMAIL

Column

_EMAIL

name

ALWAYS

Visible? Type

Email

Type

{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"E(

Qualifier

App formula USEREMAIL()

Read-Only No

Hidden Yes

Label No

Formula

version

Reset on

edit?

No

No

No

0

System

Defined?

Key

Part of Key? No

Fixed

definition?

Editable

Initial Yes

Value?

Virtual? No

LocaleName en-US

Searchable No

Scannable No

Sensitive

data

No

Column 3: _NAME

Column

Visible?

_NAME

name

ALWAYS

Туре

Name

Type

{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain

Qualifier

Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Sho

App formula USERNAME()

Read-Only No

Hidden Yes

Label No

Formula

0

No

version

Reset on

edit?

System

Defined?

No

Key

No

Part of Key? No

Fixed

Yes

definition?

Editable

Initial

Yes

Value?

Virtual?

No

LocaleName en-US

Searchable No

Scannable No

No

Column 4: LOCATION

Column LOCATION name

Visible? ALWAYS

Type LatLong

Туре

Qualifier {"RealTime":false,"PublishIfRowKey":null,"KMLFileUrl":null,"Valid_If":null,"Error_N

Read-Only No

Hidden Yes

Label No

Formula

version

Reset on

edit?

No

System

Defined?

Key No

Part of Key? No

Fixed

Yes definition?

Editable

Initial Yes

Value?

Virtual? No

LocaleName en-US

Searchable No

Scannable No

Sensitive

No

data

Column 5: Options Heading

Options Heading

Column

name

Visible? ALWAYS

Type Show

Type {"Category":"Text","Content":"\"These options control the content and behavior o

Qualifier app\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":r

Read-Only Yes

Hidden Yes

Label No

Formula

version

Reset on

No

edit?

0

System Defined?

No

Key No

Part of Key? No

Fixed

definition?

Editable

Initial Yes

Value?

Virtual? No

LocaleName en-US

Searchable No

Scannable No

Sensitive

data

No

Column 6: Option 1

Column

Option 1

name Visible?

ALWAYS

Type

Text

Type Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Sho

Qualifier

Read-Only No

Hidden Yes

Label No

0

Formula

version

Reset on

edit?

System

Defined?

Key No

Part of Key? No

Fixed

definition?

Editable

Initial Yes

Value?

Virtual? No

LocaleName en-US

Searchable No

Scannable No

Sensitive

data

Column 7: Option 2

No

Column

Option 2

name

Visible?

ALWAYS

Type

Number

Type

{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThc

Qualifier

Read-Only No

Hidden Yes

Label No

Formula 0

version

Reset on

edit?

No

No

System

Defined?

Key No

Part of Key? No

Fixed

definition?

Editable

Initial Yes

Value?

Virtual? No

LocaleName en-US

Searchable No

Scannable No

No

Sensitive

data

Column

Country Option

Column 8: Country Option

name

Visible? ALWAYS

Type Enum

Type {"EnumValues":["Australia","Brazil","Canada"],"AllowOtherValues":false,"AutoCom
Qualifier Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":ı

Read-Only No Hidden Yes

Label No

Formula

version

Reset on

edit?

No

0

System

Defined?

No

Key No

Part of Key? No

Fixed

No

Editable

definition?

Initial Yes

Value?

Virtual? No

LocaleName en-US

Searchable No

Scannable No

Sensitive

data

No

Column 9: Language Option

Column

Language Option

name

ALWAYS

Visible? Type

Enum

Type

{"EnumValues":["English","French","Tamil"],"AllowOtherValues":false,"AutoComple

Qualifier

Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":

Read-Only No

Hidden Yes

Label No

Formula

version

Reset on

edit?

No

No

0

System

Defined?

Key No

Part of Key? No

Fixed

definition?

Yes

No

Editable Initial Value?

Virtual? No

LocaleName en-US

Searchable No

Scannable No

Sensitive

data

No

Column 10: Option 5

Column

Option 5

name Visible?

ALWAYS

Type

Text

Type

{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain

Qualifier

Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Sho

Read-Only No

Hidden Yes

Label No

Formula

version

Reset on

edit?

No

0

System

Defined?

No

Key No

Part of Key? No

Fixed

definition?

Editable

Initial Yes

Value?

Virtual? No

LocaleName en-US

Searchable No Scannable No Sensitive No data

Column 11: Option 6

Column

Visible?

Option 6

name

ALWAYS

Type

Number

Type

{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThc

Qualifier Read-Only

No

Hidden

Yes

Label

No

Formula

0

version

Reset on edit?

System

Defined?

No

No

Key

No

Part of Key? No

Fixed

No

definition?

Editable

Initial

Yes

Value?

Virtual?

No

LocaleName en-US

Searchable No

Scannable No

Sensitive

No

data

Column 12: Option 7

Column

name

Option 7

Visible?

ALWAYS

Type

Text

Type

{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain

Qualifier

Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Sho

Read-Only

Hidden

Yes

No

Label

No

Formula

0

version

Reset on

edit?

No

System

No

Defined?

Key

No

Part of Key? No

Fixed

No

definition?

Editable

Initial

Yes

No

Value?

Virtual?

LocaleName en-US

Searchable No

Scannable No

Sensitive

data

No

Column 13: Option 8

Column

Option 8

name

Visible? **ALWAYS** Type Text

Type {"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain

Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Sho Qualifier

Read-Only No

Hidden Yes

Label No

Formula

version

Reset on

No edit?

System

No

0

Defined?

Key No

Part of Key? No

Fixed

No definition?

Editable

Initial Yes

Value?

Virtual? No

LocaleName en-US

Searchable No

Scannable No

Sensitive

data

Column 14: Option 9

No

Column

Option 9

name

Visible?

ALWAYS

Type

Text

No

Type

{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain

Qualifier

Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Sho

Read-Only

Hidden Yes Label No

Formula

version

Reset on

edit?

No

No

0

System

Defined?

Key No

Part of Key? No

Fixed

definition?

Editable

Initial Yes

Value?

Virtual? No

LocaleName en-US

Searchable No

Scannable No

Sensitive

data

Column 15: _THISUSER

Column

_THISUSER

name Visible?

ALWAYS

No

Type

Text

No

Type

{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain

Qualifier

Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Sho

Read-Only

Hidden Yes

Label No

Formula

version

Reset on

N

edit?

No

0

Initial value onlyvalue

System

No

Defined?

Key Yes

Part of Key? Yes

Fixed

Yes

definition?

Editable

Initial Yes

Value?

Virtual? No

LocaleName en-US

Searchable No

Scannable No.

Sensitive

No

data

Schema Name Work Orders_Schema

Schema Name Work Orders_Schema

Visible? ALWAYS

Column 1: _RowNumber

Column

_RowNumber

name

Visible? ALWAYS

Description Number of this row

Type Number

Type

{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThc

Qualifier

Read-Only Yes

Hidden Yes

Label No

0

Formula version

Reset on

edit?

System Defined?

Yes

No

Key

Part of Key? No

Fixed

Yes

No

definition?

Editable

Initial Yes

Value?

Virtual? No

LocaleName en-US

Searchable No

Scannable No

Sensitive

data

No

Column 2: Work Order ID

Column

Work Order ID

name

Visible? ALWAYS

Type

Text

Type

{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain

Qualifier

Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Sho

Read-Only No

Hidden No

Label No

Formula

0

version

Reset on

No

edit?

.

Initial value UNIQUEID()

System No

Defined?

Key Yes

Part of Key? Yes

Fixed

definition?

Editable

Initial Yes

Value?

Virtual? No

LocaleName en-US

Searchable Yes

Scannable No

Sensitive

data

No

Column 3: Customer Name

Column

Customer Name

name

Visible? ALWAYS

Type Name

Type {"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain

Qualifier Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Sho

Read-Only No

Hidden No

Label Yes

Formula

version

Reset on

edit?

System

No.

Defined?

Key No

Part of Key? No

No

0

Fixed

definition?

Editable

Initial Yes

Value?

Virtual? No

LocaleName en-US

Searchable Yes

Scannable No

Sensitive

data

No

Column 4: ServiceAddressConcatcate

Column

ServiceAddressConcatcate

name

Visible? **ALWAYS**

Display

="Customer Address"

name

Type Address

Type

Qualifier

{"GeocodingEnabled":true,"KMLFileUrl":null,"Valid_If":null,"Error_Message_If_Inva

Read-Only No

Hidden No

Label No

Formula

version

Reset on

edit?

No

No

0

System

Defined?

Key

No

Part of Key? No

Fixed

definition?

Yes

No

Editable Initial Value?

Virtual? No

LocaleName en-US

Searchable Yes

Scannable No

Sensitive

data

No

Column 5: Customer Phone Number

Column

Customer Phone Number

name

Visible? **ALWAYS**

Type

Phone

Type

{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Sho

Qualifier Read-Only

No

Hidden

No

Label

No

0

Formula

version

Reset on

edit?

No

No

Yes

System

Defined?

No

Part of Key? No

Fixed

Key

No definition?

Editable

Initial

Value?

Virtual? No

LocaleName en-US

Searchable Yes
Scannable No
Sensitive
data

Column 6: Appointment Start Time

Column

Appointment Start Time

name Visible?

ALWAYS

Type

Time

Type

Qualifier

{"MinValue":null,"MaxValue":null,"IgnoreSeconds":true,"Valid_If":null,"Error_Mess

Read-Only No

Hidden No

Label No

Formula

version

Reset on

edit?

No

0

Initial value =""

System

Defined?

Key

No

No

Part of Key? No

Fixed

definition?

Editable

Initial Yes

Value?

Virtual? No

LocaleName en-US

Searchable No.

Scannable No

Sensitive

No

data

Column 7: Appointment End Time

Column Appointment End Time

Visible? ALWAYS

Type Time

Type

name

("MinValue":null,"MaxValue":null,"IgnoreSeconds":true,"Valid_If":null,"Error_Mess

Read-Only No

Hidden No

Label No

0

No

Formula

version

Reset on

edit?

Initial value =""

System

Defined?

Key No

Part of Key? No

Fixed

definition?

Editable

Initial Yes

Value?

Virtual? No

LocaleName en-US

Searchable No

Scannable No

Sensitive

data

Column 8: Appointment Start Date

Column name

Appointment Start Date

Visible? ALWAYS

Type Date

Type

("UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Shov

Read-Only No

Hidden No

Label No

0

No

Formula

version

Reset on

edit?

Initial value =""

System

Defined?

Key No

Part of Key? No

Fixed

definition?

Editable

Initial Yes

Value?

Virtual? No

LocaleName en-US

Searchable Yes

Scannable No.

Sensitive

data

Column 9: Appointment End Date

Column

Appointment End Date

name Visible?

ALWAYS

No

Type

Date

Type

 $\\ \{ "UseLongDateFormat" : false, "Valid_If" : null, "Error_Message_If_Invalid" : null, "Show the context of the context of$

Qualifier

Read-Only No

Hidden No

Label No

0

Formula

version

Reset on

edit?

Initial value =""

System

Defined?

Key No

Part of Key? No

Fixed

definition?

Editable

Initial Yes

Value?

Virtual? No

LocaleName en-US

Searchable Yes

Scannable No

Sensitive

data

Column 10: Status

No

Column

Status

name

Visible?

ALWAYS

Type

Text

Type

{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain

Qualifier

Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Sho

Read-Only

No

No

Hidden

Label

No

0

Formula version

Reset on

No No

edit?

Initial value ="Unassigned"

System

\d2

Defined?

Key No

Part of Key? No

Fixed

No

No

definition? Editable

Initial Yes

Value?

Virtual? No

LocaleName en-US

Searchable Yes

Scannable No

Sensitive

data

No

Column 11: Assigned

Column

Assigned

name Visible?

ALWAYS

Type

Ref

No

Type

{"ReferencedTableName":"Users","ReferencedRootTableName":"Users", "Users", "Users

Qualifier

 $Text\", "IsMulticolumnKey\":true, "Valid_If\":null, "Error_Message_If_Invalid\":null, "Error_Message_If_In$

Read-Only

Hidden No

Label No

Formula

0

version

Reset on

No

edit?

System No

Defined?

Key No

Part of Key? No

Fixed

No definition?

Editable

Initial Yes

Value?

Virtual? No

LocaleName en-US

Searchable Yes

Scannable No

Sensitive

data

No

Column 12: Task

Column

name

Task

Visible? **ALWAYS**

Type Ref

Type

 ${\tt "ReferencedTableName": "Task", "ReferencedRootTableName": "Task", "Task", "Task", "Task", "Task", "Task", "Task", "$

Qualifier

Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\": ID","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"E

Read-Only No

Hidden No

Label No

Formula

version

Reset on

No

0

System

edit?

No

Defined?

Key No

Part of Key? No

Fixed No

definition?

Editable

Initial Yes

Value?

Virtual? No

LocaleName en-US

Searchable Yes

Scannable No

Sensitive

nto.

data

Column 13: Notes

No

Column

Notes

name

Visible? ALWAYS

Type LongText

Type {"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain

Qualifier Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Sho

Read-Only No

Hidden No

Label No

Formula

version

Reset on

edit?

System

Defined?

0

No

Key No

Part of Key? No

Fixed

definition?

Editable

Initial Yes

Value?

Virtual? No

LocaleName en-US

Searchable Yes

Scannable No

Sensitive

data

Column 14: Customer Signature

Column

Customer Signature

name

Visible? ALWAYS

Type Signature

Type

{"SaveExternal":true,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invali

Qualifier

Read-Only No

Hidden No

Label No

Formula version

0

Reset on

edit?

No

System

Defined?

No

Key No

Part of Key? No

Fixed

definition?

Editable

Initial Yes

Value?

Virtual? No

LocaleName en-US

Searchable No

Scannable No

Sensitive

-4-

No

data

Column 15: User Start Time

Column User Start Time

Visible? ALWAYS

Type Time

Type

Qualifier {"MinValue":null,"MaxValue":null,"IgnoreSeconds":false,"Valid_If":null,"Error_Mes

Read-Only No

Hidden No

Label No

Formula

version

Reset on

edit?

No

0

Initial value =""

System

Defined?

Key No

Part of Key? No

Fixed

No.

definition?

Editable

Initial Yes

Value?

Virtual? No

LocaleName en-US

Searchable No

Scannable No

Sensitive

No

data

Column 16: User End Time

Column

User End Time

name

Visible? ALWAYS

Type Time

Туре

("MinValue":null,"MaxValue":null,"IgnoreSeconds":false,"Valid_If":null,"Error_Mes

Read-Only No

Hidden No

Label No

0

No

Formula

version

Reset on

edit?

Initial value =""

System

Defined?

Key No

Part of Key? No

Fixed

definition?

Editable

Initial Yes

Value?

Virtual? No

LocaleName en-US

Searchable No

Scannable No.

Sensitive

data

Column 17: Customer Signature Required

Column

Customer Signature Required

name Visible?

ALWAYS

No

Type Yes/No

Type

{"YesLabel":"=\"Yes\"","NoLabel":"=\"No\"","Valid_If":null,"Error_Message_If_Invali

Qualifier

Read-Only No

Hidden No

Label No

Formula

version

Reset on

edit?

No

0

Initial value ="No"

System

Defined?

renneu:

Key No

Part of Key? No

Fixed

definition?

Editable

Initial Yes

Value?

Virtual? No

LocaleName en-US

Searchable No

Scannable No

No

Sensitive

data

Column 18: Complete Date

Column

name

Complete Date

Visible? ALWAYS

Type Date

Type

Qualifier

 $\\ \{ "UseLongDateFormat": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Shovall of the context of the context$

Read-Only No

Hidden No

Label No

0

Formula

version

Reset on

No

edit?

Initial value =""

System

No

Defined?

Key No

Part of Key? No

Fixed

No

definition?

Editable

Initial Yes

Value?

Virtual?

No

LocaleName en-US

Searchable Yes

Scannable No

Sensitive

No

data

Schema Name Users_Schema

Schema Name Users_Schema

Visible? ALWAYS

Column 1: _RowNumber

Column

_RowNumber

name

Visible? ALWAYS

Description Number of this row

Type

Number

Туре

{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThc

Qualifier

Read-Only Yes Hidden Yes Label No

Formula 0 version

Reset on

edit?

System Yes Defined?

No

Key No

Part of Key? No

Fixed

Yes definition?

Editable

Initial Yes

Value?

Virtual? No

LocaleName en-US

Searchable No

Scannable No

Sensitive

data

Column 2: First Name

No

Column

name

First Name

Visible? ALWAYS

Type Name

Type {"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain

Qualifier Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Sho

Read-Only No

Hidden No

Label No

0

Formula

version

Reset on No

edit?

System

Defined?

Key No

Part of Key? Yes

Fixed

definition?

Editable

Initial Yes

Value?

Virtual? No

LocaleName en-US

Searchable Yes

Scannable No

Sensitive

data

No

Column 3: Last Name

Column

name

Last Name

Visible?

ALWAYS

Type

Name

Type

{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain

Qualifier

Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Sho

Read-Only No

Hidden No

Label No

Formula

version

0

Reset on

edit?

No

No

No

System

Defined?

Key

Part of Key? Yes

Fixed

No

definition?

Editable

Initial Yes

Value?

Virtual? No

LocaleName en-US

Searchable Yes

Scannable No

Sensitive

data

Column 4: Email

No

Column

Email

name

ALWAYS

Visible? Type

Email

Type

No

Qualifier

 $\\ \{ "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Error_Message_If_Invalid":null, "Error_Message_If_Invalid":$

Read-Only

Hidden No

Label No

Formula

version

Reset on

edit?

No

No

0

System

Defined?

Key No

Part of Key? No

Fixed

No

definition?

Editable

Initial Yes

Value?

Virtual? No
LocaleName en-US
Searchable Yes
Scannable No
Sensitive

data

Column 5: _ComputedName

Column

Visible?

_ComputedName

name

ALWAYS

No

Type

Name

Type

{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain

Qualifier

Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Sho

App formula CONCATENATE([First Name]," ",[Last Name])

Read-Only Yes

Hidden No

Label Yes

Formula

version

Reset on

edit?

No

0

System

Yes

Defined?

Key No

Part of Key? No

Fixed

definition?

Editable

Initial Yes

Value?

Virtual? Yes

LocaleName en-US

Searchable Yes

Scannable No

Sensitive No data

Column 6: _ComputedKey

Column

_ComputedKey

name

Visible?

ALWAYS

Туре

Text

Yes

0

No

Yes

Type

{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain

Qualifier

Text","IsMulticolumnKey":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Sho

App formula =CONCATENATE([First Name],": ",[Last Name])

Read-Only

Hidden No

Label No

Formula

version

Reset on

edit?

System

Defined?

Key Yes

Part of Key? No

Fixed

definition?

Editable

Initial Yes

Value?

Virtual? Yes

LocaleName en-US

Searchable Yes

Scannable No.

Sensitive

No

data

Column

Related Work Orders

name

Visible?

ALWAYS

Description Work Orders entries that reference this entry in the Assigned column

Type

{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"Work

Type

{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\

Qualifier

Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_

Order ID\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\" ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"E

App formula REF_ROWS("Work Orders", "Assigned")

Read-Only

Hidden No

Label No

Formula version

0

Yes

Reset on

No

edit?

System Yes

Defined?

No

Part of Key? No

Fixed

Key

No definition?

Editable

Initial Yes

Value?

Virtual? Yes

LocaleName en-US

Searchable Yes

Scannable No

NFC

No Scannable

Sensitive

No

data

Schema Name Task_Schema

Task_Schema Schema Name

Visible? **ALWAYS**

Column 1: _RowNumber

Column

Visible?

_RowNumber

name

ALWAYS

Description Number of this row

Type

Number

Type

{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThc

Qualifier

Read-Only Yes

Hidden Yes

Label No

Formula

version

Reset on

edit?

No

0

System

Yes

Defined?

Key No

Part of Key? No

Fixed

Yes

No

definition?

Editable

Initial Yes

Value?

Virtual? No

LocaleName en-US

Searchable No

Scannable No

Sensitive

data

Column 2: Task ID

Column

Task ID

name Visible?

ALWAYS

Type

Text

Type

{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain

Qualifier

 $Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Shows a property of the property of t$

Read-Only

No

Hidden

No

Label

No

Formula

0

version

Reset on

No

edit?

Initial value UNIQUEID()

System

No

Defined?

. .

Key

Yes

Part of Key? Yes

Fixed

No

definition?

Editable

Initial

Yes

Value?

Virtual? No

LocaleName en-US

Searchable Yes

Scannable No

Sensitive

No

data

Column 3: Task Name

Column

name

Task Name

Visible? ALWAYS

Type Name

Type {"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain

Qualifier Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Sho

Read-Only No

Hidden No

Label Yes

0

Formula

version

Reset on

edit?

System

No.

Defined?

Key No

Part of Key? No

Fixed

definition?

Editable

Initial Yes

Value?

Virtual? No

LocaleName en-US

Searchable Yes

Scannable No

Sensitive

data No

Column 4: Task Description

Column

Task Description

name

Visible? ALWAYS

Type LongText

Type {"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain

Qualifier Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Sho

Read-Only No

Hidden No Label No

Formula 0 version

Reset on

No edit?

System No Defined?

Key No Part of Key? No

Fixed No definition?

Editable

Initial Yes

Value?

Virtual? No

LocaleName en-US

Searchable Yes

Scannable No

Sensitive

data

Column 5: Aproxx Duration

Column **Aproxx Duration** name

No

Visible? **ALWAYS**

Type Time

Type

{"MinValue":null,"MaxValue":null,"IgnoreSeconds":false,"Valid_If":null,"Error_Mes Qualifier

Read-Only No Hidden No Label No

Formula 0

version

Reset on No edit?

Initial value TIMENOW()

No

System

Defined?

Key No

Part of Key? No

Fixed

definition?

Editable

Initial Yes

Value?

Virtual? No

LocaleName en-US

Searchable No.

Scannable No

Sensitive

data

No

Column 6: Related Work Orders

Column

Related Work Orders

name

Visible? ALWAYS

Description Work Orders entries that reference this entry in the Task column

Type List

{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"Work

Type

Qualifier

Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_ Order ID\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\"

","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"E

App formula REF_ROWS("Work Orders", "Task")

Read-Only Yes

Hidden No

Label No

0

Formula

version

Reset on No

edit?

System

Defined?

Key No

Part of Key? No

Fixed

definition?

Editable

Initial Yes

Value?

Virtual? Yes

LocaleName en-US

Searchable Yes

Scannable No

NFC

Scannable No

Sensitive

data

No

Slices

Slice Name My Orders

Slice Name My Orders

Slice Columns _RowNumber

Work Order ID

Customer Name

ServiceAddressConcatcate Customer Phone Number Appointment Start Time Appointment End Time

Status Assigned Task Notes

Appointment Start Date

Appointment End Date Customer Signature User Start Time User End Time

Customer Signature Required

Complete Date

=AND(AND([Assigned]=LOOKUP(USEREMAIL(), Users, "Email", "_ComputedKey"), NOT(ISBLANK(LOOKUP(USEREMAIL(), Users,

Row filter condition

"Email", "_ComputedKey")))

),AND(NOT([Status]="Complete"),NOT([Status]="Issue")))

Update mode ADDS_AND_UPDATES

Source Table Work Orders

Visible? ALWAYS

Slice Actions

Slice Name My Completed Orders

Slice Name My Completed Orders

_RowNumber Work Order ID Customer Name

ServiceAddressConcatcate Customer Phone Number Appointment Start Time Appointment End Time

Status

Slice Columns Task

Assigned

Notes

Appointment Start Date Appointment End Date Customer Signature User Start Time

User End Time

Customer Signature Required

Complete Date

=AND(AND([Assigned]=LOOKUP(USEREMAIL(), Users, "Email",

Row filter condition "_ComputedKey"), NOT(ISBLANK(LOOKUP(USEREMAIL(), Users,

"Email", "_ComputedKey")))), [Status]="Complete")

Update mode READ_ONLY
Source Table Work Orders
Visible? ALWAYS

Slice Actions

Slice Name Unassigned Orders

Slice Name Unassigned Orders

_RowNumber Work Order ID Customer Name

ServiceAddressConcatcate Customer Phone Number

Task Notes

Appointment Start Date
Appointment End Date

Slice Columns Appointment End Date

Customer Signature
Appointment Start Time
Appointment End Time

Status Assigned

User Start Time User End Time

Customer Signature Required

Complete Date

Row filter condition =OR([Assigned]='Unassigned',ISBLANK([Assigned]))

Update mode ALL_CHANGES

Source Table Work Orders

Visible? ALWAYS

Add

Slice Actions

Delete

Slice Name All Orders

Slice Name All Orders

Slice Columns _RowNumber

Work Order ID
Customer Name

ServiceAddressConcatcate
Customer Phone Number
Appointment Start Time
Appointment End Time
Appointment Start Date
Appointment End Date

Status Assigned Task Notes

Customer Signature
User Start Time
User End Time

Customer Signature Required

Complete Date

Row filter condition =[Status]="Assigned"

Update mode ALL_CHANGES

Source Table Work Orders

Visible? ALWAYS

Un-assign Workorder

Delete

Slice Name Issue Orders

Slice Name Issue Orders

Slice Columns _RowNumber

Work Order ID
Customer Name

ServiceAddressConcatcate Customer Phone Number Appointment Start Time Appointment End Time Appointment Start Date

Appointment End Date

Status Assigned Task Notes

Customer Signature

User Start Time User End Time

Customer Signature Required

Complete Date

Work Orders

Row filter condition =[Status]="Issue"

Update mode ALL_CHANGES

Visible? ALWAYS

Source Table

Delete

Slice Actions

Re-create Workorder

Slice Name Completed Orders

Slice Name Completed Orders

_RowNumber Work Order ID Customer Name

ServiceAddressConcatcate
Customer Phone Number
Appointment Start Time
Appointment End Time
Appointment Start Date

Slice Columns Appointment End Date

Status Assigned Task

Notes

Customer Signature User Start Time User End Time

Customer Signature Required

Complete Date

Row filter condition =[Status] = "Complete"

Update mode ALL_CHANGES

Source Table Work Orders

Visible? ALWAYS
Slice Actions **auto**

Slice Name Task List

Slice Name Task List

_RowNumber

Task ID

Slice Columns Task Name

Task Description

Aproxx Duration

Related Work Orders

Update mode ALL_CHANGES

Source Table Task

Visible? ALWAYS

Slice Actions **auto**

UX

Views

View name My Orders

View name My Orders
Created by App owner
View type calendar

ActionType Day
Position center

 $\\ \{ "StartDateColumn" : "Appointment Start$

Date","StartTimeColumn":"Appointment Start Time","EndDateColumn":"Appointment End Date","EndTimeColumn":"Appointment End

View configuration Time","LabelColumn":"Customer

Name","CategoryColumn":"**none**","DefaultCalendarView":"Day","Column

[],"GroupBy":[],"GroupAggregate":"COUNT","SortBy":

[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":

[],"Icon":"fas fa-truck","IconRunnerUps":[],"MenuOrder":1}

Visible? ALWAYS

lcon

Menu order 1

Show if =USERROLE()<>"Admin"

View name All Orders

View name All Orders

Created by App owner

View type deck

ActionType Square Image

Position center

> Image","PrimaryDeckHeaderColumn":"Customer Name","SecondaryDeckHeaderColumn":"Work Order ID","DeckSummaryColumn":"Appointment Start

Date","DeckNestedTableColumn":null,"ShowActionBar":true,"ActionColumn

[],"ActionBarEntries":["Un-assign Workorder","Delete"],"GroupBy":

[{"Column":"Assigned","Order":"Ascending"}],"GroupAggregate":"COUNT","So

[{"Column": "Appointment End

Date","Order":"Ascending"}],"PrimarySortColumn":null,"IsPrimarySortDescen

[{"EventType":"Row Selected","EventAction":"**auto**"}, {"EventType":"Row Swiped Left","EventAction":"**auto**"},

{"EventType":"Row Swiped Right","EventAction":"**auto**"}],"Icon":"fas

fa-tags","IconRunnerUps":[],"MenuOrder":1}

Visible? ALWAYS

Icon

Menu order 1

Show if =USERROLE()="Admin"

View name Unassigned Orders

View name Unassigned Orders

Created by App owner

View type deck

ActionType Round Image

Position left most

{"MainDeckImageColumn":"**none**","ImageShape":"Round

Image", "Primary Deck Header Column": "Customer

Name","SecondaryDeckHeaderColumn":"Task","DeckSummaryColumn":"**;

[],"ActionBarEntries":["Schedule Workorder"],"GroupBy":

[],"GroupAggregate":"COUNT","SortBy":

View configuration

 ${\tt [],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":}$

[{"EventType":"Row Selected","EventAction":"**auto**"}, {"EventType":"Row Swiped Left","EventAction":"**auto**"},

fa-clipboard-list","IconRunnerUps":[],"MenuOrder":1}

Visible? ALWAYS

Icon 🖺 Menu order 1

Show if =USERROLE()="Admin"

View name Completed Orders

View name Completed Orders

Created by App owner

View type deck

ActionType Square Image

Position right

{"MainDeckImageColumn":"**auto**","ImageShape":"Square

Image","PrimaryDeckHeaderColumn":"**auto**","SecondaryDeckHeaderCo

[],"ActionBarEntries":["Edit","Re-create Workorder","Delete"],"GroupBy":

[{"Column":"Complete

View configuration

Date","Order":"Ascending"}],"GroupAggregate":"NONE","SortBy":

[{"Column":"_RowNumber","Order":"Ascending"}],"PrimarySortColumn":null,"|

[{"EventType":"Row Selected","EventAction":"**auto**"}, {"EventType":"Row Swiped Left","EventAction":"**auto**"},

{"EventType":"Row Swiped Right","EventAction":"**auto**"}],"Icon":"fas

fa-check","IconRunnerUps":[],"MenuOrder":1}

Visible? ALWAYS

Icon 🗸

Menu order 1

Show if =USERROLE()="Admin"

View name My Completed Orders

View name My Completed Orders

Created by App owner

View type deck

ActionType Square Image

Position right

[],"ActionBarEntries":[],"GroupBy":[{"Column":"Complete

 $\label{lem:conding} Date", "Order": "Ascending" \}], "Group Aggregate": "NONE", "SortBy":$

View configuration [],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":

[{"EventType":"Row Selected","EventAction":"**auto**"}, {"EventType":"Row Swiped Left","EventAction":"**auto**"},

{"EventType":"Row Swiped Right","EventAction":"**auto**"}],"Icon":"far

fa-check-circle","IconRunnerUps":null,"MenuOrder":1}

Visible? ALWAYS

Icon

Menu order 1

View name Issue Orders

View name Issue Orders

Created by App owner

View type deck

ActionType Square Image
Position right most

{"MainDeckImageColumn":null,"ImageShape":"Square

Image","PrimaryDeckHeaderColumn":null,"SecondaryDeckHeaderColumn":

["Re-create Workorder","Delete"],"GroupBy":[{"Column":"Complete Date","Order":"Ascending"}],"GroupAggregate":"NONE","SortBy":

View configuration [],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":

[{"EventType":"Row Selected","EventAction":"**auto**"}, {"EventType":"Row Swiped Left","EventAction":"**auto**"},

{"EventType":"Row Swiped Right","EventAction":"**auto**"}],"Icon":"fas

fa-exclamation","IconRunnerUps":null,"MenuOrder":1}

Visible? ALWAYS

Icon !
Menu order 1

Show if =USERROLE()="Admin"

View name Task List

View name Task List

Created by App owner

View type deck

ActionType Square Image

Position menu

[],"ActionBarEntries":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy": [],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":

View configuration

[["FventType":"Row Selected""EventAction":"**auto**"]

[{"EventType":"Row Selected","EventAction":"**auto**"},

{"EventType":"Row Swiped Left","EventAction":"**auto**"},

{"EventType":"Row Swiped Right","EventAction":"**auto**"}],"Icon":"far

fa-tasks","IconRunnerUps":null,"MenuOrder":1}

Visible? ALWAYS

Icon ≅

Menu order 1

Show if =USERROLE() = "Admin"

View name All Orders_Detail

View name All Orders_Detail

Created by System
View type detail

ActionType Automatic

Position ref

{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none

 $[\!], "Quick Edit Columns": [\!], "Column Order":$

View configuration [],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Au

view","SortBy":

 $\hbox{$[]$,"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":}$

 $\hbox{\tt [],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}\\$

Visible? ALWAYS

Icon

Menu order 1

View name All Orders_Form

View name All Orders_Form

Created by System
View type form
Position ref

{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Au

View configuration [{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-

edit","IconRunnerUps":null,"MenuOrder":1}

Visible? ALWAYS

Icon 📝

Menu order 1

View name Complete Work Order No Signature

View name Complete Work Order No Signature

Created by App owner

View type form
Position ref

{"ColumnOrder":

["Notes"],"AutoSave":false,"AutoReopen":false,"FinishView":"My

View configuration Orders", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "Form

[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-

edit","IconRunnerUps":null,"MenuOrder":1}

Visible? ALWAYS

Icon 🕝

Menu order 1

View name Complete Work Order Signature

View name Complete Work Order Signature

Created by App owner

View type form
Position ref

{"ColumnOrder":["Notes","Customer

Signature"],"AutoSave":false,"AutoReopen":false,"FinishView":"My

 $\label{lem:configuration} View \ configuration \\ Orders", "RowKey": """, "FormStyle": "Automatic", "PageStyle": "Automatic", "FormStyle": "Automatic": "Automat$

[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-

edit","IconRunnerUps":null,"MenuOrder":1}

Visible? ALWAYS

Icon

Menu order 1

View name Completed Orders_Detail

View name Completed Orders_Detail

Created by System
View type detail

ActionType Automatic

Position ref

[], "Quick Edit Columns": [], "Column Order":

 $\hbox{$[]$,"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Au}$

view","SortBy":

[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":

[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}

Visible? ALWAYS

Icon

Menu order 1

View name Completed Orders_Form

View name Completed Orders_Form

Created by System

View type form
Position ref

{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Au

View configuration [{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-

edit","IconRunnerUps":null,"MenuOrder":1}

Visible? ALWAYS

Icon 🕝

Menu order 1

View name Create Work Order

View name Create Work Order

Created by App owner

View type form
Position ref

{"ColumnOrder":["Work Order ID","Customer

Name ", "Service Address Concatcate", "Customer Phone

View configuration Number", "Task"], "AutoSave": false, "AutoReopen": false, "FinishView": "**Auton

[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-

edit","IconRunnerUps":null,"MenuOrder":1}

Visible? ALWAYS

Icon

Menu order 1

View name Issue Form

View name Issue Form Created by App owner

View type form
Position ref

{"ColumnOrder":

View configuration ["Notes"],"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**"

[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-

edit","IconRunnerUps":null,"MenuOrder":1}

Visible? ALWAYS

Icon

Menu order 1

View name Issue Orders_Detail

Created by System
View type detail

ActionType Automatic

Position ref

 $\\ \{ "Main Slideshow Image Column": "**auto**", "Detail Content Column": "**none to the content Column Column Column Column": "**none to the column Column Column Column Column Column Colum$

 $\cite{Columns} \cite{Columns} \cite{Columns} \cite{ColumnOrder} \cit$

View configuration [],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Au

view","SortBy":

 $\hbox{$\ \],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":}$

 $\label{localization} \begin{tabular}{ll} $\tt I,"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1$ \end{tabular}$

Visible? ALWAYS

lcon <u>►</u>

Menu order 1

View name Issue Orders_Form

Created by System
View type form
Position ref

View configuration {"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Aı

[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-

edit","IconRunnerUps":null,"MenuOrder":1}

Visible? ALWAYS

Icon 📝

Menu order 1

View name My Completed Orders Detail

View name My Completed Orders_Detail

Created by System
View type detail

ActionType Automatic

Position ref

 $\\ \{ "Main Slideshow Image Column": "**auto**", "Detail Content Column": "**none to the content Column" \\ \\ "**none to the column of the col$

[],"QuickEditColumns":[],"ColumnOrder":["Work Order ID","Customer

Name", "Customer Phone

Number", "ServiceAddressConcatcate", "Appointment Start

View configuration

Time","Appointment End Time","Appointment Start Date","Appointment

End Date","Task","Notes","Customer

Signature"],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayI

view","SortBy":

[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":

[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}

Visible? ALWAYS

Icon

Menu order 1

View name My Orders_Detail

View name My Orders_Detail

Created by System
View type detail

ActionType Automatic

Position ref

View configuration {"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none

[],"QuickEditColumns":[],"ColumnOrder":["Work Order

ID"],"ImageStyle":"Fill","Layout":"{\"style\":

{\"type\":\"style\",\"backgroundColor\":\"transparent\",\"boxSizing\":\"borc

box\",\"height\":\"100%\",\"id\":\"18803ca8-6cbf-41d7-b090-

```
4509e0201431\"},\"children\":[{\"style\":{\"type\":\"style\",\"color\":
\ "type\":\"variable\",\"value\":\"primaryText\",\"id\":\"10ee5459-af8f-
45ac-b486-
193a9968c81e\"},\"height\":\"100%\",\"display\":\"flex\",\"flexDirection\":\
between\",\"background\":
{\"type\":\"variable\",\"value\":\"mainContentBackground\",\"id\":\"84723(
0243-4f05-ac39-9d608383512f\"},\"fontSize\":14,\"id\":\"0ed6623e-
e7c8-4fc6-af1f-01adbfb245a0\"},\"children\":
[{\"value\":\"ServiceAddressConcatcate\",\"child\":
{\"id\":\"media\",\"type\":\"image\",\"style\":
{\"type\":\"style\",\"width\":\"100%\",\"height\":194,\"borderRadius\":\"4px
4px 0 0\",\"objectFit\":\"cover\",\"id\":\"3a9f1a4f-a1c1-4e0b-b789-
dcf4b8995969\"}},\"id\":\"mainImage\",\"type\":\"binding\"},{\"style\":
{\"type\":\"style\",\"padding\":16,\"id\":\"7c884242-451a-4269-813c-
762ad6787a22\"},\"children\":[{\"value\":\"Customer Name\",\"child\":
{\"id\":\"label\",\"type\":\"text\",\"style\":
{\"type\":\"style\",\"fontSize\":21,\"lineHeight\":1.15,\"id\":\"97559953-
75d9-4b10-919d-c416d183b4c9\"}},\"id\":\"c6a3a013-0faf-4db7-8829-
39efc6704784\",\"type\":\"binding\"},
{\"value\":\"ServiceAddressConcatcate\",\"child\":
{\"id\":\"subheader\",\"type\":\"text\",\"style\":
\ "type\":\"style\",\"fontSize\":14,\"opacity\":0.6,\"paddingTop\":4,\"overflc
c355-43aa-a0a3-
46e89a578400\",\"type\":\"binding\",\"ignore\":false}],\"id\":\"headerText(
{\"value\":\"Task\",\"child\":
{\"id\":\"description\",\"type\":\"text\",\"style\":
\ "type\":\"style\",\"fontSize\":14,\"padding\":16,\"paddingTop\":8,\"maxH
a901-451b-9b64-8c00e5632327\"},\"ignore\":false},\"id\":\"bba2d2cb-
c355-43aa-a0a3-46e89a5783d0\",\"type\":\"binding\",\"ignore\":false},
{\"style\":
{\"type\":\"style\",\"display\":\"flex\",\"alignItems\":\"center\",\"justifyConte
between\",\"padding\":8,\"paddingTop\":0,\"paddingBottom\":0,\"id\":\"5f
6010-4c1e-aa84-668f8ac967aa\"},\"children\":[{\"value\":\"Start
Workorder\",\"child\":\\"id\":\"Action 1\",\"type\":\"text\",\"onClick\":
{\"type\":\"action\",\"id\":\"8faa486e-80a1-4bf8-9911-
ff05823f7018\",\"value\":\"Start Workorder\",\"ignore\":false},\"style\":
{\"type\":\"variable\",\"value\":\"actionButtonTextStyle\",\"id\":\"4fcb9585
70b2-4bc0-a407-be6849bea1a7\"},\"ignore\":false},\"id\":\"c503ebe1-
```

33d7-49e6-979d-

```
a4f4a0345863\",\"type\":\"actionDisplayText\",\"ignore\":false},
{\"value\":\"Complete Workorder\",\"child\":{\"id\":\"Action
2\",\"type\":\"text\",\"onClick\":{\"type\":\"action\",\"id\":\"fb9d48ba-
a444-4617-8859-7065b058efac\",\"ignore\":false,\"value\":\"Complete
Workorder\"},\"style\":
\ "type\":\"variable\",\"value\":\"actionButtonTextStyle\",\"id\":\"77f5bd38
248e-4f75-bf97-18e3b5c54d50\"},\"ignore\":false},\"id\":\"63cee5fc-
bcf9-4cce-bcfe-
d330b69732b9\",\"type\":\"actionDisplayText\",\"ignore\":false},
{\"style\":
{\"type\":\"style\",\"display\":\"flex\",\"alignItems\":\"center\",\"marginLeft'
bf93-4502-963e-ecfc16771fd8\"},\"children\":[{\"value\":\"fas fa-
exclamation\",\"child\":{\"id\":\"Action 3\",\"type\":\"icon\",\"onClick\":
{\"type\":\"action\",\"id\":\"c49470ae-b53e-4109-9bb7-
d85a93cd0fdf\",\"ignore\":false,\"value\":\"Report Issue\"},\"style\":
{\"type\":\"variable\",\"value\":\"actionButtonIconStyle\",\"id\":\"cd0faa93
c489-4d7b-bcd9-c8dd3e551dd1\"},\"ignore\":false},\"id\":\"45097ee1-
733e-4faa-b049-
2e9be8ba402b\",\"type\":\"constant\",\"ignore\":false},{\"child\":
{\"id\":\"Action 4\",\"type\":\"icon\",\"onClick\":
{\"type\":\"action\",\"id\":\"aaba7aa9-9bc5-4ca5-aef0-
0e834f3b26e2\"},\"style\":
{\"type\":\"variable\",\"value\":\"actionButtonIconStyle\",\"id\":\"441cc05d
5e46-4753-bd34-6053ef27f305\"},\"ignore\":true},\"id\":\"5205cdc0-
a69d-4f46-9a0a-
4cc48950745a\",\"type\":\"constant\"}],\"id\":\"65eb11c1-7b76-4565-
9284-94d6783d8ec0\",\"type\":\"container\"}],\"variables\":
[{\"name\":\"actionButtonTextStyle\",\"value\":
\ "type\":\"style\",\"maxHeight\":60,\"maxWidth\":100,\"display\":\"flex\",\
word\",\"textTransform\":\"uppercase\",\"fontSize\":12,\"cursor\":\"pointer
\ "type\":\"variable\",\"value\":\"actionIcon\"},\"border\":5,\"padding\":8,\"t
0.8s\,\"hover\":{\"type\":\"style\",\"background\":
{\"type\":\"variable\",\"value\":\"mainBackgroundVariant\"},\"transition\":\
0.8s\"},\"down\":{\"type\":\"style\",\"background\":
{\"type\":\"variable\",\"value\":\"mainBackgroundVariant\"},\"transition\":\
0.8s\"}}},{\"name\":\"actionButtonIconStyle\",\"value\":
{\"type\":\"style\",\"fontSize\":16,\"color\":
{\"type\":\"variable\",\"value\":\"secondaryText\"},\"border\":\"50%\",\"curs
0.8s\,\"hover\":{\"type\":\"style\",\"background\":
{\"type\":\"variable\",\"value\":\"mainBackgroundVariant\"},\"transition\":\
```

0.8s\"},\"down\":{\"type\":\"style\",\"background\":

0.8s\"}}],\"id\":\"2a07cf3b-cdec-4e45-90cb-

f2b2e14dae8d\",\"type\":\"container\"}],\"id\":\"55f59616-6c4f-48c8-

88cc-

1edd8388e4c9\",\"type\":\"container\"}],\"name\":\"detail\",\"variables\": [{\"name\":\"imageName\",\"value\":\"https://www.appsheet.com/contentedia-template.png\"},{\"name\":\"labelName\",\"value\":\"Title goes

here\"}],\"version\":0,\"id\":\"52405288-3f27-45d7-8c68-

c7d489a76db4\",\"type\":\"container\"}","UseCardLayout":true,"DisplayMor

view","SortBy":

[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":

[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}

Visible? ALWAYS

Icon

Menu order 1

View name My Orders_Form

View name My Orders_Form

Created by System
View type form

Position ref

{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Au

View configuration [{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-

edit","IconRunnerUps":null,"MenuOrder":1}

Visible? ALWAYS

Icon 🕝

Menu order 1

View name Set Appointment Time/Date

View name Set Appointment Time/Date

Created by App owner

View type form
Position ref

View configuration {"ColumnOrder":["Work Order ID","Appointment Start Date","Appointment

Start Time","Appointment End Date","Appointment End

Time","Assigned","Customer Signature

Required"],"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic*

[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fas fa-

alarm-clock","IconRunnerUps":[],"MenuOrder":1}

Visible? ALWAYS

Icon

Menu order 1

View name Task List_Detail

View name Task List_Detail

Created by System
View type detail

ActionType Automatic

Position ref

{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none

[],"QuickEditColumns":[],"ColumnOrder":

View configuration [],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Au

view", "SortBy":

[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":

 $\hbox{\tt [],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1)}$

Visible? ALWAYS

lcon <u>►</u>

Menu order 1

View name Task List Form

View name Task List_Form

Created by System
View type form
Position ref

{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Au

View configuration [{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-

edit","IconRunnerUps":null,"MenuOrder":1}

Visible? ALWAYS

Icon 📝

Menu order 1

View name Task Detail

View name Task_Detail

Created by System
View type detail

ActionType Automatic

Position ref

{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none

[],"QuickEditColumns":[],"ColumnOrder":

View configuration [],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Au

view","SortBy":

[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":

[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}

Visible? ALWAYS

Icon

Menu order 1

View name Task_Form

View name Task_Form

Created by System
View type form

Position ref

{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Aı

View configuration [{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-

edit","IconRunnerUps":null,"MenuOrder":1}

Visible? ALWAYS

lcon 📝

Menu order 1

View name Unassigned Orders_Detail

View name Unassigned Orders_Detail

Created by System
View type detail

ActionType Automatic

Position ref

View configuration {"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none

[],"QuickEditColumns":[],"ColumnOrder":

[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Au

view","SortBy":

[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":

[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}

Visible? ALWAYS

Icon 🗏

Menu order 1

View name Unassigned Orders_Form

View name Unassigned Orders_Form

Created by System
View type form
Position ref

{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Au

View configuration [{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-

edit","IconRunnerUps":null,"MenuOrder":1}

Visible? ALWAYS

Icon

Menu order 1

View name Users Detail

View name Users_Detail

Created by System
View type detail

ActionType Automatic

Position ref

 $\\ \{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none \\ \\ [] \\ [$

 $[\!], "Quick Edit Columns" : [\!], "Column Order" :$

View configuration [],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Au

view","SortBy":

[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":

 $\label{localization} \begin{tabular}{ll} \end{tabular} \begin{tabular}{l$

Visible? ALWAYS

lcon **E**

Menu order 1

View name Users_Form

View name Users_Form

Created by System
View type form

Position ref

{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Au

View configuration [{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-

edit","IconRunnerUps":null,"MenuOrder":1}

Visible? ALWAYS

Icon 🕝

Menu order 1

View name Work Orders_Detail

View name Work Orders_Detail

Created by System
View type detail

ActionType Automatic

Position ref

 $\\ \{ "Main Slideshow Image Column": "**auto**", "Detail Content Column": "**none to the content Column Column Column Column": "**none to the column Column Column Column Column Column Colum$

 $\hbox{\tt [],"QuickEditColumns":[],"ColumnOrder":}$

View configuration [],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Au

view","SortBy":

 $\hbox{$[]$,"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":}$

 $\label{localization} \begin{tabular}{ll} \end{tabular} \begin{tabular}{l$

Visible? ALWAYS

Icon <u>►</u>

Menu order 1

View name Work Orders_Form

View name Work Orders_Form

Created by System

View type form
Position ref

{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Au

View configuration [{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-

edit","IconRunnerUps":null,"MenuOrder":1}

Visible? ALWAYS

Icon 🕝

Menu order 1

View name Work Orders_Inline

View name Work Orders_Inline

Created by System
View type table

Position ref

 $\\ \hbox{$\tt ("ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":} \\ \\ \hbox{$\tt ("ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":} \\ \\ \hbox{$\tt ("ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":} \\ \hbox{$\tt ("ColumnWidth":"Default","EnableQuickEdit"):} \\ \hbox{$\tt ("ColumnWidth":"Default","EnableQuickEdit"):} \\ \hbox{$\tt ("ColumnWidth":"Default","EnableQuickEdit"):} \\ \hbox{$\tt ("ColumnWidth":"Default","EnableQuickEdit","EnableQuick$

[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":

View configuration [],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":

[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-

table","IconRunnerUps":null,"MenuOrder":1}

Visible? ALWAYS

Menu order 1

Format Rules

Behavior

Actions

Action name Delete

Action name Delete

Bulk action? Yes

Modifies

Yes

data?

Needs

confirmation?

Prominence Display_Prominently

Action order 1

With these

properties

Do this DELETE_RECORD

Disable

automatic No

updates?

Action icon

For a record

of this table Work Orders

Does this

action apply

to the whole

table?

Visible? ADVANCED

Action name Edit

Action name Edit

Bulk action? No

Modifies

Yes

data?

Needs

confirmation?

Prominence Display_Overlay

Action order 1

With these properties

 $\\ \{ "Prominence": "Display_Overlay", "Needs Confirmation": false, "Confirmation Message": \\ \\ \\ "Prominence": "Display_Overlay", "Needs Confirmation": false, "Confirmation Message": \\ \\ \\ "Prominence": "Display_Overlay", "Needs Confirmation": false, "Confirmation Message": \\ \\ "Prominence": "Display_Overlay", "Needs Confirmation": false, "Confirmation Message": \\ \\ "Prominence": "Display_Overlay", "Needs Confirmation": false, "Confirmation Message": \\ \\ "Prominence": "Display_Overlay", "Needs Confirmation": false, "Confirmation Message": \\ \\ "Prominence": "Display_Overlay", "Needs Confirmation": false, "Confirmation Message": \\ \\ "Prominence": "Display_Overlay", "Needs Confirmation Message": \\ \\ "Prominence": "Display_Overlay", "Needs Confirmation Message": \\ \\ "Prominence": "Display_Overlay", "Needs Confirmation Message": \\ "Prominence": "Display_Overlay", "Ne$

Do this

EDIT_RECORD

Disable

automatic No

updates?

Action icon

For a record

Work Orders

of this table Does this

action apply

to the whole

table?

Visible? ALWAYS

Action name View Map (ServiceAddressConcatcate)

Action name View Map (ServiceAddressConcatcate)

Bulk action? No

Modifies

No data?

Needs

confirmation?

Prominence Display_Inline

Action order 1

With these {"NavigateTarget":"CONCATENATE(\"#page=map&table=Work%20Orders&mapcolu

 $properties \qquad \hbox{ENCODEURL}([_THISROW]))", "Prominence": "Display_Inline", "NeedsConfirmation": false in the properties of the properties$

Do this NAVIGATE_APP

Attach to

ServiceAddressConcatcate

column

Set this ServiceAddressConcatcate

column

Only if this

condition is NOT(ISBLANK([ServiceAddressConcatcate]))

true

No

Disable automatic updates?

Action icon

For a record of this table

Work Orders

Does this

action apply to the whole

No

table?

Visible? ALWAYS

Action name Call Phone (Customer Phone Number)

Action name Call Phone (Customer Phone Number)

Bulk action? No

Modifies

No

data? Needs

confirmation?

Prominence Display_Inline

Action order 1

With these {"Number":"[Customer Phone

properties Number]","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMes

Do this CALL

Attach to

Customer Phone Number

column Set this

Customer Phone Number

column

Only if this

condition is NOT(ISBLANK([Customer Phone Number]))

true

Disable

automatic No

updates?

Display name Phone call

Action icon



For a record Work Orders

of this table

Does this

action apply to the whole

No

table?

Visible? **ALWAYS**

Action name Send SMS (Customer Phone Number)

Action name Send SMS (Customer Phone Number)

Bulk action?

Modifies

No

data?

Needs

confirmation?

Display_Inline Prominence

Action order 1

{"Number":"[Customer Phone With these

Number]","Message":"","Prominence":"Display_Inline","NeedsConfirmation":false,"Con properties

Do this **SMS**

Attach to

Customer Phone Number column

Set this

Customer Phone Number

column

Only if this

NOT(ISBLANK([Customer Phone Number])) condition is

true

Disable

automatic No

updates?

Display name Text message

Action icon

For a record

of this table

Work Orders

No

Does this action apply to the whole table?

Visible? ALWAYS

Action name Add

Action name Add

Bulk action? Yes

Modifies

Yes

data?

Needs

No

confirmation? The Prominence D

Display_Overlay

Action order 1

With these

{"Prominence": "Display_Overlay", "Needs Confirmation": false, "Confirmation Message":

properties

Do this ADD_RECORD

Disable

automatic No

updates?

Action icon +

For a record of this table

Work Orders

Does this

action apply

to the whole

table?

Visible? ALWAYS

Action name Delete

Action name Delete

Bulk action? Yes

Modifies

data?

Yes

Yes

Needs

confirmation?

Display_Prominently Prominence

Action order

With these

{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmatic

properties

Do this DELETE_RECORD

Disable

automatic No

updates?

Action icon 面

For a record of this table

Users

Does this

action apply

No to the whole

table?

Visible? **ADVANCED**

Action name Edit

Action name Edit

Bulk action? No

Modifies

Yes

data?

Needs No confirmation?

Display_Overlay Prominence

Action order 1

With these

{"Prominence": "Display_Overlay", "Needs Confirmation": false, "Confirmation Message":

properties

Do this EDIT_RECORD

Disable

automatic No

updates?

Action icon

Users

For a record of this table
Does this action apply

to the whole

table?

Visible? ALWAYS

Action name Compose Email (Email)

Action name Compose Email (Email)

Bulk action? No

Modifies

No

data?

Needs

confirmation?

Prominence Display_Inline

Action order 1

With these {"EmailTo":"

properties [Email]","Subject":null,"Body":null,"Prominence":"Display_Inline","NeedsConfirmation":

Do this EMAIL

Attach to

Email

column

Set this Email

column

Only if this

condition is NOT(ISBLANK([Email]))

true

Disable

automatic No

updates?

Action icon

For a record

of this table

Does this

action apply

to the whole

table?

Action name Add

Action name Add

Bulk action? Yes

Modifies

Yes

data?

Needs

confirmation?

Prominence Display_Overlay

Action order 1

With these

{"Prominence": "Display_Overlay", "Needs Confirmation": false, "Confirmation Message":

properties

Do this ADD_RECORD

Disable

automatic No

updates?

Action icon +

For a record

of this table

Does this

action apply

to the whole

table?

Visible? ALWAYS

Action name Set Workorder Time

Action name Set Workorder Time

Bulk action? No

Modifies

No

data?

Needs

confirmation?

Prominence Display_Overlay

Action order 1

{"NavigateTarget":"=LINKTOROW([Work Order ID],\"Set Appointment With these

Time/Date\")","Prominence":"Display_Overlay","NeedsConfirmation":false,"Confirmat properties

NAVIGATE_APP Do this

Attach to

column

Work Order ID

Only if this

condition is true

true

Disable

automatic No

updates?

Action icon

For a record

Work Orders of this table

Does this

action apply

No to the whole

table?

Visible? **ALWAYS**

Action name Un-assign Workorder

Action name Un-assign Workorder

Bulk action? Yes

Modifies

data?

Yes

Needs

confirmation?

Display_Prominently Prominence

Action order

{"Assignments":[{"ColumnToEdit":"Appointment Start Time","NewColumnValue":"=\"\

With these Start Date","NewColumnValue":"=\"\""},{"ColumnToEdit":"Appointment End Date","New

properties {"ColumnToEdit":"Status","NewColumnValue":"=\"Unassigned\""}],"ColumnToEdit":"Al

Time","NewColumnValue":"=\"\"","InputParametersUsed":null,"Prominence":"Display_

Do this SET_COLUMN_VALUE

Attach to

column

Appointment Start Time

Set this Appointment Start Time

column

Only if this

condition is =[Status]="Assigned"

true

Disable

automatic No

updates?

Action icon —

For a record

of this table Work Orders

Does this

action apply

to the whole

table?

To this value =""

Visible? ALWAYS

Action name View Ref (Assigned)

Action name View Ref (Assigned)

Bulk action? No

Modifies

data?

No

Needs

confirmation? No

Prominence Display_Inline

Action order 1

With these {"NavigateTarget": "CONCATENATE(\"#page=detail&table=Users&row=\", ENCODEUF

properties)","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"

Do this NAVIGATE_APP

Attach to

column

Assigned

Set this

column

Assigned

NOT(ISBLANK([Assigned]))

Only if this condition is

true

Disable

automatic No

updates?

For a record of this table

Work Orders

Does this

action apply No

to the whole

table?

Visible? ALWAYS

Action name Set Assigned Status

Action name Set Assigned Status

Bulk action? Yes

Modifies

Yes

data?

Needs

confirmation?

Prominence Display_Prominently

Action order 1

With these {"Assignments":

properties [{"ColumnToEdit":"Status","NewColumnValue":"=\"Assigned\""}],"ColumnToEdit":"Status

Do this SET_COLUMN_VALUE

Attach to

column

Status

Set this

Status

column

Only if this

condition is true

true

Disable

automatic No

updates?

Action icon

For a record of this table

Work Orders

Does this

action apply

No to the whole

table?

To this value ="Assigned"

Visible? **ALWAYS**

Action name Schedule Workorder

Action name Schedule Workorder

Bulk action? No

Modifies

Yes

data?

Needs confirmation?

Display_Prominently Prominence

Action order 1

{"Actions":[{"ActionName":"Set Assigned Status"},{"ActionName":"Set Workorder With these

Time"}],"Prominence":"Display_Prominently","NeedsConfirmation":false,"Confirmation properties

Do this **COMPOSITE**

Only if this

condition is true

true

Disable

automatic No

updates?

Action icon

圃

For a record

Work Orders of this table

Does this

action apply

No to the whole

table?

Visible? **ALWAYS**

Action name Start Workorder

Action name Start Workorder

Bulk action? Yes

Modifies

Yes

data?

Needs

No

confirmation?

Prominence Display_Prominently

Action order 1

 $\label{thm:prop:start} With these \quad \{\mbox{"Assignments":} [\mbox{"ColumnToEdit":"User Start Time","NewColumnValue":"=TimeNow(\mbox{"Assignments":} \mbox{"Assignments":} \mbo$

properties Time","NewColumnValue":"=TimeNow()","InputParametersUsed":null,"Prominence":"I

Do this SET_COLUMN_VALUE

Attach to

column

User Start Time

Set this column

User Start Time

Only if this

condition is =ISBLANK([User Start Time])

true

Disable

automatic No

updates?

Action icon

For a record

of this table Work Orders

Does this

action apply

to the whole

table?

To this value =TimeNow()

Visible? ALWAYS

Action name Complete Workorder

Action name Complete Workorder

Bulk action? No

Modifies Yes

data?

Needs

confirmation?

Prominence Display_Prominently

Action order 1

With these {"Actions":[{"ActionName":"Set To Complete"},{"ActionName":"Set Notes And

properties Signature"}],"Prominence": "Display_Prominently", "NeedsConfirmation": false, "Confirm

Do this COMPOSITE

Only if this

condition is =AND([Status]<>"Complete",NOT(ISBLANK([User Start Time])))

true

Disable

automatic No

updates?

Action icon

CHOILICOIL |

For a record of this table

Work Orders

Does this

action apply

to the whole

table?

Visible? ALWAYS

Action name Set Notes And Signature

Action name Set Notes And Signature

Bulk action? No

Modifies

No

data?

Needs confirmation?

Prominence Do_Not_Display

Action order 1

\{\text{"NavigateTarget":"=IF([Customer Signature Required]=\"Yes\",LINKTOROW([Work O

Signature\"),LINKTOROW([Work Order ID],\"Complete Work Order No

properties Signature\"))","Prominence":"Do_Not_Display","NeedsConfirmation":false,"Confirmat

Do this NAVIGATE_APP

Attach to

column

Work Order ID

Only if this

condition is true

true

Disable

automatic No

updates?

Action icon

For a record

Work Orders of this table

Does this

action apply

No to the whole

table?

Visible? **ALWAYS**

Action name Set To Complete

Action name Set To Complete

Bulk action?

Modifies

Yes

data?

Needs

confirmation? No

Do_Not_Display Prominence

Action order

{"Assignments":[{"ColumnToEdit":"Status","NewColumnValue":"=\"Complete\""},{"ColumnValue":"=\"Complete\""}, With these

Date","NewColumnValue":"=TODAY()"}],"ColumnToEdit":"Status","NewColumnValue": properties

Do this SET_COLUMN_VALUE

Attach to

column

Status

Set this

column

Status

true

Only if this condition is

true

Disable

automatic No

updates?

Action icon

For a record

Work Orders

of this table Does this

action apply

to the whole

table?

To this value = "Complete"

Visible? ALWAYS

Action name Re-create Workorder

Action name Re-create Workorder

Bulk action? Yes

Modifies

Yes

data?

Needs

confirmation?

Prominence

Display_Prominently

Action order 1

{"ReferencedTable":"Work Orders","Assignments":[{"ColumnToEdit":"Work Order ID","Name","NewColumnValue":"=[Customer Name]"},{"ColumnToEdit":"Customer Phone {"ColumnToEdit":"ServiceAddressConcatcate","NewColumnValue":"=[ServiceAddressConcatcate],"NewColumnValue":"=[ServiceAddressConcatcate],"NewColumnValue":"=[ServiceAddressConcatcate],"NewColumnValue":"=[ServiceAddressConcatcate],"NewColumnValue":"=[ServiceAddressConcatcate],"NewColumnValue":"=[ServiceAddressConcatcate],"NewColumnValue":"=[ServiceAddressConcatcate],"NewColumnValue":"=[ServiceAddressConcatcate],"NewColumnValue":"=[ServiceAddressConcatcate],"NewColumnValue":"=[ServiceAddressConcatcate],"NewColumnValue":"=[ServiceAddressConcatcate],"NewColumnValue":"=[ServiceAddressConcatcate],"NewColumnValue":"=[ServiceAddressConcatcate],"NewColumnValue":"=[ServiceAddressConcatcate],"NewColumnValue":"=[ServiceAddressConcatcate],"NewColumnValue":"=[ServiceAddressConcatcate],"NewColumnValue":"=[ServiceAddressConcatcate],"NewColumnValue":"=[ServiceAddressConcatcate],"NewColumnValue":"=[ServiceAddressConcatcate],"NewColumnValue":"=[ServiceAddressConcatcate],"NewCol

With these properties

 $\label{thm:problem} Time", "NewColumnValue": "= \""}, {"ColumnToEdit": "Appointment End Time", "NewColumnValue": "= \""}, {"ColumnToEdit": "Appointment End Date", "NewColumnValue": "= \""}, {"ColumnToEdit": "Appointment End Date", "NewColumnValue": "= \"""}, {"ColumnToEdit": "Appointment End Date", "NewColumnValue": "Appointment End Date", "Appointme$

 $\label{lem:column} $$ {\tt "ColumnToEdit": "Assigned", "NewColumnValue": "= \""}, {\tt "ColumnToEdit": "Notes", "NewColumnValue": "= \""}, {\tt "ColumnToEdit": "Notes", "NewColumnValue": "= \""}, {\tt "ColumnToEdit": "Notes", "NewColumnValue": "= \"""}, {\tt "ColumnToEdit": "Notes", "NewColumnValue": "NewColumnValue": "= \"""}, {\tt "ColumnToEdit": "Notes", "NewColumnValue": "NewCol$

 $\\ \label{eq:concate} $$ {\tt "ColumnToEdit": "Task", "NewColumnValue": "=CONCATENATE(\"REDO - \", "NewColumnValue") \\ \label{eq:columnToEdit": "Task", "NewColumnValue": "=CONCATENATE(\"REDO - \", "NewColumnValue") \\ \label{eq:columnToEdit}$

 $[Task])"\}], "InputParametersUsed": null, "Prominence": "Display_Prominently", "NeedsCorrections" (Corrections) and the prominent of the prom$

Do this ADD_RECORD_TO

Descriptive comment

This action recreates a selected workorder. It copies the customer info, sets schedul appends the issue date. It will then set the new order with a new Work Order ID and

true

Only if this condition is

true

Disable

automatic No

updates?

Action icon

For a record

Work Orders

of this table

Does this

action apply

to the whole

table?

Visible? ALWAYS

Action name Report Issue

Action name Report Issue

Bulk action? No

Modifies

Yes

data?

Needs

confirmation?

Prominence Display_Prominently

Action order 1

With these {"Actions":[{"ActionName":"Set Status To Issue"},{"ActionName":"Set Issue To

 $properties \qquad \textit{Notes"}], "Prominence": "Display_Prominently", "Needs Confirmation": false, "Confirmatic" and "Confirmation" are also as a confirmation of the properties of the confirmation of the confirma$

Do this COMPOSITE

Only if this

condition is true

true

Disable

automatic No

updates?

Action icon

For a record

of this table Work Orders

Does this No action apply to the whole

table?

Visible? ALWAYS

Action name Set Status To Issue

Action name Set Status To Issue

Bulk action? Yes

Modifies

Yes

data?

Needs

No

confirmation?

Prominence Do_Not_Display

Action order 1

With these {"Assignments":[{"ColumnToEdit":"Status","NewColumnValue":"=\"Issue\""},{"Column properties Date","NewColumnValue":"=TODAY()"}],"ColumnToEdit":"Status","NewColumnValue":

Do this SET_COLUMN_VALUE

Attach to

column

Status

Set this

Status

column
Only if this

condition is true

true

Disable

automatic No

updates?

Action icon

For a record

of this table

Work Orders

Does this

action apply

to the whole

table?

To this value ="Issue"

Action name Set Issue To Notes

Action name Set Issue To Notes

Bulk action? No

Modifies

No

data?

Needs

No

confirmation?

Prominence Do_Not_Display

Action order 1

With these {"NavigateTarget":"=LINKTOROW([Work Order ID],\"Issue

 $properties \qquad Form \verb|`""| "Prominence": "Do_Not_Display", "Needs Confirmation": false, "Confirmation Model of the Confirmation of the Confirmatio$

Do this NAVIGATE_APP

Attach to

column

Work Order ID

Only if this

condition is true

true

Disable

automatic No

updates?

Action icon

For a record of this table

Work Orders

Does this

action apply

No.

to the whole

table?

Visible? ALWAYS

Action name Delete

Action name Delete

Bulk action? Yes

Modifies Yes

data?

Needs

Yes confirmation?

Prominence

Display_Prominently

Action order

With these properties

{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmatic

Do this

DELETE_RECORD

Disable

automatic

No

updates?

Action icon

For a record

Task

of this table Does this

action apply

No to the whole

table?

Visible?

ADVANCED

Action name Edit

Action name Edit

Bulk action? No

Modifies

Yes

data?

Needs

confirmation?

Display_Overlay Prominence

Action order 1

With these

{"Prominence": "Display_Overlay", "Needs Confirmation": false, "Confirmation Message":

properties

Do this EDIT_RECORD

Disable

automatic No

updates?

Action icon

Task

For a record of this table

Does this

action apply No

to the whole

table?

Visible? ALWAYS

Action name Add

Action name Add

Bulk action? Yes

Modifies

Yes

data?

Needs

confirmation?

Prominence Display_Overlay

Action order 1

With these

{"Prominence": "Display_Overlay", "Needs Confirmation": false, "Confirmation Message":

properties

Do this ADD_RECORD

Disable

automatic No

updates?

Action icon +

For a record

of this table

Does this

action apply

Yes

to the whole

table?

Visible? ALWAYS

Action name View Ref (Task)

Action name View Ref (Task)

Bulk action? No

No

Modifies

data?

Needs

confirmation? No

Display_Inline Prominence

Action order 1

{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Task&row=\", ENCODEUR With these

)","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":" properties

Do this NAVIGATE_APP

Attach to

Task

column

Set this column

Task

Only if this

NOT(ISBLANK([Task])) condition is

true

Disable

automatic No

updates?

Action icon

0

For a record

Work Orders of this table

Does this

action apply

No to the whole

table?

Visible? **ALWAYS**