

# TempleFieldWorkOrderApp-1353124

## Documentation

Generated at:  
11/10/2022,  
9:05:41 PM



A prototype for a universal work order app for field use.

### Data Summary

3 Tables  
36 Columns  
4 Slices

### UX Summary

18 Views  
0 Format Rules

### Behavior Summary

15 Actions  
0 Workflow Rules

Short Name	Temple Field Work Order App
Short Description	A prototype for a universal work order app for field use.
Version	1.000118
Default app folder	/appsheet/data/TempleFieldWorkOrderApp-1353124
Category	Professional Solution
Function	Field_Service
Industry	Education
Runnable?	Yes
Deployable?	No
Personal use only?	No

About Url

<https://github.com/daveyloder/Temple-Code-FinalProject>

Reference Url

<https://github.com/daveyloder/Temple-Code-FinalProject>

---

# Data

## Tables

### Table name \_Per User Settings

Table name	_Per User Settings
Visible?	NEVER
Shared?	No
Data locale	en-US
Schema	_Per User Settings_Schema
Are updates allowed?	UPDATES_ONLY
Source Path	_Per User Settings
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

### Table name Work Orders

Table name	Work Orders
Visible?	ALWAYS
Shared?	Yes
Data locale	en-US
Schema	Work Orders_Schema
Are updates allowed?	ALL_CHANGES
Source Path	Temple Work Order App
Worksheet Name/Qualifier	Work Orders
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
	No

Partitioned across many  
files/sources?

Partitioned across many  
worksheets? No

## Table name Users

Table name	Users
Visible?	ALWAYS
Shared?	Yes
Data locale	en-US
Schema	Users_Schema
Are updates allowed?	ALL_CHANGES
Source Path	Temple Work Order App
Worksheet Name/Qualifier	Users
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

---

## Columns

### Schema Name \_Per User Settings\_Schema

Schema Name	_Per User Settings_Schema
Visible?	ALWAYS

### Column 1: \_RowNumber

Column name	_RowNumber
Visible?	ALWAYS

Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThc
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable	
Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

## Column 2: \_EMAIL

Column name	_EMAIL
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"E
App formula	USEREMAIL()
Read-Only	No

Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable	
Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

## Column 3: \_NAME

Column name	_NAME
Visible?	ALWAYS
Type	Name
Type	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain
Qualifier	Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Sho
App formula	USERNAME()
Read-Only	No
Hidden	Yes
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable	
Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

## Column 4: \_LOCATION

Column name	_LOCATION
Visible?	ALWAYS
Type	LatLong
Type Qualifier	{"RealTime":false,"PublishIfRowKey":null,"KMLFileUrl":null,"Valid_If":null,"Error_M"
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

## Column 5: Options Heading

Column name	Options Heading
Visible?	ALWAYS
Type	Show
Type	{"Category":"Text","Content":"\nThese options control the content and behavior o
Qualifier	app\","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":r
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes



Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

## Column 6: Option 1

Column name	Option 1
Visible?	ALWAYS
Type	Text
Type	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain
Qualifier	Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Sho
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable	
Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
	No

Sensitive  
data

## Column 7: Option 2

Column name	Option 2
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThc
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

## Column 8: Country Option

Country Option

Column name	
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Australia","Brazil","Canada"],"AllowOtherValues":false,"AutoCom
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

## Column 9: Language Option

Column name	Language Option
Visible?	ALWAYS
Type	Enum
	{"EnumValues":["English","French","Tamil"],"AllowOtherValues":false,"AutoComple

Type	Text\","IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":i
Qualifier	
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable	
Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

## Column 10: Option 5

Column name	Option 5
Visible?	ALWAYS
Type	Text
Type	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain
Qualifier	Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Sho
Read-Only	No
Hidden	Yes
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

## Column 11: Option 6

Column name	Option 6
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThc
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable	
Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

## Column 12: Option 7

Column name	Option 7
Visible?	ALWAYS
Type	Text
Type	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain
Qualifier	Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Sho
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
	Yes

Editable	
Initial	
Value?	
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive	No
data	

## Column 13: Option 8

Column name	Option 8
Visible?	ALWAYS
Type	Text
Type	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain
Qualifier	Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Sho
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable	
Initial	Yes
Value?	
Virtual?	No
LocaleName	en-US

Searchable	No
Scannable	No
Sensitive data	No

## Column 14: Option 9

Column name	Option 9
Visible?	ALWAYS
Type	Text
Type	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain
Qualifier	Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Sho
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable	
Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No



# Column 15: \_THISUSER

Column name	_THISUSER
Visible?	ALWAYS
Type	Text
Type	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain
Qualifier	Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Sho
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	onlyvalue
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	Yes
Editable	
Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

---

## Schema Name Work Orders\_Schema

Schema Name	Work Orders_Schema
-------------	--------------------

Visible?

ALWAYS

## Column 1: \_RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThc
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable	
Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

## Column 2: Work Order ID

Column name	Work Order ID
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable	
Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

## Column 3: Customer Name

Column name	Customer Name
Visible?	ALWAYS
Type	Name

Type	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain
Qualifier	Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Sho
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable	
Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

## Column 4: ServiceAddressConcatcate

Column name	ServiceAddressConcatcate
Visible?	ALWAYS
Type	Address
Type Qualifier	{"GeocodingEnabled":true,"KMLFileUrl":null,"Valid_If":null,"Error_Message_If_Inv
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

## Column 5: Customer Phone Number

Column name	Customer Phone Number
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Sho
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable	
Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

## Column 6: Appointment Start Time

Column name	Appointment Start Time
Visible?	ALWAYS
Type	Time
Type Qualifier	{"MinValue":null,"MaxValue":null,"IgnoreSeconds":true,"Valid_If":null,"Error_Mess
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=""
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable	Yes
Initial Value?	
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

## Column 7: Appointment End Time

Column name	Appointment End Time
Visible?	ALWAYS
Type	Time
Type Qualifier	{"MinValue":null,"MaxValue":null,"IgnoreSeconds":true,"Valid_If":null,"Error_Mess
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=""
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable	
Initial Value?	Yes
Virtual?	No

LocaleName en-US

Searchable No

Scannable No

Sensitive  
data No

## Column 8: Appointment Start Date

Column  
name Appointment Start Date

Visible? ALWAYS

Type Date

Type  
Qualifier {"UseLongDateFormat":false,"Valid\_If":null,"Error\_Message\_If\_Invalid":null,"Show

Read-Only No

Hidden No

Label No

Formula  
version 0

Reset on  
edit? No

Initial value =""

System  
Defined? No

Key No

Part of Key? No

Fixed  
definition? No

Editable  
Initial  
Value? Yes

Virtual? No

LocaleName en-US

Searchable Yes

Scannable No

No



Sensitive  
data

## Column 9: Appointment End Date

Column name	Appointment End Date
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=""
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable	
Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

## Column 10: Status

Column name	Status
Visible?	ALWAYS
Type	Text
Type	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain
Qualifier	Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Sho
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	= "Unassigned"
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable	
Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

## Column 11: Assigned

Column name	Assigned
Visible?	ALWAYS
Type	Ref

Type	{"ReferencedTableName":"Users","ReferencedRootTableName":"Users","Referenc
Qualifier	Text\","\",\ "IsMulticolumnKey\:true,\ "Valid_If\:null,\ "Error_Message_If_Invalid\:n
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable	
Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

## Column 12: Task

Column name	Task
Visible?	ALWAYS
Type	Text
Type	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain
Qualifier	Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Sho
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

## Column 13: Notes

Column name	Notes
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Sho
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable	
Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

## Column 14: Customer Signature

Column name	Customer Signature
Visible?	ALWAYS
Type	Signature
Type Qualifier	{"SaveExternal":true,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invali
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
	Yes

Editable  
Initial  
Value?  
Virtual? No  
LocaleName en-US  
Searchable No  
Scannable No  
Sensitive No  
data

Schema Name Users\_Schema

Schema Name Users\_Schema  
Visible? ALWAYS

Column 1: \_RowNumber

Column name \_RowNumber  
Visible? ALWAYS  
Description Number of this row  
Type Number  
Type Qualifier {"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThc  
Read-Only Yes  
Hidden Yes  
Label No  
Formula version 0  
Reset on edit? No  
System Defined? Yes  
Key No  
Part of Key? No

Fixed definition?	Yes
Editable	
Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

## Column 2: First Name

Column name	First Name
Visible?	ALWAYS
Type	Name
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	Yes
Fixed definition?	No
Editable	
Initial Value?	Yes
Virtual?	No

LocaleName en-US

Searchable Yes

Scannable No

Sensitive  
data No

## Column 3: Last Name

Column  
name Last Name

Visible? ALWAYS

Type Name

Type {"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain  
Qualifier Text","IsMulticolumnKey":false,"Valid\_If":null,"Error\_Message\_If\_Invalid":null,"Sho

Read-Only No

Hidden No

Label No

Formula  
version 0

Reset on  
edit? No

System  
Defined? No

Key No

Part of Key? Yes

Fixed  
definition? No

Editable  
Initial Yes  
Value?

Virtual? No

LocaleName en-US

Searchable Yes

Scannable No

Sensitive  
data No



## Column 4: Email

Column name	Email
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"E
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable	
Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

## Column 5: \_ComputedName

Column name	_ComputedName
Visible?	ALWAYS

Type	Name
Type	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain
Qualifier	Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Sho
App formula	CONCATENATE([First Name],"",[Last Name])
Read-Only	Yes
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable	
Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

## Column 6: \_ComputedKey

Column name	_ComputedKey
Visible?	ALWAYS
Type	Text
Type	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain
Qualifier	Text","IsMulticolumnKey":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Sho
App formula	=CONCATENATE([First Name],":",[Last Name])

Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	Yes
Part of Key?	No
Fixed definition?	No
Editable	
Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

## Column 7: Related Work Orders

Column name	Related Work Orders
Visible?	ALWAYS
Description	Work Orders entries that reference this entry in the Assigned column
Type	List
Type Qualifier	{ "ElementType": "Ref", "ElementTypeQualifier": { "\ReferencedTableName\": "\Work Orders", "\MaxLength\": null, "\MinLength\": null, "\LongTextFormatting\": "\Text", "\IsMulticolumnKey\": false, "\Valid_If\": null, "\Error_Message_Order ID\", "\IsAPartOf\": false, "\RelationshipName\": null, "\InputMode\": "\Auto", "\Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "E
App formula	REF_ROWS("Work Orders", "Assigned")
Read-Only	Yes

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

---

## Slices

### Slice Name My Orders

Slice Name	My Orders
Slice Columns	_RowNumber Work Order ID Customer Name ServiceAddressConcatcate Customer Phone Number Appointment Start Time Appointment End Time Status

	Assigned
	Task
	Notes
	Appointment Start Date
	Appointment End Date
	Customer Signature
Row filter condition	=AND(AND( [Assigned]=LOOKUP(USEREMAIL(), Users, "Email", "_ComputedKey"), NOT(ISBLANK(LOOKUP(USEREMAIL(), Users, "Email", "_ComputedKey")))) ),NOT([Status]="Complete"))
Update mode	ADDS_AND_UPDATES
Source Table	Work Orders
Visible?	ALWAYS
Slice Actions	

## Slice Name My Completed Orders

Slice Name	My Completed Orders
	_RowNumber
	Work Order ID
	Customer Name
	ServiceAddressConcatcate
	Customer Phone Number
	Appointment Start Time
	Appointment End Time
Slice Columns	Status
	Assigned
	Task
	Notes
	Appointment Start Date
	Appointment End Date
	Customer Signature
Row filter condition	=AND( AND( [Assigned]=LOOKUP(USEREMAIL(), Users, "Email", "_ComputedKey"), NOT(ISBLANK(LOOKUP(USEREMAIL(), Users, "Email", "_ComputedKey")))) ), [Status]="Complete" )
Update mode	READ_ONLY
Source Table	Work Orders
Visible?	ALWAYS
Slice Actions	

## Slice Name Unassigned Orders

Slice Name	Unassigned Orders
Slice Columns	_RowNumber
	Work Order ID
	Customer Name
	ServiceAddressConcatcate
	Customer Phone Number
	Task
	Notes
	Appointment Start Date
	Appointment End Date
	Customer Signature
	Appointment Start Time
	Appointment End Time
	Status
Row filter condition	=OR([Assigned]='Unassigned',ISBLANK([Assigned]))
Update mode	ALL_CHANGES
Source Table	Work Orders
Visible?	ALWAYS
Slice Actions	Add
	Delete

## Slice Name All Orders


Slice Name	All Orders
Slice Columns	_RowNumber
	Work Order ID
	Customer Name
	ServiceAddressConcatcate
	Customer Phone Number
	Appointment Start Time
	Appointment End Time
	Appointment Start Date
	Appointment End Date
	Status
	Assigned
	Task

	Notes
	Customer Signature
Row filter condition	=[Status]="Assigned"
Update mode	ALL_CHANGES
Source Table	Work Orders
Visible?	ALWAYS
Slice Actions	Un-assign Workorder Delete

---

Views


View name My Orders

View name	My Orders
Created by	App owner
View type	calendar
ActionType	Day
Position	center
View configuration	{ "StartDateColumn": "Appointment Start Date", "StartTimeColumn": "Appointment Start Time", "EndDateColumn": "Appointment End Date", "EndTimeColumn": "Appointment End Time", "LabelColumn": "Customer Name", "CategoryColumn": "***none**", "DefaultCalendarView": "Day", "Column": [], "GroupBy": [], "GroupAggregate": "COUNT", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fas fa-truck", "IconRunnerUps": [], "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=USERROLE() <> "Admin"


View name All Orders

View name	All Orders
Created by	App owner
View type	deck
ActionType	Square Image
Position	center
View configuration	{ "MainDeckImageColumn": "", "ImageShape": "Square Image", "PrimaryDeckHeaderColumn": "Customer Name", "SecondaryDeckHeaderColumn": "Work Order ID", "DeckSummaryColumn": "Status", "DeckNestedTableColumn": null, "Show": [], "ActionBarEntries": [ "Un-assign Workorder", "Delete" ], "GroupBy": [ { "Column": "Assigned", "Order": "Ascending" } ], "GroupAggregate": "COUNT", "So



	<pre>[{"Column":"Appointment End Date","Order":"Ascending"}], "PrimarySortColumn":null, "IsPrimarySortDescen {"EventType":"Row Selected", "EventAction":"**auto**"}, {"EventType":"Row Swiped Left", "EventAction":"**auto**"}, {"EventType":"Row Swiped Right", "EventAction":"**auto**"}], "Icon":"fas fa-tags", "IconRunnerUps":[], "MenuOrder":1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=USERROLE()="Admin"

## View name Unassigned Orders

View name	Unassigned Orders
Created by	App owner
View type	deck
ActionType	Round Image
Position	left most
View configuration	<pre>{"MainDeckImageColumn":"**none**", "ImageShape":"Round Image", "PrimaryDeckHeaderColumn":"Customer Name", "SecondaryDeckHeaderColumn":"Task", "DeckSummaryColumn":"**;", "ActionBarEntries":["Schedule Workorder"], "GroupBy":["GroupAggregate":"COUNT", "SortBy":["PrimarySortColumn":null, "IsPrimarySortDescending":false, "Events":[{"EventType":"Row Selected", "EventAction":"**auto**"}, {"EventType":"Row Swiped Left", "EventAction":"**auto**"}, {"EventType":"Row Swiped Right", "EventAction":"**auto**"}], "Icon":"fal fa-clipboard-list", "IconRunnerUps":[], "MenuOrder":1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=USERROLE()="Admin"

## View name Completed Orders

View name	Completed Orders
Created by	App owner
View type	deck


ActionType	Square Image
Position	right
View configuration	{ "MainDeckImageColumn": "**auto**", "ImageShape": "Square Image", "PrimaryDeckHeaderColumn": "**auto**", "SecondaryDeckHeaderColumn": "**auto**", "ActionBarEntries": [], "GroupBy": [], "GroupAggregate": "NONE", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{" "EventType": "Row Selected", "EventAction": "**auto**"}, {" "EventType": "Row Swiped Left", "EventAction": "**auto**"}, {" "EventType": "Row Swiped Right", "EventAction": "**auto**"}], "Icon": "fas fa-check", "IconRunnerUps": [], "MenuOrder": 1}
Visible?	ALWAYS
Icon	✓
Menu order	1

### View name All Orders\_Detail


View name	All Orders_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Auto view", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1}
Visible?	ALWAYS
Icon	☰
Menu order	1

### View name All Orders\_Form


View name	All Orders_Form
Created by	System
View type	form
Position	ref

View configuration	{ <code>"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Auton</code> <code>[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-</code> <code>edit","IconRunnerUps":null,"MenuOrder":1}</code> }
Visible?	ALWAYS
Icon	
Menu order	1

View name Create Work Order

View name	Create Work Order
Created by	App owner
View type	form
Position	ref
View configuration	{ <code>"ColumnOrder":["Work Order ID","Customer</code> <code>Name","ServiceAddressConcatcate","Customer Phone</code> <code>Number","Task"],"AutoSave":false,"AutoReopen":false,"FinishView":"**Auton</code> <code>[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-</code> <code>edit","IconRunnerUps":null,"MenuOrder":1}</code> }
Visible?	ALWAYS
Icon	
Menu order	1

View name My Completed Orders\_Detail

View name	My Completed Orders_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ <code>"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none</code> <code>[,"QuickEditColumns":[],"ColumnOrder":</code> <code>[,"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Au</code> <code>view","SortBy":</code> <code>[,"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":</code> <code>[,"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}</code> }
Visible?	ALWAYS
Icon	

## View name My Orders\_Detail

View name	My Orders_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none" [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": " { "style\": { "type\": \"style\", \"backgroundColor\": \"transparent\", \"boxSizing\": \"border-box\", \"height\": \"100%\", \"id\": \"18803ca8-6cbf-41d7-b090-4509e0201431\", \"children\": [ { \"style\": { \"type\": \"style\", \"color\": { \"type\": \"variable\", \"value\": \"primaryText\", \"id\": \"10ee5459-af8f-45ac-b486-193a9968c81e\" }, \"height\": \"100%\", \"display\": \"flex\", \"flexDirection\": \"column\", \"background\": { \"type\": \"variable\", \"value\": \"mainContentBackground\", \"id\": \"84723f-0243-4f05-ac39-9d608383512f\" }, \"fontSize\": 14, \"id\": \"0ed6623e-e7c8-4fc6-af1f-01adbfb245a0\", \"children\": [ { \"value\": \"ServiceAddressConcatcate\", \"child\": { \"id\": \"media\", \"type\": \"image\", \"style\": { \"type\": \"style\", \"width\": \"100%\", \"height\": 194, \"borderRadius\": \"4px 4px 0 0\", \"objectFit\": \"cover\", \"id\": \"3a9f1a4f-a1c1-4e0b-b789-dcf4b8995969\" }, \"id\": \"mainImage\", \"type\": \"binding\", \"style\": { \"type\": \"style\", \"padding\": 16, \"id\": \"7c884242-451a-4269-813c-762ad6787a22\", \"children\": [ { \"value\": \"Customer Name\", \"child\": { \"id\": \"label\", \"type\": \"text\", \"style\": { \"type\": \"style\", \"fontSize\": 21, \"lineHeight\": 1.15, \"id\": \"97559953-75d9-4b10-919d-c416d183b4c9\" }, \"id\": \"c6a3a013-0faf-4db7-8829-39efc6704784\", \"type\": \"binding\", \"value\": \"ServiceAddressConcatcate\", \"child\": { \"id\": \"subheader\", \"type\": \"text\", \"style\": { \"type\": \"style\", \"fontSize\": 14, \"opacity\": 0.6, \"paddingTop\": 4, \"overflow\": \"hidden\", \"id\": \"bba2d2cb-c355-43aa-a0a3-46e89a578400\", \"type\": \"binding\", \"ignore\": false }, \"id\": \"headerTextC</pre>

```
{\ "value\":"Task\","\ "child\":
{\ "id\":"description\","\ "type\":"text\","\ "style\":
{\ "type\":"style\","\ "fontSize\":14,\ "padding\":16,\ "paddingTop\":8,\ "maxH
a901-451b-9b64-8c00e5632327\","\ "ignore\":false},\ "id\":"bba2d2cb-
c355-43aa-a0a3-46e89a5783d0\","\ "type\":"binding\","\ "ignore\":false},
{\ "style\":
{\ "type\":"style\","\ "display\":"flex\","\ "alignItems\":"center\","\ "justifyCont
between\","\ "padding\":8,\ "paddingTop\":0,\ "paddingBottom\":0,\ "id\":"5f
6010-4c1e-aa84-668f8ac967aa\","\ "children\":[{\ "value\":"Unclaim
Workorder\","\ "child\":{\ "id\":"Action 1\","\ "type\":"text\","\ "onClick\":
{\ "type\":"action\","\ "id\":"8faa486e-80a1-4bf8-9911-
ff05823f7018\","\ "value\":"Unclaim
Workorder\","\ "ignore\":false},\ "style\":
{\ "type\":"variable\","\ "value\":"actionButtonTextStyle\","\ "id\":"4fcb9585
70b2-4bc0-a407-be6849bea1a7\","\ "ignore\":false},\ "id\":"c503ebe1-
33d7-49e6-979d-
a4f4a0345863\","\ "type\":"actionDisplayText\","\ "ignore\":false},
{\ "child\":{\ "id\":"Action 2\","\ "type\":"text\","\ "onClick\":
{\ "type\":"action\","\ "id\":"fb9d48ba-a444-4617-8859-
7065b058efac\","\ "ignore\":false},\ "style\":
{\ "type\":"variable\","\ "value\":"actionButtonTextStyle\","\ "id\":"77f5bd38
248e-4f75-bf97-18e3b5c54d50\","\ "ignore\":true},\ "id\":"63cee5fc-
bcf9-4cce-bcfe-
d330b69732b9\","\ "type\":"actionDisplayText\","\ "ignore\":false},
{\ "style\":
{\ "type\":"style\","\ "display\":"flex\","\ "alignItems\":"center\","\ "marginLeft
bf93-4502-963e-ecfc16771fd8\","\ "children\":[{\ "child\":{\ "id\":"Action
3\","\ "type\":"icon\","\ "onClick\":{\ "type\":"action\","\ "id\":"c49470ae-
b53e-4109-9bb7-d85a93cd0fdf\","\ "style\":
{\ "type\":"variable\","\ "value\":"actionButtonIconStyle\","\ "id\":"cd0faa93
c489-4d7b-bcd9-c8dd3e551dd1\","\ "ignore\":true},\ "id\":"45097ee1-
733e-4faa-b049-2e9be8ba402b\","\ "type\":"constant\"},{\ "child\":
{\ "id\":"Action 4\","\ "type\":"icon\","\ "onClick\":
{\ "type\":"action\","\ "id\":"aaba7aa9-9bc5-4ca5-aef0-
0e834f3b26e2\","\ "style\":
{\ "type\":"variable\","\ "value\":"actionButtonIconStyle\","\ "id\":"441cc05d
5e46-4753-bd34-6053ef27f305\","\ "ignore\":true},\ "id\":"5205cdc0-
a69d-4f46-9a0a-
4cc48950745a\","\ "type\":"constant\"}],\ "id\":"65eb11c1-7b76-4565-
9284-94d6783d8ec0\","\ "type\":"container\"}],\ "variables\":
```

```
[{"name\\":\\"actionButtonTextStyle\\",\\"value\\":
{"type\\":\\"style\\",\\"maxHeight\\":60,\\"maxWidth\\":100,\\"display\\":\\"flex\\",\\
word\\",\\"textTransform\\":\\"uppercase\\",\\"fontSize\\":12,\\"cursor\\":\\"pointer\\",\\"
{"type\\":\\"variable\\",\\"value\\":\\"actionIcon\\"},\\"border\\":5,\\"padding\\":8,\\t
0.8s\\",\\"hover\\":{"type\\":\\"style\\",\\"background\\":
{"type\\":\\"variable\\",\\"value\\":\\"mainBackgroundVariant\\"},\\"transition\\":\\
0.8s\\",\\"down\\":{"type\\":\\"style\\",\\"background\\":
{"type\\":\\"variable\\",\\"value\\":\\"mainBackgroundVariant\\"},\\"transition\\":\\
0.8s\\"}},\\"name\\":\\"actionButtonIconStyle\\",\\"value\\":
{"type\\":\\"style\\",\\"fontSize\\":16,\\"color\\":
{"type\\":\\"variable\\",\\"value\\":\\"secondaryText\\"},\\"border\\":\\"50%\\",\\"curs
0.8s\\",\\"hover\\":{"type\\":\\"style\\",\\"background\\":
{"type\\":\\"variable\\",\\"value\\":\\"mainBackgroundVariant\\"},\\"transition\\":\\
0.8s\\",\\"down\\":{"type\\":\\"style\\",\\"background\\":
{"type\\":\\"variable\\",\\"value\\":\\"mainBackgroundVariant\\"},\\"transition\\":\\
0.8s\\"}},\\"id\\":\\"2a07cf3b-cdec-4e45-90cb-
f2b2e14dae8d\\",\\"type\\":\\"container\\"},\\"id\\":\\"55f59616-6c4f-48c8-
88cc-
1edd8388e4c9\\",\\"type\\":\\"container\\"},\\"name\\":\\"detail\\",\\"variables\\":
[{"name\\":\\"imageName\\",\\"value\\":\\"https://www.appsheet.com/content
media-template.png\\"},{"name\\":\\"labelName\\",\\"value\\":\\"Title goes
here\\"}],\\"version\\":0,\\"id\\":\\"52405288-3f27-45d7-8c68-
c7d489a76db4\\",\\"type\\":\\"container\\"},\\"UseCardLayout\\":true,\\"DisplayMo
view\\",\\"SortBy\\":
[],\\"PrimarySortColumn\\":null,\\"IsPrimarySortDescending\\":false,\\"Events\\":
[],\\"Icon\\":\\"fa-indent\\",\\"IconRunnerUps\\":null,\\"MenuOrder\\":1}
```

Visible? ALWAYS

Icon 

Menu order 1

## View name My Orders\_Form

View name My Orders\_Form

Created by System


View type form

Position ref


View configuration {"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"\*\*Au  
[{"EventType":"Form Saved","EventAction":"\*\*auto\*\*"}],\\"Icon\\":\\"fa-  
edit\\",\\"IconRunnerUps\\":null,\\"MenuOrder\\":1}

Visible?	ALWAYS
Icon	
Menu order	1


## View name Set Appointment Time/Date

View name	Set Appointment Time/Date
Created by	App owner
View type	form
Position	ref
View configuration	{ "ColumnOrder":["Work Order ID","Appointment Start Date","Appointment Start Time","Appointment End Date","Appointment End Time","Assigned"],"AutoSave":false,"AutoReopen":false,"FinishView":"**Autc [{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-bar-chart","IconRunnerUps":[],"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1


## View name Unassigned Orders\_Detail

View name	Unassigned Orders_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none [],"QuickEditColumns":[],"ColumnOrder": [],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Au view","SortBy": [],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events": [],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

## View name Unassigned Orders\_Form

View name	Unassigned Orders_Form
Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Au ["EventType":"Form Saved","EventAction":"**auto**"]},"Icon":"fa- edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Users\_Detail

View name	Users_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none [],"QuickEditColumns":[],"ColumnOrder": [],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Au view","SortBy": [],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events": [],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1


View name Users\_Form

View name	Users_Form
Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Au ["EventType":"Form Saved","EventAction":"**auto**"]},"Icon":"fa- edit","IconRunnerUps":null,"MenuOrder":1}




Visible?	ALWAYS
Icon	
Menu order	1

## View name Work Orders\_Detail


View name	Work Orders_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{           "MainSlideshowImageColumn": "**auto**",           "DetailContentColumn": "**none**",           "QuickEditColumns": [],           "ColumnOrder": [],           "ImageStyle": "Fill",           "Layout": null,           "UseCardLayout": false,           "DisplayMode": "Auto",           "SortBy": [],           "PrimarySortColumn": null,           "IsPrimarySortDescending": false,           "Events": [],           "Icon": "fa-indent",           "IconRunnerUps": null,           "MenuOrder": 1         }
Visible?	ALWAYS
Icon	
Menu order	1

## View name Work Orders\_Form

View name	Work Orders_Form
Created by	System
View type	form
Position	ref
View configuration	{           "ColumnOrder": null,           "AutoSave": false,           "AutoReopen": false,           "FinishView": "**Auto**",           "Events": [{"EventType": "Form Saved", "EventAction": "**auto**"}],           "Icon": "fa-edit",           "IconRunnerUps": null,           "MenuOrder": 1         }
Visible?	ALWAYS
Icon	
Menu order	1

## View name Work Orders\_Inline

View name	Work Orders_Inline
-----------	--------------------

Created by	System
View type	table
Position	ref
View configuration	{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": [], "GroupBy": [], "GroupAggregate": "NONE", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{" "EventType": "Row Selected", "EventAction": "**auto**" }], "Icon": "fa-table", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1


---

## Format Rules

# Behavior


## Actions

### Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmatic
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Work Orders
Does this action apply to the whole table?	No
Visible?	ADVANCED


### Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay


Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Work Orders
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Map (ServiceAddressConcatcate)

Action name	View Map (ServiceAddressConcatcate)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=map&table=Work%20Orders&mapcolu ENCODEURL([_THISROW]))","Prominence":"Display_Inline","NeedsConfirmation":fals
Do this	NAVIGATE_APP
Attach to column	ServiceAddressConcatcate
Set this column	ServiceAddressConcatcate
Only if this condition is true	NOT(ISBLANK([ServiceAddressConcatcate]))
	No

Disable automatic updates?	
Action icon	
For a record of this table	Work Orders
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Call Phone (Customer Phone Number)

Action name	Call Phone (Customer Phone Number)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"Number":"[Customer Phone Number]","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":null}
Do this	CALL
Attach to column	Customer Phone Number
Set this column	Customer Phone Number
Only if this condition is true	NOT(ISBLANK([Customer Phone Number]))
Disable automatic updates?	No
Display name	Phone call
Action icon	

For a record of this table

Work Orders

Does this action apply to the whole table?

No

Visible?

ALWAYS

## Action name Send SMS (Customer Phone Number)

Action name Send SMS (Customer Phone Number)

Bulk action? No

Modifies data? No

Needs confirmation? No

Prominence Display\_Inline

Action order 1

With these properties {"Number":"[Customer Phone Number]","Message":"","Prominence":"Display\_Inline","NeedsConfirmation":false,"Con

Do this SMS

Attach to column Customer Phone Number

Set this column Customer Phone Number

Only if this condition is true NOT(ISBLANK([Customer Phone Number]))

Disable automatic updates? No

Display name Text message

Action icon 

For a record of this table

Work Orders

No

Does this  
action apply  
to the whole  
table?

Visible? ALWAYS

Action name Add

Action name Add

Bulk action? Yes

Modifies  
data? Yes

Needs  
confirmation? No

Prominence Display\_Overlay

Action order 1

With these  
properties {"Prominence":"Display\_Overlay","NeedsConfirmation":false,"ConfirmationMessage":

Do this ADD\_RECORD

Disable  
automatic  
updates? No

Action icon +

For a record  
of this table Work Orders

Does this  
action apply  
to the whole  
table? Yes

Visible? ALWAYS


Action name Delete

Action name Delete


Bulk action? Yes

Modifies  
data? Yes

Yes

Needs confirmation?	
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmatic
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Users
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
	Users



For a record  
of this table

Does this  
action apply  
to the whole  
table?

Visible?        ALWAYS

Action name Compose Email (Email)

Action name    Compose Email (Email)

Bulk action?    No

Modifies  
data?            No

Needs  
confirmation?    No

Prominence     Display\_Inline

Action order    1

With these  
properties       {"EmailTo": "[Email]","Subject":null,"Body":null,"Prominence":"Display\_Inline","NeedsConfirmation":


Do this            EMAIL

Attach to  
column            Email

Set this  
column            Email

Only if this  
condition is  
true               NOT(ISBLANK([Email]))

Disable  
automatic  
updates?        No

Action icon       

For a record  
of this table     Users

Does this  
action apply  
to the whole  
table?            No

Visible? ALWAYS

## Action name Add

Action name Add

Bulk action? Yes

Modifies data? Yes

Needs confirmation? No

Prominence Display\_Overlay

Action order 1

With these properties {"Prominence":"Display\_Overlay","NeedsConfirmation":false,"ConfirmationMessage":

Do this ADD\_RECORD

Disable automatic updates? No

Action icon +

For a record of this table Users

Does this action apply to the whole table? Yes

Visible? ALWAYS

## Action name Set Workorder Time

Action name Set Workorder Time


Bulk action? No

Modifies data? No

Needs confirmation? No

Prominence Display\_Overlay

Action order 1

With these properties	{ "NavigateTarget": "=LINKTOROW([Work Order ID], \"Set Appointment Time/Date\")", "Prominence": "Display_Overlay", "NeedsConfirmation": false, "Confirmat
Do this	
Attach to column	
Only if this condition is true	Work Order ID
Disable automatic updates?	true
Action icon	No
For a record of this table	
Does this action apply to the whole table?	Work Orders
Visible?	No
	ALWAYS

Action name Un-assign Workorder

Action name	Un-assign Workorder
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{ "Assignments": [{"ColumnToEdit": "Appointment Start Time", "NewColumnValue": "= \"\nStart Date\", \"NewColumnValue\": \"= \"\n\""}, {"ColumnToEdit": "Appointment End Date", "Ne
Do this	{ "ColumnToEdit": "Status", "NewColumnValue": "= \"Unassigned\\\""}, {"ColumnToEdit": "Ap
Attach to column	Time", "NewColumnValue": "= \"\n\", \"InputParametersUsed\": null, \"Prominence\": \"Display_
	SET_COLUMN_VALUE
	Appointment Start Time


Set this column	Appointment Start Time
Only if this condition is true	=[Status]="Assigned"
Disable automatic updates?	No
Action icon	—
For a record of this table	Work Orders
Does this action apply to the whole table?	No
To this value	=""
Visible?	ALWAYS

## Action name View Ref (Assigned)

Action name	View Ref (Assigned)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Users&row=\", ENCODEU{ )},\"Prominence\":\"Display_Inline\",\"NeedsConfirmation\":false,\"ConfirmationMessage\":\"
Do this	NAVIGATE_APP
Attach to column	Assigned
Set this column	Assigned
	NOT(ISBLANK([Assigned]))

Only if this condition is true

Disable automatic updates? No

Action icon 

For a record of this table Work Orders

Does this action apply to the whole table? No

Visible? ALWAYS

Action name Set Assigned Status

Action name Set Assigned Status

Bulk action? Yes

Modifies data? Yes

Needs confirmation? No

Prominence Display\_Prominently

Action order 1

With these properties {"Assignments": [{"ColumnToEdit": "Status", "NewColumnValue": "\Assigned\ ""}], "ColumnToEdit": "Stat


Do this SET\_COLUMN\_VALUE

Attach to column Status

Set this column Status

Only if this condition is true true

Disable automatic updates? No

Action icon	
For a record of this table	Work Orders
Does this action apply to the whole table?	No
To this value	= "Assigned"
Visible?	ALWAYS

## Action name Schedule Workorder

Action name	Schedule Workorder
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{ "Actions": [ { "ActionName": "Set Assigned Status" }, { "ActionName": "Set Workorder Time" } ], "Prominence": "Display_Prominently", "NeedsConfirmation": false, "Confirmation"
Do this	COMPOSITE
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	Work Orders
Does this action apply to the whole table?	No
Visible?	ALWAYS

