# TITLE

Subtitle

by

Name

# Copyright © 2021 Name All rights reserved. No part of this publication may be reproduced, stored or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, scanning, or otherwise without written permission from the publisher. It is illegal to copy this book, post it to a website, or distribute it by any other means without permission. First edition, 2021

ISBN XYZ

Published by TBD

# Contents

1	Cha	Chapter																1										
	1.1	Section												1														
		111	Sul	osect	ioi	n .																						1

# Chapter 1

## Chapter

### 1.1 Section

#### 1.1.1 Subsection

#### Subsubsection


My text here with **italics**, with **bold**, and a link. Adding some math expression here with x = 10 and  $y = 10^2 + 2 * 2$ .

$$d(\omega(t_0), \omega(t_1)) \le \int_{t_0}^{t_1} g(s) ds.$$

Adding some code like plots. Note that the using plots

```
using PlutoUI
```

```
begin
using Plots
y(x) = sin(x)
plot(y,
color=:blue)
end
```



## 1 A = [10, 10, 10]

## 3-element Vector{Int64}:

10

10

10


```
1 x = rand(10);
```

#### 1 x .+ 1

## 10-element Vector{Float64}:

- 1.7990325598217172
- 1.1651829391124096
- 1.7951855283664564
- 1.588570740117684
- 1.7188651134029742
- 1.9596595738914855
- 1.2143037489832769

- 1.5355665499801225
- 1.6272643456313978
- 1.2305172235725879
- set\_theme!(theme\_ggplot2())
- 1 Makie.plot(x)



1 PlutoUI.LocalResource(figurepath)

