Title

Subtitle

by

Name

TBD

Copyright © 2021 Name

All rights reserved. No part of this publication may be reproduced, stored or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, scanning, or otherwise without written permission from the publisher. It is illegal to copy this book, post it to a website, or distribute it by any other means without permission.

First edition, 2021

ISBN XYZ

Published by TBD

Contents

Chapter 1

Chapter

1.1 Section

1.1.1 Subsection

Subsubsection

My text here with *italics*, with **bold**, and a link.Adding some math expression here with $x = 10$ and $y = 10^2 + 2 * 2$.

$$d(\omega(t_0), \omega(t_1)) \leq \int_{t_0}^{t_1} g(s)ds.$$

Adding some code like `plots`. Note that the `using plots`

```
using PlutoUI
```

```
begin
    using Plots
    y(x) = sin(x)
    plot(y,
        color=:blue)
end
```




```
1 A = [10,10,10]
```

```
3-element Vector{Int64}:
 10
 10
 10
```

```
1 x = rand(10);
```

```
1 x .+ 1
```

```
10-element Vector{Float64}:
 1.3559979723573021
 1.9209163746871745
 1.0874677611695027
 1.1858218824948379
 1.8073155374813559
 1.7810204522720217
 1.346657746249734
```

```
1.6024809068168024
1.7800364833425186
1.8263917869726762
```

```
1 set_theme!(theme_ggplot2())
```

```
1 Makie.plot(x)
```




```
1 PlutoUI.LocalResource(figurepath)
```


y1
1.0
0.5
0.0
−0.5
−1.0
−4
−2
0
2
4