1.Allow any number of users to enter a quantity and price at the keyboard (use ctl+z to stop). Compute the extended price (quantity times price). If quantity is over 1000 give a 10% discount. Display quantity, price and extended, discount amount and discounted price for each entry. Keep a sum of the total for all the discounted prices. Display the total of discounted prices after all entries have been entered

Input	Process	Output
Quantity	Extended_price = price * quantity	Quantity:
Price	Discount= extended_price * discount_rate	Price:
Extended_price	Discounted_*price*= extended_price - discount	Extended Price:
Discount_threshold	Total += discounted_price	Discount Amount:
Discount_rate		Discounted Price:
Total		Total:
Discounted price		

2. Allow any number of players to enter last name, number of hits and at bats at the keyboard (use ctl+z to stop). Compute batting average (hits/at bats). Display last name and batting average for each player. Keep a count of the number of players (or entries) made. Display the count after all entries have been made.

Input	Process	Output
lname	Batting average = hits/ at_hits	Last name:
Hits		Batting Average:
At_hits		Number of Players:
Batting_average		
Nplayers= 0		

3. Enter destination city, miles travelled to get there, and gallons of gasoline used for any number of trips entered at the keyboard (use ctl+z to stop). Compute miles per gallon (miles travelled / gallons used). Display the destination city and miles per gallon for each

trip entered. Sum the miles travelled and give a count of the number of trips made. Display these at the end of the program

Input	Process	Output
City	Miles per gallon = miles / gallon	Destination City:
Miles		Gallons per Trip:
Gallons		Trip Entered:
Number of trips		Sum of miles travelled: Trip counter:
Miles per gallon		
Trip count		

4. Allow the employee to enter last name, job code and hours worked (use ctl+z to stop). Calculate pay. (Job code L is $25/hr, A is $30/hr and J is $50/hr). Give time and a half for overtime. Display last name, job code, hours worked and pay for each employee. Sum the pay for each employee as well as count the entries made. After all entries are made, compute and display the average pay and the number of entries made.

Input	Process	Output
Lname		
jobCode	Switch function(toupper)	Last Name:
Hrs	If (hrs > 40)	Job Code:
Rate L rate J rate A rate		Hours Worked:
Sum pay		Employee Pay:
		Sum of employee pay Number of Entries

5. Allow the user to enter student last name, credit hours and district code for any number of students (use ctl+z to stop). Compute tuition owed. In district (code of I) is charged $250

per credit hour. Out of district (code of O) is $550 per credit hour. Display student name and tuition owed for each entry. Sum the amount of tuition owed for all students as well and the total credit hours taken and finally the number of students who entered data. Display total tuition, total credit hours taken and count of number of students at the end.

Input	Process	Output
Lname Credit hours		Student Name:
District code		Tuition Owed:
Rate	Tuition = credit * charge	Sum of Tuition Owed:
In district rate		Total Credit Hours Taken:
Out of district rate		Total Students:
Student count		
Total credit hours		