

Lecture slides by Kevin Wayne Copyright © 2005 Pearson-Addison Wesley


http://www.cs.princeton.edu/~wayne/kleinberg-tardos

4. GREEDY ALGORITHMS II

Prim's algorithm demo


Initialize S = any node, $T = (V, \emptyset)$.

- Add to *T* a min-weight edge with one endpoint in *S*.
- Add new node to *S*.




Initialize S = any node, $T = (V, \emptyset)$.

- Add to *T* a min-weight edge with one endpoint in *S*.
- Add new node to S.




Initialize S = any node, $T = (V, \emptyset)$.

- Add to *T* a min-weight edge with one endpoint in *S*.
- Add new node to S.




Initialize S = any node, $T = (V, \emptyset)$.

- Add to *T* a min-weight edge with one endpoint in *S*.
- Add new node to S.




Initialize S = any node, $T = (V, \emptyset)$.

- Add to *T* a min-weight edge with one endpoint in *S*.
- Add new node to S.




Initialize S = any node, $T = (V, \emptyset)$.

- Add to *T* a min-weight edge with one endpoint in *S*.
- Add new node to *S*.




Initialize S = any node, $T = (V, \emptyset)$.

- Add to *T* a min-weight edge with one endpoint in *S*.
- Add new node to *S*.




Initialize S = any node, $T = (V, \emptyset)$.

- Add to *T* a min-weight edge with one endpoint in *S*.
- Add new node to *S*.




Initialize S = any node, $T = (V, \emptyset)$.

- Add to *T* a min-weight edge with one endpoint in *S*.
- Add new node to *S*.




Initialize S = any node, $T = (V, \emptyset)$.

- Add to *T* a min-weight edge with one endpoint in *S*.
- Add new node to S.




Initialize S = any node, $T = (V, \emptyset)$.

- Add to *T* a min-weight edge with one endpoint in *S*.
- Add new node to *S*.




Initialize S = any node, $T = (V, \emptyset)$.

- Add to *T* a min-weight edge with one endpoint in *S*.
- Add new node to S.




Initialize S = any node, $T = (V, \emptyset)$.

- Add to *T* a min-weight edge with one endpoint in *S*.
- Add new node to *S*.




Initialize S = any node, $T = (V, \emptyset)$.

- Add to *T* a min-weight edge with one endpoint in *S*.
- Add new node to S.




Initialize S = any node, $T = (V, \emptyset)$.

- Add to *T* a min-weight edge with one endpoint in *S*.
- Add new node to *S*.



Initialize S = any node, $T = (V, \emptyset)$.

- Add to *T* a min-weight edge with one endpoint in *S*.
- Add new node to *S*.



Initialize S = any node, $T = (V, \emptyset)$.

- Add to *T* a min-weight edge with one endpoint in *S*.
- Add new node to *S*.

