

Package ‘hammond’

January 26, 2018

Type Package

Title Useful analysis utilities

Version 0.1.0

Author David Hammond

Maintainer David Hammond <anotherdavidhammond@gmail.com>

Description Just some useful stuff for me

License GPL-3

Encoding UTF-8

LazyData true

RoxygenNote 6.0.1

Imports devtools

R topics documented:

hammond-package	1
create.package.manual	2
factr	2
h.correlate	2
h.pc.change	3
ipak	3
Index	4

hammond-package	<i>hammond: some stuff</i>
-----------------	----------------------------

Description

hammond: some stuff

```
create.package.manual
```

create package manual

Description

This function calculates combinations for efficient correlation calculations

Usage

```
create.package.manual(pack = "hammond")
```

Arguments

pack	name of package
------	-----------------

factr	<i>Factor based on order</i>
-------	------------------------------

Description

This makes a factor out of an ordered array

Usage

```
factr(x, y = unique(x))
```

Arguments

x	array to factorise
y	order of factors

h.correlate	<i>hcorrelate</i>
-------------	-------------------

Description

This function calculates correlations between variables

Usage

```
h.correlate(df, min.pairs = 20, verbose = TRUE, filter.by.p = FALSE)
```

Arguments

df	name of dataframe to use for correlation, needs to be long format 4 column data frame: iso3c, variablename, year, value
min.pairs	minimum number of pairs to correlate
verbose	enable n and p values reporting, TRUE or FALSE
filter.by.p	Do you want to filter for significant p values?

Examples

```
#need 4 column data frame, iso3c, variablename, year, value
```

h.pc.change	<i>Calculate proportional change</i>
-------------	--------------------------------------

Description

This function calculates proportional change in GPI for a country from one year to another.

Usage

```
h.pc.change(all)
```

Arguments

all	the dataframe to be processed
-----	-------------------------------

Value

Returns a dataframe containing the raw and annual growths in GPI for each country

ipak	<i>install dependencies</i>
------	-----------------------------

Description

easy install for R packages, sourced from <https://gist.github.com/stevenworthington/3178163>

Usage

```
ipak(pkg)
```

Arguments

pkg	a string or list of packages to install
-----	---

Index

*Topic **analysis-utils**

h.pc.change, [3](#)

*Topic **utilities**

h.pc.change, [3](#)

create.package.manual, [2](#)

factr, [2](#)

h.correlate, [2](#)

h.pc.change, [3](#)

hammond (*hammond-package*), [1](#)

hammond-package, [1](#)

ipak, [3](#)