

id	name	email	password	role	status
5	rebeca	rebeca@gmail.com	\$2b\$12\$KligbVU28sADuRzf/tTs0uuWbXpww7KP4AISbvNcPpGP2hiwQUYE2	employee	available
7	juan	juan@gmail.com	pass7779	employee	available
11	martha	martha@gmail.com	\$2b\$12\$GeSsFZXVxZEH3WJ9FLO1IeuHOZZWqe14FKEmcEmB0Tag8sFE xqtau	employee	available
2	humberto	humberto@gmail.com	\$2b\$12\$uYKkGdvcdlBCXVwssNq2e6IDDamLnyxxkiGhlafTaeeklgdrVv1G	employee	available
1	cristian lopez	cristianlopez@gmail.com	\$2b\$12\$0TzmXBJs4rsTcP3Knm6v.uv3k71x3I09Q6Lv0ERMZf0QiWX2Yzmdy	employee	available
3	xiomara1	xiomara1@gmail.com	\$2b\$12\$ZsZMIK.Hxa7Eyhle6XjVmuRXH7ufKaZv0LkH7yNkpmZc2qeoSJEIG	employee	available
12	cesar1 perez	cesar1@gmail.com	\$2b\$12\$dLnjkuD4MHXDL726Kwnh0eae4pueiBXbfD.ifR8eeeqR4tSw1RSAa	client	available

GETALL_USERS SOLO LO PUEDE HACER LOS EMPLEADOS

GET localhost:3001/api/v1/users

Params Authorization Headers (7) Body Pre-request Script Tests Settings

Type Bearer Token

Heads up! These parameters hold sensitive data. To keep this data secure while working in a c variables. Learn more about [variables](#)

Body Cookies Headers (7) Test Results

Pretty Raw Preview Visualize JSON

```
15     "id": 7,
16     "name": "juan",
17     "email": "juan@gmail.com",
18     "password": "pass7779",
19     "role": "employee",
20     "status": "available",
21     "createdAt": "2023-12-12T07:21:14.623Z",
22     "updatedAt": "2023-12-12T07:41:19.962Z"
23   },
24   {
25     "id": 11,
26     "name": "martha",
27     "email": "martha@gmail.com",
28     "password": "$2b$12$GeSsFZXVxZEH3WJ9FL01IeuH0ZZWqe14FKEmcEmB0Tag8sFExqtau",
29     "role": "employee",
30     "status": "available",
31     "createdAt": "2023-12-12T07:45:49.451Z",
32     "updatedAt": "2023-12-12T20:53:03.912Z"
33   },
34   {
35     "id": 2,
36     "name": "humberto",
37     "email": "humberto@gmail.com",
38     "password": "$2b$12$uYKkGdvcdl8CXVwssNq2e6I0DamLnyxxkiGhlafTaeklgdrVv1G",
39     "role": "employee",
```

GETALL_REPAIRS SOLO LO PUEDE HACER LOS EMPLEADOS

GET localhost:3001/api/v1/repairs

Params Authorization Headers (7) Body Pre-request Script Tests Settings

Type Bearer Token

Heads up! These parameters hold sensitive data. To keep this data secure while working in a variables. Learn more about [variables](#)

The authorization header will be automatically

Body Cookies Headers (7) Test Results Status: 200 OK

Pretty Raw Preview Visualize JSON

```
1 {
2   "status": "success",
3   "repairs": [
4     {
5       "id": 2,
6       "date": "2023-12-10T00:00:00.000Z",
7       "motorNumber": "4449654ertw",
8       "description": "pintura cambio",
9       "userId": 2,
10      "status": "completed",
11      "createdAt": "2023-12-12T04:27:05.684Z",
12      "updatedAt": "2023-12-12T06:47:33.178Z",
13      "user": {
14        "id": 2,
15        "name": "humberto",
16        "email": "humberto@gmail.com",
17        "password": "$2b$12$uYKkGdvcdlBCXVwssNq2e6IDDamLnyxxkiGhlaftAeeklgdrVv1G",
18        "role": "employee",
19        "status": "available",
20        "createdAt": "2023-12-12T04:30:02.913Z",
21        "updatedAt": "2023-12-12T21:41:39.831Z"
22      }
23    },
24  ]
25 }
```

DB_USERS

id	name	email	password	role	status
5	rebeca	rebeca@gmail.com	\$2b\$12\$KligbVU28sADuRzf/tTs0uuWbXpww7KP4AISbvNcPpGP2hiwQUYE2	employee	available
7	juan	juan@gmail.com	pass7779	employee	available
11	martha	martha@gmail.com	\$2b\$12\$GeSsFZXVxZEH3WJ9FLO1IeuHOZZWqe14FKEmcEmB0Tag8sFE xqtau	employee	available
2	humberto	humberto@gmail.com	\$2b\$12\$uYKkGdvcdlBCXVwssNq2e6IDDamLnyxxkiGhlafTaeeklgdrVv1G	employee	available
1	cristian lopez	cristianlopez@gmail.com	\$2b\$12\$0TzmXBJs4rsTcP3Knm6v.uv3k71x3I09Q6Lv0ERMZf0QjWX2Yzmdy	employee	available
3	xiomara1	xiomara1@gmail.com	\$2b\$12\$ZsZMIK.Hxa7Eyhle6XjVmuRXH7ufKaZv0LkH7yNkpmZc2qeoSJEIG	employee	available
12	cesar1 perez	cesar1@gmail.com	\$2b\$12\$dLnjkuD4MHXDL726Kwnh0eae4pueiBXbfD.ifR8eeeqR4tSw1RSAa	client	available

ACTUALIZA SOLO EMAIL Y NOMBRE A CRISTIAN ID1

The screenshot shows a REST client interface with a PATCH request to `localhost:3001/api/v1/users/1`. The request body is a JSON object with the following fields:

```
1 {
2   "email": "cristian@gmail.com",
3   "name": "cristian",
4   "role": "client",
5   "password": "pass9999"
6 }
```

The response is a 200 OK status. The response body is a JSON object with the following fields:

```
1 {
2   "id": 1,
3   "name": "cristian",
4   "email": "cristian@gmail.com",
5   "password": "$2b$12$0TzmXBJs4rsTcP3Knm6v.uv3k71x3I09Q6Lv0ERMZf0QiWX2Yzmdy",
6   "role": "employee",
7   "status": "available",
8   "createdAt": "2023-12-12T03:43:27.788Z",
9   "updatedAt": "2023-12-17T00:10:12.539Z"
10 }
```

ACTUALIZA SOLO AL DUEÑO DE LA CUENTA

PATCH localhost:3001/api/v1/users/12

Params Authorization Headers (9) **Body** Pre-request Script Tests Settings

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL **JSON** ▼

```
1 {
2   "email": "cesaraugusto@gmail.com",
3   "name": "cesar augusto",
4   "role": "client"
5 }
6
```

Body Cookies Headers (7) Test Results 🌐 Status: 401 Unauthorized

Pretty Raw Preview Visualize **JSON** ▼ 🔗

```
1 {
2   "status": "fail",
3   "message": "You do not own this account",
4   "stack": "Error: You do not own this account\n    at protectAccountOwner (file:///C:/Users/Administrador/Desktop/motorcycleRepair/users/user.middleware.js:74:17)\n    at Layer.handle [as handle_request] (C:\\Users\\Administrador\\Desktop\\NODENode\\class2\\dbmotorCycle\\node_modules\\express\\lib\\router\\layer.js:37:5)\n    at (C:\\Users\\Administrador\\Desktop\\NODENode\\class2\\dbmotorCycle\\node_modules\\express\\lib\\router\\route.js:113:7)\n    at Administrador/Desktop/NODE/class2/dbmotorCycle/src/motorcycleRepair/users/user.middleware.js:16:3\n    at processTicksAndRejections (node:internal/process/task_queues:95:5)",
5   "err": {
6     "statusCode": 401,
7     "status": "fail",
8     "isOperational": true
9   }
10 }
```

[Follow link \(ctrl + click\)](#)

SOLO PUEDE ACTUALIZAR EL DUEÑO DE LA CUENTA

PATCH localhost:3001/api/v1/users/3

Params Authorization Headers (9) **Body** Pre-request Script Tests Settings

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL **JSON** ▼

```
1 {
2   "email": "xiomara@gmail.com",
3   "name": "leidy xiomara",
4   "role": "employee"
5 }
```

Body Cookies Headers (7) Test Results 🌐 Status: 401 Unauthorized

Pretty Raw Preview Visualize **JSON** ▼ ≡

```
1 {
2   "status": "fail",
3   "message": "You do not own this account",
4   "stack": "Error: You do not own this account\n    at protectAccountOwner (file:///C:/Users/Administrador/Desktop/NODE/class2/dbmotorCycle/src/motorcycleRepair/users/user.middleware.js:74:17)\n    at Layer.handle [as handle_request] (C:\\Users\\Administrador\\Desktop\\NODE\\class2\\dbmotorCycle\\node_modules\\express\\lib\\router\\layer.js:95:5)\n    at C:\\Users\\Administrador\\Desktop\\NODE\\class2\\dbmotorCycle\\node_modules\\express\\lib\\router\\route.js:14:12\n    at Administrador/Desktop/NODE/class2/dbmotorCycle/src/motorcycleRepair/users/user.middleware.js:16:3\n    at process (node:internal/process/task_queues:95:5)",
5   "err": {
6     "statusCode": 401,
7     "status": "fail",
8     "isOperational": true
9   }
10 }
```

CLIENTE SOLO PUEDE ACTUALIZAR EMAIL Y NAME

The screenshot displays a REST client interface with a PATCH request to `localhost:3001/api/v1/users/12`. The request body is a JSON object with `email`, `name`, and `role` fields. The response is a JSON object containing user details like `id`, `password`, `role`, `status`, and timestamps.

Request:

```
PATCH localhost:3001/api/v1/users/12
```

Body:

```
{
  "email": "cesaraugusto@gmail.com",
  "name": "cesar augusto",
  "role": "employee"
}
```

Response:

```
{
  "id": 12,
  "name": "cesar augusto",
  "email": "cesaraugusto@gmail.com",
  "password": "$2b$12$dLnjkuD4MHXDL726Kwnh0eae4pueiBXbfd.ifR8eeeqR4tSw1RSAa",
  "role": "client",
  "status": "available",
  "createdAt": "2023-12-16T21:56:16.156Z",
  "updatedAt": "2023-12-17T00:21:55.158Z"
}
```


id	name	email	password	role	status
5	rebeca	rebeca@gmail.com	\$2b\$12\$KligbVU28sADuRzf/tTs0uuWbXpww7KP4AISbvNcPpGP2hiwQUYE2	employee	available
7	juan	juan@gmail.com	pass7779	employee	available
11	martha	martha@gmail.com	\$2b\$12\$GeSsFZXVxZEH3WJ9FLO1leuHOZZWqe14FKEmcEmB0Tag8sFE xqtau	employee	available
2	humberto	humberto@gmail.com	\$2b\$12\$uYKkGdvcdlBCXVwssNq2e6lDDamLnyxxkiGhlafTaeeklgdrVv1G	employee	available
3	xiomara1	xiomara1@gmail.com	\$2b\$12\$ZsZMIK.Hxa7Eyhle6XjVmuRXH7ufKaZv0LkH7yNkpmZc2qeoSJEIG	employee	available
1	cristian	cristian@gmail.com	\$2b\$12\$0TzmXBJs4rsTcP3Knm6v.uv3k71x3l09Q6Lv0ERMZf0QiWX2Yzmdy	employee	available
12	cesar augusto	cesaraugusto@gmail.com	\$2b\$12\$dLnjkuD4MHXDL726Kwnh0eae4pueiBXbfd.ifR8eeeqR4tSw1RSAA	client	available

CLIENTE PUEDE BUSCAR SOLO SU PROPIA CUENTA

The screenshot displays a REST client interface with the following details:

- Method:** GET
- URL:** localhost:3001/api/v1/users/12
- Body Type:** JSON
- Request Body:**

```
1 {  
2   "email": "cesaraugusto@gmail.com",  
3   "name": "cesar augusto",  
4   "role": "employee"  
5 }  
6
```
- Response Status:** 200 OK
- Response Body (JSON):**

```
1 {  
2   "status": "success",  
3   "user": {  
4     "id": 12,  
5     "name": "cesar augusto",  
6     "email": "cesaraugusto@gmail.com",  
7     "password": "$2b$12$dLnjkuD4MHXDL726Kwnh0eae4pueiBXbfD.ifR8eeeqR4tSw1RSAa",  
8     "role": "client",  
9     "status": "available",  
10    "createdAt": "2023-12-16T21:56:16.156Z",  
11    "updatedAt": "2023-12-17T00:21:55.158Z"  
12  }  
13 }
```

GETALL_REPAIRS SOLO LO PUEDE HACER EMPLEADOS

GET localhost:3001/api/v1/repairs

Params Authorization Headers (9) **Body** Pre-request Script Tests Settings

none form-data x-www-form-urlencoded raw binary GraphQL JSON


```
1 {
2   "email": "cesaraugusto@gmail.com",
3   "name": "cesar augusto",
4   "role": "employee"
5 }
6 }
```

Body Cookies Headers (7) Test Results Status: 403 Forbidden


Pretty Raw Preview Visualize JSON

```
1 {
2   "status": "fail",
3   "message": "You do not have permission to perform this action",
4   "stack": "Error: You do not have permission to perform this action\n    at file:///C:/Users/Administrador/Desktop/motorcycleRepair/users/user.middleware.js:84:9\n    at Layer.handle [as handle_request] (C:\\Users\\Administrador\\Desktop\\NODE\\class2\\dbmotorCycle\\node_modules\\express\\lib\\router\\layer.js:37:3)\n    at C:\\Users\\Administrador\\Desktop\\NODE\\class2\\dbmotorCycle\\node_modules\\express\\lib\\router\\route.js:113:5\n    at C:\\Users\\Administrador\\Desktop\\NODE\\class2\\dbmotorCycle\\node_modules\\express\\lib\\router\\route.js:113:5\n    at C:\\Users\\Administrador\\Desktop\\NODE\\class2\\dbmotorCycle\\node_modules\\express\\lib\\router\\route.js:113:5\n    at C:\\Users\\Administrador\\Desktop\\NODE\\class2\\dbmotorCycle\\node_modules\\express\\lib\\router\\index.js:27:14\n    at C:\\Users\\Administrador\\Desktop\\NODE\\class2\\dbmotorCycle\\node_modules\\express\\lib\\router\\index.js:27:14\n    at C:\\Users\\Administrador\\Desktop\\NODE\\class2\\dbmotorCycle\\node_modules\\express\\lib\\router\\index.js:27:14\n    at Administrador/Desktop/NODE/class2/dbmotorCycle/src/motorcycleRepair/users/user.middleware.js:67:3\n    at process/task_queues:95:5",
5   "err": {
6     "statusCode": 403,
7     "status": "fail",
8     "isOperational": true
9   }
10 }
```

GETONE_REPAIR LO PUEDE HACER SOLO EMPLEADOS PARA CUALQUIER REPAIR



NO SE PUEDE CREAR UNA REPARACION SINO ESTA LOGEADO



SOLO EMPLEADOS PUEDEN CREAR UNA REPARACION

POST localhost:3001/api/v1/repairs

Params Authorization Headers (9) **Body** Pre-request Script Tests Settings

none form-data x-www-form-urlencoded **raw** binary GraphQL **JSON**

```
1 {
2   "date": "2023-11-21",
3   "motorNumber": "akt1020",
4   "description": "reparar chasis",
5   "userId": 12
6 }
```

Body Cookies Headers (7) Test Results Status: 403 Forbidden

Pretty Raw Preview Visualize **JSON**

```
1 {
2   "status": "fail",
3   "message": "You do not have permission to perform this action",
4   "stack": "Error: You do not have permission to perform this action\n    at file:///C:/Users/Administrador/Desktop/motorcycleRepair/users/user.middleware.js:84:9\n    at Layer.handle [as handle_request] (C:\\Users\\Administrador\\Desktop\\NODE\\class2\\dbmotorCycle\\node_modules\\express\\lib\\router\\layer.js:37:5)\n    at C:\\Users\\Administrador\\Desktop\\NODE\\class2\\dbmotorCycle\\node_modules\\express\\lib\\router\\route.js:132:7\n    at C:\\Users\\Administrador\\Desktop\\NODE\\class2\\dbmotorCycle\\node_modules\\express\\lib\\router\\route.js:110:13\n    at C:\\Users\\Administrador\\Desktop\\NODE\\class2\\dbmotorCycle\\node_modules\\express\\lib\\router\\index.js:67:15\n    at C:\\Users\\Administrador\\Desktop\\NODE\\class2\\dbmotorCycle\\src\\motorcycleRepair\\users\\user.middleware.js:67:3\n    at processTicksAndRejections (node:internal/process/task_queues:95:5)",
5   "err": {
6     "statusCode": 403,
7     "status": "fail",
8     "isOperational": true
9   }
}
```

CON TOKEN DE EMPLEADO SE CREO LA REPARACION

POST `localhost:3001/api/v1/repairs`

Params Authorization Headers (9) **Body** Pre-request Script Tests Settings

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL **JSON** ▾

```
1 {
2   "date": "2023-11-21",
3   "motorNumber": "akt1020",
4   "description": "reparar chasis",
5   "userId": 12
6 }
```

Body Cookies Headers (7) Test Results Status: 200 OK

Pretty Raw Preview Visualize **JSON** ▾

```
1 {
2   "status": "success",
3   "repair": {
4     "status": "pending",
5     "id": 7,
6     "date": "2023-11-21T00:00:00.000Z",
7     "motorNumber": "akt1020",
8     "description": "reparar chasis",
9     "userId": 12,
10    "updatedAt": "2023-12-17T00:46:32.665Z",
11    "createdAt": "2023-12-17T00:46:32.665Z"
12  }
13 }
```

EMPLEADO PUEDE VER TODAS LAS REPARACIONES PENDING Y COMPLETED CON INFO DE USUARIO

```
GET localhost:3001/api/v1/repairs

Params Authorization Headers (9) Body Pre-request Script Tests Settings

1 {
2   "status": "success",
3   "repairs": [
4     {
5       "id": 2,
6       "date": "2023-12-10T00:00:00.000Z",
7       "motorNumber": "4449654ertw",
8       "description": "pintura cambio",
9       "userId": 2,
10      "status": "completed",
11      "createdAt": "2023-12-12T04:27:05.684Z",
12      "updatedAt": "2023-12-12T06:47:33.178Z",
13      "user": {
14        "id": 2,
15        "name": "humberto",
16        "email": "humberto@gmail.com",
17        "password": "$2b$12$uYKkGdvcgd1BCXVwssNq2e6IDDamLnyxxkiGh1afTaeeklgdrVv16",
18        "role": "employee",
19        "status": "available",
20        "createdAt": "2023-12-12T04:30:02.913Z",
21        "updatedAt": "2023-12-12T21:41:39.831Z"
22      }
23    },
24    {
25      "id": 3,
26      "date": "2023-12-11T05:00:00.000Z",
27      "motorNumber": "7996100AKT",
28      "description": "cambio luces akt5002023",
29      "userId": 3,
30      "status": "pending",
31      "createdAt": "2023-12-12T04:53:01.214Z",
32      "updatedAt": "2023-12-12T04:53:01.214Z",
33      "user": {
34        "id": 3,
35        "name": "xiomara1",
36        "email": "xiomara1@gmail.com",
```


DELETE
localhost:3001/api/v1/users/3

Params
Authorization
Headers (7)
Body
Pre-request Script
Tests
Settings

Body
Cookies
Headers (7)
Test Results
Status: 200 OK

Pretty
Raw
Preview
Visualize
JSON

```

1 {
2   "status": "success",
3   "message": "user id: 3 deleted"
4 }

```

id	name	email	password	role	status
5	rebeca	rebeca@gmail.com	\$2b\$12\$KligbVU28sADuRzf/tTs0uuWbXpvv7KP4AISbvNcPpGP2hiwQUYE2	employee	available
7	juan	juan@gmail.com	pass7779	employee	available
11	martha	martha@gmail.com	\$2b\$12\$GeSsFZXVxZEH3WJ9FLO1IeuHOZZWqe14FKEmcEmB0Tag8sFExqtau	employee	available
2	humberto	humberto@gmail.com	\$2b\$12\$uYKkGdvcdlBCXVwssNq2e6IDDamLnyxxkiGhlafTaeeklgdrVv1G	employee	available
1	cristian	cristian@gmail.com	\$2b\$12\$0TzmXBJs4rsTcP3Knm6v.uv3k71x3I09Q6Lv0ERMZf0QiWX2Yzmdy	employee	available
12	cesar augusto	cesaraugusto@gmail.com	\$2b\$12\$dLnjkuD4MHXDL726Kwnh0eae4pueiBXbFd.ifR8eeeqR4tSw1RSAA	client	available
3	xiomara1	xiomara1@gmail.com	\$2b\$12\$ZsZMIK.Hxa7Eyhle6XjVmuRXH7ufKaZv0LkH7yNkpmZc2qeoSJFIG	employee	disabled