

APP BANK TRANSFERS

The screenshot displays a REST client interface with a dark theme. At the top, a POST request is configured for the URL `localhost:3003/api/v1/transfers/`. The 'Body' tab is selected, showing a JSON payload: `{ "amount": 100, "accountNumberReceiver": "137407", "accountNumberSender": "694261" }`. Below the request, the 'Body' tab of the response is active, showing a JSON object: `{ "message": "transfer ok" }`. The status bar at the bottom right indicates a successful response with status 201 and the message 'Created'.

POST `localhost:3003/api/v1/transfers/`

Params Authorization Headers (8) **Body** Pre-request Script Tests Settings

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL **JSON** ☐

```
1 {  
2   "amount": 100,  
3   "accountNumberReceiver": "137407",  
4   "accountNumberSender": "694261"  
5 }
```

Body Cookies Headers (7) Test Results Status: 201 Created

Pretty Raw Preview Visualize JSON ☐

```
1 {  
2   "message": "transfer ok"  
3 }
```

SIN BALANCE

The screenshot shows a REST client interface with a POST request to `localhost:3003/api/v1/transfers/`. The request body is JSON, containing `amount: 800`, `accountNumberReceiver: 137407`, and `accountNumberSender: 694261`. The response status is `400 Bad Request`, and the response body is JSON, containing `status: error` and `message: inssufficient balance`.

Request:

- Method: POST
- URL: `localhost:3003/api/v1/transfers/`
- Body (JSON):

```
{  "amount": 800,  "accountNumberReceiver": "137407",  "accountNumberSender": "694261"}
```

Response:

- Status: 400 Bad Request
- Body (JSON):

```
{  "status": "error",  "message": "inssufficient balance"}
```

ACCOUNT RECEIVER DOES NOT EXIST

The screenshot shows a REST client interface with a POST request to `localhost:3003/api/v1/transfers/`. The request body is a JSON object with the following fields:

```
1 {  
2   "amount": 800,  
3   "accountNumberReceiver": "13740",  
4   "accountNumberSender": "694261"  
5 }
```

The response status is **404 Not Found**. The response body, shown in the 'Body' tab, is a JSON object indicating an error:

```
1 {  
2   "status": "error",  
3   "message": "user with accountNumberReceiver:13740 does not exist on db "  
4 }
```

ACCOUNT SENDER DOES NOT EXIST

The screenshot shows a REST client interface with a POST request to `localhost:3003/api/v1/transfers/`. The request body is a JSON object with the following fields:

```
1 {  
2   "amount": 800,  
3   "accountNumberReceiver": "137407",  
4   "accountNumberSender": "694263"  
5 }
```

The response status is **400 Bad Request**. The response body, shown in the 'Body' tab, is a JSON object indicating an error:

```
1 {  
2   "status": "error",  
3   "message": "user with accountNumberSender:694263 does not exist on db "  
4 }
```

USUARIOS ANTES TRANSFERENCIA

id	name	accountNumber	password	amount	status	createdAt
3	erika	887400	pas22222	1000	active	2023-12-06 18:19:26 +0000
4	hernan	900976	pas4444	1000	active	2023-12-06 21:53:21 +0000
2	juam	137407	pas11111	1600	active	2023-12-06 18:08:45 +0000
1	carlos	694261	pas3333	500	active	2023-12-06 18:07:57 +0000

}

TRANSFERENCIA

id	amount	senderUserId	receiverUserId	createdAt
1	100	1	2	2023-12-06 22:55:53 +0000
2	500	1	3	2023-12-06 23:23:50 +0000

USUARIOS DESPUES DE TRANSFERENCIA

id	name	accountNumber	password	amount	status	createdAt
4	hernan	900976	pas4444	1000	active	2023-12-06 21:53:21 +0000
2	juam	137407	pas11111	1600	active	2023-12-06 18:08:45 +0000
3	erika	887400	pas22222	1500	active	2023-12-06 18:19:26 +0000
1	carlos	694261	pas3333	0	active	2023-12-06 18:07:57 +0000

CREATE USERS/SIGNUP

The screenshot displays a REST client interface with a POST request to `localhost:3003/api/v1/users/signUp`. The request body is a JSON object with `name` and `password` fields. The response is a JSON object containing `amount`, `status`, `id`, `name`, `password`, `accountNumber`, `updatedAt`, and `createdAt`.

Request:

```
POST localhost:3003/api/v1/users/signUp
```

Body:

```
{  "name": "hernan",  "password": "pas4444"}
```

Response:

```
{  "amount": 1000,  "status": "active",  "id": 4,  "name": "hernan",  "password": "pas4444",  "accountNumber": "900976",  "updatedAt": "2023-12-06T21:53:21.686Z",  "createdAt": "2023-12-06T21:53:21.686Z"}
```

Status: 201 Created

CREATE USERS/LOGIN ITS NOT VALID

POST localhost:3003/api/v1/users/login

Params Authorization Headers (8) **Body** Pre-request Script Tests Settings

● none ● form-data ● x-www-form-urlencoded ● raw ● binary ● GraphQL JSON ▾

```
1
2 {
3   "accountNumber": "498735",
4   "password": "pas12345"
5 }
```

Body Cookies Headers (7) Test Results 🌐 Status: 400 Bad Request

Pretty Raw Preview Visualize JSON ▾

```
1 {
2   "status": "error",
3   "message": "accountNumber: 498735 or password: pas12345 is no valid"
4 }
```


CREATE USERS/LOGIN SUCCESS

POST localhost:3003/api/v1/users/login

Params Authorization Headers (8) **Body** Pre-request Script Tests Settings

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL **JSON** ▼

```
1 {
2   "accountNumber": "694261",
3   "password": "pas3333"
4 }
```

Body Cookies Headers (7) Test Results 🌐 Status: 200 OK

Pretty Raw Preview Visualize **JSON** ▼ ≡

```
1 {
2   "message": "you are logged"
3 }
```