


Academlo Meals
DAVID YEPES

PROYECTO CONSTRUCCIÓN BACKEND PARA SERVICIO DE RESTAURANTES



localhost:3002/api/v1/users/signUp

POST localhost:3002/api/v1/users/signUp

Params Headers **Body**

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL **JSON**


```
1 {
2   ... "name": "luz maria",
3   ... "email": "luz@gmail.com",
4   ... "password": "pass1113",
5   ... "role": "normal"
6 }
```

Body Headers (7)

Pretty Raw Preview JSON

```
1 {
2   "token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJpZCI6NywiaWF0IjoxNzA0MDgxMTMwLCJ1
3   "status": "success",
4   "user": {
5     "status": "available",
6     "id": 7,
7     "name": "luz maria",
8     "email": "luz@gmail.com",
9     "password": "$2b$12$qRkjsQ.xDz00M3noK07mK./Isp5mAeck.2jLIXooyljZsJBQ0g2Aq",
10    "role": "normal",
11    "updatedAt": "2024-01-01T03:52:08.996Z",
12    "createdAt": "2024-01-01T03:52:08.996Z",
13    "passwordChangedAt": null
14  }
15 }
```

localhost:3002/api/v1/users/login



localhost:3002/api/v1/users/1 (solo actualiza name-email)


PATCH ▼ localhost:3002/api/v1/users/1

Params Authorization ● Headers (9) **Body** ● Pre-request Script Tests Settings

● none ● form-data ● x-www-form-urlencoded ● raw ● binary ● GraphQL **JSON** ▼

```
1 {
2     "name": "juan fernando restrepo",
3     "email": "juanferR@gmail.com",
4     "role": "normal"
5 }
```

Body Cookies Headers (22) Test Results

Pretty Raw Preview Visualize JSON ▼ 

```
1 {
2     "id": 1,
3     "name": "juan fernando restrepo",
4     "email": "juanferR@gmail.com",
5     "password": "$2b$12$NI59VMTu1r248YbkJ3T5H.eryzYtoe31L2K.hjni078/M7fQSat2u",
6     "role": "admin",
7     "passwordChangedAt": null,
8     "status": "available",
9     "createdAt": "2023-12-31T22:50:51.642Z",
10    "updatedAt": "2024-01-01T03:44:14.244Z"
11 }
```

localhost:3002/api/v1/users/7

DELETE



localhost:3002/api/v1/users/7

Params

Headers

Body

Query Params

	Key	Value
--	-----	-------

Body

Headers (7)

Pretty

Raw

Preview

JSON



```
1  {
2    "id": 7,
3    "name": "luz maria",
4    "email": "luz@gmail.com",
5    "password": "$2b$12$qrKjsQ.xDz00M3noK07mK./Isp5mAeck.2jLIXooyljZsJBQ0g2Aq",
6    "role": "normal",
7    "passwordChangedAt": null,
8    "status": "disabled",
9    "createdAt": "2024-01-01T03:52:08.996Z",
10   "updatedAt": "2024-01-01T03:57:57.153Z"
11 }
```

localhost:3002/api/v1/users/orders (usuario1 en sesión)

GET

localhost:3002/api/v1/users/orders

ParamsHeadersBody

BodyHeaders (7)

PrettyRawPreviewJSON

```
1  [
2    {
3      "id": 1,
4      "mealId": 1,
5      "userId": 1,
6      "totalPrice": 130,
7      "quantity": 10,
8      "status": "active",
9      "createdAt": "2024-01-01T07:15:10.254Z",
10     "updatedAt": "2024-01-01T07:15:10.254Z",
11     "meal": {
12       "name": "cazuela camarones",
13       "price": 13,
14       "restaurant": {
15         "name": "colorBlue"
16       }
17     }
18   },
19   {
20     "id": 2,
21     "mealId": 2,
22     "userId": 1,
23     "totalPrice": 130,
24     "quantity": 13,
25     "status": "active",
26     "createdAt": "2024-01-01T07:16:27.286Z",
27     "updatedAt": "2024-01-01T07:16:27.286Z",
28     "meal": {
29       "name": "cazuela frijoles",
30       "price": 10,
31       "restaurant": {
32         "name": "cielo"
33       }
34     }
35   }
36 ]
```

localhost:3002/api/v1/users/orders/1(usuario1 en sesión)

The screenshot shows a REST client interface with the following details:

- Method:** GET
- URL:** localhost:3002/api/v1/users/orders/1
- Authorization:** Bearer Token
- Body:** JSON
- Response:** A JSON object representing an order.

```
1 {
2   "id": 1,
3   "mealId": 1,
4   "userId": 1,
5   "totalPrice": 130,
6   "quantity": 10,
7   "status": "active",
8   "createdAt": "2024-01-01T07:15:10.254Z",
9   "updatedAt": "2024-01-01T07:15:10.254Z",
10  "meal": {
11    "name": "cazuela camarones",
12    "price": 13,
13    "restaurant": {
14      "name": "colorBlue"
15    }
16  }
17 }
```

localhost:3002/api/v1/users/orders/5(usuario4 en sesión)

The screenshot shows a REST client interface with the following details:

- Method:** GET
- URL:** localhost:3002/api/v1/users/orders/5
- Authorization:** Bearer Token
- Body:** Pretty view of a JSON response.

```
1 {
2   "id": 5,
3   "mealId": 2,
4   "userId": 4,
5   "totalPrice": 110,
6   "quantity": 11,
7   "status": "active",
8   "createdAt": "2024-01-02T21:26:36.580Z",
9   "updatedAt": "2024-01-02T21:26:36.580Z",
10  "meal": {
11    "name": "cazuela frijoles",
12    "price": 10,
13    "restaurant": {
14      "name": "cielo"
15    }
16  }
17 }
```


localhost:3002/api/v1/restaurants (solo crea 'admin')

The screenshot shows a REST client interface with a POST request to `localhost:3002/api/v1/restaurants`. The request body is a JSON object with `name`, `address`, and `rating` fields. The response body is a JSON object with `status`, `id`, `name`, `address`, `rating`, `updatedAt`, and `createdAt` fields.

POST `localhost:3002/api/v1/restaurants`

Params Authorization Headers (9) **Body** Pre-request Script

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary


```
1 {
2   "name": "exquisito",
3   "address": "calle5",
4   "rating": 4
5 }
6 }
```

Body Cookies Headers (22) Test Results

Pretty Raw Preview Visualize JSON

```
1 {
2   "status": "active",
3   "id": 4,
4   "name": "exquisito",
5   "address": "calle5",
6   "rating": 4,
7   "updatedAt": "2024-01-02T21:41:11.624Z",
8   "createdAt": "2024-01-02T21:41:11.624Z"
9 }
```

localhost:3002/api/v1/restaurants (no requiere autenticación)



```
GET localhost:3002/api/v1/restaurants

Pretty Raw Preview Visualize JSON ↕

1 [
2   {
3     "id": 3,
4     "name": "carbon",
5     "address": "calle3",
6     "rating": 5,
7     "status": "active",
8     "createdAt": "2024-01-01T05:26:48.082Z",
9     "updatedAt": "2024-01-01T05:26:48.082Z",
10    "reviews": [
11      {
12        "id": 1,
13        "userId": 1,
14        "comment": "excelente servicio",
15        "restaurantId": 3,
16        "rating": 5,
17        "status": "active",
18        "createdAt": "2024-01-01T21:49:43.474Z",
19        "updatedAt": "2024-01-01T21:49:43.474Z"
20      },
21      {
22        "id": 6,
23        "userId": 1,
24        "comment": "excelente sea meal",
25        "restaurantId": 3,
26        "rating": 5,
27        "status": "active",
28        "createdAt": "2024-01-01T21:55:35.362Z",
29        "updatedAt": "2024-01-01T22:10:22.273Z"
30      }
31    ]
32  },
33  {
34    "id": 2,
35    "name": "cielo",
36    "address": "calle2",
37    "rating": 4,
38    "status": "active",
39    "createdAt": "2024-01-01T05:26:20.221Z",
40    "updatedAt": "2024-01-01T05:26:20.221Z",
```

localhost:3002/api/v1/restaurants/4(no requiere autenticación)

The screenshot shows a REST client interface with a GET request to `localhost:3002/api/v1/restaurants/4`. The response body is displayed in JSON format, showing details for a restaurant with ID 4.

Request Method: GET
URL: `localhost:3002/api/v1/restaurants/4`

Response Body (JSON):

```
{
  "id": 4,
  "name": "exquisito",
  "address": "calle5",
  "rating": 4,
  "status": "active",
  "createdAt": "2024-01-02T21:41:11.624Z",
  "updatedAt": "2024-01-02T21:41:11.624Z",
  "reviews": []
}
```

localhost:3002/api/v1/restaurants/1(solo actualiza 'admin')

```
PATCH localhost:3002/api/v1/restaurants/1

1 {
2   ... "name": "colorBlueMarine",
3   "address": "calle1 si salida"
4 }

Body Cookies Headers (22) Test Results
Pretty Raw Preview Visualize JSON ↕

3   "id": 1,
4   "name": "colorBlueMarine",
5   "address": "calle1 si salida",
6   "rating": 3,
7   "status": "active",
8   "createdAt": "2024-01-01T05:25:38.558Z",
9   "updatedAt": "2024-01-02T22:20:47.836Z",
10  "reviews": [
11    {
12      "id": 4,
13      "userId": 1,
14      "comment": "excelente meals",
15      "restaurantId": 1,
16      "rating": 5,
17      "status": "active",
18      "createdAt": "2024-01-01T21:55:18.196Z",
19      "updatedAt": "2024-01-01T21:55:18.196Z"
20    },
21    {
22      "id": 3,
23      "userId": 1,
24      "comment": "excelente meals",
25      "restaurantId": 1,
26      "rating": 5,
27      "status": "deleted",
28      "createdAt": "2024-01-01T21:52:24.187Z",
29      "updatedAt": "2024-01-01T22:16:49.414Z"
30    }
31  ]
32 },
33 "message": "restaurant has been updated successfully!"
34 }
```

localhost:3002/api/v1/restaurants/3 (solo inactiva 'admin')

```
DELETE localhost:3002/api/v1/restaurants/3

1 {
2   "deletedRestaurant": {
3     "id": 3,
4     "name": "carbon",
5     "address": "calle3",
6     "rating": 5,
7     "status": "inactive",
8     "createdAt": "2024-01-01T05:26:48.082Z",
9     "updatedAt": "2024-01-02T22:32:57.244Z",
10    "reviews": [
11      {
12        "id": 1,
13        "userId": 1,
14        "comment": "excelente servicio",
15        "restaurantId": 3,
16        "rating": 5,
17        "status": "active",
18        "createdAt": "2024-01-01T21:49:43.474Z",
19        "updatedAt": "2024-01-01T21:49:43.474Z"
20      },
21      {
22        "id": 6,
23        "userId": 1,
24        "comment": "excelente sea meal",
25        "restaurantId": 3,
26        "rating": 5,
27        "status": "active",
28        "createdAt": "2024-01-01T21:55:35.362Z",
29        "updatedAt": "2024-01-01T22:10:22.273Z"
30      }
31    ]
32  },
33   "message": "restaurant with id: 3 has been inactivated successfully!"
34 }
```

localhost:3002/api/v1/meals/2

POST localhost:3002/api/v1/meals/2

Params **Authorization** Headers (9) Body Pre-reqs

Type Bearer Token

Body Cookies Headers (22) Test Results

Pretty Raw Preview Visualize JSON

```
1 {
2   "status": "active",
3   "id": 4,
4   "restaurantId": 2,
5   "price": 12,
6   "name": "creps de salmon",
7   "updatedAt": "2024-01-02T22:40:23.739Z",
8   "createdAt": "2024-01-02T22:40:23.739Z"
9 }
```

localhost:3002/api/v1/meals(sin autenticar)

```
GET localhost:3002/api/v1/meals

1  [
2    {
3      "id": 1,
4      "name": "cazuela camarones",
5      "price": 13,
6      "restaurantId": 1,
7      "status": "active",
8      "createdAt": "2024-01-01T06:06:35.868Z",
9      "updatedAt": "2024-01-01T06:06:35.868Z",
10     "restaurant": {
11       "id": 1,
12       "name": "colorBlueMarine",
13       "address": "calle1 si salida",
14       "rating": 3,
15       "status": "active",
16       "createdAt": "2024-01-01T05:25:38.558Z",
17       "updatedAt": "2024-01-02T22:20:47.836Z"
18     }
19   },
20   {
21     "id": 2,
22     "name": "cazuela frijoles",
23     "price": 10,
24     "restaurantId": 2,
25     "status": "active",
26     "createdAt": "2024-01-01T06:07:34.411Z",
27     "updatedAt": "2024-01-01T06:07:34.411Z",
28     "restaurant": {
29       "id": 2,
30       "name": "cielo",
31       "address": "calle2",
32       "rating": 4,
33       "status": "active",
34       "createdAt": "2024-01-01T05:26:20.221Z",
35       "updatedAt": "2024-01-01T05:26:20.221Z"
36     }
37   },
38   {
39     "id": 3,
40     "name": "creps de solomito",
```

localhost:3002/api/v1/meals/2(sin autenticar)

The screenshot shows a REST client interface with a GET request to `localhost:3002/api/v1/meals/2`. The response body is displayed in JSON format, showing details for a meal with ID 2, including its name, price, restaurant information, and timestamps.

```
1 {
2   "id": 2,
3   "name": "cazuela frijoles",
4   "price": 10,
5   "restaurantId": 2,
6   "status": "active",
7   "createdAt": "2024-01-01T06:07:34.411Z",
8   "updatedAt": "2024-01-01T06:07:34.411Z",
9   "restaurant": {
10     "id": 2,
11     "name": "cielo",
12     "address": "calle2",
13     "rating": 4,
14     "status": "active",
15     "createdAt": "2024-01-01T05:26:20.221Z",
16     "updatedAt": "2024-01-01T05:26:20.221Z"
17   }
18 }
```


localhost:3002/api/v1/meals/2

PATCH localhost:3002/api/v1/meals/2

Params Authorization Headers (9) **Body** Pre-request Script

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary


```
1 {
2   "name": "cazuela+frijoles+chicharron",
3   "price": 15
4 }
5
```


Body Cookies Headers (22) Test Results

Pretty Raw Preview Visualize JSON



```
1 {
2   "mealUpdated": {
3     "id": 2,
4     "name": "cazuela+frijoles+chicharron",
5     "price": 15,
6     "restaurantId": 2,
7     "status": "active",
8     "createdAt": "2024-01-01T06:07:34.411Z",
9     "updatedAt": "2024-01-02T23:19:15.412Z"
10  },
11   "getRestaurant": {
12     "id": 2,
13     "name": "cielo",
14     "address": "calle2",
15     "rating": 4,
16     "status": "active",
17     "createdAt": "2024-01-01T05:26:20.221Z",
18     "updatedAt": "2024-01-01T05:26:20.221Z"
19   }
20 }
```

localhost:3002/api/v1/meals/1

DELETE  localhost:3002/api/v1/meals/1

Params Authorization  Headers (7) Body Pre-request Script Tests

Body Cookies Headers (22) Test Results

Pretty Raw Preview Visualize JSON  

```
1  {}
2  "deletedMeal": {
3    "id": 1,
4    "name": "cazuela camarones",
5    "price": 13,
6    "restaurantId": 1,
7    "status": "inactive",
8    "createdAt": "2024-01-01T06:06:35.868Z",
9    "updatedAt": "2024-01-03T00:28:56.977Z"
10  },
11  "message": "meal with id: 1 has been inactivated successfully!"
12 }
```

localhost:3002/api/v1/orders

POST localhost:3002/api/v1/orders

Params Authorization Headers (9) **Body** Pre-request Scri

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ bina

```
1 {
2   ... "mealId":4,
3   "quantity":12
4 }
```

Body Cookies Headers (22) Test Results

Pretty Raw Preview Visualize JSON

```
1 {
2   "status": "active",
3   "id": 6,
4   "userId": 1,
5   "quantity": 12,
6   "mealId": 4,
7   "totalPrice": 144,
8   "updatedAt": "2024-01-03T00:31:59.004Z",
9   "createdAt": "2024-01-03T00:31:59.004Z"
10 }
```

localhost:3002/api/v1/orders/me

```
GET localhost:3002/api/v1/orders/me

1  [
2    {
3      "id": 6,
4      "mealId": 4,
5      "userId": 1,
6      "totalPrice": 144,
7      "quantity": 12,
8      "status": "active",
9      "createdAt": "2024-01-03T00:31:59.004Z",
10     "updatedAt": "2024-01-03T00:31:59.004Z",
11     "meal": {
12       "name": "creps de salmon",
13       "price": 12,
14       "restaurant": {
15         "name": "cielo"
16       }
17     }
18   },
19   {
20     "id": 5,
21     "mealId": 2,
22     "userId": 4,
23     "totalPrice": 110,
24     "quantity": 11,
25     "status": "active",
26     "createdAt": "2024-01-02T21:26:36.580Z",
27     "updatedAt": "2024-01-02T21:26:36.580Z",
28     "meal": {
29       "name": "cazuela+frijoles+chicharron",
30       "price": 15,
31       "restaurant": {
32         "name": "cielo"
33       }
34     }
35   },
36   {
```

localhost:3002/api/v1/orders/6

PATCH localhost:3002/api/v1/orders/6


Params Authorization Headers (9) Body Pre-requests


Body Cookies Headers (22) Test Results

Pretty Raw Preview Visualize JSON



```
1 {
2   "id": 6,
3   "mealId": 4,
4   "userId": 1,
5   "totalPrice": 144,
6   "quantity": 12,
7   "status": "completed",
8   "createdAt": "2024-01-03T00:31:59.004Z",
9   "updatedAt": "2024-01-03T00:38:31.545Z",
10  "meal": {
11    "name": "creps de salmon",
12    "price": 12,
13    "restaurant": {
14      "name": "cielo"
15    }
16  }
17 }
```

localhost:3002/api/v1/orders/5 (dueño es user4)

DELETE  localhost:3002/api/v1/orders/5

Params Authorization  Headers (7) Body Pre-request Script Tests Settings

Body Cookies Headers (22) Test Results

Pretty Raw Preview Visualize JSON  

```
1  {
2    "status": "fail",
3    "message": "You do not own this account",
4    "stack": "Error: You do not own this account\n    at protectOrderAccountOwner
              js:52:17)\n    at Layer.handle [as handle_request] (C:\\Users\\Administrad
              next (C:\\Users\\Administrador\\Desktop\\NODE\\mealsGen30\\node_modules\\e
              mealsGen30/src/modules/orders/orderMiddleware.js:45:3\n    at process.proc
5    "err": {
6      "statusCode": 401,
7      "status": "fail",
8      "isOperational": true
9    }
10 }
```

localhost:3002/api/v1/orders/5

DELETE ▼ localhost:3002/api/v1/orders/5

Params Authorization ● Headers (7) Body Pre-reqs

Body Cookies Headers (22) Test Results

Pretty Raw Preview Visualize JSON ▼

```
1 {
2   "id": 5,
3   "mealId": 2,
4   "userId": 4,
5   "totalPrice": 110,
6   "quantity": 11,
7   "status": "cancelled",
8   "createdAt": "2024-01-02T21:26:36.580Z",
9   "updatedAt": "2024-01-03T00:44:09.552Z",
10  "meal": {
11    "name": "cazuela+frijoles+chicharron",
12    "price": 15,
13    "restaurant": {
14      "name": "cielo"
15    }
16  }
17 }
```

localhost:3002/api/v1/restaurants/reviews/1

POST

localhost:3002/api/v1/restaurants/reviews/1

Params

Authorization ●

Headers (9)

Body ●

Pre-request Script

☐ none

☐ form-data

☐ x-www-form-urlencoded

☒ raw

☐ binary

```
1  {
2    "comment": "excelent seafood",
3    "rating": 5
4  }
5  }
```

Body

Cookies

Headers (22)

Test Results

Pretty

Raw

Preview

Visualize

JSON

⌵



```
1  {
2    "status": "active",
3    "id": 7,
4    "userId": 1,
5    "comment": "excelent seafood",
6    "restaurantId": 1,
7    "rating": 5,
8    "updatedAt": "2024-01-03T04:41:06.886Z",
9    "createdAt": "2024-01-03T04:41:06.886Z"
10 }
```




```
SELECT * FROM "public"."reviews" LIMIT 100
```


Table queries ▾

Previous queries ▾



id	user_id	comment	restaurant_id	rating	status
1	1	excelente servicio	3	5	active
2	1	excelente meals	2	5	active
4	1	excelente meals	1	5	active
5	1	excelente meals	2	5	active
6	1	excelente sea meal	3	5	active
3	1	excelente meals	1	5	deleted
7	1	excelent seafood	1	5	active

localhost:3002/api/v1/restaurants/reviews/1/4

DELETE  localhost:3002/api/v1/restaurants/reviews/1/4

Params Authorization  Headers (7) Body Pre-request Script

Body Cookies Headers (22) Test Results

Pretty Raw Preview Visualize JSON  

```
1  {}
2    "reviewDeleted": {
3      "id": 4,
4      "userId": 1,
5      "comment": "excelente meals",
6      "restaurantId": 1,
7      "rating": 5,
8      "status": "deleted",
9      "createdAt": "2024-01-01T21:55:18.196Z",
10     "updatedAt": "2024-01-03T04:51:22.737Z"
11   },
12   "message": "review has been deleted successfully!"
13 }
```

localhost:3002/api/v1/restaurants/reviews/2/2

PATCH

localhost:3002/api/v1/restaurants/reviews/2/2

Params

Authorization

Headers (9)

Body

Pre-request Script

none

form-data

x-www-form-urlencoded

raw

binary

```
1 {  
2   "comment": "good seafood",  
3   "rating": 4  
4 }
```

Body

Cookies

Headers (22)

Test Results

Pretty

Raw

Preview

Visualize

JSON

```
1 {  
2   "reviewUpdated": {  
3     "id": 2,  
4     "userId": 1,  
5     "comment": "good seafood",  
6     "restaurantId": 2,  
7     "rating": 4,  
8     "status": "active",  
9     "createdAt": "2024-01-01T21:52:11.416Z",  
10    "updatedAt": "2024-01-03T04:46:47.963Z"  
11  },  
12  "message": "review has been updated successfully!"  
13 }
```

```
SELECT * FROM "public"."restaurants" LIMIT 100
```

Table queries ▾

Previous queries ▾

id	name	address	rating	status
2	cielo	calle2	4	active
1	colorBlueMarine	calle1 si salida	3	active
4	exquisito	calle5	4	inactive
3	carbon	calle3	5	inactive