

Memory Architecture Atlas

Implemented Stages 1-3

01 EPISODIC MEMORY

Immutable scoped events preserve what happened.

02 WORKING MEMORY

A bounded request projection controls what the model sees.

03 SEMANTIC MEMORY

Accepted operations produce a temporal, sourced graph.

VIEWS

- 01 System context
- 02 Runtime containers
- 03 Go package ownership
- 04 Stage evolution and authorities
- 05 Fenced turn and context flow

- 06 Semantic mutation path
- 07 Semantic domain model
- 08 Scope and promotion
- 09 Bitemporal lifecycle
- 10 Replay and recovery


Memory System Context

Evie is the local authority boundary; OpenRouter receives only approved, bounded conversational requests.




Runtime and Persistence Boundaries

The Go runtime owns behavior, SQLite owns durable truth, and the React UI remains an adapter over scoped APIs.




Go Package Ownership

Deep Kernel-owned seams keep frontends, plugins, and model-facing tools away from raw memory tables and authority rules.




Stages 1-3 and Their Sources of Truth

Episodic evidence, working context, and accepted semantic state answer different questions and must never collapse into one store.



Fenced Turn and Working Context Flow


Every remote call is reconstructed from accepted events, bounded, snapshotted, and protected by durable turn ownership.



Canonical Semantic Mutation Path

Prepare, preview, approve, and atomically apply one exact compound operation against pinned scope revisions.


1. INTENT BECOMES A COMPLETE PROPOSAL



2. REVIEW THE COMPLETE PROPOSAL; APPROVAL BECOMES EPISODIC EVIDENCE




3. THE APPROVED PROPOSAL IS REVALIDATED AND COMMITTED ATOMICALLY



NO-CHANGE OUTCOMES
Declined or expired at approval | stale or invalid at transaction guards
No semantic rows and no Scope Revision change


Semantic Memory Domain

Accepted operations are canonical history; the temporal property graph and cached current state are deterministic projections.




Scope Isolation and Explicit Promotion

A session reads one exact scope set; broader reuse creates mapped objects through an approved promotion rather than changing scope in place.



Bitemporal Corrections and Reversible Lifecycle

Valid time describes the world; transaction time and Scope Revision describe what Evie accepted and when.



Replay, Verification, Quarantine, and Rebuild

The operation stream recreates a shadow projection; only a completely verified result can replace live query state.

