
Database's Models

Nutr.io

March 23, 2020

1 Conceptual Model



2 Relational Model

Submitter

- Attributes: submitterId, submitterName, submitterType
- Primary Key(s): submitterId
- Foreign Key(s): -

User

- Attributes: email, submitterId, sessionSecret, submitterName
- Primary Key(s): email, submitterId
- Foreign Key(s): submitterId from Submitter
- Not null: submitterId

API

- Attributes: submitterId, apiToken, submitterName
- Primary Key(s): submitterId
- Foreign Key(s): submitterId from Submitter

Submission

- Attributes: submissionId, restaurantId, submitterId, submitterType
- Primary Key(s): submissionId, restaurantId, submitterId
- Foreign Key(s): submitterId from Submitter
- Not null: submitterId

Report

- Attributes: reportld, submitterld, submissionld, restaurantld, description
- Primary Key(s): reportld, submitterld, submissionld, restaurantld
- Foreign Key(s): <u>submitterId</u>, <u>submissionId</u>, <u>restaurantId</u> from Submission
- Not null: submissionId, restaurantId, submitterId

Votable

- Attributes: submitterId, submissionId, restaurantId, votes
- Primary Key(s): <u>submitterId</u>, <u>submissionId</u>, <u>restaurantId</u>
- Foreign Key(s): <u>submitterId</u>, <u>submissionId</u>, <u>restaurantId</u> from Submission
- Not null: submissionId, restaurantId, submitterId

Restaurant

- Attributes: <u>submissionId</u>, <u>restaurantId</u>, <u>submitterId</u>, restaurantName, location
- Primary Key(s): <u>submissionId</u>, <u>restaurantId</u>, <u>submitterId</u>
- Foreign Key(s): <u>submissionId</u>, <u>restaurantId</u>, <u>submitterId</u> from Submission

SubmittedMeal

- Attributes: <u>submissionId</u>, <u>restaurantId</u>, <u>submitterId</u>, <u>mealId</u>
- Primary Key(s): submissionId, restaurantId, submitterId, mealId
- Foreign Key(s): submissionId, restaurantId, submitterId from Submission, mealId from Meal
- Not null: mealld

Portion

- Attributes: submissionId, restaurantId, submitterId, mealId, quantity

- Primary Key(s): <u>submissionId</u>, <u>restaurantId</u>, <u>submitterId</u>, <u>mealId</u>
- Foreign Key(s): <u>submissionId</u>, <u>restaurantId</u>, <u>submitterId</u>, <u>mealId</u> from Submission
- Not null: mealld

Meal

- Attributes: mealld, cuisineName, submissionId, restaurantId, submitterId, mealName
- Primary Key(s): mealld
- Foreign Key(s): cuisineName, submissionId, restaurantId, submitterId from CuisineMeal

Ingredient

- Attributes: ingredientId, *mealId*, *submissionId*, *restaurantId*, *submitterId*, ingredientName
- Primary Key(s): ingredientId, *mealId*, *submissionId*, *restaurantId*, *submitterId*
- Foreign Key(s): mealld, submissionld, restaurantld, submitterld from Meal
- Not null: mealld

Cuisine

- Attributes: cuisineName
- Primary Key(s): cuisineName
- Foreign Key(s): -

CuisineMeal

- Attributes: <u>cuisineName</u>, <u>mealld</u>, <u>submissionId</u>, <u>restaurantId</u>, <u>submitterId</u>
- Primary Key(s): cuisineName, mealld, submissionld, restaurantld, submitterld
- Foreign Key(s): <u>cuisineName</u>, <u>mealld</u>, <u>submissionId</u>, <u>restaurantId</u>, <u>submitterId</u> from Cuisine and Meal

RestaurantCuisine

- Attributes: <u>cuisineName</u>, <u>submissionId</u>, <u>restaurantId</u>, <u>submitterId</u>
- Primary Key(s): <u>cuisineName</u>, <u>submissionId</u>, <u>restaurantId</u>, <u>submitterId</u>
- Foreign Key(s): <u>cuisineName</u>, <u>submissionId</u>, <u>restaurantId</u>, <u>submitterId</u> from Restaurant and Cuisine