Database's Models

Nutr.io

March 23, 2020

1 Conceptual Model

2 Relational Model

- Submitter
 - Attributes: **SubmitterId**, SubmitterName
 - Primary Key(s): **SubmitterId**
 - Foreigner Key(s): -

• Submission

- Attributes: SubmissionId, RestaurantId, SubmissionName, SubmitterID
- Primary Key(s): SubmissionId, RestaurantId
- Foreigner Key(s): <u>SubmitterID</u>

• Reports

- Attributes: reportId, <u>SubmissionID</u>, <u>RestaurantID</u>, Description
- Primary Key(s): **reportId**
- Foreigner Key(s): <u>SubmissionID</u>, <u>RestaurantID</u>

• Votable

- Attributes: SubmissionId, RestaurantID, Votes
- Primary Key(s):
- Foreigner Key(s):

• Restaurant

- Attributes: SubmissionId, RestaurantId, location
- Primary Key(s):
- Foreigner Key(s):

• Cuisine

- Attributes: cuisineName
- Primary Key(s):
- Foreigner Key(s):

• Meal

- Attributes: **mealId**
- Primary Key(s):
- Foreigner Key(s):

• Ingredient

- Attributes:
- Primary Key(s):
- Foreigner Key(s):