
Database's Models

Nutr.io

March 23, 2020

1 Conceptual Model



2 Normalized Relational Model (3NF)

Submitter

- Attributes: submitterId, submitterName, submitterType
- Primary Key(s): submitterId
- Foreign Key(s): -
- Not null: submitterId, submitterName, submitterType

User

- Attributes: submitterId, email, sessionSecret
- Primary Key(s): email, submitterId
- Foreign Key(s): submitterId from Submitter
- Not null: submitterId, email, sessionSecret

API

- Attributes: submitterId, apiToken
- Primary Key(s): submitterId
- Foreign Key(s): submitterId from Submitter
- Not null: submitterId, apiToken

• Submission-Submitter

- Attributes: submissionId, submissionType, submitterId
- Primary Key(s): submissionId
- Foreign Key(s): submitterId from User
- Not null: submissionId, submissionType, submitterId

Report

- Attributes: reportld, description, submissionld
- Primary Key(s): reportId
- Foreign Key(s): submissionId from Submission-Submitter
- Not null: reportId, description, submissionId

Votable

- Attributes: submissionId, votes
- Primary Key(s): submissionId
- Foreign Key(s): submissionId from Submission-Submitter
- Not null: submissionId, votes

Restaurant

- Attributes: restaurantId, restaurantName, latitude, longitude
- Primary Key(s): restaurantId
- Foreign Key(s): -
- Not null: restaurantId, restaurantName, latitude, longitude

• Submission-Restaurant

- Attributes: submissionId, restaurantId
- Primary Key(s): <u>submissionId</u>
- Foreign Key(s): submissionId from Submission-Submitter, restaurantId from Restaurant
- Not null: submissionId, restaurantId

Cuisine

- Attributes: cuisineName

- Primary Key(s): cuisineName

- Foreign Key(s): -

- Not null: cuisineName

Meal

- Attributes: mealId, mealName, cuisineName

- Primary Key(s): mealld

- Foreign Key(s): cuisineName from Cuisine

- Not null: mealld, mealName, cuisineName

• Submission-Meal

- Attributes: <u>submissionId</u>, <u>mealId</u>, restaurantId

- Primary Key(s): submissionId

- Foreign Key(s): <u>submissionId</u> from Submission-Submitter, <u>mealId</u> from Meal

- Not null: submissionId, mealId, restaurantId

• Submission-Portion

- Attributes: submissionId, mealId, quantity

- Primary Key(s): submissionId, mealId

- Foreign Key(s): submissionId from Submission-Submitter, mealld from Submission-Meal

- Not null: submissionId, mealId, quantity

Ingredient

- Attributes: ingredientId, ingredientName

- Primary Key(s): ingredientId

- Foreign Key(s): mealld from Meal

- Not null: ingredientId, ingredientName

• Submission-Ingredient

- Attributes: submissionId, mealId, ingredientId

- Primary Key(s): submissionId

Foreign Key(s): <u>submissionId</u> from Submission-Submitter, <u>ingredientId</u> from Ingredient, <u>mealId</u> from Meal

- Not null: submissionId, mealId, ingredientId

• Restaurant-Cuisine

- Attributes: submissionId, restaurantId, cuisineName

- Primary Key(s): submissionId, restaurantId, cuisineName

Foreign Key(s): <u>submissionId</u> from Submission-Submitter, <u>restaurantId</u> from Restaurant, <u>cuisineName</u> from Cuisine

- Not null: submissionId, restaurantId, cuisineName