
# **Database's Models**

# Nutr.io

March 23, 2020

# 1 Conceptual Model



# 2 Relational Model

### Submitter

- Attributes: submitterId, submitterName, submitterType
- Primary Key(s): submitterId
- Foreign Key(s): -

#### User

- Attributes: email, submitterId, sessionSecret, submitterName
- Primary Key(s): email, submitterId
- Foreign Key(s): submitterId from Submitter

#### API

- Attributes: submitterld, apiToken, submitterName
- Primary Key(s): submitterId
- Foreign Key(s): submitterId from Submitter

### Submission

- Attributes: submissionId, restaurantId, submitterId, submitterType
- Primary Key(s): <u>submissionId</u>, <u>restaurantId</u>, <u>submitterId</u>
- Foreign Key(s): submitterId from Submitter

## Report

- Attributes: reportld, submitterld, submissionld, restaurantld, description
- Primary Key(s): reportld, submitterld, submissionld, restaurantld
- Foreign Key(s): <u>submitterId</u>, <u>submissionId</u>, <u>restaurantId</u> from Submission

#### Votable

- Attributes: submitterId, submissionId, restaurantId, votes
- Primary Key(s): submitterId, submissionId, restaurantId
- Foreign Key(s): *submitterId*, *submissionId*, *restaurantId* from Submission

### Restaurant

- Attributes: <u>submissionId</u>, <u>restaurantId</u>, <u>submitterId</u>, restaurantName, location
- Primary Key(s): <u>submissionId</u>, <u>restaurantId</u>, <u>submitterId</u>
- Foreign Key(s): <u>submissionId</u>, <u>restaurantId</u>, <u>submitterId</u> from Submission

## SubmittedMeal

- Attributes: submissionId, restaurantId, submitterId, mealId
- Primary Key(s): <u>submissionId</u>, <u>restaurantId</u>, <u>submitterId</u>, <u>mealId</u>
- Foreign Key(s): <u>submissionId</u>, <u>restaurantId</u>, <u>submitterId</u> from Submission, <u>mealId</u> from Meal

#### Portion

- Attributes: submissionId, restaurantId, submitterId, mealId, quantity
- Primary Key(s): submissionId, restaurantId, submitterId, mealId
- Foreign Key(s): <u>submissionId</u>, <u>restaurantId</u>, <u>submitterId</u>, <u>mealId</u> from Submission

## Meal

- Attributes: mealId, cuisineName, submissionId, restaurantId, submitterId, mealName
- Primary Key(s): mealld

- Foreign Key(s): cuisineName, submissionId, restaurantId, submitterId from CuisineMeal

## Ingredient

- Attributes: ingredientId, *mealId*, *submissionId*, *restaurantId*, *submitterId*, ingredientName
- Primary Key(s): ingredientId, <u>mealId</u>, <u>submissionId</u>, <u>restaurantId</u>, <u>submitterId</u>
- Foreign Key(s): mealld, submissionld, restaurantld, submitterld from Meal

#### Cuisine

- Attributes: cuisineName
- Primary Key(s): <u>cuisineName</u>
- Foreign Key(s): -

## CuisineMeal

- Attributes: <u>cuisineName</u>, <u>mealld</u>, <u>submissionId</u>, <u>restaurantId</u>, <u>submitterId</u>
- Primary Key(s): cuisineName, mealld, submissionld, restaurantld, submitterld
- Foreign Key(s): <u>cuisineName</u>, <u>mealld</u>, <u>submissionId</u>, <u>restaurantId</u>, <u>submitterId</u> from Cuisine and Meal

## · RestaurantCuisine

- Attributes: <u>cuisineName</u>, <u>submissionId</u>, <u>restaurantId</u>, <u>submitterId</u>
- Primary Key(s): <u>cuisineName</u>, <u>submissionId</u>, <u>restaurantId</u>, <u>submitterId</u>
- Foreign Key(s): <u>cuisineName</u>, <u>submissionId</u>, <u>restaurantId</u>, <u>submitterId</u> from Restaurant and Cuisine