
Database's Models

Nutr.io

March 23, 2020

1 Conceptual Model



2 Relational Model

Submitter

- Attributes: submitterId, submitterName, submitterType
- Primary Key(s): submitterId
- Foreign Key(s): -

User

- Attributes: email, submitterId, sessionSecret, submitterName
- Primary Key(s): email, submitterId
- Foreign Key(s): submitterId from Submitter

API

- Attributes: submitterId, apiToken, submitterName
- Primary Key(s): submitterId
- Foreign Key(s): submitterId from Submitter

Submission

- Attributes: submissionId, restaurantId, submitterId
- Primary Key(s): <u>submissionId</u>, <u>restaurantId</u>, <u>submitterId</u>
- Foreign Key(s): submitterId from Submitter

• Report

- Attributes: reportld, submitterld, submissionld, restaurantld, description
- Primary Key(s): reportld, submitterld, submissionld, restaurantld
- Foreign Key(s): <u>submitterId</u>, <u>submissionId</u>, <u>restaurantId</u> from Submission

Votable

- Attributes: submitterId, submissionId, restaurantId, votes
- Primary Key(s): submitterId, submissionId, restaurantId
- Foreign Key(s): *submitterId*, *submissionId*, *restaurantId* from Submission

Restaurant

- Attributes: <u>submissionId</u>, <u>restaurantId</u>, <u>submitterId</u>, restaurantName, location
- Primary Key(s): <u>submissionId</u>, <u>restaurantId</u>, <u>submitterId</u>
- Foreign Key(s): <u>submissionId</u>, <u>restaurantId</u>, <u>submitterId</u> from Submission

SubmittedMeal

- Attributes: submissionId, restaurantId, submitterId, mealId
- Primary Key(s): <u>submissionId</u>, <u>restaurantId</u>, <u>submitterId</u>, <u>mealId</u>
- Foreign Key(s): <u>submissionId</u>, <u>restaurantId</u>, <u>submitterId</u> from Submission, <u>mealId</u> from Meal

Portion

- Attributes: <u>submissionId</u>, <u>restaurantId</u>, <u>submitterId</u>, <u>mealId</u>, quantity
- Primary Key(s): <u>submissionId</u>, <u>restaurantId</u>, <u>submitterId</u>, <u>mealId</u>
- Foreign Key(s): <u>submissionId</u>, <u>restaurantId</u>, <u>submitterId</u>, <u>mealId</u> from Submission

Meal

- Attributes: mealId, cuisineName, submissionId, restaurantId, submitterId, mealName
- Primary Key(s): mealld

- Foreign Key(s): cuisineName, submissionId, restaurantId, submitterId from CuisineMeal

Ingredient

- Attributes: ingredientId, mealld, submissionId, restaurantId, submitterId, ingredientName
- Primary Key(s): ingredientId, <u>mealId</u>, <u>submissionId</u>, <u>restaurantId</u>, <u>submitterId</u>
- Foreign Key(s): mealld, submissionld, restaurantld, submitterld from Meal

Cuisine

- Attributes: cuisineName
- Primary Key(s): <u>cuisineName</u>
- Foreign Key(s): -

CuisineMeal

- Attributes: <u>cuisineName</u>, <u>mealld</u>, <u>submissionId</u>, <u>restaurantId</u>, <u>submitterId</u>
- Primary Key(s): cuisineName, mealld, submissionld, restaurantld, submitterld
- Foreign Key(s): <u>cuisineName</u>, <u>mealld</u>, <u>submissionId</u>, <u>restaurantId</u>, <u>submitterId</u> from Cuisine and Meal

• RestaurantCuisine

- Attributes: <u>cuisineName</u>, <u>submissionId</u>, <u>restaurantId</u>, <u>submitterId</u>
- Primary Key(s): <u>cuisineName</u>, <u>submissionId</u>, <u>restaurantId</u>, <u>submitterId</u>
- Foreign Key(s): <u>cuisineName</u>, <u>submissionId</u>, <u>restaurantId</u>, <u>submitterId</u> from Restaurant and Cuisine