

Exercise 4 - Create Integration Workflow



Before you begin this exercise, please make sure you have read the course content for **Step 4: Creating Integration Workflows**.

In this exercise, you will complete the following steps to become familiar with creating a workflow:

- Create New Workflow
- Configure Trigger
- Configure Actions



Before you begin this exercise, complete the below actions:

1. Edit & Save Webhook Content


- Navigate to **webhook.site**
- Click **Edit** from the top right
- Update the content field with the response body below:
- **{**
- **"Name": "Nikola Services",**
- **"New Vendor": "true",**
- **"Type": "Vendor"**
- **}**
- Click **Save**
- Copy **Your Unique URL**

2. Add a new system action following the instructions from **Exercise 2 Add System Action** using the details below.

- **Systems > CyberGX > Actions > Add Action**
- Action Name: **GET - Retrieve Assets from CyberGX**
- Description: **This API call will retrieve Assets from CyberGX**
- Endpoint Path: **[Your Unique URL] (copied from webhook.site)**
- Method: **GET**
- Payload Type: **JSON**
- Response body:
- **{**
- **"Name": "Nikola Services",**
- **"New Vendor": "true",**

- **"Type": "Vendor"**
- **}**
- **Add**

1. Navigate to Connections



From the **Integration** menu, select **Connections**

2. Add New Connection

Connections

Add New

Import



No Connections Available

Click **Add New**

3. Create Workflow

Create Workflow

×

* Workflow Name

1

[TPRM] - Retrieve Assets from Cyber GX

Description

Enter Description

* System

2

CyberGX

×

* Notification Email

3

integrations@onetrust.com

4

Cancel

Create

1. In the **Workflow Name** field, type **[TPRM] - Retrieve Assets from Cyber GX**
2. In the **System** field, select **CyberGX** (*created earlier*)
3. In the **Notification Email** field, type **integrations@onetrust.com**
4. Click **Create**

4. Add Built-in Trigger

The screenshot shows the OneTrust Workflow Builder interface. At the top, there are tabs: **Builder** (highlighted with a red box and a circled 1), **Details**, **Logs**, and **Activity**. Below the tabs is a header bar with the OneTrust logo and the text "Add OneTrust Trigger". Under this header, there are two tabs: **OneTrust** and **Built-in** (highlighted with a red box and a circled 2). Below the tabs is a search bar with the placeholder text "Search" and a magnifying glass icon. Below the search bar, there are three options: **Scheduler** (highlighted with a red box and a circled 3), **Subflow**, and **Webhook**. Below these options is a section titled "Schedule Action" with a back arrow and a clock icon. In this section, there are two fields: **Frequency** (with a dropdown menu showing "Daily" and a circled 4) and **Time of Day** (with a text input showing "12:00 AM" and a circled 5). Below these fields is a "Done" button (highlighted with a red box and a circled 6).

1. From the **Workflow Builder** tab, click **Builder**
2. Click the **Built-in** tab
3. Click **Scheduler**
4. Set **Frequency** to **Daily**
5. Set **Time of Day** to **12.00 AM**
6. Click **Done**

5. Add System Action

Built-in
Schedule Trigger

1 Add Action

2 **System** OneTrust Logic

GET - Retrieve Assets from CyberGX
This API call will retrieve Assets from CyberGX

POST - Send Data to webhook.site
This action posts data to webhook.site endpoint

GET - Retrieve Assets from CyberGX

☐ Create New Credentials
☒ Select Existing Credentials

Select Credential
3 [TPRM] - Cyber GX UAT Credentials

4 Next

Request Response Settings

If you leave this empty, it will default to including the raw data from the previous step. Value pairs are sent as data. Do not place raw JSON or form-encoded values.

* Request URL
https://uat.cybergx.com/7f946eeb-30d0-412a-8786-3f9d0013c2d7

* Method
GET

Header(s)
Key Value

Body

Expand

5 Finish

1. Click **Add Action** (Make sure **System** is selected)
2. Select **GET - Retrieve Assets from CyberGX** action (created earlier)
3. In the **Select Credential** field, select **[TPRM] - Cyber GX UAT Credentials** (created earlier).
4. Click **Next**
5. Click **Finish**

6. Add Logic Action

1. Click **Add Action**
2. Click **Logic**
3. Click **Condition**
4. Click **FreeMarker Lookup** button to view responses from previous actions
5. Select **"step.http_0["New Vendor"]"**
6. Select **Equal To** as the **Operator**
7. Type **true** in the **Value** field
8. Click **Done**

7. Add OneTrust Action



Note: This action will be added within the IF Yes block.

The screenshot shows the 'Add Action' dialog in the OneTrust Workflow Builder. At the top, there's a navigation bar with 'System', 'OneTrust', and 'Logic'. Below it, a list of actions is shown, with 'Vendor Management' selected. A search bar is highlighted in green. The 'POST Create Vendor' action is selected, and its details are shown in a form. The form has several fields: 'Name' (with a red box and number 4), 'Organization Id' (with a red box and number 5), 'Organization value' (with a red box and number 6), 'Type Id' (with a red box and number 7), and 'Type value' (with a red box and number 8). A 'Finish' button is at the bottom right. A green box highlights the 'Advanced View' button. At the bottom, there's a 'Save' button and a 'Cancel' button.

1. Click **OneTrust**
2. Scroll down and click **Vendor Management**
3. Scroll down and click **POST Create Vendor** or use the **Search** field (*highlighted in green*) to find the action
4. In the **Name** field, click the **FreeMarker Lookup** button to open responses from previous actions
5. Select **\${(step.http_0.Name)!}**
6. From the **Organization.value** field, type **123456**
7. From the **Type.value** field, type **Vendor**



You also have the option to view and edit the raw JSON request body if needed by simply clicking the **Advanced View** (*highlighted in green*).

8. Click **Finish**
9. Delete the action in the **No** block



Note: If a "No" action is needed for the workflow, you can add one. If not, it is safe to delete from the workflow. For this exercise, a No action is not required.

10. Click **Save** at the top right of the screen to ensure all the changes are saved

-  As a best practice, check the **Response** tab (*highlighted in blue*), to ensure the correct expected response is added. Additionally, confirm the **Error Handling** for the OneTrust action by clicking the **Settings** tab, (*highlighted in blue*).