


Exercise 4.1 - Create Integration workflow via Import

In this exercise, you will complete the following steps to become familiar with creating a workflow via importing a JSON file:

- Export Workflow
- Import Workflow

1. Export Workflow



The screenshot shows the OneTrust 'Connections' page. The left sidebar contains navigation links: Integration, Gallery, Systems, Credentials, Values, and Connections. The 'Connections' link is highlighted with a red box and a circled '1'. The main content area displays a table of connections. The first connection is '[TPRM] - Retrieve Assets from Cyber GX', which is of type 'Workflows' and has an 'Inactive' status. A context menu is open on the right side of this connection, showing options: 'Activate', 'Delete', and 'Export'. The 'Export' option is highlighted with a red box and a circled '3'. A circled '2' is next to the context menu icon (three dots) on the right of the connection row.

1. Click **Connections**
2. Click the Context Menu (3 dots) on the right of the connection line
3. Click **Export** and save the file to your computer



Make sure to save the exported workflow file to a location on your computer. You will need it for the next step in the exercise.

2. Import Workflow

Connections

Add New Import

Import

* Workflow Name

[TPRM] - Retrieve Assets from Cyber GX - V2

* File

Drag and Drop Files Here

Files larger than 64 MB are not supported.

Upload File

Choose JSON file format

Valid file from Upload

OTWorkflow.json

Cancel Add

1. Click **Import**
2. In the **Workflow Name** field, type **[TPRM] - Retrieve Assets from Cyber GX - V2**
3. Click **Upload file** and add the file you exported in step 1 (*check to make sure file is attached*)
4. Click **Add** to complete the upload

3. Configure Credentials

Note: When a workflow is created via the import method, the credentials will need to be manually added.

The screenshot shows the OneTrust Workflow Builder interface for the 'Cyber GX' workflow. The 'Account Credentials' section is highlighted with a green box, showing 'None' as the selected credential. A red box highlights the 'Edit' icon in the top right corner. Another red box highlights the 'Edit' icon in the 'Account Credentials' section. A third red box highlights the 'Select Credential' dropdown menu, which is set to '[TPRM] - Cyber GX UAT Credentials'. A fourth red box highlights the 'Next' button. A fifth red box highlights the 'Finish' button. A sixth red box highlights the 'Save' button. The 'Request' tab is active, showing a pre-populated URL, method, and headers. The 'Workflow Builder' section at the bottom shows the workflow is 'Inactive' and has buttons for 'Activate', 'Save', and a menu icon.

1. From the **Cyber GX** section, click the **Edit** icon
2. Under **Account Credentials**, click the **Edit** icon

💡 You will notice it says **None** (*highlighted in green*).

3. In the **Select Credential** field, choose **[TPRM] - Cyber GX UAT Credentials** (*created earlier*)
4. Click **Next**

💡 You will notice that the required request fields are already populated (*highlighted in green*).

5. Click **Finish**
6. Click **Save** from the top right to save all changes