

Exercise 5 - Test Workflow Actions



Before you begin this exercise, please make sure you have read the course content for Step 5: Testing Workflow Actions and Saving Sample Payloads.

In this exercise, you will complete the following steps to become familiar with testing workflow actions and saving sample payloads:

- Test Action & Save Payload



Note: This test will not yield any usable data, as this is only a simulation.

1. Select Existing Workflow

Connection Name	Type
[TPRM] - Retrieve Assets from Cyber GX	Workflows
[TPRM] - Retrieve Assets from Cyber GX - v2	Workflows

1. Click **Connections**
2. Click to select **[TPRM] - Retrieve Assets from Cyber GX** workflow (*created earlier*)

2. Select Existing Action

The screenshot shows the OneTrust workflow builder interface. At the top, there are tabs for 'Builder', 'Details', 'Logs', and 'Activity'. The 'Builder' tab is active, showing a list of actions. The first action is 'Built-in Schedule Trigger'. Below it is a '+' icon to add a new action. The second action is 'CyberGX GET - Retrieve Assets from CyberGX'. This action is selected, and its 'Request' tab is active. The 'Request' tab shows a text area for the request body with a warning message: 'If you leave this empty, it will default to including the raw data from the previous step. Value pairs are sent as data. Do not place raw JSON or form-encoded values.' Below this is a 'Request URL' field with a red box around it and a circled '2'. The 'Method' dropdown is set to 'GET'.

1. From the **CyberGX** section, click the **Edit** icon
2. Navigate to **webhook.site** copy **Your Unique URL** and replace with the value in the **Request URL** field

3. Test Action & Save Payload

The screenshot shows the 'Response' tab in the OneTrust interface. At the top, there are tabs for 'Request', 'Response' (selected), and 'Settings'. Below the tabs, there is a 'Payload Type' dropdown menu set to 'json'. To the right of the dropdown is a 'Test Action' button, labeled with a circled '2'. Below this is a section titled 'Test and Generate Response' with a warning icon and text: 'Clicking this button will call the external system with the URL and payload provided. Review the URL and payload to ensure you don't mistakenly call an action which might have unintended effects.' Below this section is a 'Generate Response' dialog box. It contains two text areas: 'Sample' and 'Response Data'. Both contain the same JSON payload:

```
{
  "Name": "Nikola Services",
  "New Vendor": "true",
  "Type": "Vendor"
}
```

. An arrow points from the 'Sample' area to the 'Response Data' area. Below the dialog box is a larger text area with the same JSON payload. At the bottom right of the dialog box are 'Cancel' and 'Save' buttons, with the 'Save' button labeled with a circled '3'. At the bottom right of the main interface is a 'Finish' button, labeled with a circled '4'. The 'Response' tab is labeled with a circled '1'.

1. Click the **Response** tab
2. Click **Test Action**



Note: The **Response Data** should be the information you copied and pasted in webhook.site before beginning Exercise 4.

3. Click **Save** to save the payload data
4. Click **Finish**



Make sure to click the **Save** button at the top right side of the screen, to save all workflow changes.