
App overview

Med Med

Yuki's heart meds, logged by whoever gives them.


App version 2026.11.10 · Document version 2.0

Med Med replaces the paper sheet on the fridge for Yuki's four heart medications. Five doses a day are split across the household, so the app shows **what's due, who gave each dose and when**, keeps every phone on one shared log and alerts everyone when a dose is missed. It still prints the paper sheet, and installs on the Home Screen like a normal app.




Today

The day's five doses with their meds. Given doses show who and when, the next one shows Log, and late ones turn red.



Log a dose

Tap a dose, pick who gave it and tap Log. Each phone remembers the last name used. Mistakes can be changed or cleared.



Month

Every dose for the month in one grid, with the giver's initials in green and missed doses as red rings. Tap a day to open it.

5	4	5	~20 min
doses a day, 8 AM to midnight	meds, each with its own colour	people on one shared log	after a missed dose, everyone is alerted


The schedule

Early 8:00 AM, Late Morning 10:00 AM, Afternoon 4:00 PM, Evening 10:00 PM and Bedtime 12:00 AM. The midnight dose counts toward the day before, as on the paper sheet.

- Pimobendan 7.5 mg
- Diltiazem 60 mg
- Furosemide 40 mg
- Digoxin 0.0625 mg


Due and missed

A dose shows Log from half an hour before its time and turns red as Missed two hours after. Missed doses can still be logged late.




Settings

Household code, invite, alerts switch and blank sheets.



Printable sheet

One letter page per month with a box to tick and initial. Filled-in sheets can be photographed and imported.



iPad, sideways

A sidebar with the med key and sync status, and today beside the whole month. Phones and portrait keep the tabs.

Family sync

One log shared through a private household code. Others join with the invite link or the code, and a dose logged on one phone shows on the rest within seconds.

Privacy and security

No accounts or passwords. The log can only be read or changed with the household code, so the invite stays in the family. If it leaks, Change starts a new code.

How it runs

A web app on GitHub Pages that installs to the Home Screen with the capsule and paw icon. It follows the device's dark mode, works offline and catches up when it reconnects. Details are on the Technical setup page.

Missed-dose alerts

About 20 minutes after an unlogged dose, every phone with alerts on gets one notification. On iPhone and iPad they work from the Home Screen icon, switched on in Settings.

Paper sheets

Settings offers last month, this month and next month as letter PDFs with alternating black and white time bands. Filled-in sheets can be photographed and imported into the log, each dose at its scheduled time.

Known limits

Alerts land 20 to 30 minutes after a missed dose, since the log is checked every 10 minutes. Rotation is locked with the iPad's own Rotation Lock. Pinch and double-tap zoom are off.

Technical setup

Sources and libraries

Everything the app and alert checker load. No web fonts: the app uses the system font.

Source	Version	What it does	Loaded from	Licence
Med Med code	2026.11.10	The app, service worker, icons and alert checker, all written for Med Med	`index.html`, `sw.js`, `icons/`, `scripts/`	Own
Firebase JS SDK	10.12.2	Anonymous sign-in and Firestore with offline cache	`www.gstatic.com/firebasejs`	Apache 2.0
jsPDF	2.5.1	Draws the blank monthly sheets on the device	`cdnjs.cloudflare.com`	MIT
pywebpush	2.0.3	Encrypts and signs Web Push messages	PyPI, on the GitHub runner	MPL 2.0
Python	3.12	Runs the alert checker	GitHub runner	PSF
Actions steps	v4, v5	checkout, setup-python and cache for the checker	GitHub Marketplace	MIT
Playwright	installed	Takes this document's screenshots and prints the PDF	`docs/overview` scripts	Apache 2.0

Integrations

No keys, tokens or secrets are shown here.

Service	Used for	Details
Firebase Firestore	The shared dose log	Free Spark plan, Toronto region. `households/<code>/days` holds who gave each dose and when, `subs` each device's push address, `alerts` the alerts sent. `firestore.rules` checks every write.
Firebase Auth	Access to the log	Anonymous sign-in, no accounts. Access also needs the household code.
GitHub Pages	Hosting	Serves the public `med-med` repo as a static site.
GitHub Actions	Alert checker	`missed-dose-alerts.yml` reads Firestore over REST. Secrets `HOUSEHOLD_CODE` and `VAPID_PRIVATE_KEY` live in Actions secrets.
cron-job.org	Starting the checker	"Med Med alerts" POSTs to GitHub's workflow-dispatch API every 10 minutes with a token that can only start Actions on this repo.
Web Push	Missed-dose alerts	Apple's or Google's push service. Messages are encrypted, signed with a VAPID key, and carry only the dose name, time and meds.
Browser features	On each device	Local storage, service worker, Push and Notifications, clipboard and share sheet, web manifest for Home Screen install.

What runs where

On the device

The app, the printable sheets and an offline copy of the log that syncs when the connection returns.

Data kept

Log, push addresses and alert markers in Firestore; household code and preferences on each device; secrets in GitHub; the trigger token in cron-job.org.

Network calls

The two script CDNs, Firebase Auth and Firestore, and the device's push service. No analytics or tracking.

Regenerating this document

From the repo root run `node docs/overview/shoot.js`, then `node docs/overview/pdf.js`. Screenshots use sample doses and made-up names.