IN THE UNITED STATES DISTRICT COURT FOR THE SOUTHERN DIVISION OF ALABAMA SOUTHERN DIVISION

GEOVERA SPECIALTY INSURANCE COMPANY,	*	
Plaintiff,	*	**CASE NO.: 1:24-cv-00003-JB-M**
vs.	*	
DNB INVESTMENTS LLC,	*	
Defendant.	*	

MEMORANDUM IN SUPPORT OF DEFENDANT'S MOTION TO DISMISS PURSUANT TO RULES 12(b)(1) AND 12(b)(6) OF THE FEDERAL RULES OF CIVIL PROCEDURE

Defendant, DNB Investments LLC ("DNB"), by and through undersigned counsel, respectfully submits that this dispute does not belong in this Court. Plaintiff, GeoVera Specialty Insurance Company ("GeoVera"), improperly brings this action pursuant to 28 U.S.C. § 2201 and Rule 57 of the Federal Rules of Civil Procedure. As discussed below, this Court lacks subject matter jurisdiction to hear this matter and, in any event, GeoVera has failed to state a viable claim as a matter of law.

GeoVera alleges that "[t]his Court has jurisdiction over this cause by virtue of 28 U.S.C § 1332(b), in that there is complete diversity of citizenship between Plaintiff, on the one hand, and Defendants, on the other hand, and the amount in controversy (*e.g.*, the remainder of the Coverage A and Coverage C Policy Limits totaling $159,730.99) exceeds the sum or value of $75,000, exclusive of interest and costs." Doc. 1 at ¶ 8. GeoVera has

failed to demonstrate that the actual amount in controversy exceeds $75,000. GeoVera merely observes that the remainder of policy limits exceeds $75,000. Nothing in the current record indicates that the amount in controversy exceeds $75,000. Without such proof, GeoVera has not demonstrated that this Court has jurisdiction over the current dispute. In fact, extrinsic evidence will demonstrate that the amount in controversy is less than $75,000.

GeoVera alleges that "it is not obligated to participate in an appraisal until such time as as [*sic*] it can be determined what issues and/or claims are to be appraised." Doc. 1 at ¶ 1. Nothing in the Policy indicates that this is a precondition to appraisal. The Policy clearly states that if the parties "fail to agree on the amount of loss, either may demand an appraisal of the loss." Doc. 1-2 at 25. As the record demonstrates, there is a clear dispute as to the amount of loss. GeoVera cannot escape the requirements of the Policy's appraisal clause merely because it believes it paid the loss in full. To the contrary, once DNB disagreed on the amount of loss, it had the right to demand appraisal. After DNB made such a demand in writing, GeoVera must "choose a competent and impartial appraiser within 20 days . . ." under the clear terms of the Policy. *Id.* A declaratory judgment that GeoVera is not obligated to participate in appraisal would conflict with the terms of the Policy. Thus, GeoVera has failed to state a claim upon which relief can be granted.

I. LEGAL STANDARD

Federal courts are bodies of limited subject matter jurisdiction. *Aldinger v. Howard*, 427 U.S. 1 (1976). "The requirement that jurisdiction be established as a threshold matter

'springs from the nature and limits of judicial power of the United States' and is 'inflexible and without exception.'" *Steel Co. v. Citizens for a Better Environment*, 523 U.S. 83, 93 (1998), (quoting *Mansfield, C. & L.M. Ry. Co. v. Swan*, 111 U.S. 379 (1884)). When considering a Rule 12(b)(1) motion, courts must determine whether a party is bringing a "facial" or "factual" attack on the complaint. *See Lawrence v. Dunbar*, 919 F.2d 1525, 1528–29 (11th Cir. 1990). "'Factual attacks,' . . . challenge 'the existence of subject matter jurisdiction in fact, irrespective of the pleadings, and matters outside the pleadings, such as testimony and affidavits, are considered.'" *Id.* at 1529 (citations omitted). As such, a party can establish whether the amount in controversy exceeds $75,000 by extrinsic evidence. If not, a federal court will lack subject matter jurisdiction over the case.

Courts construe Rule 12(b)(6) motions differently. "To survive a [Rule 12(b)(6)] motion to dismiss, a complaint must contain sufficient factual matter, accepted as true, to 'state a claim to relief that is plausible on its face.'" *Ashcroft v. Iqbal*, 556 U.S. 662, 678 (2009). As such, courts generally cannot consider extrinsic evidence when confronting a Rule 12(b)(6) motion to dismiss. *Morrison v. Amway Corp.*, 323 F.3d 920, 924 (11th Cir. 2003); *see also Trustmark Ins. Co. v. ESLU, Inc.,* 299 F.3d 1265, 1267 (11th Cir. 2002) ("Whenever a judge considers matters outside the pleadings in a 12(b)(6) motion, that motion is thereby converted into a Rule 56 Summary Judgment motion.")

II. ARGUMENT

A. This Court Lacks Subject Matter Jurisdiction Because the Amount in Controversy Does Not Exceed $75,000.

DNB brings this "factual attack" on GeoVera's Complaint for Declaratory Judgment. GeoVera has not established the amount in controversy requirement for this Court to have subject matter jurisdiction. *See* DNB Notice of Claim and Formal Demand for Payment ("Demand Letter") (Exhibit 1). DNB's Demand Letter clearly states that the amount of controversy at issue is $73,964.76 less the deductible (and implicitly, prior payments). Ex. 1. DNB emailed its Demand Letter to GeoVera's claims email on January 26, 2023. *See* Declaration of Shane Welch ("Welch Decl.") attached hereto as Exhibit 2.[1] Thus, GeoVera's allegation that the amount in controversy exceeds $75,000 is unfounded. As aforementioned, this Court can consider the Demand Letter and Mr. Welch's Declaration as extrinsic evidence outside the pleadings. *See Morrison v. Amway Corp.*, 323 F.3d 920, 925 n.5 (11th Cir. 2003) ("Appellees' motion to dismiss was a factual attack because it relied on extrinsic evidence and did not assert lack of subject matter jurisdiction solely on the basis of the pleadings.") The Demand Letter thus demonstrates that GeoVera has not met its burden of proving that this Court has subject matter jurisdiction over the current dispute. *See McNutt v. Gen. Motors Acceptance Corp. of Indiana*, 298 U.S. 178, 189 (1936) (party claiming subject matter jurisdiction bears the burden of proof).

[1] DNB notes that its Demand Letter copies Neal Townsend who was serving as local counsel at the time the letter was sent. Contrary to Geovera's suggestion, DNB maintained local counsel at the time of the Demand Letter and the subsequent Appraisal Demand. (Ex. 2, Welch Decl.). DNB's counsel at no time practiced law without the participation of local counsel.

B. GeoVera Has Failed to State a Claim Upon Which Relief Can Be Granted Because There is a Genuine Dispute Between the Parties as to the Amount of Loss.

GeoVera claims it has fully paid DNB's claim and it cannot determine what the parties would be appraising without further claim investigation. The record, however, clearly demonstrates that DNB had a bona fide dispute with GeoVera as to the amount of loss.[2] Under the Policy, a party may invoke appraisal once there is a disagreement as to the amount of loss. As such, GeoVera's refusal to appoint an appraiser within the Policy's prescribed 20-day period is in breach of the Policy. This Court cannot grant a declaratory judgment that conflicts with the clear terms of the Policy.

GeoVera alleges that Judge Stankoski's "letter order effectively acted to compel GeoVera to an appraisal to which it did not agree." Doc. 1 at ¶ 34. DNB does not contest this allegation. But the Policy does not require that the parties agree to appraisal; it only contemplates that one party may invoke the appraisal clause once there is a disagreement as to the amount of loss. GeoVera's argument fails because it assumes that it has a right to delay appraisal. No such right exists under the Policy. GeoVera further alleges that it "has never refused appraisal" and merely "requested a further investigation of the claim . . . before it could determine whether the appraisal provision is even applicable." Doc. 1 at ¶ 35. This allegation conflicts with the facts. DNB demanded appraisal. To date, GeoVera

[2] DNB maintains that Geovera's pleadings alone establish a genuine dispute between the parties as to the amount of loss. Nevertheless, DNB's Demand Letter further establishes the existence of an ongoing dispute. This Court could consider the Demand Letter if it so elects by converting this Rule 12(b)(6) motion into a Rule 56 motion for summary judgment. *See Trustmark Ins. Co. v. ESLU, Inc.*, 299 F.3d 1265, 1267 (11th Cir. 2002) (observing this procedure).

has not appointed an appraiser as required by the Policy. GeoVera attempts to strain the meaning of "refused," but the simple fact is that it has breached the Policy by not appointing an appraiser. DNB is not disputing that GeoVera has a right to further investigation of the claim, but the right to investigate is not a precondition to appointing an appraiser. The Policy does not provide GeoVera with an option to delay once DNB demanded appraisal in writing.

GeoVera claims that "it has no information to what the actual loss is." Doc. 1 at ¶ 37.[3] And therefore, the appraisal clause's requirement that the parties "fail to agree on the amount of loss" has not been satisfied. GeoVera concludes that "[i]f there is no failure to agree, the appraisal provision has not been triggered." *Id.* It is clear from the pleadings that the parties do in fact disagree as to the amount of loss. DNB's Demand for Appraisal itself states the following: "To date, [DNB] and GeoVera have failed to reach an agreement on the amount of loss at issue. As an element of this dispute, the parties disagree as to the actual cash value and replacement cost value of the covered repairs as determined by GeoVera." Doc. 1-3 at 2; *see also* Doc. 1-9 at 2 (email from DNB's counsel) ("There is a disagreement as to the amount of loss."). There was no question as to whether there was a genuine dispute. GeoVera's actual argument was that it believed the claim was fully paid, thus relieving it of the appraisal clause's requirements. *See* Doc. 1-14 at 1 (email from GeoVera's counsel) (noting that "[GeoVera's] adjuster's estimate was in line with [DNB's]

[3] Once again, this Court may elect to consider extrinsic evidence (i.e., DNB's Demand Letter) which is clearly at odds with Geovera's representations. Note that DNB's Demand Letter was accompanied by a line-by-line estimate prepared by ATA Loss Consulting, LLC (Ex. 3) demonstrating the amount of loss at issue.

contractors' estimates and that amount was paid.") GeoVera was unwilling to appoint an appraiser *because* it believed the claim was appropriately paid despite the repeated protests of DNB to the contrary.

Later, GeoVera's counsel concedes that "[a]s for the appraisal, there seems to be a disparity between the carrier and your client as to the scope of the damages and what has already been paid." Doc. 1-8 at 1. GeoVera's counsel was correct. There is a disparity between GeoVera and DNB as to the scope of damages. That is exactly why DNB demanded appraisal; to resolve the dispute without the need for unnecessary expense and litigation. GeoVera believes it paid the claim in full. The appraisal process will determine whether this belief is accurate. There is no justification for GeoVera's ongoing delay of the appraisal process under the Policy. There is undoubtedly a dispute over the amount of loss between the two parties thus triggering the appraisal clause. As such, this Court should find that GeoVera has not made a claim for which relief can be granted.

III. CONCLUSION

For the reasons set forth above, the Court should grant DNB's motion and dismiss GeoVera's Complaint for Declaratory Judgment.

Respectfully submitted,

/s/ Thomas H. Benton, Jr.
THOMAS H. BENTON, JR. (BEN028)

Attorney for DNB Investments LLC

OF COUNSEL:

Benton Law Firm, LLC
169 Dauphin Street, Suite 300
Mobile, AL 36602
(251) 604-1123 Direct Dial
(251) 432-4074 Facsimile
tom@benton-law.com

CERTIFICATE OF SERVICE

I hereby certify that a copy of the foregoing motion was filed through the Court's electronic filing system on February 1, 2024. Notice of this filing will be sent to all parties listed on the Court's electronic filing system. Parties may access all filed documents through the Court's system.

/s/ Thomas H. Benton, Jr.

EXHIBIT 1

Fortius Law Group, PLLC
2001 L Street NW
Suite 500
Washington, DC 20036

www.fortiuslaw.com

Shane P. Welch
Direct Dial: (202) 963-1661
shane@fortiuslaw.com

January 26, 2023

Via Email (to claims@geoveraadvantage.com)
Attn: Steve Miller
GeoVera Advantage Insurance Services, Inc.
PO Box 124
Fairfield, CA 94533

Re: Insured: DNB Investments, LLC
Property Address: 25829 Argonne Drive, Daphne, AL 36526
Date of Loss: August 29, 2020
Claim No.: 2024229243
Policy No.: GC90041253

NOTICE OF CLAIM
AND FORMAL DEMAND FOR PAYMENT

Please accept this letter as formal written notice of claim and demand for payment on behalf of DNB Investments, LLC / Oscar Anez ("Client"). This law firm is the sole representative of Client as it relates to all matters pertaining to the above-referenced claim and property.

As GeoVera Advantage Insurance Services, Inc. ("GeoVera") knows, Client suffered immediate and substantial water damage to his property on or around August 29, 2020. In the aftermath, Client relied on his insurance company and agents to provide relief under his homeowners insurance policy for the property damage suffered.

Instead, GeoVera and its associates improperly adjusted the claim so that Client would not receive the coverage they had contracted to receive. Thus, this demand is now necessary to recover damages as represented by the specific insurance policy sold to Client. Accordingly, Client now seeks relief under Alabama law.

I. BACKGROUND

Client and GeoVera entered into a valid and enforceable written contract, policy number GC90041253 (the "Policy"), pursuant to the laws of Alabama for homeowners insurance coverage at 25829 Argonne Drive, Daphne, AL 36526 (the "Property"). Under the Policy, Client agreed to pay premiums for coverage and GeoVera would provide compensation for covered damages in return. Client fully performed his contractual obligations by making

policy premium payments as required by the Policy.

On or around August 29, 2020, Client suffered substantial water damage. Client filed a claim for these covered losses within the time specified by the Policy. To date, GeoVera has failed to provide adequate coverage for this claim. Accordingly, our firm sends this demand on behalf of Client as an opportunity for GeoVera to settle this case without further cost to GeoVera.

II. PROPERTY DAMAGES AND PROOF OF LOSS

Fortius Law Group ("Fortius"), along with Client, arranged for a thorough inspection of the Property. On or about December 27, 2022, Client retained the services of ATA Loss Consulting LLC ("ATA") to inspect the Property and value the related damages. ATA discovered extensive water damage to the Property totaling **$73,964.76** in actual cash value.

Proof of loss is hereby provided by way of the attached ATA estimate, demonstrating all losses documented therein. Failure to timely and adequately pay on this proof of loss will open GeoVera up to liability according to Alabama's Code of Insurance.

Alabama law provides that proof of loss constitutes "such a statement of facts, reasonably verified, as, if established in court, would prima facie require payment of the claim." *Equitable Life Assur. Soc. v. Dorriety,* 229 Ala. 352, 157 So. 59, 62 (Ala. 1934). Proof of loss is not required to be in any particular style or form that the insurer arbitrarily demands. Proof of loss is deemed sufficient if the insured gives reasonable information as to the facts rendering it liable under the policy. *Lee v. Prudential Ins. Co.,* 812 F.2d 1344, 1346 (11th Cir. 1987).

Alabama law requires an insurer to "tender payment within thirty (30) days or the time specified in the policy, after accepting liability, reaching an agreement on the amount of the claim and receipt of any documents necessary to consummate the settlement." Ala. Admin. Code r. 482-1-125-.07(6).

Alabama courts have determined that an insurer has a duty to act in good faith in its dealings with its insured. *Chavers v. Nat'l Sec. Fire & Cas. Co.,* 405 So. 2d 1, 6 (Ala. 1981). This duty of good faith requires an insurer to act diligently in evaluating and promptly paying meritorious claims. *Id.*

Damages for such breach of contract "should return the injured party to the position he would have been in had the contract been fully performed. These damages are generally those that flow naturally from the breach." *Smalley Transp. Co. v. Bay Dray, Inc.,* 612 So.2d 1182, 1186–87 (Ala. 1992) (citations omitted). In addition, "[d]amages for mental anguish can be recovered . . . where the contractual duty or obligation is so coupled with matters of mental concern or solicitude, or with the feelings of the party to whom the duty is owed, that a breach of that duty will necessarily or reasonably result in mental anguish or suffering." *Liberty Homes, Inc. v. Epperson*, 581 So.2d 449, 454 (Ala. 1991) (quoting *B &*

M Homes, Inc. v. Hogan, 376 So.2d 667, 671 (Ala.1979). The majority of the cases in which a plaintiff has been allowed to recover damages for mental anguish involved actions on "contracts for the repair or construction of a house or dwelling or the delivery of utilities thereto, where the breach affected habitability." *Id.* (also quoting *B & M Homes*, 581 So.2d 454).

III. CONCLUSION

We reserve the right to adjust the damage amounts once Client commences or completes repairs if there is additional covered damage discovered. Further, we reserve the right to adjust these amounts to conform to the information and evidence that will be available to us at the time of trial, should litigation be necessary.

As outlined above, we hereby demand **$73,964.76** minus any applicable deductible under the Policy. The purpose of this letter is to encourage GeoVera to resolve Client's claim in a fair and equitable manner without the need for further legal action. In the event you fail to timely respond to this letter with an offer of settlement that is acceptable to our client, we will have no alternative but to proceed with litigation against your company.

If we are unable to come to an amicable solution during the time allotted, attorney's fees may be sought along with additional litigation expenses incurred. We reserve the right to adjust the above amounts to conform to the information and evidence that will become available during the time leading up to trial, should litigation become necessary. This includes additional attorney's fees, court costs, and all applicable accrued pre-judgment and penalty interest allowed by Alabama law.

IV. SETTLEMENT AND RELEASE

Regarding the above demand, note that Client has assigned this law firm an attorney's fee interest in all claim(s) related to the above policy. Please send any future payments related to the Policy to this law firm's address for handling, with Fortius Law Group, PLLC named as an additional payee to secure our interest in attorney's fees.

GeoVera should direct all future communications regarding Client's claim to this law firm for any information or assistance with respect to said claim(s). If you have any written or recorded statements or other investigation information pertaining to this claim, please forward a copy to Fortius at the address listed herein. Also forward all copies of the following to our attention, if not already previously provided:

- Underwriting file, including the policy, application, amendments, etc.
- All correspondence sent to/from Client
- A copy of the claim file
- All documents regarding the processing of the above claim
- A description outlining why the above claim has not been paid in full
- All file notes pertaining to the above claim

- Videos taken/received regarding the above claim
- Photographs taken/received regarding the above claim
- All investigative reports regarding the above claim
- All engineering reports regarding the above claim
- All other documentation relevant to Client's claim

Please include Fortius Law Group, PLLC as payee on all checks and deliver to our office located at 2001 L St NW, Suite 500, Washington, DC 20036.

We consider this letter and supporting enclosures as a pertinent communication with respect to the resolution of this case. A prompt response is therefore expected. Fortius has retained ATA Loss Consulting LLC as case managers in this matter to document and estimate damages. Please reach out to its office to discuss Client's loss or schedule re-inspection at (800) 935-9270. For all other matters, please contact me directly via email at shane@fortiuslaw.com or by phone at (202) 963-1661 to resolve this claim.

Respectfully,



Shane P. Welch

Cc: neal@townsendlawoffice.com

Please see the attached ATA Loss Consulting LLC estimate and supporting documentation.

EXHIBIT 2

IN THE UNITED STATES DISTRICT COURT FOR THE SOUTHERN DIVISION OF ALABAMA SOUTHERN DIVISION

GEOVERA SPECIALTY INSURANCE COMPANY,	*	
Plaintiff,	*	CASE NO.: 1:24-cv-00003-JB-M
vs.	*	
DNB INVESTMENTS LLC,	*	
Defendant.	*	

DECLARATION OF SHANE WELCH

Shane Welch declares under penalty of perjury pursuant to 28 U.S.C. § 1746:

1. I am a partner at the law firm Fortius Law Group, PLLC ("Fortius").

2. I submit this declaration in support of DNB Investments LLC's ("DNB") Motion to Dismiss Pursuant to Rules 12(b)(1) and 12(b)(6) of the Federal Rules of Civil Procedure.

3. Along with Alabama local counsel, Thomas H. Benton, Jr., I represent DNB in the above-captioned matter.

4. Prior to Mr. Benton's involvement, DNB engaged Neal Towsend as local counsel regarding the ongoing dispute between DNB and GeoVera Specialty Insurance Company ("GeoVera").

5. Fortius prepared DNB's Notice of Claim and Formal Demand for Payment (the "Demand Letter") in collaboration with Neal Townsend.

6. Fortius sent the Demand Letter to GeoVera's claims department on my behalf on January 26, 2023, while copying Neal Townsend.

7. The Demand Letter sought $73,964.76 less the deductible to settle the dispute between DNB and GeoVera. DNB has not demanded additional funds to date.

8. ATA Loss Consulting, LLC ("ATA") prepared a line-by-line estimate documenting the amount of damages DNB disputed with GeoVera. This estimate accompanied the Demand Letter.

9. GeoVera sent a letter to Fortius dated February 23, 2023, that acknowledges receiving both the Demand Letter and ATA's estimate.

10. Ron Goode, of Fortius, sent an appraisal demand to GeoVera on February 28, 2023.

11. To date, GeoVera has refused to comply with the appraisal demand.

Dated: January 31, 2024

/s/ Shane P. Welch
Shane P. Welch

EXHIBIT 3

ATA Loss Consultants

25910 Canal Road
Suite 269
Orange Beach AL 36561
800-935-9270

Insured:	DNB Investments, LLC	Home:	(251) 623-0660
Property:	25829 Argonne Drive Daphne, AL 36526		
Claim Rep.:	ATA Loss Consulting	Business:	(800) 935-9270
Business:	25910 Canal Road, Suite 269 Orange Beach, AL 36561		
Estimator:	ATA Loss Consulting	Business:	(800) 935-9270
Business:	25910 Canal Road, Suite 269 Orange Beach, AL 36561		

Claim Number: 2024229243 **Policy Number:** GC90041253 **Type of Loss:** Water Damage

Date of Loss:	10/29/2020 12:00 AM	Date Received:	
Date Inspected:	12/29/2022 12:00 AM	Date Entered:	12/27/2022 1:39 PM

Price List:	ALMB8X_JAN23 Restoration/Service/Remodel
Estimate:	DBN_INVEST_25829-R2


Please note this is a preliminary estimate. This estimate has been prepared and created with the information available at the time of inspection. This estimate does not include any hidden or unforseen damages that may arise once repairs commence. This estimate is subject to change at any time once new information is presented.

ATA Loss Consultants

25910 Canal Road
Suite 269
Orange Beach AL 36561
800-935-9270

DBN_INVEST_25829-R2


1st Floor



Foyer/Entry **Height: 7' 7"**

75.12	SF Walls	38.03	SF Ceiling
113.15	SF Walls & Ceiling	38.03	SF Floor
4.23	SY Flooring	8.92	LF Floor Perimeter
16.42	LF Ceil. Perimeter		

Door	**3' X 6' 7"**	**Opens into Exterior**
Missing Wall	**5' 8 1/16" X 7' 7"**	**Opens into SITTING_ROOM**
Missing Wall	**2' 10" X 7' 7"**	**Opens into HALLWAY_1**
Door	**2' 6" X 6' 7"**	**Opens into Exterior**



Subroom: Foyer Closet (1) **Height: 7' 7"**

77.83	SF Walls	8.83	SF Ceiling
86.66	SF Walls & Ceiling	8.83	SF Floor
0.98	SY Flooring	10.00	LF Floor Perimeter
12.00	LF Ceil. Perimeter		

Door	**2' X 6' 7"**	**Opens into FOYER_ENTRY**

DESCRIPTION	QTY	RESET	REMOVE	REPLACE	TAX	O&P	TOTAL
Walls							
1. Mask and prep for paint - plastic, paper, tape (per LF)	28.42 LF		0.00	2.03	0.84	11.70	70.23
2. Drywall patch / small repair, ready for paint	1.00 EA		0.00	94.70	0.44	19.02	114.16
Allowance to repair water damaged drywall.							
3. Scrape the walls & prep for paint	152.95 SF		0.00	0.99	0.17	30.32	181.91
4. Seal the walls w/PVA primer - one coat	152.95 SF		0.00	0.88	1.01	27.12	162.73
5. Texture drywall - light hand texture	152.95 SF		0.00	1.01	0.84	31.06	186.38
6. Paint the walls - two coats	152.95 SF		0.00	1.38	3.85	43.00	257.92
7. Cold air return cover - Detach & reset	1.00 EA		0.00	21.31	0.00	4.26	25.57
8. Clean cold air return cover	1.00 EA		0.00	9.90	0.01	1.98	11.89
Doors/Trim							
9. Interior door - Detach & reset	1.00 EA		0.00	77.10	0.10	15.44	92.64

CONTINUED - Foyer/Entry


DESCRIPTION	QTY	RESET	REMOVE	REPLACE	TAX	O&P	TOTAL
Allowance to detach & reset door, required to replace flooring.							
10. Door knob/lockset - Detach & reset	1.00 EA		0.00	22.77	0.00	4.56	27.33
11. Paint door slab only - 2 coats (per side)	2.00 EA		0.00	40.71	1.98	16.68	100.08
Allowance to paint door into Garage & A/C-Heater Closet Door.							
12. Exterior door - Detach & reset	1.00 EA		0.00	135.14	0.57	27.14	162.85
Allowance to detach & reset door, required to replace flooring.							
13. Door lockset & deadbolt - exterior - Detach & reset	1.00 EA		0.00	31.88	0.00	6.38	38.26
14. Prime & paint door slab only - exterior (per side)	1.00 EA		0.00	62.81	1.49	12.86	77.16
15. Casing - 3 1/4"	34.00 LF		0.00	3.39	8.97	24.86	149.09
Allowance to replace door casings on Front Door & Garage Door.							
16. Paint door trim & jamb - 2 coats (per side)	3.00 EA		0.00	33.91	1.77	20.70	124.20
Allowance to paint door casings on Front Door, Garage Door & A/C-Heater Door.							
Base/Trim							
17. Mask and prep for paint - tape only (per LF)	18.92 LF		0.00	0.44	0.08	1.68	10.08
18. R&R Baseboard - 3 1/4"	18.92 LF		0.58	2.69	2.49	12.88	77.23
19. R&R Quarter round - 3/4"	18.92 LF		0.22	1.67	1.53	7.46	44.75
20. Seal & paint baseboard w/cap &/or shoe - two coats	18.92 LF		0.00	1.91	0.54	7.32	44.00
Floors							
21. Remove Snaplock Laminate - simulated wood flooring	46.85 SF		1.41	0.00	0.00	13.22	79.28
22. Remove Vapor barrier - visqueen - 6mil	46.85 SF		0.11	0.00	0.00	1.04	6.19
23. Clean floor - Heavy	46.85 SF		0.00	1.22	0.05	11.46	68.67
Allowance to clean & prep sub-flooring for new floors.							
24. Apply anti-microbial agent to the floor	46.85 SF		0.00	0.41	0.20	3.88	23.29
25. Vapor barrier - visqueen - 6mil	46.85 SF		0.00	0.28	0.31	2.68	16.11
26. Snaplock Laminate - simulated wood flooring	46.85 SF		0.00	5.54	16.52	55.22	331.29
27. R&R Door threshold	2.00 EA		10.01	52.73	5.73	26.24	157.45
Allowance to replace thresholds on the Front Door & the Door into the Garage, required to replace the flooring.							
Misc.							

ATA Loss Consultants

25910 Canal Road
Suite 269
Orange Beach AL 36561
800-935-9270

CONTINUED - Foyer/Entry

DESCRIPTION	QTY	RESET	REMOVE	REPLACE	TAX	O&P	TOTAL
28. Content Manipulation charge - per hour	1.00 HR		0.00	91.15	0.00	18.24	109.39
29. Floor protection - cloth - skid resistant, leak proof	46.85 SF		1.36	0.00	1.80	13.10	78.62
Allowance to cover hard surface flooring.							
30. Final cleaning - construction - Residential	46.85 SF		0.00	0.58	0.00	5.44	32.61
Totals: Foyer/Entry					51.29	476.94	2,861.36



Sitting Room **Height: 7' 7"**

243.74 SF Walls	126.25 SF Ceiling
369.99 SF Walls & Ceiling	126.25 SF Floor
14.03 SY Flooring	35.83 LF Floor Perimeter
35.83 LF Ceil. Perimeter	

Window	**3' X 4' 8"**	**Opens into Exterior**
Window	**3' X 4' 8"**	**Opens into Exterior**
Missing Wall	**3' 11" X 7' 7"**	**Opens into KITCHEN**
Missing Wall	**5' 8 1/16" X 7' 7"**	**Opens into FOYER_ENTRY**

DESCRIPTION	QTY	RESET	REMOVE	REPLACE	TAX	O&P	TOTAL
Walls							
31. Mask and prep for paint - plastic, paper, tape (per LF)	35.83 LF		0.00	2.03	1.06	14.76	88.55
32. Drywall patch / small repair, ready for paint	1.00 EA		0.00	94.70	0.44	19.02	114.16
Allowance to repair water damaged drywall.							
33. Scrape the walls & prep for paint	243.74 SF		0.00	0.99	0.27	48.32	289.89
34. Seal the walls w/PVA primer - one coat	243.74 SF		0.00	0.88	1.60	43.22	259.31
35. Texture drywall - light hand texture	243.74 SF		0.00	1.01	1.33	49.50	297.01
36. Paint the walls - two coats	243.74 SF		0.00	1.38	6.14	68.50	411.00
37. Paint chair rail - two coats	35.83 LF		0.00	1.57	0.67	11.40	68.32
Windows/Trim							
38. Seal & paint window stool and apron	7.00 LF		0.00	4.27	0.31	6.04	36.24
39. Casing - 3 1/4"	17.00 LF		0.00	3.39	4.49	12.42	74.54

ATA Loss Consultants


25910 Canal Road
Suite 269
Orange Beach AL 36561
800-935-9270

CONTINUED - Sitting Room

DESCRIPTION	QTY	RESET	REMOVE	REPLACE	TAX	O&P	TOTAL
40. Paint window trim & jamb - 2 coats (per side)	2.00 EA		0.00	33.91	1.18	13.80	82.80
41. Detach & Reset Detach & Reset Window drapery - hardware - single rod	2.00 EA	34.11	0.00	0.00	0.00	13.64	81.86
42. Clean drapes - sheer - flat - medium - Full service	2.00 EA		0.00	20.59	0.00	8.24	49.42
43. Window blind - horizontal or vertical - Detach & reset	2.00 EA		0.00	34.11	0.00	13.64	81.86
44. Clean window blind - horizontal or vertical	30.00 SF		0.00	1.47	0.03	8.82	52.95
Base/Trim							
45. Mask and prep for paint - tape only (per LF)	35.83 LF		0.00	0.44	0.16	3.20	19.13
46. R&R Baseboard - 3 1/4"	35.83 LF		0.58	2.69	4.71	24.38	146.25
47. R&R Quarter round - 3/4"	35.83 LF		0.22	1.67	2.90	14.12	84.74
48. Seal & paint baseboard w/cap &/or shoe - two coats	35.83 LF		0.00	1.91	1.02	13.88	83.34
Floors							
49. Remove Snaplock Laminate - simulated wood flooring	126.25 SF		1.41	0.00	0.00	35.60	213.61
50. Remove Vapor barrier - visqueen - 6mil	126.25 SF		0.11	0.00	0.00	2.78	16.67
51. Clean floor - Heavy	126.25 SF		0.00	1.22	0.14	30.82	184.99
Allowance to clean & prep sub-flooring for new floors.							
52. Apply anti-microbial agent to the floor	126.25 SF		0.00	0.41	0.55	10.48	62.79
53. Vapor barrier - visqueen - 6mil	126.25 SF		0.00	0.28	0.83	7.24	43.42
54. Snaplock Laminate - simulated wood flooring	126.25 SF		0.00	5.54	44.52	148.78	892.73
55. R&R Door threshold	2.00 EA		10.01	52.73	5.73	26.24	157.45
Allowance to replace thresholds on the Front Door & the Door into the Garage.							
Misc.							
56. Content Manipulation charge - per hour	5.00 HR		0.00	91.15	0.00	91.16	546.91
57. Floor protection - cloth - skid resistant, leak proof	126.25 SF		1.36	0.00	4.84	35.30	211.84
Allowance to cover hard surface flooring.							
58. Final cleaning - construction - Residential	126.25 SF		0.00	0.58	0.00	14.64	87.87
Totals: Sitting Room					82.92	789.94	4,739.65

ATA Loss Consultants

25910 Canal Road
Suite 269
Orange Beach AL 36561
800-935-9270




Hallway 1 **Height: 7' 7"**

127.12	SF Walls	25.50	SF Ceiling
152.62	SF Walls & Ceiling	25.50	SF Floor
2.83	SY Flooring	16.50	LF Floor Perimeter
18.50	LF Ceil. Perimeter		

Missing Wall **2' 10" X 7' 7"** **Opens into FOYER_ENTRY**

Missing Wall **2' 10" X 7' 7"** **Opens into LIVING_ROOM**



Subroom: Closet (1) **Height: 7' 7"**

100.58	SF Walls	12.70	SF Ceiling
113.28	SF Walls & Ceiling	12.70	SF Floor
1.41	SY Flooring	13.00	LF Floor Perimeter
15.00	LF Ceil. Perimeter		

Door **2' X 6' 7"** **Opens into HALLWAY_1**

DESCRIPTION	QTY	RESET	REMOVE	REPLACE	TAX	O&P	TOTAL
Walls							
59. Mask and prep for paint - plastic, paper, tape (per LF)	33.50 LF		0.00	2.03	0.99	13.80	82.80
60. Drywall patch / small repair, ready for paint	1.00 EA		0.00	94.70	0.44	19.02	114.16
Allowance to repair water damaged drywall.							
61. Scrape the walls & prep for paint	227.71 SF		0.00	0.99	0.25	45.14	270.82
62. Seal the walls w/PVA primer - one coat	227.71 SF		0.00	0.88	1.50	40.38	242.26
63. Texture drywall - light hand texture	227.71 SF		0.00	1.01	1.25	46.26	277.50
64. Paint the walls - two coats	227.71 SF		0.00	1.38	5.73	63.98	383.95
Closet Shelving							
65. Shelving - wire (vinyl coated) - Detach & reset	6.20 LF		0.00	8.86	0.00	10.98	65.91
66. Clean shelving - wire (vinyl coated)	6.20 LF		0.00	1.99	0.01	2.46	14.81
Doors/Trim							
67. Interior door - Detach & reset	1.00 EA		0.00	77.10	0.10	15.44	92.64
Allowance to detach & reset Closet door, required to replace flooring.							
68. Door knob/lockset - Detach & reset	1.00 EA		0.00	22.77	0.00	4.56	27.33

ATA Loss Consultants


25910 Canal Road
Suite 269
Orange Beach AL 36561
800-935-9270

CONTINUED - Hallway 1

DESCRIPTION	QTY	RESET	REMOVE	REPLACE	TAX	O&P	TOTAL
69. Paint door slab only - 2 coats (per side)	2.00 EA		0.00	40.71	1.98	16.68	100.08
Allowance to paint both sides of the Closet Door.							
70. Casing - 3 1/4"	34.00 LF		0.00	3.39	8.97	24.86	149.09
Allowance to replace door casings on both sides of the Closet Door.							
71. Paint door trim & jamb - 2 coats (per side)	2.00 EA		0.00	33.91	1.18	13.80	82.80
Allowance to paint door casings on both sides of the Closet Door.							
Base/Trim							
72. Mask and prep for paint - tape only (per LF)	29.50 LF		0.00	0.44	0.13	2.62	15.73
73. R&R Baseboard - 3 1/4"	29.50 LF		0.58	2.69	3.88	20.08	120.43
74. R&R Quarter round - 3/4"	29.50 LF		0.22	1.67	2.39	11.64	69.79
75. Seal & paint baseboard w/cap &/or shoe - two coats	29.50 LF		0.00	1.91	0.84	11.44	68.63
Floors							
76. Remove Snaplock Laminate - simulated wood flooring	38.20 SF		1.41	0.00	0.00	10.78	64.64
77. Remove Vapor barrier - visqueen - 6mil	38.20 SF		0.11	0.00	0.00	0.84	5.04
78. Clean floor - Heavy	38.20 SF		0.00	1.22	0.04	9.32	55.96
Allowance to clean & prep sub-flooring for new floors.							
79. Apply anti-microbial agent to the floor	38.20 SF		0.00	0.41	0.17	3.18	19.01
80. Vapor barrier - visqueen - 6mil	38.20 SF		0.00	0.28	0.25	2.20	13.15
81. Snaplock Laminate - simulated wood flooring	38.20 SF		0.00	5.54	13.47	45.02	270.12
Misc.							
82. Content Manipulation charge - per hour	1.00 HR		0.00	91.15	0.00	18.24	109.39
83. Floor protection - cloth - skid resistant, leak proof	38.20 SF		1.36	0.00	1.46	10.70	64.11
Allowance to cover hard surface flooring.							
84. Final cleaning - construction - Residential	38.20 SF		0.00	0.58	0.00	4.44	26.60
Totals: Hallway 1					45.03	467.86	2,806.75

ATA Loss Consultants

25910 Canal Road
Suite 269
Orange Beach AL 36561
800-935-9270



Kitchen **Height: 7' 7"**

211.53 SF Walls	109.86 SF Ceiling
321.40 SF Walls & Ceiling	109.86 SF Floor
12.21 SY Flooring	28.92 LF Floor Perimeter
28.92 LF Ceil. Perimeter	

Missing Wall **3' 11" X 7' 7"** **Opens into SITTING_ROOM**

Window **3' X 2' 7"** **Opens into Exterior**

Missing Wall **9' 4" X 7' 7"** **Opens into LIVING_ROOM**

DESCRIPTION	QTY	RESET	REMOVE	REPLACE	TAX	O&P	TOTAL
Walls							
85. Mask and prep for paint - plastic, paper, tape (per LF)	28.92 LF		0.00	2.03	0.86	11.92	71.49
86. Drywall patch / small repair, ready for paint	1.00 EA		0.00	94.70	0.44	19.02	114.16
Allowance to repair water damaged drywall.							
87. Scrape the walls & prep for paint	211.53 SF		0.00	0.99	0.23	41.92	251.56
88. Seal the walls w/PVA primer - one coat	211.53 SF		0.00	0.88	1.39	37.52	225.06
89. Texture drywall - light hand texture	211.53 SF		0.00	1.01	1.16	42.98	257.79
90. Paint the walls - two coats	211.53 SF		0.00	1.38	5.33	59.44	356.68
91. Fluorescent light fixture - 2' & 4' - Detach & reset	1.00 EA		0.00	85.46	0.00	17.10	102.56
92. Clean light fixture - fluorescent	1.00 EA		0.00	37.67	0.01	7.54	45.22
Windows/Trim							
93. Seal & paint window stool and apron	3.50 LF		0.00	4.27	0.15	3.04	18.14
94. Window blind - horizontal or vertical - Detach & reset	1.00 EA		0.00	34.11	0.00	6.82	40.93
95. Clean window blind - horizontal or vertical	10.00 SF		0.00	1.47	0.01	2.94	17.65
Cabinets							
96. Detach & Reset Detach & Reset Countertop - Granite or Marble	43.00 SF	31.89	0.00	0.00	0.33	274.32	1,645.92
97. Detach & Reset Backsplash - solid surface - Unattached	15.50 LF	3.68	0.00	0.00	0.14	11.42	68.60
98. Clean countertop - Heavy	58.50 SF		0.00	1.09	0.13	12.78	76.68
99. R&R Cabinetry - upper (wall) units	7.00 LF		9.02	150.56	86.50	240.70	1,444.26
100. Clean cabinetry - upper - inside and out	7.00 LF		0.00	16.75	0.07	23.48	140.80

ATA Loss Consultants

25910 Canal Road
Suite 269
Orange Beach AL 36561
800-935-9270

CONTINUED - Kitchen


DESCRIPTION	QTY	RESET	REMOVE	REPLACE	TAX	O&P	TOTAL
101. Detach & Reset Detach & Reset Cabinetry - lower (base) units	21.50 LF	63.95	0.00	0.00	0.00	274.98	1,649.91
102. Clean cabinetry - lower - inside and out	21.50 LF		0.00	16.75	0.21	72.06	432.40
MEPs.							
103. Sink - double basin - Detach & reset	1.00 EA		0.00	173.75	0.07	34.78	208.60
104. Clean sink - double and faucet	1.00 EA		0.00	80.25	0.00	16.06	96.31
105. R&R Angle stop valve	2.00 EA		13.39	36.62	1.57	20.32	121.91
106. R&R Plumbing fixture supply line	2.00 EA		13.39	21.56	1.50	14.28	85.68
107. R&R P-trap assembly - ABS (plastic)	1.00 EA		20.10	65.75	0.75	17.34	103.94
Appliances							
108. Refrigerator - Remove & reset	1.00 EA		0.00	55.67	0.00	11.14	66.81
109. Refrig. water line - Disconnect & reconnect - with repairs	1.00 EA		0.00	100.72	2.23	20.58	123.53
110. Clean refrigerator - interior and exterior - Heavy	1.00 EA		0.00	91.60	0.10	18.34	110.04
111. Dishwasher - Detach & reset	1.00 EA		0.00	256.03	0.00	51.20	307.23
112. Clean dishwasher - interior and exterior - Heavy	1.00 EA		0.00	126.01	0.01	25.20	151.22
113. Range - electric - Remove & reset	1.00 EA		0.00	88.52	0.00	17.70	106.22
114. Clean range - interior and exterior - Heavy	1.00 EA		0.00	162.41	0.13	32.50	195.04
Base/Trim							
115. Mask and prep for paint - tape only (per LF)	28.92 LF		0.00	0.44	0.13	2.56	15.41
116. R&R Baseboard - 3 1/4"	28.92 LF		0.58	2.69	3.80	19.68	118.04
117. R&R Quarter round - 3/4"	28.92 LF		0.22	1.67	2.34	11.40	68.40
118. Seal & paint baseboard w/cap &/or shoe - two coats	28.92 LF		0.00	1.91	0.82	11.20	67.26
Floors							
119. Remove Snaplock Laminate - simulated wood flooring	109.86 SF		1.41	0.00	0.00	30.98	185.88
120. Remove Vapor barrier - visqueen - 6mil	109.86 SF		0.11	0.00	0.00	2.42	14.50
121. Clean floor - Heavy	109.86 SF		0.00	1.22	0.12	26.82	160.97
Allowance to clean & prep sub-flooring for new floors.							
122. Apply anti-microbial agent to the floor	109.86 SF		0.00	0.41	0.48	9.10	54.62

ATA Loss Consultants

25910 Canal Road
Suite 269
Orange Beach AL 36561
800-935-9270

CONTINUED - Kitchen

DESCRIPTION	QTY	RESET	REMOVE	REPLACE	TAX	O&P	TOTAL
123. Vapor barrier - visqueen - 6mil	109.86 SF		0.00	0.28	0.72	6.30	37.78
124. Snaplock Laminate - simulated wood flooring	109.86 SF		0.00	5.54	38.74	129.46	776.82
Misc.							
125. Content Manipulation charge - per hour	5.00 HR		0.00	91.15	0.00	91.16	546.91
126. Floor protection - cloth - skid resistant, leak proof	109.86 SF		1.36	0.00	4.21	30.72	184.34
127. Final cleaning - construction - Residential	109.86 SF		0.00	0.58	0.00	12.74	76.46
128. R&R Toe kick - pre-finished wood - 1/2"	26.00 LF		2.25	9.14	12.16	61.66	369.96
Totals: Kitchen					166.84	1,885.62	11,313.69



Living Room **Height: Tray**

324.03 SF Walls	278.69 SF Ceiling
602.72 SF Walls & Ceiling	248.03 SF Floor
27.56 SY Flooring	41.92 LF Floor Perimeter
48.08 LF Ceil. Perimeter	

Door	**6' 2" X 6' 7"**	**Opens into Exterior**
Missing Wall	**3' 3" X 7' 7"**	**Opens into HALLWAY_2**
Missing Wall	**2' 10" X 7' 7"**	**Opens into HALLWAY_1**
Missing Wall	**9' 4" X 7' 7"**	**Opens into KITCHEN**

DESCRIPTION	QTY	RESET	REMOVE	REPLACE	TAX	O&P	TOTAL
Walls							
129. Mask and prep for paint - plastic, paper, tape (per LF)	48.08 LF		0.00	2.03	1.42	19.80	118.82
130. Drywall patch / small repair, ready for paint	1.00 EA		0.00	94.70	0.44	19.02	114.16
Allowance to repair water damaged drywall.							
131. Scrape the walls & prep for paint	324.03 SF		0.00	0.99	0.35	64.24	385.38
132. Seal the walls w/PVA primer - one coat	324.03 SF		0.00	0.88	2.13	57.46	344.74
133. Texture drywall - light hand texture	324.03 SF		0.00	1.01	1.77	65.82	394.86
134. Paint the walls - two coats	324.03 SF		0.00	1.38	8.16	91.08	546.40

CONTINUED - Living Room


DESCRIPTION	QTY	RESET	REMOVE	REPLACE	TAX	O&P	TOTAL
135. TV Brackets - Wall or ceiling mounted - Detach & reset	1.00 EA		0.00	44.76	0.00	8.96	53.72
136. Clean Wall Mounted TV & Bracket	1.00 EA		0.00	35.00	0.00	7.00	42.00
Doors/Trim							
137. French double door set - Detach & reset	1.00 EA		0.00	101.58	0.11	20.34	122.03
138. Paint French door slab only - 2 coats (per side)	2.00 EA		0.00	77.32	1.99	31.32	187.95
139. Door lockset & deadbolt - exterior - Detach & reset	1.00 EA		0.00	31.88	0.00	6.38	38.26
140. Casing - 3 1/4"	21.20 LF		0.00	3.39	5.59	15.50	92.96
Allowance to replace door casings on Exterior French Doors.							
141. Paint door/window trim & jamb - Large - 2 coats (per side)	1.00 EA		0.00	39.90	0.69	8.12	48.71
Allowance to paint door casings on Exterior French Doors.							
Base/Trim							
142. Mask and prep for paint - tape only (per LF)	41.92 LF		0.00	0.44	0.18	3.72	22.34
143. R&R Baseboard - 3 1/4"	41.92 LF		0.58	2.69	5.51	28.52	171.10
144. R&R Quarter round - 3/4"	41.92 LF		0.22	1.67	3.40	16.52	99.15
145. Seal & paint baseboard w/cap &/or shoe - two coats	41.92 LF		0.00	1.91	1.19	16.26	97.52
Floors							
146. Remove Snaplock Laminate - simulated wood flooring	248.03 SF		1.41	0.00	0.00	69.94	419.66
147. Remove Vapor barrier - visqueen - 6mil	248.03 SF		0.11	0.00	0.00	5.46	32.74
148. Clean floor - Heavy	248.03 SF		0.00	1.22	0.27	60.58	363.45
Allowance to clean & prep sub-flooring for new floors.							
149. Apply anti-microbial agent to the floor	248.03 SF		0.00	0.41	1.09	20.56	123.34
150. Vapor barrier - visqueen - 6mil	248.03 SF		0.00	0.28	1.63	14.22	85.30
151. Snaplock Laminate - simulated wood flooring	248.03 SF		0.00	5.54	87.45	292.32	1,753.86
152. R&R Door threshold	2.00 EA		10.01	52.73	5.73	26.24	157.45
Allowance to replace thresholds on the French Doors, required to replace the flooring.							
Misc.							
153. Content Manipulation charge - per hour	5.00 HR		0.00	91.15	0.00	91.16	546.91

ATA Loss Consultants

25910 Canal Road
Suite 269
Orange Beach AL 36561
800-935-9270

CONTINUED - Living Room

DESCRIPTION	QTY	RESET	REMOVE	REPLACE	TAX	O&P	TOTAL
154. Floor protection - cloth - skid resistant, leak proof	248.03 SF		1.36	0.00	9.51	69.36	416.19
Allowance to cover hard surface flooring.							
155. Final cleaning - construction - Residential	248.03 SF		0.00	0.58	0.00	28.78	172.64
Totals: Living Room					138.61	1,158.68	6,951.64



Hallway 2 **Height: 7' 7"**

111.55 SF Walls	35.75 SF Ceiling
147.30 SF Walls & Ceiling	35.75 SF Floor
3.97 SY Flooring	13.08 LF Floor Perimeter
25.42 LF Ceil. Perimeter	

Missing Wall	**3' 3" X 7' 7"**	**Opens into LIVING_ROOM**
Door	**2' 6" X 6' 7"**	**Opens into BEDROOM_1**
Door	**2' 6" X 6' 7"**	**Opens into BEDROOM_2**
Door	**2' 6" X 6' 7"**	**Opens into UTILITY_ROOM**
Door	**2' 6" X 6' 7"**	**Opens into MASTER_BEDR2**
Door	**2' 4" X 6' 7"**	**Opens into HALL_BATHROO**


DESCRIPTION	QTY	RESET	REMOVE	REPLACE	TAX	O&P	TOTAL
Walls							
156. Mask and prep for paint - plastic, paper, tape (per LF)	25.42 LF		0.00	2.03	0.75	10.48	62.83
157. Drywall patch / small repair, ready for paint	1.00 EA		0.00	94.70	0.44	19.02	114.16
Allowance to repair water damaged drywall.							
158. Scrape the walls & prep for paint	111.55 SF		0.00	0.99	0.12	22.10	132.65
159. Seal the walls w/PVA primer - one coat	111.55 SF		0.00	0.88	0.73	19.78	118.67
160. Texture drywall - light hand texture	111.55 SF		0.00	1.01	0.61	22.66	135.94
161. Paint the walls - two coats	111.55 SF		0.00	1.38	2.81	31.34	188.09
Doors/Trim							
162. Paint door slab only - 2 coats (per side)	5.00 EA		0.00	40.71	4.94	41.70	250.19
163. Paint door trim & jamb - 2 coats (per side)	5.00 EA		0.00	33.91	2.95	34.52	207.02

ATA Loss Consultants

25910 Canal Road
Suite 269
Orange Beach AL 36561
800-935-9270

CONTINUED - Hallway 2

DESCRIPTION	QTY	RESET	REMOVE	REPLACE	TAX	O&P	TOTAL
Base/Trim							
164. Mask and prep for paint - tape only (per LF)	13.08 LF		0.00	0.44	0.06	1.18	7.00
165. R&R Baseboard - 3 1/4"	13.08 LF		0.58	2.69	1.72	8.90	53.40
166. R&R Quarter round - 3/4"	13.08 LF		0.22	1.67	1.06	5.16	30.94
167. Seal & paint baseboard w/cap &/or shoe - two coats	13.08 LF		0.00	1.91	0.37	5.08	30.43
Floors							
168. Remove Snaplock Laminate - simulated wood flooring	35.75 SF		1.41	0.00	0.00	10.08	60.49
169. Remove Vapor barrier - visqueen - 6mil	35.75 SF		0.11	0.00	0.00	0.78	4.71
170. Clean floor - Heavy	35.75 SF		0.00	1.22	0.04	8.72	52.38
Allowance to clean & prep sub-flooring for new floors.							
171. Apply anti-microbial agent to the floor	35.75 SF		0.00	0.41	0.16	2.98	17.80
172. Vapor barrier - visqueen - 6mil	35.75 SF		0.00	0.28	0.24	2.04	12.29
173. Snaplock Laminate - simulated wood flooring	35.75 SF		0.00	5.54	12.61	42.14	252.81
174. R&R T- molding - for wood flooring	12.00 LF		0.47	7.68	9.25	21.42	128.47
Misc.							
175. Floor protection - cloth - skid resistant, leak proof	35.75 SF		1.36	0.00	1.37	10.00	59.99
Allowance to cover hard surface flooring.							
176. Final cleaning - construction - Residential	35.75 SF		0.00	0.58	0.00	4.14	24.88
Totals: Hallway 2					40.23	324.22	1,945.14



Hall Bathroom **Height: 7' 7"**

214.67	SF Walls	52.44	SF Ceiling
267.11	SF Walls & Ceiling	52.44	SF Floor
5.83	SY Flooring	28.00	LF Floor Perimeter
30.33	LF Ceil. Perimeter		

Door **2' 4" X 6' 7"** **Opens into HALLWAY_2**

DESCRIPTION	QTY	RESET	REMOVE	REPLACE	TAX	O&P	TOTAL

ATA Loss Consultants

25910 Canal Road
Suite 269
Orange Beach AL 36561
800-935-9270

CONTINUED - Hall Bathroom

DESCRIPTION	QTY	RESET	REMOVE	REPLACE	TAX	O&P	TOTAL
Walls							
177. Mask and prep for paint - plastic, paper, tape (per LF)	30.33 LF		0.00	2.03	0.90	12.50	74.97
178. Drywall patch / small repair, ready for paint	1.00 EA		0.00	94.70	0.44	19.02	114.16
Allowance to repair water damaged drywall.							
179. Scrape the walls & prep for paint	214.67 SF		0.00	0.99	0.24	42.54	255.30
180. Seal the walls w/PVA primer - one coat	214.67 SF		0.00	0.88	1.41	38.06	228.38
181. Texture drywall - light hand texture	214.67 SF		0.00	1.01	1.17	43.60	261.59
182. Paint the walls - two coats	214.67 SF		0.00	1.38	5.41	60.32	361.97
Doors/Trim							
183. Interior door - Detach & reset	1.00 EA		0.00	77.10	0.10	15.44	92.64
Allowance to detach & reset door, required to replace flooring.							
184. Door knob/lockset - Detach & reset	1.00 EA		0.00	22.77	0.00	4.56	27.33
185. Paint door slab only - 2 coats (per side)	1.00 EA		0.00	40.71	0.99	8.34	50.04
186. Casing - 3 1/4"	16.00 LF		0.00	3.39	4.22	11.68	70.14
Allowance to replace door casings.							
187. Paint door trim & jamb - 2 coats (per side)	1.00 EA		0.00	33.91	0.59	6.90	41.40
Allowance to paint door casings.							
MEPs.							
188. Vanity - Detach & reset	4.10 LF		0.00	60.59	0.00	49.68	298.10
189. R&R Toe kick - pre-finished wood - 1/2"	5.00 LF		2.25	9.14	2.34	11.86	71.15
Allowance for vanity.							
190. Clean vanity - faces only	4.10 LF		0.00	12.43	0.03	10.20	61.19
191. Vanity top - Detach & reset	4.10 LF		0.00	30.91	0.09	25.36	152.18
192. Sink - single - Detach & reset	1.00 EA		0.00	162.45	0.05	32.52	195.02
193. Clean sink and faucet - Heavy	1.00 EA		0.00	69.74	0.01	13.94	83.69
194. Toilet - Detach & reset	1.00 EA		0.00	264.09	0.81	52.98	317.88
195. Clean toilet - Heavy	1.00 EA		0.00	88.18	0.01	17.64	105.83
196. R&R Angle stop valve	3.00 EA		13.39	36.62	2.36	30.50	182.89
197. R&R Plumbing fixture supply line	3.00 EA		13.39	21.56	2.25	21.44	128.54

CONTINUED - Hall Bathroom


DESCRIPTION	QTY	RESET	REMOVE	REPLACE	TAX	O&P	TOTAL
198. R&R P-trap assembly - ABS (plastic)	1.00 EA		20.10	65.75	0.75	17.34	103.94
Bath Accessories							
199. Bathroom mirror - Detach & reset	12.00 SF		0.00	9.58	0.00	23.00	137.96
200. Clean mirror - Heavy	12.00 SF		0.00	1.43	0.01	3.44	20.61
201. Detach & Reset Detach & Reset Light bar - 4 lights	1.00 EA	58.86	0.00	0.00	0.00	11.78	70.64
202. Clean light bar - Heavy	1.00 EA		0.00	58.15	0.01	11.64	69.80
203. Towel ring - Detach & reset	2.00 EA		0.00	17.71	0.00	7.08	42.50
204. Detach & Reset Detach & Reset Towel bar	1.00 EA	16.78	0.00	0.00	0.00	3.36	20.14
205. Clean towel bar & towel rings	3.00 EA		0.00	8.01	0.00	4.80	28.83
206. Shower curtain rod - Detach & reset	1.00 EA		0.00	15.94	0.00	3.18	19.12
207. Clean shower curtain rod	1.00 EA		0.00	8.01	0.00	1.60	9.61
Base/Trim							
208. Mask and prep for paint - tape only (per LF)	28.00 LF		0.00	0.44	0.12	2.48	14.92
209. R&R Baseboard - 3 1/4"	28.00 LF		0.58	2.69	3.68	19.04	114.28
210. R&R Quarter round - 3/4"	28.00 LF		0.22	1.67	2.27	11.06	66.25
211. Seal & paint baseboard w/cap &/or shoe - two coats	28.00 LF		0.00	1.91	0.80	10.86	65.14
Floors							
212. Remove Tile floor covering - High grade	52.44 SF		3.26	0.00	0.00	34.20	205.15
213. Remove Mortar bed for tile	52.44 SF		1.74	0.00	0.00	18.26	109.51
214. Remove 1/4" Cement board	52.44 SF		0.99	0.00	0.00	10.38	62.30
215. Clean floor - Heavy	52.44 SF		0.00	1.22	0.06	12.82	76.86
Allowance to clean & prep sub-flooring for new floors.							
216. Apply anti-microbial agent to the floor	52.44 SF		0.00	0.41	0.23	4.34	26.07
217. Mortar bed for tile	52.44 SF		0.00	4.87	8.73	52.82	316.93
218. 1/4" Cement board	57.69 SF		0.00	3.10	9.35	37.64	225.83
10% waste has been added							
219. Tile floor covering - High grade	57.69 SF		0.00	11.34	44.41	139.72	838.33
10% waste has been added							
Misc.							

ATA Loss Consultants

25910 Canal Road
Suite 269
Orange Beach AL 36561
800-935-9270

CONTINUED - Hall Bathroom


DESCRIPTION	QTY	RESET	REMOVE	REPLACE	TAX	O&P	TOTAL
220. Content Manipulation charge - per hour	2.00 HR		0.00	91.15	0.00	36.46	218.76
221. Floor protection - cloth - skid resistant, leak proof	52.44 SF		1.36	0.00	2.01	14.66	87.99
Allowance to cover hard surface flooring.							
222. Final cleaning - construction - Residential	52.44 SF		0.00	0.58	0.00	6.08	36.50
Totals: Hall Bathroom					95.85	1,027.12	6,162.36



Master Bedroom **Height: 7' 7"**

370.64	SF Walls	192.81	SF Ceiling
563.44	SF Walls & Ceiling	192.81	SF Floor
21.42	SY Flooring	51.67	LF Floor Perimeter
58.50	LF Ceil. Perimeter		

Door	**2' 4" X 6' 7"**	**Opens into MASTER_BATHR**
Door	**2' 6" X 6' 7"**	**Opens into HALLWAY_2**
Window	**3' X 4' 8"**	**Opens into Exterior**
Window	**3' X 4' 8"**	**Opens into Exterior**



Subroom: Master Closet (1) **Height: 7' 7"**

171.36	SF Walls	34.50	SF Ceiling
205.86	SF Walls & Ceiling	34.50	SF Floor
3.83	SY Flooring	22.33	LF Floor Perimeter
24.33	LF Ceil. Perimeter		

Door	**2' X 6' 7"**	**Opens into MASTER_BEDR2**

DESCRIPTION	QTY	RESET	REMOVE	REPLACE	TAX	O&P	TOTAL
Walls							
223. Mask and prep for paint - plastic, paper, tape (per LF)	82.83 LF		0.00	2.03	2.45	34.12	204.71
224. Drywall patch / small repair, ready for paint	1.00 EA		0.00	94.70	0.44	19.02	114.16
Allowance to repair water damaged drywall.							
225. Scrape the walls & prep for paint	542.00 SF		0.00	0.99	0.59	107.44	644.61

CONTINUED - Master Bedroom


DESCRIPTION	QTY	RESET	REMOVE	REPLACE	TAX	O&P	TOTAL
226. Seal the walls w/PVA primer - one coat	542.00 SF		0.00	0.88	3.56	96.12	576.64
227. Texture drywall - light hand texture	542.00 SF		0.00	1.01	2.97	110.08	660.47
228. Paint the walls - two coats	542.00 SF		0.00	1.38	13.65	152.34	913.95
229. TV Brackets - Wall or ceiling mounted - Detach & reset	1.00 EA		0.00	44.76	0.00	8.96	53.72
230. Clean Wall Mounted TV & Bracket	1.00 EA		0.00	35.00	0.00	7.00	42.00
231. Smoke detector - Detach & reset	1.00 EA		0.00	57.00	0.00	11.40	68.40
232. Clean smoke/carbon monoxide detector	1.00 EA		0.00	16.74	0.00	3.34	20.08
Closet Shelving							
233. Shelving - wire (vinyl coated) - Detach & reset	41.42 LF		0.00	8.86	0.00	73.40	440.38
234. Clean shelving - wire (vinyl coated)	41.42 LF		0.00	1.99	0.09	16.50	99.02
Windows/Trim							
235. Seal & paint window stool and apron	7.00 LF		0.00	4.27	0.31	6.04	36.24
236. Paint window trim & jamb - 2 coats (per side)	2.00 EA		0.00	33.91	1.18	13.80	82.80
237. Window blind - horizontal or vertical - Detach & reset	2.00 EA		0.00	34.11	0.00	13.64	81.86
238. Clean window blind - horizontal or vertical	30.00 SF		0.00	1.47	0.03	8.82	52.95
Doors/Trim							
239. Interior door - Detach & reset	2.00 EA		0.00	77.10	0.20	30.88	185.28
Allowance to detach & reset Entry & Closet doors, required to replace flooring.							
240. Door dummy knob - Detach & reset	1.00 EA		0.00	7.97	0.00	1.60	9.57
241. Door knob/lockset - Detach & reset	1.00 EA		0.00	22.77	0.00	4.56	27.33
242. Paint door slab only - 2 coats (per side)	4.00 EA		0.00	40.71	3.96	33.36	200.16
Allowance to paint both sides of the Closet Door and one side of the Entry Door & the Master Bathroom Door.							
243. Casing - 3 1/4"	34.00 LF		0.00	3.39	8.97	24.86	149.09
244. Paint door trim & jamb - 2 coats (per side)	4.00 EA		0.00	33.91	2.36	27.60	165.60
Allowance to paint both sides of the Closet Door trim and one side of the Entry Door trim & the Master Bathroom Door trim.							
Base/Trim							

ATA Loss Consultants

25910 Canal Road
Suite 269
Orange Beach AL 36561
800-935-9270

CONTINUED - Master Bedroom

DESCRIPTION	QTY	RESET	REMOVE	REPLACE	TAX	O&P	TOTAL
245. Mask and prep for paint - tape only (per LF)	74.00 LF		0.00	0.44	0.32	6.58	39.46
246. R&R Baseboard - 3 1/4"	74.00 LF		0.58	2.69	9.72	50.34	302.04
247. Paint baseboard - two coats	74.00 LF		0.00	1.55	1.22	23.18	139.10
Floors							
248. Remove Carpet	227.31 SF		0.41	0.00	0.00	18.64	111.84
249. Remove Carpet pad	227.31 SF		0.17	0.00	0.00	7.72	46.36
250. Clean floor - Heavy	227.31 SF		0.00	1.22	0.25	55.52	333.09
Allowance to clean & prep sub-flooring for new floors.							
251. Apply anti-microbial agent to the floor	227.31 SF		0.00	0.41	1.00	18.84	113.04
252. Carpet pad	227.31 SF		0.00	0.68	14.44	33.80	202.81
253. Carpet	261.40 SF		0.00	3.04	65.26	172.00	1,031.92
15 % waste added for Carpet							
Misc.							
254. Content Manipulation charge - per hour	5.00 HR		0.00	91.15	0.00	91.16	546.91
255. Protect - Cover with plastic	227.31 SF		0.00	0.42	2.74	19.64	117.85
Allowance to cover the carpet flooring.							
256. Final cleaning - construction - Residential	227.31 SF		0.00	0.58	0.00	26.36	158.20
Totals: Master Bedroom					135.71	1,328.66	7,971.64




Master Bathroom **Height: 7' 7"**

316.18	SF Walls	70.06	SF Ceiling
386.24	SF Walls & Ceiling	70.06	SF Floor
7.78	SY Flooring	41.17	LF Floor Perimeter
45.17	LF Ceil. Perimeter		

Door **2' 4" X 6' 7"** **Opens into MASTER_BEDR2**

ATA Loss Consultants

25910 Canal Road
Suite 269
Orange Beach AL 36561
800-935-9270



Subroom: Closet (1) **Height: 7' 7"**

58.54 SF Walls	5.11 SF Ceiling
63.65 SF Walls & Ceiling	5.11 SF Floor
0.57 SY Flooring	7.50 LF Floor Perimeter
9.17 LF Ceil. Perimeter	

Door **1' 8" X 6' 7"** **Opens into MASTER_BATHR**

DESCRIPTION	QTY	RESET	REMOVE	REPLACE	TAX	O&P	TOTAL
Walls							
257. Mask and prep for paint - plastic, paper, tape (per LF)	54.33 LF		0.00	2.03	1.61	22.38	134.28
258. Drywall patch / small repair, ready for paint	1.00 EA		0.00	94.70	0.44	19.02	114.16
Allowance to repair water damaged drywall.							
259. Scrape the walls & prep for paint	374.72 SF		0.00	0.99	0.41	74.28	445.66
260. Seal the walls w/PVA primer - one coat	374.72 SF		0.00	0.88	2.46	66.46	398.67
261. Texture drywall - light hand texture	374.72 SF		0.00	1.01	2.05	76.12	456.64
262. Paint the walls - two coats	374.72 SF		0.00	1.38	9.44	105.30	631.85
Linen Closet Shelving							
263. Shelving - wire (vinyl coated) - Detach & reset	10.80 LF		0.00	8.86	0.00	19.14	114.83
264. Clean shelving - wire (vinyl coated)	10.80 LF		0.00	1.99	0.02	4.30	25.81
Doors/Trim							
265. Interior door - Detach & reset	2.00 EA		0.00	77.10	0.20	30.88	185.28
Allowance to detach & reset door, required to replace flooring.							
266. Door knob/lockset - Detach & reset	2.00 EA		0.00	22.77	0.00	9.10	54.64
267. Paint door slab only - 2 coats (per side)	3.00 EA		0.00	40.71	2.97	25.02	150.12
268. Casing - 3 1/4"	32.00 LF		0.00	3.39	8.44	23.38	140.30
Allowance to replace door casings.							
269. Paint door trim & jamb - 2 coats (per side)	3.00 EA		0.00	33.91	1.77	20.70	124.20
Allowance to paint door casings.							
MEPs.							

CONTINUED - Master Bathroom


DESCRIPTION	QTY	RESET	REMOVE	REPLACE	TAX	O&P	TOTAL
270. Vanity	5.00 LF		0.00	229.42	104.96	250.42	1,502.48
271. Seal & paint vanity - inside and out	5.00 LF		0.00	40.77	3.06	41.40	248.31
272. Detach & Reset Detach & Reset Countertop - Granite or Marble	11.00 SF	31.89	0.00	0.00	0.08	70.18	421.05
273. R&R Backsplash - solid surface - Unattached	9.40 LF		1.07	14.56	10.93	31.58	189.43
274. Cabinet knobs or pulls - Detach & reset	6.00 EA		0.00	2.39	0.00	2.86	17.20
275. Sink - undermount - Detach & reset	1.00 EA		0.00	281.48	0.17	56.34	337.99
276. Clean sink and faucet - Heavy	1.00 EA		0.00	69.74	0.01	13.94	83.69
277. Toilet - Detach & reset	1.00 EA		0.00	264.09	0.81	52.98	317.88
278. Clean toilet - Heavy	1.00 EA		0.00	88.18	0.01	17.64	105.83
279. R&R Angle stop valve	3.00 EA		13.39	36.62	2.36	30.50	182.89
280. R&R Plumbing fixture supply line	3.00 EA		13.39	21.56	2.25	21.44	128.54
281. R&R P-trap assembly - ABS (plastic)	1.00 EA		20.10	65.75	0.75	17.34	103.94
Bath Accessories							
282. Bathroom mirror - Detach & reset	15.00 SF		0.00	9.58	0.00	28.74	172.44
283. Clean mirror - Heavy	15.00 SF		0.00	1.43	0.02	4.30	25.77
284. Detach & Reset Detach & Reset Light bar - 4 lights	1.00 EA	58.86	0.00	0.00	0.00	11.78	70.64
285. Clean light bar - Heavy	1.00 EA		0.00	58.15	0.01	11.64	69.80
286. Towel ring - Detach & reset	1.00 EA		0.00	17.71	0.00	3.54	21.25
287. Clean towel ring	1.00 EA		0.00	8.01	0.00	1.60	9.61
Base/Trim							
288. Mask and prep for paint - tape only (per LF)	48.67 LF		0.00	0.44	0.21	4.32	25.94
289. R&R Baseboard - 3 1/4"	48.67 LF		0.58	2.69	6.39	33.10	198.64
290. R&R Quarter round - 3/4"	48.67 LF		0.22	1.67	3.94	19.18	115.11
291. Seal & paint baseboard w/cap &/or shoe - two coats	48.67 LF		0.00	1.91	1.39	18.88	113.23
Floors							
292. Remove Tile floor covering - High grade	75.11 SF		3.26	0.00	0.00	48.98	293.84
293. Remove Mortar bed for tile	75.11 SF		1.74	0.00	0.00	26.14	156.83
294. Remove 1/4" Cement board	75.11 SF		0.99	0.00	0.00	14.88	89.24

ATA Loss Consultants

25910 Canal Road
Suite 269
Orange Beach AL 36561
800-935-9270

CONTINUED - Master Bathroom

DESCRIPTION	QTY	RESET	REMOVE	REPLACE	TAX	O&P	TOTAL
295. Clean floor - Heavy	75.11 SF		0.00	1.22	0.08	18.34	110.05
Allowance to clean & prep sub-flooring for new floors.							
296. Apply anti-microbial agent to the floor	75.11 SF		0.00	0.41	0.33	6.22	37.35
297. Mortar bed for tile	75.11 SF		0.00	4.87	12.50	75.66	453.95
298. 1/4" Cement board	82.62 SF		0.00	3.10	13.39	53.90	323.41
10% waste has been added							
299. Tile floor covering - High grade	82.62 SF		0.00	11.34	63.60	200.10	1,200.61
10% waste has been added							
Misc.							
300. Content Manipulation charge - per hour	2.00 HR		0.00	91.15	0.00	36.46	218.76
301. Floor protection - cloth - skid resistant, leak proof	75.11 SF		1.36	0.00	2.88	21.02	126.05
Allowance to cover hard surface flooring.							
302. Final cleaning - construction - Residential	75.11 SF		0.00	0.58	0.00	8.72	52.28
Totals: Master Bathroom					259.94	1,750.20	10,500.47



Utility Room **Height: 7' 7"**

165.86	SF Walls	36.85	SF Ceiling
202.72	SF Walls & Ceiling	36.85	SF Floor
4.09	SY Flooring	22.17	LF Floor Perimeter
24.67	LF Ceil. Perimeter		

Door **2' 6" X 6' 7"** **Opens into HALLWAY_2**

Window **1' 10" X 2' 7"** **Opens into Exterior**

DESCRIPTION	QTY	RESET	REMOVE	REPLACE	TAX	O&P	TOTAL
Walls							
303. Mask and prep for paint - plastic, paper, tape (per LF)	24.67 LF		0.00	2.03	0.73	10.16	60.97
304. Drywall patch / small repair, ready for paint	1.00 EA		0.00	94.70	0.44	19.02	114.16
Allowance to repair water damaged drywall.							
305. Scrape the walls & prep for paint	165.86 SF		0.00	0.99	0.18	32.88	197.26

CONTINUED - Utility Room

DESCRIPTION	QTY	RESET	REMOVE	REPLACE	TAX	O&P	TOTAL
306. Seal the walls w/PVA primer - one coat	165.86 SF		0.00	0.88	1.09	29.42	176.47
307. Texture drywall - light hand texture	165.86 SF		0.00	1.01	0.91	33.68	202.11
308. Paint the walls - two coats	165.86 SF		0.00	1.38	4.18	46.62	279.69
Shelving							
309. Shelving - wire (vinyl coated) - Detach & reset	3.00 LF		0.00	8.86	0.00	5.32	31.90
310. Clean shelving - wire (vinyl coated)	3.00 LF		0.00	1.99	0.01	1.20	7.18
Windows/Trim							
311. Seal & paint window stool and apron	2.50 LF		0.00	4.27	0.11	2.16	12.95
312. Paint window trim & jamb - 2 coats (per side)	1.00 EA		0.00	33.91	0.59	6.90	41.40
313. Window blind - horizontal or vertical - Detach & reset	1.00 EA		0.00	34.11	0.00	6.82	40.93
314. Clean window blind - horizontal or vertical	10.00 SF		0.00	1.47	0.01	2.94	17.65
Doors/Trim							
315. Interior door - Detach & reset	1.00 EA		0.00	77.10	0.10	15.44	92.64
Allowance to detach & reset door, required to replace flooring.							
316. Door knob/lockset - Detach & reset	1.00 EA		0.00	22.77	0.00	4.56	27.33
317. Paint door slab only - 2 coats (per side)	1.00 EA		0.00	40.71	0.99	8.34	50.04
318. Casing - 3 1/4"	16.00 LF		0.00	3.39	4.22	11.68	70.14
Allowance to replace door casings.							
319. Paint door trim & jamb - 2 coats (per side)	1.00 EA		0.00	33.91	0.59	6.90	41.40
Allowance to paint door casings.							
Appliances							
320. Washer/Washing machine - Remove & reset	1.00 EA		0.00	48.36	0.00	9.68	58.04
321. Clean washer - interior and exterior	1.00 EA		0.00	24.25	0.03	4.86	29.14
322. Dryer - Remove & reset	1.00 EA		0.00	37.29	0.00	7.46	44.75
323. Clean dryer - interior and exterior	1.00 EA		0.00	21.14	0.03	4.22	25.39
MEPs.							
324. Water heater - Detach & reset	1.00 EA		0.00	615.76	0.00	123.16	738.92

ATA Loss Consultants

25910 Canal Road
Suite 269
Orange Beach AL 36561
800-935-9270

CONTINUED - Utility Room

DESCRIPTION	QTY	RESET	REMOVE	REPLACE	TAX	O&P	TOTAL
Base/Trim							
325. Mask and prep for paint - tape only (per LF)	22.17 LF		0.00	0.44	0.10	1.98	11.83
326. R&R Baseboard - 3 1/4"	22.17 LF		0.58	2.69	2.91	15.08	90.49
327. R&R Quarter round - 3/4"	22.17 LF		0.22	1.67	1.80	8.74	52.44
328. Seal & paint baseboard w/cap &/or shoe - two coats	22.17 LF		0.00	1.91	0.63	8.58	51.55
Floors							
329. Remove Tile floor covering - High grade	36.85 SF		3.26	0.00	0.00	24.02	144.15
330. Remove Mortar bed for tile	36.85 SF		1.74	0.00	0.00	12.82	76.94
331. Remove 1/4" Cement board	36.85 SF		0.99	0.00	0.00	7.30	43.78
332. Clean floor - Heavy	36.85 SF		0.00	1.22	0.04	9.00	54.00
Allowance to clean & prep sub-flooring for new floors.							
333. Apply anti-microbial agent to the floor	36.85 SF		0.00	0.41	0.16	3.06	18.33
334. Mortar bed for tile	36.85 SF		0.00	4.87	6.13	37.12	222.71
335. 1/4" Cement board	40.54 SF		0.00	3.10	6.57	26.46	158.70
10% waste has been added							
336. Tile floor covering - High grade	40.54 SF		0.00	11.34	31.21	98.18	589.11
10% waste has been added							
Misc.							
337. Content Manipulation charge - per hour	2.00 HR		0.00	91.15	0.00	36.46	218.76
338. Floor protection - cloth - skid resistant, leak proof	36.85 SF		1.36	0.00	1.41	10.30	61.83
Allowance to cover hard surface flooring.							
339. Final cleaning - construction - Residential	36.85 SF		0.00	0.58	0.00	4.28	25.65
Totals: Utility Room					65.17	696.80	4,180.73

ATA Loss Consultants

25910 Canal Road
Suite 269
Orange Beach AL 36561
800-935-9270




Bedroom 2 **Height: 7' 7"**

291.69	SF Walls	121.00	SF Ceiling
412.69	SF Walls & Ceiling	121.00	SF Floor
13.44	SY Flooring	39.67	LF Floor Perimeter
44.17	LF Ceil. Perimeter		

Door **2' 6" X 6' 7"** **Opens into HALLWAY_2**

Window **2' 11" X 4' 8"** **Opens into Exterior**



Subroom: Bedroom 2 Closet (1) **Height: 7' 7"**

90.47	SF Walls	9.42	SF Ceiling
99.90	SF Walls & Ceiling	9.42	SF Floor
1.05	SY Flooring	11.67	LF Floor Perimeter
13.67	LF Ceil. Perimeter		

Door **2' X 6' 7"** **Opens into BEDROOM_2**


DESCRIPTION	QTY	RESET	REMOVE	REPLACE	TAX	O&P	TOTAL
Walls							
340. Mask and prep for paint - plastic, paper, tape (per LF)	57.83 LF		0.00	2.03	1.71	23.82	142.92
341. Drywall patch / small repair, ready for paint	1.00 EA		0.00	94.70	0.44	19.02	114.16
Allowance to repair water damaged drywall.							
342. Scrape the walls & prep for paint	382.17 SF		0.00	0.99	0.42	75.76	454.53
343. Seal the walls w/PVA primer - one coat	382.17 SF		0.00	0.88	2.51	67.76	406.58
344. Texture drywall - light hand texture	382.17 SF		0.00	1.01	2.09	77.62	465.70
345. Paint the walls - two coats	382.17 SF		0.00	1.38	9.63	107.40	644.42
346. TV Brackets - Wall or ceiling mounted - Detach & reset	1.00 EA		0.00	44.76	0.00	8.96	53.72
347. Clean Wall Mounted TV & Bracket	1.00 EA		0.00	35.00	0.00	7.00	42.00
348. Smoke detector - Detach & reset	1.00 EA		0.00	57.00	0.00	11.40	68.40
349. Clean smoke/carbon monoxide detector	1.00 EA		0.00	16.74	0.00	3.34	20.08
Closet Shelving							
350. Shelving - wire (vinyl coated) - Detach & reset	5.00 LF		0.00	8.86	0.00	8.86	53.16

CONTINUED - Bedroom 2

DESCRIPTION	QTY	RESET	REMOVE	REPLACE	TAX	O&P	TOTAL
351. Clean shelving - wire (vinyl coated)	5.00 LF		0.00	1.99	0.01	2.00	11.96
Windows/Trim							
352. Seal & paint window stool and apron	3.50 LF		0.00	4.27	0.15	3.04	18.14
353. Paint window trim & jamb - 2 coats (per side)	1.00 EA		0.00	33.91	0.59	6.90	41.40
354. Detach & Reset Detach & Reset Window drapery - hardware - single rod	1.00 EA	34.11	0.00	0.00	0.00	6.82	40.93
355. Clean drapes - sheer - flat - medium - Full service	1.00 EA		0.00	20.59	0.00	4.12	24.71
356. Window blind - horizontal or vertical - Detach & reset	1.00 EA		0.00	34.11	0.00	6.82	40.93
357. Clean window blind - horizontal or vertical	15.00 SF		0.00	1.47	0.02	4.42	26.49
Doors/Trim							
358. Interior door - Detach & reset	2.00 EA		0.00	77.10	0.20	30.88	185.28
Allowance to detach & reset Entry & Closet doors, required to replace flooring.							
359. Door dummy knob - Detach & reset	1.00 EA		0.00	7.97	0.00	1.60	9.57
360. Door knob/lockset - Detach & reset	1.00 EA		0.00	22.77	0.00	4.56	27.33
361. Paint door slab only - 2 coats (per side)	3.00 EA		0.00	40.71	2.97	25.02	150.12
Allowance to paint both sides of the Closet Door and one side of the Entry Door.							
362. Casing - 3 1/4"	34.00 LF		0.00	3.39	8.97	24.86	149.09
363. Paint door trim & jamb - 2 coats (per side)	4.00 EA		0.00	33.91	2.36	27.60	165.60
Allowance to paint both sides of the Closet Door trim and one side of the Entry Door trim.							
Base/Trim							
364. Mask and prep for paint - tape only (per LF)	51.33 LF		0.00	0.44	0.22	4.56	27.37
365. R&R Baseboard - 3 1/4"	51.33 LF		0.58	2.69	6.75	34.94	209.54
366. Paint baseboard - two coats	51.33 LF		0.00	1.55	0.84	16.08	96.48
Floors							
367. Remove Carpet	130.42 SF		0.41	0.00	0.00	10.70	64.17
368. Remove Carpet pad	130.42 SF		0.17	0.00	0.00	4.44	26.61
369. Clean floor - Heavy	130.42 SF		0.00	1.22	0.14	31.84	191.09
Allowance to clean & prep sub-flooring for new floors.							

CONTINUED - Bedroom 2


DESCRIPTION	QTY	RESET	REMOVE	REPLACE	TAX	O&P	TOTAL
370. Apply anti-microbial agent to the floor	130.42 SF		0.00	0.41	0.57	10.82	64.86
371. Carpet pad	130.42 SF		0.00	0.68	8.28	19.40	116.37
372. Carpet	149.99 SF		0.00	3.04	37.45	98.70	592.12
15 % waste added for Carpet							
Misc.							
373. Content Manipulation charge - per hour	5.00 HR		0.00	91.15	0.00	91.16	546.91
374. Protect - Cover with plastic	130.42 SF		0.00	0.42	1.57	11.28	67.63
Allowance to cover the carpet flooring.							
375. Final cleaning - construction - Residential	130.42 SF		0.00	0.58	0.00	15.12	90.76
Totals: Bedroom 2					87.89	908.62	5,451.13



Bedroom 1 **Height: 7' 7"**

291.14	SF Walls	121.00	SF Ceiling
412.14	SF Walls & Ceiling	121.00	SF Floor
13.44	SY Flooring	39.67	LF Floor Perimeter
44.17	LF Ceil. Perimeter		

Window	**3' X 4' 8"**	**Opens into Exterior**
Door	**2' 6" X 6' 7"**	**Opens into HALLWAY_2**



Subroom: Bedroom 1 Closet (1) **Height: 7' 7"**

89.04	SF Walls	9.26	SF Ceiling
98.31	SF Walls & Ceiling	9.26	SF Floor
1.03	SY Flooring	11.50	LF Floor Perimeter
13.50	LF Ceil. Perimeter		

Missing Wall - Goes to Floor	**2' X 6' 8"**	**Opens into BEDROOM_1**

DESCRIPTION	QTY	RESET	REMOVE	REPLACE	TAX	O&P	TOTAL
Walls							
376. Mask and prep for paint - plastic, paper, tape (per LF)	57.67 LF		0.00	2.03	1.70	23.76	142.53

CONTINUED - Bedroom 1

DESCRIPTION	QTY	RESET	REMOVE	REPLACE	TAX	O&P	TOTAL
377. Drywall patch / small repair, ready for paint	1.00 EA		0.00	94.70	0.44	19.02	114.16
Allowance to repair water damaged drywall.							
378. Scrape the walls & prep for paint	380.18 SF		0.00	0.99	0.42	75.36	452.16
379. Seal the walls w/PVA primer - one coat	380.18 SF		0.00	0.88	2.50	67.42	404.48
380. Texture drywall - light hand texture	380.18 SF		0.00	1.01	2.08	77.22	463.28
381. Paint the walls - two coats	380.18 SF		0.00	1.38	9.57	106.86	641.08
382. TV Brackets - Wall or ceiling mounted - Detach & reset	1.00 EA		0.00	44.76	0.00	8.96	53.72
383. Clean Wall Mounted TV & Bracket	1.00 EA		0.00	35.00	0.00	7.00	42.00
384. Smoke detector - Detach & reset	1.00 EA		0.00	57.00	0.00	11.40	68.40
385. Clean smoke/carbon monoxide detector	1.00 EA		0.00	16.74	0.00	3.34	20.08
Closet Shelving							
386. Shelving - wire (vinyl coated) - Detach & reset	5.00 LF		0.00	8.86	0.00	8.86	53.16
387. Clean shelving - wire (vinyl coated)	5.00 LF		0.00	1.99	0.01	2.00	11.96
Windows/Trim							
388. Seal & paint window stool and apron	3.50 LF		0.00	4.27	0.15	3.04	18.14
389. Paint window trim & jamb - 2 coats (per side)	1.00 EA		0.00	33.91	0.59	6.90	41.40
390. Detach & Reset Detach & Reset Window drapery - hardware - single rod	2.00 EA	34.11	0.00	0.00	0.00	13.64	81.86
391. Window blind - horizontal or vertical - Detach & reset	1.00 EA		0.00	34.11	0.00	6.82	40.93
392. Clean window blind - horizontal or vertical	15.00 SF		0.00	1.47	0.02	4.42	26.49
Doors/Trim							
393. Interior door - Detach & reset	2.00 EA		0.00	77.10	0.20	30.88	185.28
Allowance to detach & reset Entry & Closet doors, required to replace flooring.							
394. Door dummy knob - Detach & reset	1.00 EA		0.00	7.97	0.00	1.60	9.57
395. Door knob/lockset - Detach & reset	1.00 EA		0.00	22.77	0.00	4.56	27.33
396. Paint door slab only - 2 coats (per side)	3.00 EA		0.00	40.71	2.97	25.02	150.12

ATA Loss Consultants

25910 Canal Road
Suite 269
Orange Beach AL 36561
800-935-9270

CONTINUED - Bedroom 1

DESCRIPTION	QTY	RESET	REMOVE	REPLACE	TAX	O&P	TOTAL
Allowance to paint both sides of the Closet Door and one side of the Entry Door.							
397. Casing - 3 1/4"	34.00 LF		0.00	3.39	8.97	24.86	149.09
398. Paint door trim & jamb - 2 coats (per side)	4.00 EA		0.00	33.91	2.36	27.60	165.60
Allowance to paint both sides of the Closet Door trim and one side of the Entry Door trim.							
Base/Trim							
399. Mask and prep for paint - tape only (per LF)	51.17 LF		0.00	0.44	0.22	4.54	27.27
400. R&R Baseboard - 3 1/4"	51.17 LF		0.58	2.69	6.72	34.82	208.87
401. Paint baseboard - two coats	51.17 LF		0.00	1.55	0.84	16.02	96.17
Floors							
402. Remove Carpet	130.26 SF		0.41	0.00	0.00	10.68	64.09
403. Remove Carpet pad	130.26 SF		0.17	0.00	0.00	4.42	26.56
404. Clean floor - Heavy	130.26 SF		0.00	1.22	0.14	31.80	190.86
Allowance to clean & prep sub-flooring for new floors.							
405. Apply anti-microbial agent to the floor	130.26 SF		0.00	0.41	0.57	10.80	64.78
406. Carpet pad	130.26 SF		0.00	0.68	8.27	19.38	116.23
407. Carpet	149.80 SF		0.00	3.04	37.40	98.56	591.35
15 % waste added for Carpet							
Misc.							
408. Content Manipulation charge - per hour	5.00 HR		0.00	91.15	0.00	91.16	546.91
409. Protect - Cover with plastic	130.26 SF		0.00	0.42	1.57	11.26	67.54
Allowance to cover the carpet flooring.							
410. Final cleaning - construction - Residential	130.26 SF		0.00	0.58	0.00	15.12	90.67
Totals: Bedroom 1					87.71	909.10	5,454.12

Water Extraction & Packout

DESCRIPTION	QTY	RESET	REMOVE	REPLACE	TAX	O&P	TOTAL
(Water Extration & Packout per Choice Claims Services Estimate)							
411. Water extraction from hard surface floor	1,450.99 SF		0.00	0.24	0.00	69.64	417.88

CONTINUED - Water Extraction & Packout

DESCRIPTION	QTY	RESET	REMOVE	REPLACE	TAX	O&P	TOTAL
412. Job-site moving/storage container - 20' long - per month	1.00 MO		0.00	240.00	26.28	53.26	319.54
Allowance for (1) container, for (1) months.							
413. Job-site moving container - pick up/del. (ea. way) 12'-20'	2.00 EA		0.00	89.00	19.49	39.50	236.99
Allowance for pick-up/delivery of each of the (1) container, each way, for a total of (2) trips.							
414. Provide box, packing paper & tape - medium size	20.00 EA		0.00	3.78	8.28	16.78	100.66
415. Provide box, packing paper & tape - large size	20.00 EA		0.00	5.06	11.08	22.46	134.74
416. Inventory, Packing, Boxing, and Moving charge - per hour	12.00 HR		0.00	46.34	0.00	111.22	667.30
Totals: Water Extraction & Packout					65.13	312.86	1,877.11

General Conditions

DESCRIPTION	QTY	RESET	REMOVE	REPLACE	TAX	O&P	TOTAL
General Conditions							
417. Dumpster load - Approx. 20 yards, 4 tons of debris	1.00 EA		660.00	0.00	0.00	132.00	792.00
418. Material Only Sheathing - OSB - 1/2"	160.00 SF		0.00	0.70	12.26	24.86	149.12
To Protect Driveway from Damage by Dumpster.							
419. Taxes, insurance, permits & fees (Bid Item)	1.00 EA		0.00	0.00	0.00	0.00	0.00
Taxes, insurance, permits & fees (As Incurred)							
420. Plumber - per hour	2.00 HR		0.00	127.00	0.00	50.80	304.80
Allowance for labor to cut & cap plumbing in the Kitchen & Bathrooms to make repairs.							
Totals: General Conditions					12.26	207.66	1,245.92
Total: 1st Floor					**1,334.58**	**12,244.28**	**73,461.71**

Labor Minimums Applied

DESCRIPTION	QTY	RESET	REMOVE	REPLACE	TAX	O&P	TOTAL
421. Heat, vent, & air cond. labor minimum	1.00 EA		0.00	296.65	0.00	59.34	355.99
422. Painting labor minimum	1.00 EA		0.00	107.29	0.00	21.46	128.75

ATA Loss Consultants

25910 Canal Road
Suite 269
Orange Beach AL 36561
800-935-9270

CONTINUED - Labor Minimums Applied

DESCRIPTION	QTY	RESET	REMOVE	REPLACE	TAX	O&P	TOTAL
423. Hazardous waste/mold rem. labor min	1.00 EA		0.00	15.25	0.00	3.06	18.31
Totals: Labor Minimums Applied					0.00	83.86	503.05
Line Item Totals: DBN_INVEST_25829-R2					**1,334.58**	**12,328.14**	**73,964.76**

Grand Total Areas:

3,458.76	SF Walls	1,293.94	SF Ceiling	4,752.70	SF Walls and Ceiling
1,263.23	SF Floor	140.36	SY Flooring	460.33	LF Floor Perimeter
0.00	SF Long Wall	0.00	SF Short Wall	524.67	LF Ceil. Perimeter
1,263.23	Floor Area	1,384.56	Total Area	3,492.89	Interior Wall Area
1,240.93	Exterior Wall Area	166.33	Exterior Perimeter of Walls		
0.00	Surface Area	0.00	Number of Squares	0.00	Total Perimeter Length
0.00	Total Ridge Length	0.00	Total Hip Length		

ATA Loss Consultants

25910 Canal Road
Suite 269
Orange Beach AL 36561
800-935-9270

Summary for Dwelling

Line Item Total	60,302.04
Material Sales Tax	1,288.81
Storage Rental Tax	45.77
Subtotal	61,636.62
Overhead	6,164.07
Profit	6,164.07
Replacement Cost Value	**$73,964.76**
Less Deductible	(1,000.00)
Net Claim	**$72,964.76**

ATA Loss Consulting

ATA Loss Consultants

25910 Canal Road
Suite 269
Orange Beach AL 36561
800-935-9270

Recap of Taxes, Overhead and Profit

	Overhead (10%)	Profit (10%)	Material Sales Tax (10.95%)	Storage Rental Tax (10.95%)
Line Items	6,164.07	6,164.07	1,288.81	45.77
Total	**6,164.07**	**6,164.07**	**1,288.81**	**45.77**

ATA Loss Consultants

25910 Canal Road
Suite 269
Orange Beach AL 36561
800-935-9270

Recap by Room

Estimate: DBN_INVEST_25829-R2


Area: 1st Floor		
Foyer/Entry	**2,333.13**	**3.87%**
Sitting Room	**3,866.79**	**6.41%**
Hallway 1	**2,293.86**	**3.80%**
Kitchen	**9,261.23**	**15.36%**
Living Room	**5,654.35**	**9.38%**
Hallway 2	**1,580.69**	**2.62%**
Hall Bathroom	**5,039.39**	**8.36%**
Master Bedroom	**6,507.27**	**10.79%**
Master Bathroom	**8,490.33**	**14.08%**
Utility Room	**3,418.76**	**5.67%**
Bedroom 2	**4,454.62**	**7.39%**
Bedroom 1	**4,457.31**	**7.39%**
Water Extraction & Packout	**1,499.12**	**2.49%**
General Conditions	**1,026.00**	**1.70%**
Area Subtotal: 1st Floor	**59,882.85**	**99.30%**
Labor Minimums Applied	**419.19**	**0.70%**
Subtotal of Areas	**60,302.04**	**100.00%**
Total	**60,302.04**	**100.00%**

ATA Loss Consultants

25910 Canal Road
Suite 269
Orange Beach AL 36561
800-935-9270

Recap by Category

O&P Items	Total	%
APPLIANCES	586.59	0.79%
CABINETRY	6,038.01	8.16%
CONT: CLEAN APPLIANCES	45.39	0.06%
CONT: GARMENT & SOFT GOODS CLN	61.77	0.08%
CLEANING	4,368.02	5.91%
CONTENT MANIPULATION	3,703.70	5.01%
CONT: PACKING,HANDLNG,STORAGE	910.88	1.23%
GENERAL DEMOLITION	4,692.75	6.34%
DOORS	1,161.92	1.57%
DRYWALL	4,500.84	6.09%
ELECTRICAL	171.00	0.23%
FLOOR COVERING - CARPET	2,037.86	2.76%
FLOOR COVERING - CERAMIC TILE	2,611.46	3.53%
FLOOR COVERING - WOOD	3,612.93	4.88%
FINISH CARPENTRY / TRIMWORK	3,194.50	4.32%
FINISH HARDWARE	873.87	1.18%
HAZARDOUS MATERIAL REMEDIATION	220.21	0.30%
HEAT, VENT & AIR CONDITIONING	317.96	0.43%
LIGHT FIXTURES	203.18	0.27%
MARBLE - CULTURED OR NATURAL	126.73	0.17%
PLUMBING	2,678.31	3.62%
PAINTING	15,705.69	21.23%
ROOFING	112.00	0.15%
TOILET & BATH ACCESSORIES	258.66	0.35%
TILE	800.63	1.08%
WINDOW TREATMENT	443.43	0.60%
WATER EXTRACTION & REMEDIATION	863.75	1.17%
O&P Items Subtotal	60,302.04	81.53%
Material Sales Tax	1,288.81	1.74%
Storage Rental Tax	45.77	0.06%
Overhead	6,164.07	8.33%
Profit	6,164.07	8.33%
Total	73,964.76	100.00%


Bedroom 1 Closet (1)
Bedroom 2
Bedroom 1
Bedroom 2 Closet (1)
Hallway 2
Utility Room
Upper Cabin3 (B3)
Vanity (B2)
Hall Bathroom
Living Room
Master Bedroom
Vanity1a(B2)
Closet (1)
Master Bathroom
Hallway 1
Kitchen
Upper Cabin2 (B3)
Upper Cabin1 (B3)
Over Fridge2 (B4)
Over Fridge1 (B1)
Master Closet (1)
Closet (1)
Foyer/Entry
Sitting Room
27' 3"
12'
1' 11"
12'
10' 1"
10' 5"
9' 11"
7' 3"
28' 11"
11' 2"
13' 11"
35' 7"
18' 9"
12' 1"
11' 5"
12' 9"
7' 1"
6' 4"
6' 4"
12'

N

1st Floor