

Claude Fit Logger

Deployment / Operations Runbook

1 Routine Deployment

Auto-deploy is enabled (“On Commit”), so any push to `main` redeploys automatically.

```
cd C:\Coding\claud-fit-logger
git add -A
git commit -m "... "
git push
```

Then check Render’s **Logs** tab for a clean startup (no errors, ends with `Application startup complete`).

2 Health Check

```
https://<your-service>.onrender.com/health
```

Should return `ok`. Use this to confirm the service is up, and to manually wake it from a cold start before a time-sensitive log.

3 Verifying a Live Write End-to-End

A useful diagnostic independent of Claude, run locally:

1. Obtain a fresh access token via the refresh-token exchange.
2. POST directly to the Google Health nutrition-log endpoint with a test entry.
3. If that succeeds (200) but the app doesn’t reflect it, the problem is elsewhere in the stack (see Troubleshooting) — not proof the whole system is broken.

4 Updating Environment Variables

Render dashboard → service → *Environment*. Any change triggers an automatic redeploy. Always verify the new value locally (e.g. a token-refresh test call) before relying on the redeployed server.

5 Rolling Back

Render keeps prior deploys. Dashboard → *Events / Deploys* tab → select a previous successful deploy → **Redeploy**.

6 Database Schema Changes

db.py uses `CREATE TABLE IF NOT EXISTS`, which does *not* alter an existing table's columns. When the schema changes (as it did during the Fit → Health migration), the table must be dropped manually before the next deploy:

```
python -c "import psycopg; psycopg.connect(
    'YOUR_NEON_STRING', autocommit=True
).execute('DROP TABLE IF EXISTS entries')"
```

This discards existing logged entries — acceptable for a personal daily log, but worth doing deliberately, not by surprise.

7 Reconnecting the Claude Connector

Required after: a Render restart (clears in-memory OAuth client registrations), or any change to `MCP_API_KEY` or `PUBLIC_BASE_URL`.

1. Claude Settings → Connectors → remove the existing entry.
2. Add it again with the same URL; no query parameters needed.
3. Confirm the four tools (`log_food`, `undo_entry`, `remove_entry`, `get_totals`) are listed as available.

8 Monitoring Checklist (periodic)

- Confirm the Google OAuth consent screen is still **Production** status (not reverted to Testing).
- Confirm Neon's free-tier storage (0.5 GB) isn't near capacity — unlikely for a personal log, but worth a glance occasionally.
- Confirm Render's free-tier usage hours aren't exceeded for the month.