GRPS1024

Utilities for iterating through the groups of order 1024 with p-class at least 3

0.1

20 June 2022

Burrell David

Burrell David
Email: davidburrell@ufl.edu

Contents

Chapter 1

Groups of Order 1024

1.1 Overview

This package gives access to all of the groups of order 1024 with p-class 3 and greater. The groups are sorted first by their parent group ids and then by the pc codes of the standard presentations for the groups. These groups were used in the 2021 enumeration of the groups of order 1024 [Bur21]

Chapter 2

Functionality

2.1 Methods

This section will describe the functions available in GRPS1024

2.1.1 NumDescendants (chardegblocks)

▷ NumDescendants(*modtbl*) (function)

Returns: a list

Computes the list of lists of degrees of ordinary characters associated to the p-blocks of the group G with p-modular character table `modtbl` and underlying ordinary character table `ordtbl`.

2.1.2 LoadDescendants

▷ LoadDescendants(*arg*) (function)

a description

2.1.3 CheckoutDescendants

▷ CheckoutDescendants(*arg*) (function)

a description

2.1.4 IsAvailable

▷ IsAvailable(*arg*) (function)

a description

2.1.5 FindGroupN

▷ FindGroupN(*arg*) (function)

a description

2.1.6 FindNthAvailableGroup

▷ FindNthAvailableGroup(*arg*) (function)

 a description

2.1.7 AvailableMap

▷ AvailableMap(*arg*) (function)

 a description

References

[Bur21] D. Burrell. On The Number of Groups of Order 1024. *Communications in Algebra*, 0(0):1–3, 2021. 3

Index