

PERSONA CHECKPOINT

Family Shield Persona Walkthrough

Can a frightened user move from an urgent message to independent verification without mistaking AI organization for identity proof?

STUDENT	PERSONA	VIEWPORT	DATE
David Buzali	Elena, 67, Mexico City	390 x 844 px	2026-08-29

Method limitation. The student chose to run the walkthrough in the existing working conversation so implementation context remained available. The evaluator therefore judged only the visible screen and treated hidden implementation details as unavailable to Elena. This is useful evidence, but it is less independent than the fresh-conversation method in the packet.

Elena's test stance

Read carefully. Assume a relative may be in danger. Avoid technical interpretation. State the next action. Identify any point where fear of pressing the wrong control could cause abandonment.

SCREEN-BY-SCREEN LOG

Persona findings

Screen	Elena's interpretation	Hesitation	Severity	Decision
Start	Pause before paying and verify another way.	Two start buttons require a short read.	Low	Keep actions distinct.
Upload and privacy	Add the screenshot; use only fictional data.	'Proveedor externo de IA' is mildly technical.	Low	Simplify provider language later.
Organized summary	The claim is organized, not authenticated.	Prior scroll position hides most of 'NO PAGUES TODAVIA'.	High	Reset scroll on every step change.
Warning and family code	AI cannot identify the sender; JACARANDA does not permit payment.	None.	None	Preserve both warnings.
Independent contacts	Call a number known before the emergency.	Retained scroll can hide the stop banner here too.	High	Cover with the same reset.
Diego unavailable	Try Laura or Roberto.	None; the next action is explicit.	None	Preserve the backup path.
Protocol Only	Do not pay; waiting is the correct outcome.	'Only' is less natural than the surrounding Spanish.	Medium	Consider 'SOLO PROTOCOLO' later.

Persona decision: PASS. Elena understands that AI did not authenticate Diego, JACARANDA does not authorize payment, verification must use a previously established contact, and Protocol Only means waiting is correct.

HIGHEST-SEVERITY CORRECTION

Keep the stop instruction visible after navigation



Observed defect. The organized-summary and independent-verification screens inherited the previous mobile scroll position. Elena could miss the strongest safety instruction exactly when she moved from reading the request to acting on it.

Correction. Reset the window to the top immediately, on the next animation frame, and after 100 ms. The delay was added after the first public correction attempt exposed a later scroll-restoration edge.

Retest. Both affected transitions passed locally and on the public Vercel alias at 390 x 844 px. The production build passed and all 15 safety tests passed.

NO PAGUES TODAVIA

The request has not been verified through an independent channel.