

Anexo Q — Claude Code en el repo: agentes, comandos, skills y memoria

Generado desde el repositorio storyMaker · commit 014fb99 · 2026-09-25 18:45 UTC · Qaracter group 2026

Cómo refleja el repo el uso de Claude Code (`CLAUDE.md`, `.claude/`, `docs/subagents.md`, `docs/skills.md`).

Los 13 agentes — su línea `tools:` es su autoridad

agente	tools	modelo	para qué
bible-critic	Glob	haiku	FLOW-4 gate, SPEC-EXAM-004. Reads one chapter draft once against the Story Bible, the world's rules and its own outline entry, and returns three score
chapter-writer	Glob	haiku	FLOW-4. Drafts one chapter from the Story Bible, its own outline entry and a rolling summary — never from a previous chapter's prose. Redrafts when th
character-architect	Read, Write	haiku	FLOW-2. Writes the cast, the timeline and the mysteries — bible/characters.md, bible/timeline.md and bible/mysteries.md — against a world that already
continuity-critic	Glob	haiku	FLOW-4 gate. Holds one chapter draft against the Story Bible and reports what contradicts it, as JSON with a score and quoted findings.
interviewer	Glob	haiku	FLOW-0. Turns what the buyer wrote into the brief's fields and names the ones still empty. Extracts and asks; it decides nothing.
judge	Glob	haiku	FLOW-6 publish gate, SPEC-EXAM-001 §2 validator <code>judge_rubric</code> . Reads the assembled book once, after every chapter has passed the gate, and scores six
outline-critic	Glob	haiku	FLOW-4 gate, LOOP-003 characteristic 3. Holds one chapter draft against the beats its own outline entry assigned it, and reports which are missing or
plot-architect	Glob	haiku	FLOW-3. Writes the outline — acts, a per-chapter tension curve, and the promises made to the reader. The last agent that sees the whole book at once.
prose-critic	Glob	haiku	FLOW-4 gate, SPEC-006 characteristic 6. Holds one chapter draft against the writing itself — paragraphs that advance nothing, dialogue any character c
publisher	Glob	haiku	FLOW-6. Writes the back-cover synopsis. The manuscript itself is assembled by the orchestrator, not by this agent.
science-critic	Glob	haiku	FLOW-4 gate. Holds one chapter draft against the rules the world declared in bible/world.md — whatever kind of rules those are — and reports where it
style-editor	Glob	haiku	FLOW-5. Gives one voice to chapters written in isolation from each other. Normalises presentation only — deliberately unable to rewrite a word.
worldbuilder	Read, Write	haiku	FLOW-1. Turns the premise into the rules the story runs on — whatever kind of rules its genre has — and writes bible/world.md. One of only two agents

Solo `worldbuilder` y `character-architect` escriben la Biblia; `chapter-writer` solo tiene `Glob`, así que no puede leer capítulos anteriores. Un test fija cada línea `tools:`.

Comandos propios (`.claude/commands/`)

comando	qué hace
<code>/publish</code>	Publish a finished run - personalise, ingest the Bible, print the PDF, record every validator, ask the judge
<code>/reader-change</code>	A reader changes one fact; only the chapters that use it are rewritten, as a new version
<code>/run-eval</code>	Regenerate the eval table from the validations rows - no model call, no cost
<code>/status</code>	What is running, what it has spent, and whether it is safe to launch another run

Skills del proyecto (`.claude/skills/`)

`fastmcp`, `novaforge`, `storymaker` — más las de proceso y stack listadas en `docs/skills.md`.

Memoria del proyecto (`.claude/memory/`)

- The writer's isolation is a capability — `chapter-writer` holds only `Glob`; never add `Read`
- The orchestrator is the bill — ~92 % of a novel's cost; Sonnet, never Haiku, and check `modelUsage`
- Absent is never zero — a figure nobody measured is NULL and says so
- The recipient's name goes in by code — models write a placeholder; `personalise` puts the alias in at publication
- A reader change must arrive — the gate does not check a changed fact; the arrival check does
- Operating rules that each cost a run — one server per database, suite alone before a push, prompt on stdin
- Who approves spending — only the owner's words, in the session that spends