Visoka škola strukovnih studija za informacione i komunikacione tehnologije



Dokumentacija

(https://coffeestoreblend.000webhostapp.com)

Predmet: Web programiranje PHP1 **Student:** David Carević 159/14

Beograd, Jun 2018.

Sadržaj:

| 1. | Uν | od | 4 |
|----|----|--------------------------------------|----|
| • | ŀ | Korišćeni programiski jezici | 4 |
| • | (| Opis funkcionalnosti | 4 |
| • | ٦ | Геmplate | 5 |
| • | ŀ | Korišćeni CSS | 6 |
| 2. | Or | ganizacija | 6 |
| • | (| Organizaciona šema | 6 |
| • | ſ | Mapa sajta | 6 |
| • | 9 | Stranice | 7 |
| | 0 | Home | 7 |
| | 0 | About | 8 |
| | 0 | Author | 9 |
| | 0 | Admin | 10 |
| | 0 | Contact | 10 |
| | 0 | Shop | 12 |
| | 0 | User | 13 |
| 3. | Ко | dovi | 13 |
| • | F | PHP | 13 |
| | 0 | about.php | 13 |
| | 0 | admin.php | 14 |
| | 0 | ajax_insert_poll.php | 58 |
| | 0 | author.php | 59 |
| | 0 | config.php | 61 |
| | 0 | connection.php | 61 |
| | 0 | contact.php | 62 |
| | 0 | footer.php | 64 |
| | 0 | funkcije.php (preuzeto sa lab vežbi) | 64 |
| | 0 | header.php | 65 |

| | 0 | home.php | 69 |
|---|---|-------------------------------------|----|
| | 0 | index.php | 69 |
| | 0 | logout.php | 70 |
| | 0 | reg.php | 70 |
| | 0 | shop.php | 75 |
| | 0 | user.php | 76 |
| • | (| CSS | 79 |
| | 0 | stil.css | 79 |
| | 0 | lightbox.css(preuzeto sa interneta) | 81 |
| • | J | avaScript(JQuery) | 85 |
| | 0 | efekti.js | 85 |
| | 0 | lightbox.js(preuzeto sa interneta) | 90 |

1. Uvod

• Korišćeni programiski jezici


Za izradu sajta su korišćeni sledeći programski i markup jezici: HTML, CSS, CSS3, JavaScript, XML, JQuery, AJAX. Sajt je urđen u Visual Studio Code.

• Opis funkcionalnosti

Sajt ima sledeće funkcionalnosti:

- Drop down login koji je urađen pomoću JQuery-ja nalazi se na svim stranicama radi lepšeg vizuelnog efekta. Omogućava prijavljivanje korisnika.
- Anketa odrađena u PHP i Ajax-u. Nalazi se na strani Author. Anketa ajaxom insertuje u bazu, a zatim se prikazuju rezultate korisniku. Korisnik koji je glasao više ne može da vidi formu za glasanje.
- Forma za registraciju odrađena pomoću JS-a, Jquery-ja,PHP-a. Validacija se vrši preko regularnih izraza. Nalazi se na stranici Register.
- Forma za kontakt odrađena pomoću JS-a i PHP-a . Validacija se vrši preko regularnih izraza. Nalazi se na stranici Contact. Njome se šalje email administartoru sajta.
- **Hover efekat** preko linkova u meniju uradjen pomoću Jquery-a. Takođe se efekat daje I dugmićima.
- Hover efekat preko slika izveden u css3.
- Galerija na Home strani urađena pomoću fotorama Jquery plugina koji se poziva putem interneta.
- Galerija na About us strani urađena pomoću PHP i lightbox plugina.

- Galerija na Shop strani urađena pomoću PHP i lightbox plugina. Shop se ceo učitava iz baze bez mogućnosti kupovine.
- Forma na User strani omogućava korisniku da promeni svoj password i email.
- Forme na Admin strani omogućavaju korisnicima sa administratorskim privilegijama da kompletno kontrolišu sav dinamički sadržaj sajta.
- Sav sadržaj sem logo-a I footera sajta se učitava dinamički iz baze podataka.
- Zaštita stranica sesijma.



Sadržaj u centru se dinamički menja u zavisnosti od strane. Footer i header ostaju uvek.

Korišćeni CSS
 Nema tuđeg CSS-a sem za lightbox plugin.

2. Organizacija

Organizaciona šema



Sve stranice mogu da pristupaju jedna drugoj pod uslovom da korisnik ima sesiju.

Mapa sajta

```
<lastmod>2018-06-18T10:44:47+00:00</lastmod>
  <priority>1.00</priority>
</url>
<url>
  <loc>https://coffeestoreblend.000webhostapp.com/index.php?page=home</loc>
  <lastmod>2018-06-18T10:44:47+00:00</lastmod>
  <priority>0.80</priority>
</url>
<url>
  <loc>https://coffeestoreblend.000webhostapp.com/index.php?page=about</loc>
  <lastmod>2018-06-18T10:44:47+00:00</lastmod>
  <priority>0.80</priority>
</url>
<url>
  <loc>https://coffeestoreblend.000webhostapp.com/index.php?page=reg</loc>
  <lastmod>2018-06-18T10:44:47+00:00</lastmod>
  <priority>0.80</priority>
</url>
</urlset>
```

- Stranice
- o Home



Home About us Register Log In

Welcome to the website of Coffee Shop Blend

Are you a fan of coffee? Like trying out differnt types of coffee? Look no further, here we offer you the best blends of coffee you can find for a cheap price. Please create your account and see what we have to offer.



Powered by 7000webhost

Nalazi se glavni meni sa formom za logovanje koja se stvara na klik iz menija animacijom fadeln-Out, tekst se učitava iz baze kao i galerija koja se zatim stavlja u fotorama plugin.

o About



Home About us Register Log In



Since the doors first opened in 1887 coffee and tea have dominated the shops atmosphere. Today, 130 years later, Coffe Store Blend has evolved into one of the worlds best known and leading suppliers of coffee. Offering a choice of over 80 coffees from around the world. The list continues to grow as we continue to source speciality coffee from small corners of the world. We also pride ourselves on sourcing original, delicious and fine confectionery.



Powered by 6000webhost

There is also a large variety of domestic coffee makers. The shop still retains some original features, the wooden shelves along the walls, the original wooden counter and display case. If you are in the area please come and visit us. You may also like to join us for a coffee.



If ever there is something that you cannot find please contact us as we may have something in store that is not featured online.

Sadržaj se učitava iz baze. Zbog narušavanja izgleda, ova stranica može samo da se update-uje u admin panelu. Slike se mogu uvećati sa lightboxom na klik.

o Author




Coffee Store Blend

Home About us Shop David Contact Author Log Out Documentation



My name is David Carevé. I'm 4th year student at Viskoa ICT,Beigrade. This website was made as school project and is meant to showcase my current skillset when it comes to web programming. It was made using HTML, CSS, JS (and jquery), PHP, AJAX. Most of the content of the website is being pulled from a database for easier maniuplation and updating. The reason why I chose a coffee store as the theme for the website is simply because I'm a huge fan of different coffee blends and I tend to like trying out different and exotic brands of coffee. I hope you enjoy the website and please rate it via the poll.



Powered by 7000webhost

Na author stranici se pojavljuje anketa inicijalno korisniku, kada glasa, njegov glas se čuva u veznoj tabeli i više ne može da vidi formu za glasanje, umesto toga prikazuje mu se statistika glasanja. Upis glasa vrši se AJAX-om.

o Admin



Coffee Store Blend

Home About us Shop Admin Contact Author Log Out Documentation





Powered by 7000webhost

Admin strana inicijalno pokazuje samo side meni, koji kada se izabere stavka pokazuje tabelu koja omogućava modifikaciju stranice. Stranice author i about us nemaju funkcije za insert i delete zbog narušavanja izgleda. User i Poll se odnose na tabelu sa korisnicima i tabelu izbora za anketu.

Contact



Coffee Store Blend

Home About us Shop David Contact Author Log Out Documentation



owered by 從 000webhost

Kontakt stranica sadrži formu kojom se administratoru sajta šalje email.



Home About us Register Log In

| New Account |
|--------------------|
| Username: |
| |
| Password: |
| |
| E-mail: |
| |
| Information |
| Information |
| First name: |
| |
| |
| First name: |

Powered by 🏀 000webhost


Reg stranica sadrži formu za kreiranje naloga. Provera se radi regularnim izrazima u javascriptu i php-u.

o Shop



Coffee Store Blend

Home About us Shop David Contact Author Log Out Documentation



Shop strana iz baze učitava artikle i prikazuje ih. Slike su thumbnailovi koji se funkcijom posebno kreiraju pri insert u bazu. Lightbox prikauje pravu verziju slike. Dugmići ne rade ništa.

o User



Home About us Shop David Contact Author Log Out Documentation

Hello David, here you can update your data.



Powered by 6000webhost

User strana omogućava korisniku da promeni svoj password i email. Email mu se automatski postavlja na trenutni. Proverava se regularnim izrazima.

3. Kodovi

PHP

o about.php

```
<div class="about-holder">
  <div class="about-text"><h4><?php echo $rez[1]->text;?></h4></div>
  <div class="about-image"><a href="<?php echo $rez[1]->src;?>" data-
lightbox="aboutus"><img src="<?php echo $rez[1]->src;?>" alt="<?php echo $rez[1]-
>alt?>"/></a></div>
  </div>
 <div class="about-holder">
  <div class="about-image"><a href="<?php echo $rez[2]->src;?>" data-
lightbox="aboutus"><img src="<?php echo $rez[2]->src;?>" alt="<?php echo $rez[2]-
>alt?>"/></a></div>
  <div class="about-text"><h4><?php echo $rez[2]->text;?></h4></div>
</div>
```

o admin.php

```
<?php
  if(isset($_SESSION['user'])&& $_SESSION['user']->role=='admin'):
<div id="omotAdmin">
<div id="desni">
<h3>Select a site page from the menu and edit it! To delete and update rows, use the
checkboxes at the left of them.</h3>
<!--DELETE-->
<?php
  if(isset($_POST['delete-user'])){
    if(isset($_POST['cb'])){
   $cb=$ POST['cb'];
   foreach($cb as $c){
   $upit=$konekcija->prepare("DELETE FROM user WHERE id=:c");
   $upit->bindParam(':c',$c);
   $rez=$upit->execute();
   if($rez){
     echo"<h4 style='color:green;'>Users have been deleted! </h4>";
      echo"<h4 style='color:red;'>Error! </h4>";
  }
else{
  echo"<h4 style='color:red;'>Error you must check something! </h4>";
```

```
if(isset($_POST['delete-nav'])){
   if(isset($_POST['cb'])){
     $cb=$_POST['cb'];
    foreach($cb as $c){
   $upit=$konekcija->prepare("DELETE FROM nav WHERE id=:c");
   $upit->bindParam(':c',$c);
   $rez=$upit->execute();
   if($rez){
     echo"<h4 style='color:green;'>Link have been deleted! </h4>";
   else{
     echo"<h4 style='color:red;'>Error! </h4>";
  }
else{
  echo"<h4 style='color:red;'>Error you must check something! </h4>";
  }
  if(isset($ POST['delete-home-text'])){
   if(isset($_POST['cb'])){
     $cb=$_POST['cb'];
   foreach($cb as $c){
   $upit=$konekcija->prepare("DELETE FROM home_text WHERE id=:c");
    $upit->bindParam(':c',$c);
   $rez=$upit->execute();
   if($rez){
     echo"<h4 style='color:green;'>Text has been deleted! </h4>";
   else{
     echo"<h4 style='color:red;'>Error! </h4>";
else{
  echo"<h4 style='color:red;'>Error you must check something! </h4>";
```

```
if(isset($_POST['delete-home-image'])){
   if(isset($_POST['cb'])){
     $cb=$_POST['cb'];
   foreach($cb as $c){
   $upit=$konekcija->prepare("DELETE FROM home_image WHERE id=:c");
   $upit->bindParam(':c',$c);
   $rez=$upit->execute();
   if($rez){
      echo"<h4 style='color:green;'>Images have been deleted! </h4>";
   else{
     echo"<h4 style='color:red;'>Error! </h4>";
    }
else{
  echo"<h4 style='color:red;'>Error you must check something! </h4>";
  }
  if(isset($_POST['delete-shop'])){
   if(isset($_POST['cb'])){
     $cb=$ POST['cb'];
   foreach($cb as $c){
   $upit=$konekcija->prepare("DELETE FROM shop WHERE id=:c");
    $upit->bindParam(':c',$c);
   $rez=$upit->execute();
   if($rez){
     echo"<h4 style='color:green;'>Items have been deleted! </h4>";
   else{
     echo"<h4 style='color:red;'>Error! </h4>";
else{
  echo"<h4 style='color:red;'>Error you must check something! </h4>";
```

```
if(isset($_POST['delete-poll'])){
    if(isset($_POST['cb'])){
      $cb=$_POST['cb'];
    foreach($cb as $c){
    $upit=$konekcija->prepare("DELETE FROM poll WHERE id=:c");
    $upit->bindParam(':c',$c);
    $rez=$upit->execute();
    if($rez){
      echo"<h4 style='color:green;'>Votes have been deleted! </h4>";
    else{
      echo"<h4 style='color:red;'>Error! </h4>";
  }
else{
  echo"<h4 style='color:red;'>Error you must check something! </h4>";
  }
<!--DELETE-->
<?php
if(isset($_POST['insert-user'])){
  $user=$_POST['newusername'];
  $pass1=$_POST['newpassword'];
  $email=$_POST['newemail'];
```

```
$name=$ POST['newname'];
$lastname=$ POST['newlastname'];
$roleId=$_POST['newrole'];
$errors=[];
$reRoleId="/^[1-2]{1}$/";
if(!preg_match($reRoleId,$roleId)){$errors[]="Role Id is not okay.";}
$reUser="/^[A-Za-z0-9]{5,20}$/";
if(!preg_match($reUser,$user)){
 $errors[]="Username is not good.";
     $rePass1="/^[A-Za-z0-9]{5,15}$/";
if(!preg_match($rePass1,$pass1)){
 $errors[]="Pass is not good.";
if(!filter_var($email, FILTER_VALIDATE_EMAIL)){
  $errors[]="Email is not good.";
     $reName="/(^[A-Z]{1}[a-z]{2,19})(\s[A-Z]{1}[a-z]{2,19})*$/";
if(!preg_match($reName,$name)){
 $errors[]="Name is not good.";
     $reLastName="/(^[A-Z]{1}[a-z]{4,39})(\s[A-Z]{1}[a-z]{4,39})*$/";
if(!preg_match($reLastName,$lastname)){
 $errors[]="Lastname is not good.";
$rezUser=$konekcija->prepare("SELECT username FROM user WHERE username=:user");
$rezUser->bindParam(':user',$user);
$rezUser->execute();
$rezU=$rezUser->fetch();
if($rezU){
 $errors[]= "Username is taken !";
$rezEmail=$konekcija->prepare("SELECT email FROM user WHERE email=:email");
$rezEmail->bindParam(':email',$email);
$rezEmail->execute();
$rezE=$rezEmail->fetch();
if($rezE){
  $errors[]= "Email is taken !";
```

```
if(count($errors)>0){
          echo"";
   foreach($errors as $error){
     echo "<h4>".$error."</h4>";
   echo"";
 else{
   $pass1=md5($pass1);
$upit="INSERT INTO user VALUES(NULL,:user,:pass1,:email,:name,:lastname,:roleid);";
$priprema_upit=$konekcija->prepare($upit);
$priprema_upit->bindParam(":user",$user);
$priprema upit->bindParam(":pass1",$pass1);
$priprema_upit->bindParam(":email",$email);
$priprema_upit->bindParam(":name",$name);
$priprema_upit->bindParam(":lastname",$lastname);
$priprema_upit->bindParam(":roleid",$roleId);
     try{
$rezultat= $priprema_upit->execute();
catch(PDOException $ex){
echo $ex->getMessage();
if($rezultat){
```

```
echo"<h4 style='margin:0auto;text-align:center;color:green'>A new account has been
inserted !</h4>";
else{ echo "Error with the database.";}
if(isset($_POST['insert-nav'])){
  $errors=[];
  $hrefP=$ POST['newhref'];
 $href="";
  if($hrefP=="#"){$href="#";}
   $reHref="/^[A-Za-z0-9\.\?\=\:\/\-]{1,50}$/";
  if(!preg_match($reHref,$hrefP)){$errors[]="You can eather type in a link or '#'.";}
  $href=$hrefP;
  $name=$ POST['newname'];
  $reName="/^[A-z]{1,50}$/";
  if(!preg_match($reName,$name)){$errors[]="Wrong format of the link name.";}
  $type=$_POST['newtype'];
 $reType="/^[1-5]{1}$/";
  if(!preg_match($reType,$type)){$errors[]="Type can only be from 1 to 5";}
 if(count($errors)>0){
   echo"";
foreach($errors as $error){
echo "<h4>".$error."</h4>";
echo"";
else{
  $upit=$konekcija->prepare("INSERT INTO nav VALUES(NULL,:href,:name,:type)");
 $upit->bindParam(':href',$href);
 $upit->bindParam(':name',$name);
 $upit->bindParam('type',$type);
```

```
try{
   $rez=$upit->execute();
   catch(PDOException $ex){
   echo $ex->getMessage();
   if($rez){
   echo"<h4 style='margin:0auto;text-align:center;color:green'>A new navigation item
has been created !</h4>";
   else{ echo "Error with the database.";}
if(isset($_POST['insert-home-text'])){
 $errors=[];
 $text="";
 if($_POST['newtext']!=""){
 $text=$_POST['newtext'];}
 else{$errors[]="The textfield must not be empty !";}
 //echo $text;
 if(count($errors)>0){
   echo"";
foreach($errors as $error){
echo "<h4>".$error."</h4>";
echo"";
```

```
else{
  $upit=$konekcija->prepare("INSERT INTO home_text VALUES(NULL,:text)");
  $upit->bindParam(':text',$text);
 try{
   $rez=$upit->execute();
   catch(PDOException $ex){
   echo $ex->getMessage();
    }
   if($rez){
   echo"<h4 style='margin:0auto;text-align:center;color:green'>New homepage text has
been added !</h4>";
   else{ echo "Error with the database.";}
if(isset($_POST['insert-home-image'])){
  $errors=[];
 $slika=$_FILES['newsrc'];
  $tip=$slika['type'];
 $name=$slika['name'];
  $tmp=$slika['tmp_name'];
  $size=$slika['size'];
 $filter=array('image/jpg','image/jpeg','image/png');
 $src="slike/".time().$name;
 $alt=$_POST['newalt'];
 //var_dump($slika);
  $reAlt="/^[A-Za-z0-9\s]{1,50}$/";
```

```
if(!preg_match($reAlt,$alt)){$errors[]="Alt is in the wrong format";}
 if(!in_array($tip,$filter)){$errors[]='Image type is not okay.';}
 if($size>3500000){$errors[]='The image must not be larger than 3.5MB';}
 if(count($errors)>0){
   echo"";
foreach($errors as $error){
echo "<h4>".$error."</h4>";
echo"";
else{
 $upload=move_uploaded_file($tmp,$src);
 if($upload){
   echo"<h4 style='margin:0auto;text-align:center;color:green'>Image uploaded
!</h4>";
   $upit=$konekcija->prepare("INSERT INTO home_image VALUES(NULL,:src,:alt)");
   $upit->bindParam(":src",$src);
   $upit->bindParam(':alt',$alt);
   try{
     $rez=$upit->execute();
     catch(PDOException $ex){
     echo $ex->getMessage();
     if($rez){
     echo"<h4 style='margin:0auto;text-align:center;color:green'>New image has been
added to the homepage !</h4>";
     else{ echo "Error with the database.";}
 else{
   echo"<h4 style='margin:0auto;text-align:center;color:red'>Image was not uploaded
</h4>";
```

```
if(isset($_POST['insert-shop'])){
  //malaSlika($putanja,$putanja_mala,100,100);
 $errors=[];
  $slika=$_FILES['newsrc'];
  $tip=$slika['type'];
  $name=$slika['name'];
  $tmp=$slika['tmp_name'];
  $size=$slika['size'];
  $filter=array('image/jpg','image/jpeg','image/png');
  $src="slike/shop/".time().$name;
  $src_mala="slike/thumbnails/".time().$name;
  $title=$ POST['newtitle'];
  $reTitle="/^([A-Z]{1}[a-z]{2,19})(\s[A-Z]{1}[a-z]{2,19})*$/";
  if(!preg_match($reTitle,$title)){$errors[]="Title is in the wrong format.";}
  $price=$_POST['newprice'];
  $rePrice="/^[0-9]{1,10}$/";
  if(!preg_match($rePrice,$price)){$errors[]="Price is in the wrong format.";}
  $description="";
  if($_POST['newdescription']!=""){
   $description=$_POST['newdescription'];}
   else{$errors[]="The textfield must not be empty !";}
 //var_dump($slika);
```

```
if(!in_array($tip,$filter)){$errors[]='Image type is not okay.';}
 if($size>3500000){$errors[]='The image must not be larger than 3.5MB';}
 if(count($errors)>0){
   echo"";
foreach($errors as $error){
echo "<h4>".$error."</h4>";
echo"";
else{
 $upload=move_uploaded_file($tmp,$src);
 malaSlika($src,$src_mala,335,250);
 if($upload){
   echo"<h4 style='margin:0auto;text-align:center;color:green'>Image uploaded
!</h4>";
   $upit=$konekcija->prepare("INSERT INTO shop
VALUES(NULL,:src,:src_mala,:title,:price,:description)");
   $upit->bindParam(":src",$src);
   $upit->bindParam(':src_mala',$src_mala);
   $upit->bindParam(':title',$title);
   $upit->bindParam(':price',$price);
   $upit->bindParam(':description',$description);
   try{
     $rez=$upit->execute();
     catch(PDOException $ex){
     echo $ex->getMessage();
     if($rez){
     echo"<h4 style='margin:0auto;text-align:center;color:green'>New item has been
added to the shop !</h4>";
     else{ echo "Error with the database.";}
 else{
```

```
echo"<h4 style='margin:0auto;text-align:center;color:red'>Image was not uploaded
.</h4>";
if(isset($_POST['insert-poll'])){
 $errors=[];
  $voteId=$ POST['newvoteid'];
  $vote=$_POST['newvote'];
  $reVoteId="/^[0-9]{1,10}$/";
  $reVote="/^([A-Z]{1}[a-z]{2,39})(\s[A-Z]{1}[a-z]{2,39})*$/";
  //echo $voteId." ".$vote;
  if(!preg_match($reVoteId,$voteId)){$errors[]="Id is not in the correct format.";}
  if(!preg_match($reVote,$vote)){$errors[]="Vote name is not in the correct format";}
  $upitId=$konekcija->prepare("SELECT * FROM poll WHERE id=:id");
  $upitId->bindParam(':id',$voteId);
  $rezultat=$upitId->execute();
  $rezultat=$upitId->fetch();
  if($rezultat){
    $errors[]="You must choose a differnt ID for the vote.";
  if(count($errors)>0){
   echo"";
foreach($errors as $error){
echo "<h4>".$error."</h4>";
echo"";
else{
 $upit=$konekcija->prepare("INSERT INTO poll VALUES(:id,:vote_name)");
 $upit->bindParam(':id',$voteId);
 $upit->bindParam(':vote name',$vote);
 try{
   $rez=$upit->execute();
   catch(PDOException $ex){
```

```
echo $ex->getMessage();
   if($rez){
   echo"<h4 style='margin:0auto;text-align:center;color:green'>New vote option has
been added!</h4>";
   else{ echo "Error with the database.";}
```

```
<!--UPDATE-->
<?php
if(isset($_POST['update-user'])){
  if(isset($_POST['cb'])){
  $cb=$_POST['cb'];
  foreach($cb as $c){
  $id=$c;
  $user=$_POST['username'.$c];
   $pass1=$_POST['pass'.$c];
   $email=$_POST['email'.$c];
   $name=$ POST['name'.$c];
   $lastname=$_POST['lastname'.$c];
   $roleId=$_POST['idRole'.$c];
   $errors=[];
  $reRoleId="/^[1-2]{1}$/";
  if(!preg_match($reRoleId,$roleId)){$errors[]="Role Id is not okay.";}
  $reUser="/^[A-Za-z0-9]{5,20}$/";
 if(!preg_match($reUser,$user)){
   $errors[]="Username is not good.";
        $rePass1="/^[A-Za-z0-9]{5,15}$/";
  if(!preg_match($rePass1,$pass1)){
   $errors[]="Pass is not good.";
  if(!filter_var($email, FILTER_VALIDATE_EMAIL)){
     $errors[]="Email is not good.";
        reName="/(^[A-Z]{1}[a-z]{2,19})(\s[A-Z]{1}[a-z]{2,19})*$/";
  if(!preg match($reName,$name)){
    $errors[]="Name is not good.";
        reLastName="/(^[A-Z]{1}[a-z]{4,39})(\s[A-Z]{1}[a-z]{4,39})*$/";
  if(!preg_match($reLastName,$lastname)){
```

```
$errors[]="Lastname is not good.";
$rezUser=$konekcija->prepare("SELECT id,username FROM user WHERE username=:user");
$rezUser->bindParam(':user',$user);
$rezUser->execute();
$rezU=$rezUser->fetch();
if($rezU){
 if($rezU->id!=$id){
 $errors[]= "Username is taken !";
$rezEmail=$konekcija->prepare("SELECT id,email FROM user WHERE email=:email");
$rezEmail->bindParam(':email',$email);
$rezEmail->execute();
$rezE=$rezEmail->fetch();
if($rezE){
 if($rezE->id!=$id){
 $errors[]= "Email is taken !";
if(count($errors)>0){
        echo"";
 foreach($errors as $error){
   echo "<h4>".$error."</h4>";
 echo"";
else{
 $pass1=md5($pass1);
```

```
$upit="UPDATE user SET
username=:user,password=:pass1,email=:email,name=:name,lastname=:lastname,idRole=:roleid
WHERE id=:id;";
$priprema_upit=$konekcija->prepare($upit);
$priprema_upit->bindParam(":id",$id);
$priprema upit->bindParam(":user",$user);
$priprema_upit->bindParam(":pass1",$pass1);
$priprema_upit->bindParam(":email",$email);
$priprema_upit->bindParam(":name",$name);
$priprema_upit->bindParam(":lastname",$lastname);
$priprema_upit->bindParam(":roleid",$roleId);
      try{
$rezultat= $priprema_upit->execute();
catch(PDOException $ex){
echo $ex->getMessage();
if($rezultat){
echo"<h4 style='margin:0auto;text-align:center;color:green'>User has been updated
!</h4>";
else{ echo "Error with the database.";}
else{
echo"<h4 style='color:red;'>Error you must check something! </h4>";
if(isset($_POST['update-nav'])){
```

```
if(isset($_POST['cb'])){
 $cb=$_POST['cb'];
 foreach($cb as $c){
  $id=$c;
  $hrefP=$ POST['href'.$c];
  $name=$_POST['name'.$c];
  $type=$_POST['type'.$c];
  $errors=[];
  $href="";
if($hrefP=="#"){$href="#";}
else{
 $reHref="/^[A-Za-z0-9\.\?\=\:\/\-]{1,50}$/";
if(!preg_match($reHref,$hrefP)){$errors[]="You can eather type in a link or '#'.";}
$href=$hrefP;
$reName="/^[A-z]{1,50}$/";
if(!preg_match($reName,$name)){$errors[]="Wrong format of the link name.";}
$reType="/^[1-5]{1}$/";
if(!preg_match($reType,$type)){$errors[]="Type can only be from 1 to 5";}
 if(count($errors)>0){
          echo"";
   foreach($errors as $error){
     echo "<h4>".$error."</h4>";
   echo"";
 else{
```

```
$upit="UPDATE nav SET href=:href,name=:name,type=:type WHERE id=:id;";
  $priprema_upit=$konekcija->prepare($upit);
  $priprema_upit->bindParam(":id",$id);
  $priprema_upit->bindParam(":href",$href);
  $priprema_upit->bindParam(":name",$name);
  $priprema_upit->bindParam(":type",$type);
       try{
  $rezultat= $priprema_upit->execute();
  catch(PDOException $ex){
  echo $ex->getMessage();
 if($rezultat){
 echo"<h4 style='margin:0auto;text-align:center;color:green'>Navigation element has
been updated !</h4>";
 else{ echo "Error with the database.";}
  }
 else{
```

```
echo"<h4 style='color:red;'>Error you must check something! </h4>";
if(isset($_POST['update-home-text'])){
 $errors=[];
  if(isset($_POST['cb'])){
 $cb=$_POST['cb'];
 foreach($cb as $c){
  $id=$c;
  $text="";
  if($_POST['text'.$c]!=""){
   $text=$_POST['text'.$c];}
   else{$errors[]="The textfield must not be empty !";}
 if(count($errors)>0){
         echo"";
   foreach($errors as $error){
    echo "<h4>".$error."</h4>";
   echo"";
 else{
```

```
$upit="UPDATE home_text SET text=:text WHERE id=:id;";
$priprema_upit=$konekcija->prepare($upit);
$priprema_upit->bindParam(":id",$id);
$priprema_upit->bindParam(":text",$text);
      try{
$rezultat= $priprema_upit->execute();
catch(PDOException $ex){
echo $ex->getMessage();
if($rezultat){
echo"<h4 style='margin:0auto;text-align:center;color:green'>Home text has been updated
!</h4>";
else{ echo "Error with the database.";}
  }
```

```
else{
echo"<h4 style='color:red;'>Error you must check something! </h4>";
if(isset($_POST['update-home-image'])){
 if(isset($_POST['cb'])){
 $cb=$_POST['cb'];
 foreach($cb as $c){
  $id=$c;
  $errors=[];
 $slika=$_FILES['src'.$c];
 $tip=$slika['type'];
 $name=$slika['name'];
 $tmp=$slika['tmp_name'];
 $size=$slika['size'];
 $filter=array('image/jpg','image/jpeg','image/png');
 $src="slike/".time().$name;
 $alt=$_POST['alt'.$c];
 //var_dump($slika);
 $reAlt="/^[A-Za-z0-9\s]{1,50}$/";
 if(!preg_match($reAlt,$alt)){$errors[]="Alt is in the wrong format";}
 if(!in_array($tip,$filter)){$errors[]='Image type is not okay.';}
 if($size>3500000){$errors[]='The image must not be larger than 3.5MB';}
 if(count($errors)>0){
   echo"";
foreach($errors as $error){
echo "<h4>".$error."</h4>";
```

```
echo"";
else{
 $upload=move_uploaded_file($tmp,$src);
 if($upload){
   echo"<h4 style='margin:0auto;text-align:center;color:green'>Image uploaded
!</h4>";
    $upit=$konekcija->prepare("UPDATE home_image SET src=:src,alt=:alt WHERE id=:id");
   $upit->bindParam(":id",$id);
   $upit->bindParam(":src",$src);
   $upit->bindParam(':alt',$alt);
   try{
     $rez=$upit->execute();
     catch(PDOException $ex){
     echo $ex->getMessage();
      }
     if($rez){
     echo"<h4 style='margin:0auto;text-align:center;color:green'>Home image has been
updated !</h4>";
     else{ echo "Error with the database.";}
  else{
   echo"<h4 style='margin:0auto;text-align:center;color:red'>Image was not uploaded
</hd>";
  }
else{
echo"<h4 style='color:red;'>Error you must check something! </h4>";
```

```
if(isset($_POST['update-about'])){
 if(isset($_POST['cb'])){
   $cb=$_POST['cb'];
   foreach($cb as $c){
    $id=$c;
    $errors=[];
   $slika=$_FILES['src'.$c];
   $tip=$slika['type'];
   $name=$slika['name'];
   $tmp=$slika['tmp_name'];
   $size=$slika['size'];
   $filter=array('image/jpg','image/jpeg','image/png');
   $src="slike/".time().$name;
   $alt=$_POST['alt'.$c];
   if($_POST['text'.$c]!=""){
     $text=$_POST['text'.$c];}
     else{$errors[]="The textfield must not be empty !";}
   //var_dump($slika);
   $reAlt="/^[A-Za-z0-9\s]{1,50}$/";
   if(!preg_match($reAlt,$alt)){$errors[]="Alt is in the wrong format";}
   if(!in_array($tip,$filter)){$errors[]='Image type is not okay.';}
   if($size>3500000){$errors[]='The image must not be larger than 3.5MB';}
   if(count($errors)>0){
     echo"";
 foreach($errors as $error){
 echo "<h4>".$error."</h4>";
 }
 echo"";
```

```
else{
   $upload=move_uploaded_file($tmp,$src);
   if($upload){
     echo"<h4 style='margin:0auto;text-align:center;color:green'>Image uploaded
!</h4>";
     $upit=$konekcija->prepare("UPDATE about SET src=:src,alt=:alt,text=:text WHERE
id=:id");
     $upit->bindParam(":id",$id);
     $upit->bindParam(":src",$src);
     $upit->bindParam(':alt',$alt);
     $upit->bindParam(':text',$text);
     try{
       $rez=$upit->execute();
       catch(PDOException $ex){
       echo $ex->getMessage();
       if($rez){
       echo"<h4 style='margin:0auto;text-align:center;color:green'>About item has been
updated !</h4>";
       else{ echo "Error with the database.";}
    }
   else{
     echo"<h4 style='margin:0auto;text-align:center;color:red'>Image was not uploaded
.</h4>";
   }
  }
  else{
  echo"<h4 style='color:red;'>Error you must check something! </h4>";
```

```
if(isset($_POST['update-author'])){
 if(isset($_POST['cb'])){
   $cb=$_POST['cb'];
   foreach($cb as $c){
    $id=$c;
    $errors=[];
   $slika=$_FILES['src'.$c];
   $tip=$slika['type'];
   $name=$slika['name'];
   $tmp=$slika['tmp_name'];
   $size=$slika['size'];
   $filter=array('image/jpg','image/jpeg','image/png');
   $src="slike/".time().$name;
   $alt=$_POST['alt'.$c];
   if($ POST['text'.$c]!=""){
     $text=$_POST['text'.$c];}
     else{$errors[]="The textfield must not be empty !";}
   //var_dump($slika);
   $reAlt="/^[A-Za-z0-9\s]{1,50}$/";
   if(!preg_match($reAlt,$alt)){$errors[]="Alt is in the wrong format";}
   if(!in_array($tip,$filter)){$errors[]='Image type is not okay.';}
   if($size>3500000){$errors[]='The image must not be larger than 3.5MB';}
   if(count($errors)>0){
     echo"";
 foreach($errors as $error){
 echo "<h4>".$error."</h4>";
```

```
echo"";
  }
 else{
   $upload=move_uploaded_file($tmp,$src);
   if($upload){
     echo"<h4 style='margin:0auto;text-align:center;color:green'>Image uploaded
!</h4>";
     $upit=$konekcija->prepare("UPDATE author SET src=:src,alt=:alt,text=:text WHERE
id=:id");
     $upit->bindParam(":id",$id);
     $upit->bindParam(":src",$src);
     $upit->bindParam(':alt',$alt);
     $upit->bindParam(':text',$text);
     try{
       $rez=$upit->execute();
       catch(PDOException $ex){
       echo $ex->getMessage();
       if($rez){
       echo"<h4 style='margin:0auto;text-align:center;color:green'>Author information
has been updated !</h4>";
       else{ echo "Error with the database.";}
   else{
     echo"<h4 style='margin:0auto;text-align:center;color:red'>Image was not uploaded
.</h4>";
  }
```

```
else{
  echo"<h4 style='color:red;'>Error you must check something! </h4>";
if(isset($_POST['update-shop'])){
  if(isset($_POST['cb'])){
   $cb=$_POST['cb'];
    foreach($cb as $c){
    $id=$c;
    $errors=[];
    $slika=$_FILES['src'.$c];
   $tip=$slika['type'];
    $name=$slika['name'];
    $tmp=$slika['tmp_name'];
   $size=$slika['size'];
   $filter=array('image/jpg','image/png');
    $src="slike/shop/".time().$name;
   $src_mala="slike/thumbnails/".time().$name;
    $price=$_POST['price'.$c];
    $alt=$_POST['alt'.$c];
    if($_POST['text'.$c]!=""){
     $text=$_POST['text'.$c];}
     else{$errors[]="The textfield must not be empty !";}
   //var_dump($slika);
   $reAlt="/^([A-Z]{1}[a-z]{2,19})(\s[A-Z]{1}[a-z]{2,19})*$/";
    if(!preg_match($reAlt,$alt)){$errors[]="Title is in the wrong format";}
    $rePrice="/^[0-9]{1,10}$/";
   if(!preg_match($rePrice,$price)){$errors[]="Price is in the wrong format.";}
    if(!in_array($tip,$filter)){$errors[]='Image type is not okay.';}
    if($size>3500000){$errors[]='The image must not be larger than 3.5MB';}
```

```
if(count($errors)>0){
     echo"";
 foreach($errors as $error){
 echo "<h4>".$error."</h4>";
 echo"";
 else{
   $upload=move uploaded file($tmp,$src);
   malaSlika($src,$src_mala,335,250);
   if($upload){
     echo"<h4 style='margin:0auto;text-align:center;color:green'>Image uploaded
!</h4>";
     $upit=$konekcija->prepare("UPDATE shop SET
src=:src,thumb=:src_mala,title=:alt,price=:price,description=:text WHERE id=:id");
     $upit->bindParam(":id",$id);
     $upit->bindParam(":src",$src);
     $upit->bindParam(":src_mala",$src_mala);
     $upit->bindParam(':alt',$alt);
     $upit->bindParam(':price',$price);
     $upit->bindParam(':text',$text);
     try{
       $rez=$upit->execute();
       catch(PDOException $ex){
       echo $ex->getMessage();
       if($rez){
       echo"<h4 style='margin:0auto;text-align:center;color:green'>Shop item has been
updated !</h4>";
       else{ echo "Error with the database.";}
   }
     echo"<h4 style='margin:0auto;text-align:center;color:red'>Image was not uploaded
 </h4>";
```

```
else{
  echo"<h4 style='color:red;'>Error you must check something! </h4>";
if(isset($_POST['update-poll'])){
  $errors=[];
   if(isset($_POST['cb'])){
  $cb=$_POST['cb'];
  foreach($cb as $c){
   $id=$c;
   $vote=$_POST['vote'.$c];
   reVote="/^([A-Z]{1}[a-z]{2,39})(\s[A-Z]{1}[a-z]{2,39})*$/";
   if(!preg_match($reVote,$vote)){$errors[]="Vote name is not in the correct format";}
```

```
if(count($errors)>0){
          echo"";
   foreach($errors as $error){
    echo "<h4>".$error."</h4>";
   echo"";
 else{
$upit="UPDATE poll SET vote name=:vote WHERE id=:id;";
$priprema_upit=$konekcija->prepare($upit);
$priprema_upit->bindParam(":id",$id);
$priprema_upit->bindParam(":vote",$vote);
     try{
$rezultat= $priprema_upit->execute();
catch(PDOException $ex){
echo $ex->getMessage();
if($rezultat){
echo"<h4 style='margin:0auto;text-align:center;color:green'>Vote name has been updated
!</h4>";
```

```
else{ echo "Error with the database.";}
else{
echo"<h4 style='color:red;'>Error you must check something! </h4>";
<!--UPDATE-->
```

```
<?php
  if(isset($_POST['user'])):
<form method="POST" action="<?php echo $_SERVER['PHP_SELF'].'?page=admin';?>">
#
  ID
  Username
  Password
  Email
  Name
   Lastname
  RoleId
  <?php
  $rez=executeQuery('SELECT * FROM user');
  foreach($rez as $red): ?>
  <input type="checkbox" name="cb[]" value="<?php echo $red->id;?>">
   <input type="text" disabled value="<?php echo $red->id;?>"/>
   <input type="text" name="username<?php echo $red->id;?>" value="<?php echo $red-
>username;?>"/>
   <input type="text" name="pass<?php echo $red->id;?>" value="<?php echo $red-
>password;?>"/>
   <input type="text" name="email<?php echo $red->id;?>" value="<?php echo $red-
>email;?>"/>
   <input type="text" name="name<?php echo $red->id;?>" value="<?php echo $red-
>name;?>"/>
   <input type="text" name="lastname<?php echo $red->id;?>" value="<?php echo $red-
>lastname;?>"/>
   <input type="text" name="idRole<?php echo $red->id;?>" value="<?php echo $red-
>idRole;?>"/>
```

```
<?php endforeach;?>
  +
  <input type="text" name="newusername"/>
  <input type="text" name="newpassword"/>
  <input type="text" name="newemail"/>
  <input type="text" name="newname"/>
  <input type="text" name="newlastname"/>
  <input type="text" name="newrole"/>
  <input type="submit" class="Btn" name="delete-user" value="Delete"/>
     <input type="submit" class="Btn" name="insert-user" value="Insert"/>
     <input type="submit" class="Btn" name="update-user" value="Update"/>
  </form>
<?php endif;?>
  if(isset($_POST['nav'])):
<form method="POST" action="<?php echo $ SERVER['PHP SELF'].'?page=admin';?>">
#
  ID
  Href
```

```
Name
   Type
   <?php
  $rez=executeQuery('SELECT * FROM nav');
  foreach($rez as $red): ?>
  <input type="checkbox" name="cb[]" value="<?php echo $red->id;?>">
   <input type="text" disabled value="<?php echo $red->id;?>"/>
   <input type="text" name="href<?php echo $red->id;?>" value="<?php echo $red-</pre>
>href;?>"/>
   <input type="text" name="name<?php echo $red->id;?>" value="<?php echo $red-
>name;?>"/>
   <input type="text" name="type<?php echo $red->id;?>" value="<?php echo $red-
>type;?>"/>
   <?php endforeach;?>
    +
   <input type="text" name="newhref"/>
   <input type="text" name="newname"/>
   <input type="text" name="newtype"/>
   <input type="submit" class="Btn" name="delete-nav" value="Delete"/>
<input type="submit" class="Btn" name="insert-nav" value="Insert"/>
<input type="submit" class="Btn" name="update-nav" value="Update"/>
```

```
</form>
<?php endif;?>
<!--HOME !!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!
<?php
  if(isset($_POST['home'])):
<form method="POST" action="<?php echo $_SERVER['PHP_SELF'].'?page=admin';?>">
Home_Text
#
  ID
  Text
  <?php
  $rez=executeQuery('SELECT * FROM home_text');
  foreach($rez as $red): ?>
  <input type="checkbox" name="cb[]" value="<?php echo $red->id;?>">
  <input type="text" disabled value="<?php echo $red->id;?>"/>
  >id;?>"><?php echo $red->id;?>"><?php echo $red-
>text;?></textarea>
  <?php endforeach;?>
   +
  <textarea name="newtext"></textarea>
```

```
<input type="submit" class="Btn" name="delete-home-text" value="Delete"/>
<input type="submit" class="Btn" name="insert-home-text" value="Insert"/>
<input type="submit" class="Btn" name="update-home-text" value="Update"/>
</form>
  <form method="POST" action="<?php echo $_SERVER['PHP_SELF'].'?page=admin';?>"
enctype="multipart/form-data">
#
  ID
  Src
  Alt
  <?php
  $rez=executeQuery('SELECT * FROM home_image');
  foreach($rez as $red): ?>
  <input type="checkbox" name="cb[]" value="<?php echo $red->id;?>">
  <input type="text" disabled value="<?php echo $red->id;?>"/>
  <input type="file" name="src<?php echo $red->id;?>"/>
  <input type="text" name="alt<?php echo $red->id;?>" value="<?php echo $red-
>alt;?>"/>
  <?php endforeach;?>
  +
```

```
<input type="file" name="newsrc"/>
  <input type="text" name="newalt"/>
  <input type="submit" class="Btn" name="delete-home-image" value="Delete"/>
<input type="submit" class="Btn" name="insert-home-image" value="Insert"/>
<input type="submit" class="Btn" name="update-home-image" value="Update"/>
</form>
<?php endif;?>
<!--HOME !!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!
<?php
  if(isset($_POST['about'])):
<form method="POST" action="<?php echo $_SERVER['PHP_SELF'].'?page=admin';?>"
enctype="multipart/form-data">
#
  ID
  Src
  Alt
  Text
  <?php
  $rez=executeQuery('SELECT * FROM about');
```

```
foreach($rez as $red): ?>
  <input type="checkbox" name="cb[]" value="<?php echo $red->id;?>">
  <input type="text" disabled value="<?php echo $red->id;?>"/>
  <input type="file" name="src<?php echo $red->id;?>"/>
  <input type="text" name="alt<?php echo $red->id;?>"value="<?php echo $red-
>alt;?>"/>
  >id;?>"><?php echo $red->id;?>"><?php echo $red-
>text;?></textarea>
  <?php endforeach;?>
  <input type="submit" class="Btn" name="update-about" value="Update"/>
</form>
<?php endif;?>
<?php
  if(isset($_POST['shop'])):
<form method="POST" action="<?php echo $_SERVER['PHP_SELF'].'?page=admin';?>"
enctype="multipart/form-data">
#
  ID
  Src
```

```
Title
   Price
   Descrpition
   <?php
  $rez=executeQuery('SELECT * FROM shop');
  foreach($rez as $red): ?>
   <input type="checkbox" name="cb[]" value="<?php echo $red->id;?>">
   <input type="text" disabled value="<?php echo $red->id;?>"/>
   <input type="file" name="src<?php echo $red->id;?>"/>
   <input type="text" name="alt<?php echo $red->id;?>" value="<?php echo $red-
>title;?>"/>
   <input type="text" name="price<?php echo $red->id;?>" value="<?php echo $red-
>price;?>"/>
   >id;?>"><?php echo $red->id;?>"><?php echo $red-
>description;?></textarea>
   <?php endforeach;?>
   +
    <input type='file' name="newsrc">
   <input type="text" name="newtitle"/>
   <input type="text" name="newprice"/>
   <textarea name="newdescription" ></textarea>
```

```
<input type="submit" class="Btn" name="delete-shop" value="Delete"/>
<input type="submit" class="Btn" name="insert-shop" value="Insert"/>
<input type="submit" class="Btn" name="update-shop" value="Update"/>
</form>
<?php endif;?>
<?php
  if(isset($_POST['author'])):
<form method="POST" action="<?php echo $_SERVER['PHP_SELF'].'?page=admin';?>"
enctype="multipart/form-data">
#
  ID
  Src
  Alt
  Text
   <?php
  $rez=executeQuery('SELECT * FROM author');
  foreach($rez as $red): ?>
  <input type="checkbox" name="cb[]" value="<?php echo $red->id;?>">
  <input type="text" disabled value="<?php echo $red->id;?>"/>
   <input type="file" name="src<?php echo $red->id;?>"/>
   <input type="text" name="alt<?php echo $red->id;?>" value="<?php echo $red-
>alt;?>"/>
```

```
>:d>:<rearrange="text<?php echo $red->id;?>"><?php echo $red-
>text;?></textarea>
  <?php endforeach;?>
  <input type="submit" class="Btn" name="update-author" value="Update"/>
</form>
<?php endif;?>
<!--POLL !!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!
<?php
 if(isset($_POST['poll'])):
<form method="POST" action="<?php echo $_SERVER['PHP_SELF'].'?page=admin';?>">
#
  ID
  Vote_Name
<?php
 $rez=executeQuery('SELECT * FROM poll');
  foreach($rez as $red): ?>
```

```
<input type="checkbox" name="cb[]" value="<?php echo $red->id;?>">
   <input type="text" disabled value="<?php echo $red->id;?>"/>
   <input type="text" name="vote<?php echo $red->id;?>" value="<?php echo $red-
>vote_name;?>"/>
   <?php endforeach;?>
    +
   <input type="text" name="newvoteid"/>
   <input type="text" name="newvote"/>
<input type="submit" class="Btn" name="delete-poll" value="Delete"/>
<input type="submit" class="Btn" name="insert-poll" value="Insert"/>
<input type="submit" class="Btn" name="update-poll" value="Update"/>
</form>
   <?php endif;?>
<!--POLL !!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!
  </div>
  <div id="levi">
<form id="adminFormSelect" action="<?php echo $_SERVER['PHP_SELF'].'?page=admin';?>"
method="POST">
ul id="adminNav">
```

```
<1i>>
     <input type="submit" class="Btn" name="user" value="User"/>
  <1i>>
  <1i>>
     <input type="submit" class="Btn" name="nav" value="Nav"/>
  <1i>>
  <1i>>
  <input type="submit" class="Btn" name="home" value="Home"/>
  <1i>>
 <1i>>
  <input type="submit" class="Btn" name="about" value="About us"/>
  <1i>>
  <
  <input type="submit" class="Btn" name="shop" value="Shop"/>
  <1i>>
  <
  <input type="submit" class="Btn" name="author" value="Author"/>
  <1i>>
  <1i>>
 <input type="submit" class="Btn" name="poll" value="Poll"/>
 <1i>>
 </form>
<div class="cistac"></div>
   </div>
```

```
<?php else:echo "<p><h2 style='color:red;text-align:center;'>Error 403. You cannot access
this page.</h2>"; header("Location:index.php?page=home");
  endif;
?>
```

ajax_insert_poll.php

```
<?php
$statusCode = 404;
if($_SERVER['REQUEST_METHOD'] != "POST"){
    echo "Can't access this page.";
if(isset($_POST['id'])){
    $id = $ POST['id'];
    $vote=$_POST['vote'];
    include "connection.php";
    $upit = $konekcija->prepare("INSERT INTO user_poll VALUES(:id,:vote)");
    $upit->bindParam(':id', $id);
    $upit->bindParam(':vote', $vote);
    try{
        $rezultat = $upit->execute();
        if($rezultat){
            $statusCode = 204;
        } else {
            $statusCode = 500;
    catch(PDOException $e){
        $statusCode = 500;
http_response_code($statusCode);
```

o author.php

```
<?php if(isset($_SESSION['user'])):?>
          <?php
           $upit="SELECT * FROM author";
           $rez=executeQuery($upit);
           foreach($rez as $red):
     <div id="author-image"><a href="<?php echo $red->src;?>" data-lightbox="author"><img</pre>
src="<?php echo $red->src;?>" alt="<?php echo $red->alt;?>"/></a></div>
     <div id="author">
      <h4><?php echo $red->text;?></h4>
      </div>
      <?php endforeach;?>
      <?php
       $idUser=$ SESSION['user']->idUser;
       $upit=$konekcija->prepare('SELECT * FROM user_poll WHERE id_user=:id');
       $upit->bindParam(':id',$idUser);
       $upit->execute();
       $rez=$upit->fetch();
       if(!$rez):
      <h2>Pol1</h2>
         <?php
```

```
$anketa=executeQuery('SELECT * FROM poll');
                foreach($anketa as $red):
            <input type="radio" name="rbPoll" value=<?php echo $red->id;?> /><?php
echo $red->vote_name?>
                <?php endforeach;?>
          <input type="button" class="Btn" id="btnVote" name='btnVote'</pre>
value="Vote"/>
               <input type="hidden" id="userId" value='<?php echo $_SESSION['user']-</pre>
>idUser;?>'>
       <?php else:</pre>
       $upit=$konekcija->query('SELECT vote_name, count(id_vote) as count FROM user_poll
up RIGHT OUTER JOIN poll p on up.id_vote=p.id GROUP BY vote_name ORDER BY id');
       $rez=$upit->execute();
       $rez=$upit->fetchAll();
       <script>
window.onload = function () {
var options = {
   title: {
       text: "Website ratings"
   },
   data: [
    {
```

```
type: "column",
        dataPoints: [
            <?php foreach($rez as $red):?>
            { label: "<?php echo $red->vote_name;?>", y: <?php echo $red->count;?> },
            <?php endforeach;?>
   ]
};
$("#chartContainer").CanvasJSChart(options);
</script>
<div id="chartContainer" style="height: 370px; width: 500px;"></div>
        <script type="text/javascript"</pre>
src="https://canvasjs.com/assets/script/jquery.canvasjs.min.js"></script>
        <?php endif;?>
    <?php else:echo "<p><h2 style='color:red;text-align:center;'>Error 403. You cannot
access this page.</h2>";header('Location:index.php?page=home');
    endif;
```

o config.php

```
<?php

define("MYSQL_HOST", "localhost");
define("MYSQL_DBNAME", "blend");
define("MYSQL_USERNAME", "root");
define("MYSQL_PASSWORD", "");</pre>
```

```
o connection.php
```

```
<?php
```

```
require_once "config.php";
try {
    $konekcija = new PDO("mysql:host=".MYSQL_HOST.";dbname=".MYSQL_DBNAME.";charset=utf8",
MYSQL_USERNAME, MYSQL_PASSWORD);
    $konekcija->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
    $konekcija->setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE, PDO::FETCH_OBJ);
catch(PDOException $e){
    echo $e->getMessage();
function executeQuery($upit){
   global $konekcija;
   $rezultat = $konekcija->query($upit)->fetchAll();
    return $rezultat;
```

o contact.php

```
echo"";
      foreach($errors as $error){
      echo "<h4>".$error."</h4>";
      echo"";
                 }
         else{
             $sendMail=mail("david.carevic.159.14@ict.edu.rs",$subject,$text,"From:
coffeestoreblend.000webhostapp.com");
             if($sendMail){
                echo"<h4 style='margin:0auto;text-align:center;color:green'>Your
email has been send!</h4>";
<div class="forme">
<form action="<?php echo $_SERVER['PHP_SELF'].'?page=contact';?>" method="POST"
name="forma">
      <h2>Contact</h2>
         <h4>Subject:</h4>
          <input type="text" name="subject"/>
         <h4>Message:</h4>
          <textarea name="textArea" cols="40" rows="10"></textarea>
         <input class="Btn" type="submit" value="Send"</pre>
name="btnContact"/>
         </form>
</div>
<?php else:echo "<p><h2 style='color:red;text-align:center;'>Error 403. You cannot access
this page.</h2>";header("Location:index.php?page=home");
 endif;
```

o footer.php

```
</div>
<div id="footer"></div>
</body>
</html>
```

o funkcije.php (preuzeto sa lab vežbi)

```
<?php
function malaSlika($putanja velika, $putanja mala, $nova sirina, $nova visina){
   // primer: image/slika1.jpg
   $podaciSlika=explode('.',$putanja_velika);
    $ekstenzija = $podaciSlika[1]; // "jpg" itd
   // Provera da li je ekstenzija jpg/jpeg
   if (preg_match('/jpg|jpeg/i',$ekstenzija)){
        // "imagecreatefromjpeg" - ugradjena PHP funkcija, kreira NOVU SLIKU od originalne
        $nova_slika = imagecreatefromjpeg($putanja_velika);
   // Provera da li je ekstenzija png
   if (preg_match('/png/i', $ekstenzija)){
        $nova_slika = imagecreatefrompng($putanja_velika);
   $sirina_original = imageSX($nova_slika);
   $visina_original = imageSY($nova_slika);
   if ($sirina_original > $visina_original) {
```

```
$tmp sirina = $nova sirina;
       $tmp_visina = $visina_original * ($nova_visina / $visina_original);
       // $nova visina/$visina - vraca procentualno razliku nove i stare visine - za
toliko smanjujemo sliku
   if ($sirina original < $visina original) {</pre>
       $tmp_sirina = $sirina_original * ($nova_sirina / $sirina_original);
       $tmp_visina = $nova_visina;
   if ($sirina_original == $visina_original) {
       $tmp_sirina=$nova_sirina;
       $tmp visina=$nova visina;
   }
   // Slika koja se dobija kao rezultat metode
   $izlazna_slika = imagecreatetruecolor($tmp_sirina, $tmp_visina);
   imagecopyresampled($izlazna_slika, $nova_slika,
                        0, 0, 0, 0,
                        $tmp sirina, $tmp visina,
                        $sirina_original, $visina_original);
   if (preg_match("/png/i",$ekstenzija)){
       imagepng($izlazna_slika, $putanja_mala);
   } else {
       imagejpeg($izlazna_slika, $putanja_mala);
   imagedestroy($izlazna slika);
   imagedestroy($nova_slika);
```

o header.php

```
<!php

if(isset($_POST['btnLogIn'])){

    $username=trim($_POST['username']);
    $password=$_POST['password'];
    $password=md5($password);

$upit="SELECT *,u.id AS idUser FROM user u INNER JOIN role r ON u.idRole=r.id WHERE
username=:username AND password=:password";
</pre>
```

```
$priprema=$konekcija->prepare($upit);
  $priprema->bindParam(":username",$username);
  $priprema->bindParam(":password",$password);
  $rez=$priprema->execute();
  $red=$priprema->fetch();
  if($red){
       $_SESSION['user']=$red;
       //var_dump($_SESSION['user']);
  else{
         echo"<script>
            alert('Wrong username or password!');
         </script>";
  }
<!DOCTYPE html>
<html>
<title>Coffee Store Blend</title>
    <meta charset='UTF-8'/>
    <meta name="description" content="Coffee Store Blend website dedicated to all lovers</pre>
of coffee."/>
<meta name="keyword" content="coffee,store,blend"/>
<meta name="viewport" content="width=device-width">
   <link rel="stylesheet" type="text/css" href="stil.css"/>
   <link href="https://fonts.googleapis.com/css?family=Noto+Sans" rel="stylesheet">
   <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>
   <link href="lightbox/src/css/lightbox.css" rel="stylesheet">
   <script src="lightbox/src/js/lightbox.js"></script>
```

```
<script src="https://code.jquery.com/ui/1.12.1/jquery-ui.js"></script>
   <script type="text/javascript" src="efekti.js"></script>
   <link rel="shortcut icon" href="slike/coffeeicon.png" type="image/x-icon"/>
   <!-- fotorama -->
   <link href="https://cdnjs.cloudflare.com/ajax/libs/fotorama/4.6.4/fotorama.css"</pre>
rel="stylesheet">
   <script
src="https://cdnjs.cloudflare.com/ajax/libs/fotorama/4.6.4/fotorama.js"></script>
   <!-- fotorama -->
</head>
<body>
<div id="header">
<div id="logo">
<a href="index.php"><img src="slike/coffee2_f.png" alt="Logo"/>
 <h1>Coffee Store Blend<h1>
</a>
</div>
<div id="nav">
   <l
   <?php
      $upit=executeQuery('SELECT * FROM nav WHERE type=1');
      foreach ($upit as $red){
        echo "<a href=".$red->href.">".$red->name."</a>";
      if(isset($_SESSION['user'])&& $_SESSION['user']->role=='admin'){
      $upit=executeQuery('SELECT * FROM nav WHERE type=2 OR type=5');
      foreach($upit as $red){
       echo "<a href=".$red->href.">".$red->name."</a>";
     elseif(isset($ SESSION['user'])&& $ SESSION['user']->role=='user'){
       $upit=executeQuery('SELECT * FROM nav WHERE type=2 OR type=4');
      foreach($upit as $red){
        if($red->name=='User'){echo "<a href=".$red->href.">".$_SESSION['user']-
>username."</a>";}
        else{
       echo "<a href=".$red->href.">".$red->name."</a>";
     else{
```

```
$upit=executeQuery('SELECT * FROM nav WHERE type=3');
       foreach($upit as $red){
         if($red->name=="Log In"){echo "<a href=".$red->href.">".$red-
>name."</a>";}
         else{
         echo "<a href=".$red->href.">".$red->name."</a>";
       //var_dump($upit);
   <div class="dropdown">
              <form action="<?php echo $_SERVER['PHP_SELF'];?>" method="POST">
             <input type="text" placeholder="Username" name="username"</pre>
id="userLog"/><input type="password" name="password" placeholder="Password"</pre>
id="passLog"/><input type="submit" value="Log In" class='Btn' name="btnLogIn"</pre>
id="searchBtn"/>
               </form>
  </div>
</div>
</div>
<div id="center">
```

o home.php

o index.php

```
case "reg":
        include "reg.php";
        break;
    case "author":
        include "author.php";
        break;
    case "contact":
        include "contact.php";
        break;
    case "about":
        include "about.php";
        break;
    case "shop":
        include "shop.php";
        break;
    case "user":
        include "user.php";
        break;
    case "admin":
        include "admin.php";
        break;
    default:
        include "home.php";
        break;
include("footer.php");
```

o logout.php

```
<?php
session_start();
unset($_SESSION['user']);
header('Location:index.php');
?>
```

o reg.php

```
<?php
if(isset($_POST['btnSubmit'])){
    //echo "asdasdasd";
```

```
// var_dump($_POST);
              $user=trim($_POST['user']);
               //var_dump($user);
              $pass1=$_POST['pass1'];
              $email=trim($_POST['email']);
               $name=trim($ POST['name']);
              $lastname=trim($_POST['lastname']);
             $errors=[];
             $reUser="/^[A-Za-z0-9]{5,20}$/";
              if(!preg_match($reUser,$user)){
                 $errors[]="Username is not good.";
             $rePass1="/^[A-Za-z0-9]{5,15}$/";
             if(!preg_match($rePass1,$pass1)){
                 $errors[]="Pass is not good.";
              if(!filter var($email, FILTER VALIDATE EMAIL)){
                   $errors[]="Email is not good.";
              $reName="/^([A-Z]{1}[a-z]{2,19})(\s[A-Z]{1}[a-z]{2,19})*$/";
             if(!preg_match($reName,$name)){
                 $errors[]="Name is not good.";
              $reLastName="/(^[A-Z]{1}[a-z]{4,39})(\s[A-Z]{1}[a-z]{4,39})*$/";
              if(!preg_match($reLastName,$lastname)){
                 $errors[]="Lastname is not good.";
              $rezUser=$konekcija->prepare("SELECT username FROM user WHERE
username=:user");
               $rezUser->bindParam(':user',$user);
               $rezUser->execute();
               $rezU=$rezUser->fetch();
               if($rezU){
```

```
$errors[]= "Username is taken !";
              $rezEmail=$konekcija->prepare("SELECT email FROM user WHERE
email=:email");
              $rezEmail->bindParam(':email',$email);
              $rezEmail->execute();
              $rezE=$rezEmail->fetch();
              if($rezE){
                 $errors[]= "Email is taken !";
            if(count($errors)>0){
                echo"";
                foreach($errors as $error){
                   echo "<h4>".$error."</h4>";
                echo"";
            else{
                $pass1=md5($pass1);
                $roleid=2;
                $upit="INSERT INTO user
VALUES(NULL,:user,:pass1,:email,:name,:lastname,:roleid);";
                $priprema upit=$konekcija->prepare($upit);
                $priprema_upit->bindParam(":user",$user);
                $priprema_upit->bindParam(":pass1",$pass1);
                $priprema_upit->bindParam(":email",$email);
                $priprema_upit->bindParam(":name",$name);
```

```
$priprema_upit->bindParam(":lastname",$lastname);
               $priprema_upit->bindParam(":roleid",$roleid);
                try{
              $rezultat= $priprema_upit->execute();
                catch(PDOException $ex){
                    echo $ex->getMessage();
               if($rezultat){
                echo"<h4 style='margin:0auto;text-align:center;color:green'>Your
account has been created !</h4>";
               else{ echo "Error with the database.";}
           }
<div class="forme">
   <form action="<?php echo $_SERVER['PHP_SELF'].'?page=reg';?>" method="POST"
name="newAcc">
   <h2>New Account</h2>
     <h4>Username:</h4>
          <input class="spi" name="user" type="text"id="user"/>
      <h4>Username must contain
5-20 characters, no special characters !</hd>
      <h4>Password:</h4>
        <input class="spi" name="pass1" type="password" id="pass1"/>
```

```
<h4>Password must contain
5-15 characters, no special characters !</h4>
   <h4>E-mail:</h4>
      <input class="spi" name="email" type="text" id="email"/>
   <h4>E-mail must contain "@"
and at least 1 "." !</h4>
   <h2>Information</h2>
   <h4>First name:</h4>
      <input class="spi" name="name" type="text" id="name"/>
    <h4>Name must contain 3-20
characters, the first letter must be capital, you can type in multiple names
!</h4>
   <h4>Last name:</h4>
   <input class="spi" name="lastname" type="text" id="lastname"/>
   <h4>Lastname must
contain 5-40 characters, the first letter must be capital, you can type in mutiple
lastnames !</h4>
   <input class="Btn" type="submit" id="btnSubmit" name="btnSubmit"</pre>
value="Create your account"/>
   </form>
  </div>
```

o shop.php

```
<?php if(isset($_SESSION['user'])){?>
<div id='shop-holder'>
$rez=executeQuery("SELECT * FROM shop;");
//var_dump($rez);
foreach($rez as $red):
<div class="item">
<div class="shop-slika"><a href="<?php echo $red->src;?>" data-lightbox="shop"><img</pre>
src="<?php echo $red->thumb;?>" alt="<?php echo $red->title;?>"/></a></div>
 <h2><?php echo $red->title;?></h2>
 <h3>Price:</h3> 
 <h2>$<?php echo $red->price?></h2>
 <h3>Description: </h3>
 <h4 style><?php echo $red->description?></h4>
  <input type="button" class="Btn" value=" Add to cart " /> <input
type="hidden" value="<?php echo $red->id?>"/> 
 </div>
<?php endforeach;?>
```

```
</php
}else{
    echo "<p><h2 style='color:red;text-align:center;'>Error 403. You cannot access this
page.</h2>";
    header("Location:index.php?page=home");
}
```

o user.php

```
<?php
 if(isset($_SESSION['user'])&& $_SESSION['user']->role=='user'):
<h2 style="margin:10px auto;text-align:center;">Hello <?php echo $_SESSION['user']-</pre>
>username;?>, here you can update your data.</h2>
<?php
   if(isset($_POST['update'])){
   $errors=[];
   $pass1=$_POST['pass1'];
   $email=$ POST['email'];
   $id=$_SESSION['user']->idUser;
   $rePass1="/^[A-Za-z0-9]{5,15}$/";
    if(!preg_match($rePass1,$pass1)){
     $errors[]="Pass is not good.";
    if(!filter_var($email, FILTER_VALIDATE_EMAIL)){
       $errors[]="Email is not good.";
     $upit=$konekcija->prepare("SELECT * FROM user WHERE email=:email");
     $upit->bindParam(':email',$email);
```

```
$upit->execute();
     $rez=$upit->fetch();
     if($rez && $rez->email!=$_SESSION['user']->email){
      $errors[]="The email you entered is taken.";
     if(count($errors)>0){
      echo"";
foreach($errors as $error){
 echo "<h4>".$error."</h4>";
echo"";
else{
 $pass1=md5($pass1);
$upit="UPDATE user SET password=:pass1,email=:email WHERE id=:id";
$priprema_upit=$konekcija->prepare($upit);
$priprema_upit->bindParam(":pass1",$pass1);
$priprema_upit->bindParam(":email",$email);
$priprema_upit->bindParam(":id",$id);
$rezultat= $priprema_upit->execute();
catch(PDOException $ex){
echo $ex->getMessage();
if($rezultat){
```

```
echo"<h4 style='margin:0auto;text-align:center;color:green'>Your account has been
updated !</h4>";
$_SESSION['user']->email=$email;
else{ echo "Error with the database.";}
<div class="forme">
<form name="forma" method="POST" action="<?php echo $_SERVER['PHP_SELF'].'?page=user'?>">
  <h4>New password:</h4> <input name="pass1" class="spi" id="pass1"
type="password"/>
    <h4>Password must contain
5-15 characters, no special characters !</h4>
    <h4>New Email:</h4>
    <input type="email" name="email" class="spi" id="email" value="<?php echo</pre>
$_SESSION['user']->email;?>"/>
   <h4>E-mail must contain "@"
and at least 1 "." !</h4>
     <input type="submit" class="Btn" name="update" value="Update your account">
   </form>
</div>
```

```
<?php else: echo "<p><h2 style='color:red;text-align:center;'>Error 403. You cannot access
this page.</h2>";
header('Location:index.php');
  endif;
}>
```

CSS

o stil.css

```
*{font-family: 'Noto Sans', sans-serif;}
*{margin:0;padding:0;}
#header{display:block;}
#logo{display:block;text-align:center;font-size:40px}
#logo img{width:200px;height:200px;display:inline-block;}
#logo h1{margin:0px;}
#logo a{text-decoration:none;color:#222;}
#nav{display:block;text-align:center;}
#nav ul{display:inline-block;text-align:center;}
#nav li{font-size:40px;list-style:none;;float:left;}
#nav a{text-decoration:none;color:#aaa;padding:10px;}
#nav input{border:2px solid #222;margin:10px;font-size:20px;padding:5px;background-
color:#fff;color:#aaa;}
.Btn{border:2px solid #222;margin:10px;font-size:20px;padding:5px;background-
color:#fff;color:#aaa;}
#showSrc{text-align:left;}
.dropdown{display:none;}
#center{background-color:white;margin:20px auto;display:block;min-height:500px;}
#footer{display:block;height:100px;background-color:#222;margin-top:10px;}
```

```
#center table{margin:20px auto;text-align:center;}
#center img:hover{opacity:0.8;}
.about-holder{display:block;width:1000px;margin:0 auto;}
.about-image{display:inline-block;height:300px;width:300px;border:1px solid
#000; margin: 10px; }
.about-image img{width:300px;height:300px;}
.about-text{display:inline-block;width:600px;word-wrap:break-word;}
#author-image{border:1px solid #222;display:block;margin:10px
auto;height:200px;width:200px;}
#author-image img{height:200px;width:199px;}
#author{display:block;width:600px;margin:10px auto;}
#author h4{width: 600px;word-wrap:break-word;text-align:center;}
.forme{margin:20px;}
.forme h4{word-wrap:break-word;width:400px;text-align:center;}
.forme input{border:2px solid #222;}
.item{display:inline-block;margin:10px;border:2px solid #000;padding:10px;text-
align:center;height:570px;}
.item h4{display:inline-block;word-wrap:break-word;width:400px;height:140px;}
.shop-slika{display:inline-block;margin:0 auto;}
.shop-slika img{border:1px solid #222;min-height:250px;}
.item table{text-align:left;}
#shop-holder{margin:auto;text-align:center;}
#home{margin:10px auto;text-align: center;}
.fotorama{width:1280px;height:720px;margin:0 auto;}
#chartContainer{margin:0 auto;}
.adminSelect{margin:10px auto; border:2px solid #222;text-align:center;display:inline-
block;float:left;}
#adminNav{margin:10px auto; border:2px solid #222;text-align:center;display:inline-
block;float:left;}
#adminNav li{list-style:none;}
#adminFormSelect{display:inline-block;}
#desni{float:right;display:inline;width:1000px;text-align:center;}
#desni table{float:left;}
#levi{float:left;display:block;width:130px;}
```

```
#omotAdmin{display:block;width:1300px;margin:0 auto;}
.cistac{clear:both;}
```

o lightbox.css(preuzeto sa interneta)

```
html.lb-disable-scrolling {
  overflow: hidden;
  position: fixed;
  height: 100vh;
  width: 100vw;
.lightboxOverlay {
  position: absolute;
  top: 0;
  left: 0;
  z-index: 9999;
  background-color: black;
  filter: progid:DXImageTransform.Microsoft.Alpha(Opacity=80);
  opacity: 0.8;
  display: none;
.lightbox {
  position: absolute;
  left: 0;
  width: 100%;
  z-index: 10000;
  text-align: center;
  line-height: 0;
  font-weight: normal;
.lightbox .lb-image {
  display: block;
  height: auto;
  max-width: inherit;
```

```
max-height: none;
  border-radius: 3px;
 border: 4px solid white;
.lightbox a img {
 border: none;
.lb-outerContainer {
 position: relative;
  *zoom: 1;
 width: 250px;
 height: 250px;
 margin: 0 auto;
 border-radius: 4px;
     This is visible during transitions. */
 background-color: white;
.lb-outerContainer:after {
 content: "";
 display: table;
  clear: both;
.lb-loader {
  position: absolute;
 top: 43%;
 left: 0;
 height: 25%;
 width: 100%;
 text-align: center;
  line-height: 0;
.lb-cancel {
 display: block;
 width: 32px;
 height: 32px;
 margin: 0 auto;
 background: url(../images/loading.gif) no-repeat;
.1b-nav {
 position: absolute;
 top: 0;
 left: 0;
 height: 100%;
```

```
width: 100%;
  z-index: 10;
.lb-container > .nav {
  left: 0;
.lb-nav a {
 outline: none;
 background-image:
url('data:image/gif;base64,R0lGODlhAQABAPAAAP///wAAACH5BAEAAAALAAAAABAAEAAAICRAEAOw==');
.lb-prev, .lb-next {
 height: 100%;
 cursor: pointer;
 display: block;
.1b-nav a.1b-prev {
 width: 34%;
 left: 0;
  float: left;
  background: url(../images/prev.png) left 48% no-repeat;
  filter: progid:DXImageTransform.Microsoft.Alpha(Opacity=0);
  opacity: 0;
  -webkit-transition: opacity 0.6s;
  -moz-transition: opacity 0.6s;
  -o-transition: opacity 0.6s;
  transition: opacity 0.6s;
.lb-nav a.lb-prev:hover {
 filter: progid:DXImageTransform.Microsoft.Alpha(Opacity=100);
  opacity: 1;
.lb-nav a.lb-next {
 width: 64%;
 right: 0;
  float: right;
  background: url(../images/next.png) right 48% no-repeat;
  filter: progid:DXImageTransform.Microsoft.Alpha(Opacity=0);
  opacity: 0;
  -webkit-transition: opacity 0.6s;
  -moz-transition: opacity 0.6s;
  -o-transition: opacity 0.6s;
  transition: opacity 0.6s;
.lb-nav a.lb-next:hover {
 filter: progid:DXImageTransform.Microsoft.Alpha(Opacity=100);
```

```
opacity: 1;
.lb-dataContainer {
 margin: 0 auto;
 padding-top: 5px;
  *zoom: 1;
 width: 100%;
 border-bottom-left-radius: 4px;
 border-bottom-right-radius: 4px;
.lb-dataContainer:after {
  content: "";
 display: table;
  clear: both;
.lb-data {
 padding: 0 4px;
  color: #ccc;
.lb-data .lb-details {
 width: 85%;
 float: left;
 text-align: left;
  line-height: 1.1em;
.lb-data .lb-caption {
 font-size: 13px;
 font-weight: bold;
 line-height: 1em;
.lb-data .lb-caption a {
  color: #4ae;
.lb-data .lb-number {
 display: block;
 clear: left;
 padding-bottom: 1em;
 font-size: 12px;
  color: #999999;
.lb-data .lb-close {
 display: block;
 float: right;
 width: 30px;
 height: 30px;
```

```
background: url(../images/close.png) top right no-repeat;
text-align: right;
outline: none;
filter: progid:DXImageTransform.Microsoft.Alpha(Opacity=70);
opacity: 0.7;
-webkit-transition: opacity 0.2s;
-moz-transition: opacity 0.2s;
-o-transition: opacity 0.2s;
transition: opacity 0.2s;
}
.lb-data .lb-close:hover {
   cursor: pointer;
   filter: progid:DXImageTransform.Microsoft.Alpha(Opacity=100);
   opacity: 1;
}
```

- JavaScript(JQuery)
- o efekti.js

```
var counter=0;
$("#showSrc a").click(function(){
    if(counter%2==0){
    $(".dropdown").fadeIn();
    else{$(".dropdown").fadeOut();}
    counter++;
   });
 var reNiz={user:/^[A-Za-z0-9]{5,20}$/,
  pass1:/^[A-Za-z0-9]{5,15}$/,
  email:/^S+@/w+\.(/w+\.)*/w{2,3}$/,
  name:/(^[A-Z]{1}[a-z]{2,19})(\s[A-Z]{1}[a-z]{2,19})*$/,
  lastname: /(^[A-Z]{1}[a-z]{4,39})(\s[A-Z]{1}[a-z]{4,39})*$/};
 var podaci={
user:"",
 pass1:"",
 email:"",
 name:"",
 lastname:""};
 $(".spi").focus(function(){
     $("#hidden"+this.id).fadeIn();
   $(this).css('border-color','red');
```

```
$(this).blur(function(){
      var regHolder=reNiz[this.id];
      console.log(regHolder);
      if($(this).val().match(regHolder)){
         podaci[this.id]=$(this).val();
        $(this).css('border-color','green');
        $("#hidden"+this.id).fadeOut();
    else{podaci[this.id]="";$("#btnSubmit").css("border","2px solid red");}
    for(var podatak in podaci){
      if(podaci[podatak]==""){$("#btnSubmit").css("border","2px solid red");}
      else{$("#btnSubmit").css("border","2px solid #222");}
});
  });
$("#btnSubmit").click(function(e){
  console.log(podaci);
  var greske=0;
  for(podatak in podaci){
      if(podaci[podatak]=="") greske++;
  console.log(greske);
```

```
if(greske>0){
      e.preventDefault();
       console.log("nije poslao");
      document.querySelector("#btnSubmit").style="border:2px solid red";
      }
  else{
      console.log("poslao je");
});
$('#btnVote').click(function(){
  var id=document.querySelector('#userId').value;
  console.log("id korisnika= "+id);
  var rbVal="";
  var rb=document.getElementsByName('rbPoll');
  for(var i=0;i<rb.length;i++){</pre>
      if(rb[i].checked){
          rbVal=rb[i].value;
          break;
```

```
console.log("vrednost glasa= "+rbVal);
        $.ajax({
            method:'POST',
            url:'ajax_insert_poll.php',
            dataType:'json',
            data:{
                id:id,vote:rbVal
            },
            success:function(status){console.log(status);location.reload();},
            error: function(xhr,statusText,error){
                var status=xhr.status;
                switch(status){
                    case 500:
                        alert("Greska na serveru. Trenutno nije moguce promeniti
korisnika.");
                        break;
                    case 404:
                        alert("Stranica nije pronadjena.");
                    default:
                        alert("Greska: " + status + " - " + statusTxt);
        });
     });
```

o lightbox.js(preuzeto sa interneta)

```
/*!
  * Lightbox v2.10.0
  * by Lokesh Dhakar
  *
  * More info:
  * http://lokeshdhakar.com/projects/lightbox2/
  *
  * Copyright 2007, 2018 Lokesh Dhakar
  * Released under the MIT license
  * https://github.com/lokesh/lightbox2/blob/master/LICENSE
  *
  * @preserve
  */

// Uses Node, AMD or browser globals to create a module.
(function (root, factory) {
    if (typeof define === 'function' && define.amd) {
        // AMD. Register as an anonymous module.
        define(['jquery'], factory);
    } else if (typeof exports === 'object') {
        // Node. Does not work with strict CommonJS, but
        // only CommonJS-like environments that support module.exports,
```

```
// like Node.
        module.exports = factory(require('jquery'));
        root.lightbox = factory(root.jQuery);
}(this, function ($) {
  function Lightbox(options) {
    this.album = [];
    this.currentImageIndex = void 0;
    this.init();
   // options
   this.options = $.extend({}, this.constructor.defaults);
    this.option(options);
 // Descriptions of all options available on the demo site:
  // http://lokeshdhakar.com/projects/lightbox2/index.html#options
  Lightbox.defaults = {
    albumLabel: 'Image %1 of %2',
    alwaysShowNavOnTouchDevices: false,
    fadeDuration: 600,
   fitImagesInViewport: true,
   imageFadeDuration: 600,
   positionFromTop: 50,
   resizeDuration: 700,
    showImageNumberLabel: true,
   wrapAround: false,
   disableScrolling: false,
   Sanitize Title
    If the caption data is trusted, for example you are hardcoding it in, then leave this
    If the caption data is user submitted or from some other untrusted source, then set
this to true
    sanitizeTitle: false
  };
  Lightbox.prototype.option = function(options) {
    $.extend(this.options, options);
  };
  Lightbox.prototype.imageCountLabel = function(currentImageNum, totalImages) {
    return this.options.albumLabel.replace(/%1/g, currentImageNum).replace(/%2/g,
totalImages);
```

```
};
  Lightbox.prototype.init = function() {
   var self = this;
   $(document).ready(function() {
      self.enable();
     self.build();
   });
  };
attributes
  // that contain 'lightbox'. When these are clicked, start lightbox.
  Lightbox.prototype.enable = function() {
    var self = this;
    $('body').on('click', 'a[rel^=lightbox], area[rel^=lightbox], a[data-lightbox],
area[data-lightbox]', function(event) {
      self.start($(event.currentTarget));
     return false;
    });
 };
 // Build html for the lightbox and the overlay.
  Lightbox.prototype.build = function() {
    if ($('#lightbox').length > 0) {
        return;
    var self = this;
    $('<div id="lightbox0verlay" class="lightbox0verlay"></div><div id="lightbox"</pre>
class="lightbox"><div class="lb-outerContainer"><div class="lb-container"><img class="lb-
image"
src="data:image/gif;base64,R01GOD1hAQABAIAAAP///wAAACH5BAEAAAAAAAAAAAAAAAAAACRAEAOw=="
/><div class="lb-nav"><a class="lb-prev" href="" ></a><a class="lb-next" href=""
></a></div><div class="lb-loader"><a class="lb-cancel"></a></div></div></div><div
class="lb-dataContainer"><div class="lb-data"><div class="lb-details"><span class="lb-
caption"></span><span class="lb-number"></span></div><div class="lb-closeContainer"><a</pre>
class="lb-close"></a></div></div></div>').appendTo($('body'));
                         = $('#lightbox');
    this.$lightbox
    this.$overlay
                         = $('#lightboxOverlay');
    this.$outerContainer = this.$lightbox.find('.lb-outerContainer');
    this.$container
                         = this.$lightbox.find('.lb-container');
    this.$image
                         = this.$lightbox.find('.lb-image');
    this.$nav
                         = this.$lightbox.find('.lb-nav');
    this.containerPadding = {
      top: parseInt(this.$container.css('padding-top'), 10),
      right: parseInt(this.$container.css('padding-right'), 10),
```

```
bottom: parseInt(this.$container.css('padding-bottom'), 10),
  left: parseInt(this.$container.css('padding-left'), 10)
};
this.imageBorderWidth = {
  top: parseInt(this.$image.css('border-top-width'), 10),
  right: parseInt(this.$image.css('border-right-width'), 10),
 bottom: parseInt(this.$image.css('border-bottom-width'), 10),
 left: parseInt(this.$image.css('border-left-width'), 10)
};
this.$overlay.hide().on('click', function() {
  self.end();
 return false;
});
this.$lightbox.hide().on('click', function(event) {
 if ($(event.target).attr('id') === 'lightbox') {
    self.end();
 return false;
});
this.$outerContainer.on('click', function(event) {
 if ($(event.target).attr('id') === 'lightbox') {
    self.end();
 return false;
});
this.$lightbox.find('.lb-prev').on('click', function() {
 if (self.currentImageIndex === 0) {
    self.changeImage(self.album.length - 1);
  } else {
    self.changeImage(self.currentImageIndex - 1);
 return false;
});
this.$lightbox.find('.lb-next').on('click', function() {
  if (self.currentImageIndex === self.album.length - 1) {
    self.changeImage(0);
  } else {
    self.changeImage(self.currentImageIndex + 1);
 return false;
});
 Show context menu for image on right-click
```

```
There is a div containing the navigation that spans the entire image and lives above
     you right-click, you are right clicking this div and not the image. This prevents
users from
      To fix this, when we detect the right mouse button is pressed down, but not yet
event on
      the next mouseup will bubble down to the image. Once the right-click/contextmenu
event occurs
     we set the pointer events back to auto for the nav div so it can capture hover and
left-click
    this.$nav.on('mousedown', function(event) {
      if (event.which === 3) {
        self.$nav.css('pointer-events', 'none');
        self.$lightbox.one('contextmenu', function() {
          setTimeout(function() {
              this.$nav.css('pointer-events', 'auto');
          }.bind(self), 0);
        });
    });
    this.$lightbox.find('.lb-loader, .lb-close').on('click', function() {
      self.end();
     return false;
    });
  };
  Lightbox.prototype.start = function($link) {
   var self
                = this;
   var $window = $(window);
   $window.on('resize', $.proxy(this.sizeOverlay, this));
   $('select, object, embed').css({
     visibility: 'hidden'
    });
    this.sizeOverlay();
    this.album = [];
    var imageNumber = 0;
   function addToAlbum($link) {
```

```
self.album.push({
      alt: $link.attr('data-alt'),
      link: $link.attr('href'),
      title: $link.attr('data-title') || $link.attr('title')
    });
  var dataLightboxValue = $link.attr('data-lightbox');
  var $links;
  if (dataLightboxValue) {
    $links = $($link.prop('tagName') + '[data-lightbox="' + dataLightboxValue + '"]');
    for (var i = 0; i < $links.length; i = ++i) {
      addToAlbum($($links[i]));
      if ($links[i] === $link[0]) {
        imageNumber = i;
      }
  } else {
    if ($link.attr('rel') === 'lightbox') {
      // If image is not part of a set
      addToAlbum($link);
    } else {
      $links = $($link.prop('tagName') + '[rel="' + $link.attr('rel') + '"]');
      for (var j = 0; j < $links.length; j = ++j) {
        addToAlbum($($links[j]));
        if ($links[j] === $link[0]) {
          imageNumber = j;
  // Position Lightbox
  var top = $window.scrollTop() + this.options.positionFromTop;
  var left = $window.scrollLeft();
  this.$lightbox.css({
    top: top + 'px',
    left: left + 'px'
  }).fadeIn(this.options.fadeDuration);
  if (this.options.disableScrolling) {
    $('html').addClass('lb-disable-scrolling');
  this.changeImage(imageNumber);
};
// Hide most UI elements in preparation for the animated resizing of the lightbox.
Lightbox.prototype.changeImage = function(imageNumber) {
```

```
var self = this;
    this.disableKeyboardNav();
    var $image = this.$lightbox.find('.lb-image');
    this.$overlay.fadeIn(this.options.fadeDuration);
    $('.lb-loader').fadeIn('slow');
    this.$lightbox.find('.lb-image, .lb-nav, .lb-prev, .lb-next, .lb-dataContainer, .lb-
numbers, .lb-caption').hide();
    this.$outerContainer.addClass('animating');
    // When image to show is preloaded, we send the width and height to sizeContainer()
    var preloader = new Image();
    preloader.onload = function() {
     var $preloader;
     var imageHeight;
     var imageWidth;
     var maxImageHeight;
     var maxImageWidth;
     var windowHeight;
     var windowWidth;
     $image.attr({
        'alt': self.album[imageNumber].alt,
        'src': self.album[imageNumber].link
      });
      $preloader = $(preloader);
      $image.width(preloader.width);
      $image.height(preloader.height);
      if (self.options.fitImagesInViewport) {
        // Take into account the border around the image and an additional 10px gutter on
                      = $(window).width();
        windowWidth
        windowHeight = $(window).height();
        maxImageWidth = windowWidth - self.containerPadding.left -
self.containerPadding.right - self.imageBorderWidth.left - self.imageBorderWidth.right -
20;
        maxImageHeight = windowHeight - self.containerPadding.top -
self.containerPadding.bottom - self.imageBorderWidth.top - self.imageBorderWidth.bottom -
120;
        // Check if image size is larger then maxWidth|maxHeight in settings
        if (self.options.maxWidth && self.options.maxWidth < maxImageWidth) {</pre>
          maxImageWidth = self.options.maxWidth;
        if (self.options.maxHeight && self.options.maxHeight < maxImageWidth) {</pre>
```

```
maxImageHeight = self.options.maxHeight;
       // Is the current image's width or height is greater than the maxImageWidth or
       // option than we need to size down while maintaining the aspect ratio.
       if ((preloader.width > maxImageWidth) || (preloader.height > maxImageHeight)) {
         if ((preloader.width / maxImageWidth) > (preloader.height / maxImageHeight)) {
            imageWidth = maxImageWidth;
            imageHeight = parseInt(preloader.height / (preloader.width / imageWidth), 10);
           $image.width(imageWidth);
           $image.height(imageHeight);
          } else {
            imageHeight = maxImageHeight;
           imageWidth = parseInt(preloader.width / (preloader.height / imageHeight), 10);
           $image.width(imageWidth);
           $image.height(imageHeight);
     self.sizeContainer($image.width(), $image.height());
    };
   preloader.src
                          = this.album[imageNumber].link;
   this.currentImageIndex = imageNumber;
 };
 // Stretch overlay to fit the viewport
 Lightbox.prototype.sizeOverlay = function() {
   this.$overlay
      .width($(document).width())
      .height($(document).height());
 };
 // Animate the size of the lightbox to fit the image we are showing
 Lightbox.prototype.sizeContainer = function(imageWidth, imageHeight) {
   var self = this;
   var oldWidth = this.$outerContainer.outerWidth();
   var oldHeight = this.$outerContainer.outerHeight();
    var newWidth = imageWidth + this.containerPadding.left + this.containerPadding.right
+ this.imageBorderWidth.left + this.imageBorderWidth.right;
    var newHeight = imageHeight + this.containerPadding.top + this.containerPadding.bottom
+ this.imageBorderWidth.top + this.imageBorderWidth.bottom;
   function postResize() {
      self.$lightbox.find('.lb-dataContainer').width(newWidth);
     self.$lightbox.find('.lb-prevLink').height(newHeight);
     self.$lightbox.find('.lb-nextLink').height(newHeight);
     self.showImage();
   if (oldWidth !== newWidth || oldHeight !== newHeight) {
```

```
this.$outerContainer.animate({
       width: newWidth,
       height: newHeight
     }, this.options.resizeDuration, 'swing', function() {
       postResize();
     });
   } else {
     postResize();
 };
 // Display the image and its details and begin preload neighboring images.
 Lightbox.prototype.showImage = function() {
   this.$lightbox.find('.lb-loader').stop(true).hide();
   this.$lightbox.find('.lb-image').fadeIn(this.options.imageFadeDuration);
   this.updateNav();
   this.updateDetails();
   this.preloadNeighboringImages();
   this.enableKeyboardNav();
 };
 // Display previous and next navigation if appropriate.
 Lightbox.prototype.updateNav = function() {
approach
   var alwaysShowNav = false;
   try {
     document.createEvent('TouchEvent');
     alwaysShowNav = (this.options.alwaysShowNavOnTouchDevices) ? true : false;
   } catch (e) {}
   this.$lightbox.find('.lb-nav').show();
   if (this.album.length > 1) {
     if (this.options.wrapAround) {
       if (alwaysShowNav) {
         this.$lightbox.find('.lb-prev, .lb-next').css('opacity', '1');
       this.$lightbox.find('.lb-prev, .lb-next').show();
     } else {
       if (this.currentImageIndex > 0) {
         this.$lightbox.find('.lb-prev').show();
         if (alwaysShowNav) {
           this.$lightbox.find('.lb-prev').css('opacity', '1');
       if (this.currentImageIndex < this.album.length - 1) {</pre>
         this.$lightbox.find('.lb-next').show();
         if (alwaysShowNay) {
```

```
this.$lightbox.find('.lb-next').css('opacity', '1');
 };
 Lightbox.prototype.updateDetails = function() {
   var self = this;
   // Enable anchor clicks in the injected caption html.
   // Thanks Nate Wright for the fix. @https://github.com/NateWr
   if (typeof this.album[this.currentImageIndex].title !== 'undefined' &&
     this.album[this.currentImageIndex].title !== '') {
     var $caption = this.$lightbox.find('.lb-caption');
     if (this.options.sanitizeTitle) {
       $caption.text(this.album[this.currentImageIndex].title);
      } else {
       $caption.html(this.album[this.currentImageIndex].title);
     $caption.fadeIn('fast')
        .find('a').on('click', function(event) {
          if ($(this).attr('target') !== undefined) {
            window.open($(this).attr('href'), $(this).attr('target'));
          } else {
            location.href = $(this).attr('href');
       });
   if (this.album.length > 1 && this.options.showImageNumberLabel) {
     var labelText = this.imageCountLabel(this.currentImageIndex + 1, this.album.length);
     this.$lightbox.find('.lb-number').text(labelText).fadeIn('fast');
    } else {
     this.$lightbox.find('.lb-number').hide();
    this.$outerContainer.removeClass('animating');
    this.$lightbox.find('.lb-dataContainer').fadeIn(this.options.resizeDuration,
function() {
     return self.sizeOverlay();
    });
 };
 // Preload previous and next images in set.
 Lightbox.prototype.preloadNeighboringImages = function() {
   if (this.album.length > this.currentImageIndex + 1) {
     var preloadNext = new Image();
     preloadNext.src = this.album[this.currentImageIndex + 1].link;
   if (this.currentImageIndex > 0) {
```

```
var preloadPrev = new Image();
     preloadPrev.src = this.album[this.currentImageIndex - 1].link;
    }
 };
 Lightbox.prototype.enableKeyboardNav = function() {
    $(document).on('keyup.keyboard', $.proxy(this.keyboardAction, this));
 };
 Lightbox.prototype.disableKeyboardNav = function() {
    $(document).off('.keyboard');
 };
 Lightbox.prototype.keyboardAction = function(event) {
   var KEYCODE ESC
                           = 27;
   var KEYCODE_LEFTARROW = 37;
   var KEYCODE RIGHTARROW = 39;
   var keycode = event.keyCode;
               = String.fromCharCode(keycode).toLowerCase();
   var key
   if (\text{keycode} === \text{KEYCODE\_ESC} \mid | \text{key.match}(/x|o|c/))  {
     this.end();
   } else if (key === 'p' || keycode === KEYCODE LEFTARROW) {
     if (this.currentImageIndex !== 0) {
       this.changeImage(this.currentImageIndex - 1);
     } else if (this.options.wrapAround && this.album.length > 1) {
       this.changeImage(this.album.length - 1);
   } else if (key === 'n' || keycode === KEYCODE RIGHTARROW) {
     if (this.currentImageIndex !== this.album.length - 1) {
        this.changeImage(this.currentImageIndex + 1);
     } else if (this.options.wrapAround && this.album.length > 1) {
       this.changeImage(0);
    }
 };
 // Closing time. :-(
 Lightbox.prototype.end = function() {
   this.disableKeyboardNav();
   $(window).off('resize', this.sizeOverlay);
   this.$lightbox.fadeOut(this.options.fadeDuration);
   this.$overlay.fadeOut(this.options.fadeDuration);
   $('select, object, embed').css({
     visibility: 'visible'
   if (this.options.disableScrolling) {
     $('html').removeClass('lb-disable-scrolling');
 };
 return new Lightbox();
}));
```