

Appendix A: ACG Publication List

December 2009

Corrections or updates should be forwarded to askacg@jhsph.edu

“Adjust Utilization for Case Mix and Make Physicians Responsible for Remaining Variation.” (1998). *Data Strategy Benchmarks*, 2(2), 25-28.

<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&listuids=10345360&dopt=Abstract>

Adams, E. K., Bronstein, J. M., Raskind-Hood, C. (2002) “Adjusted Clinical Groups: Predictive Accuracy for Medical Enrollees in Three States.” *Health Care Financing Review*. 24(1), 43-61.

<http://www.cms.hhs.gov/review/02fall/02fallpg43.pdf>

Adams, E. K., Bronstein, J. M., Becker, E. (2000). “Medi-Cal and Managed Care: Risk, Costs, and Regional Variation.” Public Policy Institute of California.

http://www.ppic.org/content/pubs/R_1200KAR.pdf

AdvanceMed Corp., a DynCorp Company (2003). “Applicability of Predictive Risk Groupers to MHS Data Model.”

Aguado, A. (2008). “Variability in prescription drug expenditures explained by adjusted clinical groups (ACG) case-mix: A cross-sectional study of patient electronic records in primary care.” BMC Health Services Research.

<http://www.biomedcentral.com/1472-6963/8/53/abstract>.

Anderson, G., Weller, W. (1999). “Methods of Reducing the Financial Risk of Physicians Under Capitation.” *AMA, Archives of Family Medicine*, 8(2), 149-155.

<http://archfami.ama-assn.org/cgi/content/short/8/2/149>

Ash, A, McCall, N. “Risk Assessment of Military Populations to Predict Health Care Cost and Utilization.” Final report prepared for [Center for Health Care Management Studies, HPA&E, TRICARE Management Activity](#), RTI Project Number 08490.006. November, 2005.

Baldwin L.M., Klabunde C.N., Green P., Barlow W., Wright G. (2006). “In Search of the Perfect Comorbidity Measure for Use With Administrative Claims Data. Does it Exist?” *Med Care*, 44(8), 745-753.

Barnard D.K., Hu W. (2005). “The Population Health Approach: Health GIS as a Bridge from Theory to Practice.” *International Journal of Health Geographics*, 4(23).

<http://www.ij-healthgeographics.com/content/4/1/23>

Bolibar-Ribas, B., Juncosa-Font, S. (2000). “Los Grupos De Atencion Ambulatoria Como Sistema De Clasificacion De Pacientes para La Atencion Primaria.” *Cuadernos De Destion*, 6(1), 19-24.

- Blustein, J., Hanson, K., Shea, S. (1998). "Preventable Hospitalizations and Socioeconomic Status." *Health Affairs*, 17(2), 177-189.
<http://content.healthaffairs.org/cgi/reprint/17/2/177>
- Bono, C., Shenkman, E., Hope-Wegener, D. (2000). "The Actual Versus Expected Health Care Use Among Healthy Kids Enrollees." Institute for Child Health Policy.
- Bonomi, A.E., Anderson, M.L., Reid, R.J., (2009) "Medical and Psychosocial Diagnoses in Women with a History of Inmate Partner Violence." *Arch Internal Medicine* 169(18): 1692-7.
- Briggs, L. W., Rohrer, J. E., Ludke, R. L., Hilsenrath, P. E., Phillips, K. T. (1995). "Geographic Variation in Primary Care Visits in Iowa." *Health Services Research* 30(5), 657-671.
- Broemeling A. (2005) "Chronic Care Management: Understanding Chronic Health Conditions & Co-morbidity." Presentation. *Centre for Health Services and Policy Research*.
- Broemeling, A. (2008) "Chronic conditions and co-morbidity among residents of British Columbia." *Center for Health Services Policy and Research*.
<http://www.chspr.ubc.ca/files/publications/2005/chspr05-08.pdf>
- Broemeling, A., Watson, D., and Black, C. (2005). "Chronic conditions and co-morbidity among residents of British Columbia." Centre of for Health Services and Policy Research, University of British Columbia. www.chspr.ubc.ca
- Buntin, M.J.B., Newhouse, J. P. (1998). "Employer Purchasing Coalitions and Medicaid: Experiences with Risk Adjustment." The Commonwealth Fund.
http://www.cmwf.org/publications/publications_show.htm?doc_id=221418
- Bureau of Primary Health Care by MDS Associates, I. (1998). "Differences in Case Mix Between CHC Users and Non Users: Washington and Missouri, 1992 Final Report."
- Carlin, C. (2006). "Optimal Pricing of Employment-Based Health Plans" *Dissertation, Graduate School of Minnesota*.
- Carlsson, L. (2004). "Burden of Illness in Defined Populations." *Department of Clinical Services, Center of Family Medicine Karolinska Institutet*.
- Carlsson, L., Borjesson, U., Edgren, L. (2002). "Patient-based 'Burden-of-Illness' in Swedish Primary Health Care. Applying the Johns Hopkins ACG Case-mix System in a Retrospective Study of Electronic Patient Records." *International Journal of Health Planning and Management*, 17(3), 269-282.
<http://www3.interscience.wiley.com/cgi-bin/fulltext/97518189/PDFSTART>

- Carlsson, L., Strender, Lars-Erik, Fridh, Gerd and Nilsson, Gunnar. (2004). "Types of Morbidity and Categories of Patients in a Swedish Country: Apply the Johns Hopkins Adjusted Clinical Groups System to Encounter Data in Primary Health Care." *Scandinavian Journal of Primary Health Care*, 22, 174-179.
<http://taylorandfrancis.metapress.com/app/home/contribution.asp?wasp=42f3515c6f774b308efb5dccf3a34cfe&referrer=parent&backto=issue,11,14;journal,4,31;linkpublicationresults,1:102104,1>
- Center for Health Quality Outcomes & Economic Research. "Health Quality Section Update, ACGs: An Ambulatory Care Case-mix Measure." *CHQOER Quarterly*, ENRM VA Hospital, Bedford, MA. Fall, 1997.
- Clark, D. O., Von Korff, M., Saunders, K., Baluch, W. M., Simon, G. E. (1995). "A Chronic Disease Score with Empirically Derived Weights." *Medical Care*, 33(8), 783-795.
<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&listuids=7637401&dopt=Abstract>
- Conrad, D.A., Fishman, P., Grembowski, D. et al. (2008). "Access Intervention in an Integrated, Prepaid Group Practice: Effects on Primary Care Physician Productivity." *Health Services Research*, Volume 43(5p2) 1888-1905.
- Conrad, D. A., Maynard, C., Cheadle, A., Ramsey, S., Marcus-Smith, M., Kirz, H., et. al. (1998). "Primary Care Physician Compensation Method in Medical Groups: Does It Influence The Use and Cost of Health Services For Enrollees in Managed Care Organizations?" *JAMA*, 279(11), 853-858.
<http://jama.ama-assn.org/cgi/content/full/279/11/853>
- Crampton, C., Davis, P., Lay-Yee, R., Rayment, A., Forrest, C., Starfield, B. (2004). "Comparison of Private For-Profit with Private Community-Governed Not-For-Profit Primary Care Services in New Zealand." *Journal of Health Services Research and Policy*, 9(2), 17-22.
- Crampton, C., Davis, P., Lay-Yee, R., Rayment, A., Forrest, C., Starfield, B. (2005). "Does Community-Governed Nonprofit Primary Care Improve Access to Services? Cross-Sectional Survey of Practice Characteristics." *International Journal of Health Services*, 35(3), 465-478.
- Crosson, F.J., (2004). "The Changing Shape of The Physician Workforce In Prepaid Group Practice." *Health Affairs – Web Exclusive*, W4, 60-63.
- Diamond, L. H. (2000). "Profiling: Doing It Right." *Healthplan*, 41(3), 74-75.
- Duckett, S. J., and Agius, P. A. (2002). "Performance of Diagnosis-based Risk Adjustment Measures In a Population of Sick Australians." *Australian and New Zealand Journal of Public Health*, 26(6), 500-507.
<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&listuids=12530791&dopt=Abstract>
- Dunn, D., Rosenblatt A, Taira, D., Latimer, E., Bertko, J., Stoiber, T., Braun, P., Busch, S. (1995). "A Comparative Analysis of Methods of Health Risk Assessment: Final Report." *Harvard University School of Public Health*.

- Ellis, R. P. (2001). "Formal Risk Adjustment by Private Employers." *Inquiry*, 38(3), 299-309.
<http://www.inquiryjournalonline.org/inqronline/?request=get-abstract&issn=0046-9580&volume=038&issue=03&page=0299>
- Ettner, S. L., Frank, R. G., McGuire, T.G., Hermann, R. C. (2001). "Risk Adjustment Alternatives in Paying for Behavioral Health Care Under Medicaid." *Health Services Research*, 36(4), 793-811.
<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&listuids=11508640&dopt=Abstract>
- Ettner, S. L., and Johnson, S. (2003). "Do Adjusted Clinical Groups Eliminate Incentives for HMOs to Avoid Substance Abusers? Evidence from the Maryland Medicaid HealthChoice Program." *Journal of Behavioral Health Services and Research*, 30(1), 63-77.
<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&listuids=12633004&dopt=Abstract>
- Fakhraei, S. H., Kaelin, J., Conviser, R. (2001). "Comorbidity-Based Payment Methodology for Medicaid Enrollees with HIV/AIDS." *Health Care Financing Review*, 23(2), 53-68.
<http://72.14.207.104/search?q=cache:LmlPaXNKzVQJ:www.umbc.edu/chpdm/expertise/managed-care/medicaid/comorbidity.pdf+Comorbidity-based+payment+methodology+for+medicaid+enrollees+with+HIV/AIDS&hl=en>
- Falik, M., Needleman, J., Wells, B., Korb, J. (2001). "Ambulatory Care Sensitive Hospitalizations and Emergency Visits: Experiences of Medicaid Patients Using Federally Qualified Health Centers." *Medical Care*, 39(6) 551-561.
<http://www.lww-medicalcare.com/pt/re/medcare/abstract.00005650-200106000-00004.htm;jsessionid=CCbIY9msBm2JEWd4SgnyBwSl sahmvkx1cAhvhOQtFpjbGP9y1B!-1738921856!-949856031!9001!-1>
- Fick, D.M., Maclean, J.R., Rodriguez, N.A., Short, L., Heuvel, R.V., Waller, J.L., Rogers, R.L. (2004). "A Randomized Study to Decrease the Use of Potentially Inappropriate Medications Among Community-dwelling Older Adults in a Southeastern Managed Care Organization." *The American Journal of Managed Care*, 10(11), 761-768.
http://www.ajmc.com/files/articlefiles/AJMC04novPrt1_Fick761to68.pdf
- Fishman, P., Shay, D. K. (1999). "Development and Estimation of a Pediatric Chronic Disease Score Using Automated Pharmacy Data." *Medical Care*, 37(9), 874-883.
<http://www.lww-medicalcare.com/pt/re/medcare/fulltext.00005650-199909000-00004.htm;jsessionid=CCaV0cmAKYfzTqwX47k8mc1cj2phpZV2hBN3VGUTkfz7iwOn1yod!1362100327!-949856032!9001!-1>
- FitzHenry, F. and Shultz, E. K. (2000). "Health-Risk-Assessment Tools Used to Predict Costs in Defined Populations." *Journal of Healthcare Information Management*, 14(2), 31-57.
<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&listuids=11066647&dopt=Abstract>

- Foldes, S. (1998). "Managed Care Holds Down Costs, Doesn't Hurt Auality." January 3, 1998. *Minneapolis Star Tribune*, A13.
- Forrest, C. B, Kinder, K., Klaus, K. W., Reid, R. J. (2004). "Adjusted Clinical Group – ein Instrument zur Prognose des Ressourcenverbrauchs." *Gesimdheits und Sozialpolitik*, 1-2/2004, 8-15.
- Forrest, C. B, Majeed, A., Weiner, J., Carroll, K., Bindman, A. B. (2003). "Referral of Children to Specialists in the United States and the United Kingdom." *Archives of Pediatric Adolescent Medicine*, 157(3), 279-285.
<http://archpedi.ama-assn.org/cgi/content/full/157/3/279>
- Forrest, C. B, Majeed, A., Weiner, J., Carroll, K., Bindman, A. (2002). "Comparison of Specialty Referral Rates in the United Kingdom and United States: Retrospective Cohort Analysis." *British Medical Journal*, 325(7360), 370-371.
<http://bmj.bmjjournals.com/cgi/content/full/325/7360/370/>
- Forrest, C. B., Weiner, J. P., Fowles, J., Vogeli, C., Frick, K. D., Lemke, K. W., et. al. (2001). "Self-Referral in Point-of-Service Health Plans." *JAMA*, 285(17), 2223-2231.
<http://jama.ama-assn.org/cgi/content/short/285/17/2223>
- Forrest, C. B., Reid, R. J. (2001). "Prevalence of Health Problems and Primary Care Physicians' Specialty Referral Decisions." *Journal of Family Practice*, 50(5), 427-432.
http://www.jfampract.com/content/2001/05/jfp_0501_04270.asp
- Forrest, C. B., Whelan, E. M. (2000). "Primary Care Safety-Net Delivery Sites in the United States: A Comparison of Community Health Centers, Hospital Outpatient Departments, and Physicians' Offices." *JAMA*, 284(16), 2077-2083.
<http://jama.ama-assn.org/cgi/content/short/284/16/2077>
- Fowler, L., Anderson G. (1996). "Capitation Adjustment For Pediatric Populations." *Pediatrics*, 98(1), 10-17.
<http://pediatrics.aappublications.org/cgi/content/abstract/98/1/10>
- Fowles, J., Weiner, J., Knutson, D., Fowler, E., Tucker, A., Ireland, M., "Taking Health Status into Account When Setting Capitation Rates: A Comparison of Risk Adjustment Methods." *JAMA*, 276(16), 1316-1321.
<http://jama.ama-assn.org/cgi/content/abstract/276/16/1316>
- Franks, P., and Fiscella, K. (2002) "Effect of Patient Socioeconomic Status on Physician Profiles for Prevention, Disease Management, and Diagnostic Testing Costs." *Medical Care*, 40(8), 717-724.
<http://www.lww-medicalcare.com/pt/re/medcare/fulltext.00005650-200208000-00011.htm>

- Franks, P., Fiscella, K., Beckett, L., Zwanziger, J., Mooney, C., and Gorthy, S. (2003). "Effects of Patient and Physician Practice Socioeconomic Status on the Health Care of Privately Insured Managed Care Patients." *Medical Care*, 41(7), 842-852.
<http://www.lww-medicalcare.com/pt/re/medcare/fulltext.00005650-200307000-00008.htm>
- Fye, W.B., (2004). "Cardiology Workforce: A Shortage, Not a Surplus." *Health Affairs – Web Exclusive*, W4, 64-66.
- Gifford, G. A., Edwards, K. R., Knutson, D. (2004). "Health-Based Capitation Risk Adjustment in Minnesota Public Health Care Programs." *Health Care Financing Review*, 26(2), 21-41.
<http://www.cms.hhs.gov/review/04winter/04winterpg21.pdf>
- Glazier, R. (2008). "The Impact of Not Having a Primary Care Physician Among People with Chronic Conditions." *ICES Investigative Report July 2008*.
- Goodman, D.C., (2004). "Do We Need More Physicians?" *Health Affairs – Web Exclusive*, W4, 67-69.
- Green, B., Barlow, J., Newman, C. (1996). "Ambulatory Care Groups and The Profiling of Primary Care Physician Resource Use: Examining the Application of Case-Mix Adjustments." *Journal of Ambulatory Care Management*, 19(1), 86-89.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=10154372
- Gifford, G. A., Edwards, K. R., and Knutson, D. J. (2004). "Health-Based Capitation Risk Adjustment in Minnesota, Public Health Care Programs." *Health Care Financing Review*, Vol. 26(2), 21-41.
<http://www.cms.hhs.gov/review/04winter/04winterpg21.pdf>
- Hall, J., Moore, J., "Does High Risk Poll Coverage Meet the Needs of People at Risk for Disability." *Inquiry Journal*. 340-353.
- Halling, A., Fridh, G., Ovhed, I. (2006). "Validating the Johns Hopkins ACG Case-Mix System of the Elderly in Swedish Primary Health Care." *BMC Public Health*, 6(171).
- Harris, L. (2009). "Diabetes Quality of Care and Outpatient Utilization Associated with Electronic Patient-Provider Messaging: A Cross-Sectional Analysis." *Diabetes Care*.
- Harry, N. (1997). "Hopkins Health Pricing Tool a Managed Care Hit." *Baltimore Business Journal*, 15(9), 20.
<http://www.bizjournals.com/baltimore/stories/1997/07/21/focus2.html>
- Holahan, J., Rangarajan, S., Schirmer, M. (1999). "Medicaid Managed Care Payment Rates in 1998." *Health Affairs (Millwood)*, 18(3), 217-227.
<http://content.healthaffairs.org/cgi/reprint/18/3/217>

- Hollander, M., Kadlec, H., Hamdi, R., “Increasing value for money in the Canadian healthcare system: new findings on the contribution of primary care services.” *Healthcare Quarterly*, Vol. 12(4), 30-43.
- Jackson, J. E., Doescher, M. P., Saver, B. G., and Fishman, P. (2004). “Prescription Drug Coverage, Health, and Medication Acquisition Among Seniors With One or More Chronic Conditions.” *Medical Care*, 42(11), 1056-1065. <http://www.lww-medicalcare.com/pt/re/medcare/fulltext.00005650-200411000-00004.htm>
- Johnson M.L., El-Serag H.B., Tran T.T., Hartman C., Richardson P., et. al. (2006). “Adapting the Rx-Risk-V for Mortality Prediction in Outpatient Populations.” *Med Care*, 44(8), 793-797.
- Juncosa, S., Bolibar, B. (1997). [A Patient Classification System for Our Primary Care: The Ambulatory Care Groups (ACGs)]. *Gac Sanit*, 11(2), 83-94. <http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&listuids=9378577&dopt=Abstract>
- Juncosa, S., Carrillo, E., Bolibar, B., Prados, A., and Grevas, J. (1996). {Classification Systems in Care-Mix Groups in Ambulatory Care. Perspectives for Our Primary Health Care.] *Aten Primaria*, 17(1), 76-82.
- Juncosa, S., Bonaventura, B., Rpsset. M., Tomas. R. (1999). “Performance of an Ambulatory Case-Mix Measurement in Primary Care in Spain: Ambulatory Care Groups (ACGs).” *European Journal of Public Health*, 9, 27-35.
- Juncosa, S., Bonaventura, B., Rpsset. M., Tomas. R. (1999). “Descripcion, Comportamiento, Usos Y Metodologia de Empleo Para Medir La Casuistica En Nuestra Atencion Primaria: Los Ambulatory Care Groups (ACGs).” *Fundacio Salut, Empresa I Economia*.
- Klabunde, C. N., Warren, J. L., Legler, J. M. (2002). “Assessing Comorbidity Using Claims Data: An Overview.” *Medical Care*, 40(8 Suppl), IV-26-35. <http://www.lww-medicalcare.com/pt/re/medcare/fulltext.00005650-200208001-00004.htm>
- Knutson, D. (1998). “Case Study: The Minneapolis Buyers Health Care Action Group.” *Inquiry*, 35, 171-177.
- Kuhlthau K., Ferris, T. G., Beal, A. C., Gortmaker, S. L., and Perrin, J. M. (2001). “Who Cares for Medicaid-Enrolled Children With Chronic Conditions?” *Pediatrics*, 108(4), 906-912. <http://pediatrics.aappublications.org/cgi/content/full/108/4/906>
- Kuhlthau K., Ferris T.G., Davis R.B., Perrin J.M., Iezzoni L.I. (2005). “Pharmacy and Diagnosis Based Risk Adjustment for Children with Medicaid.” *Med Care*, 43(11), 1155-1159.
- Lafferty, W.E., Tyree, P., Delvin, S., Anderson, M., Diehr, P., (2008) “Complementary and Alternative Medicine Provider Use and Expenditures by Cancer Treatment Phase.” *The American Journal of Managed Care*. ” 14(5).

- Lafferty W.E., Tyree P.T., Bellas A.S., Watts C.A., Lind B.K., et. al. (2006). "Insurance Coverage and Subsequent Utilization of Complementary and Alternative Medicine Providers." *Am J Manag Care*, 12(7), 397-404.
http://www.ajmc.com/files/articlefiles/AJMC_06julLafferty397to404.pdf
- Leibson, C. L., Katusic, S. K., Barbaresi, W. J., Ransom, J., and O'Brien, P. C. (2001) "Use and Costs of Medical Care for Children and Adolescents with and without Attention-Deficit/Hyperactivity Disorder." *JAMA*, 285(1), 60-66.
<http://jama.ama-assn.org/cgi/content/full/285/1/60>
- Liu, C. F., Sales, A. E., Sharp, N. D., Fishman, P., Sloan, K. L., Todd-Stenberg, J., et. al. (2003). "Case-mix Adjusting Performance Measures in a Veteran Population: Pharmacy- and Diagnosis-based Approaches." *Health Services Research*, 38(5), 1319-1337.
<http://www.blackwell-synergy.com/doi/abs/10.1111/1475-6773.00179?cookieSet=1>
- Lind, B. (2006). "The Effect of Complementary and Alternative Medicine Claims on Risk Adjustment." *Medical Care*. Vol. 44 (12) 1078-1084.
- Lind, B. (2007). "Use of Complementary and Alternative Medicine Providers by Fibromyalgia Patients Under Insurance Coverage." *Arthritis & Rheumatism (Arthritis Care & Research)*. 57, 71-76.
- Maciejewski, M., Liu, C., Derleth, A., McDonell, M., Anderson, St., Fihn, S. (2005). "The Performance of Administrative Self-Reported Measures for Risk Adjustment of Veterans Affairs Expenditures." *HSR: Health Services Research*, 40(3), 887-904.
- Madden, C. W., Mackay, B. P., Skillman, S. M. (2001). "Measuring Health Status for Risk Adjusting Capitation Payments." *Center for Health Care Strategies, Inc.*
http://www.chcs.org/publications3960/publications_show.htm?doc_id=211914
- Madden, C. W., Mackay, B. P., Skillman, S. M., Ciol, M., Diehr, P. (2000). "Risk Adjusting Capitation: Applications in Employed and Disabled Populations." *Health Care Management Science*, 3(2), 101-109.
<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&listuids=10780278&dopt=Abstract>
- Madden, C. W., Stanley, M., Skillman, S. M., Blough, D. K., Mackay, B., Wilson V., et. al. (1998). "Implementing a Model for Risk Distribution Among Competing Health Plans." *Final Report for the Robert Wood Johnson Foundation*.
<http://www.rwjf.org/reports/grr/023352.htm>
- Madden, C. W., Skillman, S. M., Mackay, B. P. (1998). "Risk Distribution and Risk Assessment Among Enrollees in Washington State's Medicaid SSI Population." *Center for Health Care Strategies, Inc.*
- Majeed, A., Bindman, A., Weiner, J. P. (2001). "Use of Risk Adjustment in Setting Budgets and Measuring Performance in Primary Care I: How it Works." *British Medical Journal*, 323, 604-607.
www.bmj.com/cgi/reprint/323/7313/604.pdf

- Majeed, A., Bindman, A., Weiner, J. P. (2001). "Use of Risk Adjustment in Setting Budgets and Measuring Performance in Primary Care II: Advantages, Disadvantages, and Practicalities." *British Medical Journal*, 323, 607-610.
<http://bmj.bmjournals.com/cgi/reprint/323/7313/607.pdf>
- Mark. T. L., Ozminkowski, R.J., Kirk, A., Ettner, S. L. Drabek, J. (2003). "Risk Adjustment for People With Chronic Conditions in Provide Sector Health Plans." *Medical Decision Making*, 23(5), 397-405.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=14570297&query_hl=5
- Maryland Health Care Commission by the Project HOPE Center for Health Affairs (2001). "Characteristics of Maryland Residents Who Obtain Health Insurance from the Small and Large Group Markets."
- Massachusetts Rate Setting Commission, (1996). "Evaluation of Case-Mix Adjustments Methods for the Massachusetts Division of Medical Assistance." Final Report and Recommendation.
- McCall, D., Saruma, Angela, Hamman, Richard, Reusch, Barton, P. (2004). "Are Low-Income Elderly Patients At Risk for Poor Diabetes Care?" *Diabetes Care*, 27(5), 1060-1065.
- McCracken, S. B. (1996). "Health Information Services Technologies." *Journal of Ambulatory Care Management*, 19(1), 90-97.
- Medical College of VA Associated Physicians and Mathematica Policy Research, I. (1999). "Minimal-Burden Risk Adjusters for the Medicare Risk Program." Report prepared for the Health Care Financing Review (HCFA Contract No. 17C-90366/3/01), November.
- Meenen, Richard T., Goodma, M. J., Fishman, P. A., Hornbrook, M. C., O'Keeffe-Rosetti, M. C., Bachman, D. J. (2003). "Using Risk Adjustment Models to Identify High-Cost Risks." *Medical Care*, (41)11, 1301-1312.
<http://www.lww-medicalcare.com/pt/re/medicare/fulltext.00005650-200311000-00010.htm>
- Minnesota Department of Health (1998). "Risk Adjustment and Rate Setting Methods in Public Programs." A Report to Legislature Prepared by the Health Economics Program for the Minnesota Department of Health.
- Mitchell R.N. (2006). "Managing Costs with Software." Editorial. *Advance for Health Information*.
<http://health-care-it.advanceweb.com/Common/editorial/editorial.aspx?CTIID=339>
- Moore, H. W., K. J., Johnson, S., Mussman, M., O'Brien, J. (2001). "Risk Adjustment for Asthma: Variations by Methodology and Implications for Providers." *Working Paper: Informed Purchasing Series, Center for Health Care Strategies, Inc.*
http://www.chcs.org/publications3960/publications_show.htm?doc_id=211896

- Morgan, P., Shah, N., Kaufman, J., et al, (2008). "Impact of Physician Assistant Care on Office Visit Resource Used in the United States." *Health Services Research*. Vol. 43 (5p2) 1906-1922.
- Moynihan, R. (2004). "Using Health Research in Policy and Practice: Case Studies from Nine Countries." *Academy Health*.
- Mullan, F., (2004). "My Dad Was Not A Prepaid Group Practice Patient." *Health Affairs – Web Exclusive*, W4, 70-72.
- National Health Information, LLC. (2004). "Use Predictive Modeling to Improve Profitability under Cap." *Capitation Rates & Data*, 9(6).
- Naessens, J., Baird, M., Van Houten, H., Vanness, D., Campbell, C. (2005). "Predicting Persistently High Primary Care Use." *Annals of Family Medicine*. 3, 324-330.
<http://www.annfammed.org/cgi/content/full/3/4/324>
- Omar, O.Z. (2008) "A model based on age, sex, and morbidity to explain variation in UK general practice prescribing: cohort study." *BMJ*, 337;a238.
- Orueta, J. F., Lopez-De-Munain, J., Baez, K., Aiartzaguena, J. M., Aranguren, J. I., and Pedrero, E. (1999). "Application of the Ambulatory Care Groups in the Primary Care of a European National Health Care System: Does It Work?" *Med Care*, 37(3), 238-248.
<http://www.lww-medicalcare.com/pt/re/medicare/fulltext.00005650-199903000-00004.htm>
- Page, L. (1996). "Maryland to Test New Medicaid Managed Care Pay Formula." *American Medical News*.
- Palsbo, S., P. R. (2001). "Implementing Risk Assessment and Risk Adjustment for People with Disabilities in State Programs: Six Case Studies." *NRH Center for Health and Disability Research*.
- Paramore, L. C., Halpern, M. T., Lapuerta, P., Hurley, J. S., Frost, F. J., Fairchild, D.G., et. al. (2001). "Impact of Poorly Controlled Hypertension on Healthcare Resource Utilization and Cost." *Am J Manag Care*, 7(4), 389-398.
http://www.ajmc.com/files/articlefiles/AJMC2001aprParamore389_98.pdf
- Parente, S. T., Susan S. Kim, PharmD; Michael D. Finch, PhD; Lisa A. Schloff, M. T. S. R., PharmD, PhD; and Raafat Siefeldin, P., PhD; and J. David Haddox, DDS, MD. (2004). "Identifying Controlled Substance Patterns of Utilization Requiring Evaluation Using Administrative Claims Data." *Am J Managed Care*, 10, 783-790.
http://www.ajmc.com/files/articlefiles/AJMC04nov_Parente783to90.pdf
<http://www.ajmc.com/Article.cfm?Menu=1&ID=2752>
- Parente, S. T., Weiner, J. P., Garnick, D. W., Fowles, J., Lawthers, A. G., and Palmer, R. H. (1996). "Profiling Medicare Beneficiary Resource Use by Primary-Care Practices: Managed Medicare Implications." *Health Care Financ Rev*. 17(4), 23-42.

- Parkerson, G. R., Jr., Harrell, F. E., Jr., Hammond, W. E., Wang, X. Q. (2001)
“Characteristics of Adult Primary Care Patients as Predictors of Future Health Services Charges.” *Med Care* 39(11), 1170-1181.
<http://www.lww-medicalcare.com/pt/re/medcare/fulltext.00005650-200111000-00004.htm>
- Petersen, L. A., Peitz, Kenneth, Woodard, LeChauncy, D., and Byrne, Margaret. (2005).
“Comparison of the Predictive Validity of Diagnosis-Based Risk Adjusters for Clinical Outcomes.” *Medical Care*, 43(1), 61-67.
<http://www.lww-medicalcare.com/pt/re/medcare/fulltext.00005650-200501000-00009.htm>
- Pietz, K. O., m. K., Byrne, M., Soucek, J., Petersen, N., Ashton, C. (2002).
“Physician-Level Variation in Practice Patterns in VA Healthcare System.”
Health Services & Outcomes Research Methodology, 2, 95-106.
- Pietz, K., Ashton, C, McDonell, M, Wray, N. (2004). “Predicting Healthcare Costs in a Population of Veterans Affairs Beneficiaries Using Diagnosis-Based Risk Adjustment and Self-Reported Health Status.” *Medical Care*. 42(10):1027-1035.
- Powe, N. R., Weiner, J. P., Starfield, B., Stuart, M., Baker, A., and Steinwachs, D. M. (1996). “Systemwide Performance in a Medicaid Program: Profiling the Care of Patients with Chronic Illnesses.” *Med Car*, 34(8), 798-810.
<http://www.lww-medicalcare.com/pt/re/medcare/fulltext.00005650-199608000-00007.htm>
- Powers C.A., Meyer C.M., Roebuck M.C., Vaziri B. (2005). “Predictive Modeling of Total Healthcare Costs Using Pharmacy Claims Data.” *Med Car*, 43(11), 1065-1072.
- Prosser, B., QUILTS Team. (2006). “The Utility of ACGs & ADGs in the Evaluation of the BC Nurseline.” Presentation in British Columbia.
- Quan H., Sundararajan V., Halfon P., Fong A., Burnand B., et. al. (2005). “Coding Algorithms for Defining Comorbidities in ICD-9-CM and ICD-10 Administrative Data.” *Med Care*, 43(11), 1130-1139).
- Ralston, JD. (2007). “Patient Web Services Integrated with a Shared Medical Record: Patient Use and Satisfaction.” *JAMIA*.
<http://www.jamia.org/cgi/reprint/14/6/798.pdf>
- Ralston, JD. (2009). “Patient Use of Secure Electronic Messaging Within a Shared Medical Record: a Cross-Sectional Analysis.” *JGIM*.
- Ray, G., Mertens, J., Weisner, C., (2009) “Family members of people with alcohol or drug dependence: health problems and medical cost compared to family members of people with diabetes and asthma.” Society for the Study of Addiction. 104(203-214)
- Ray, G., Croen, L., Habel, L., ”Mothers of children diagnosed with attention-deficit/hyperactivity disorder: Health conditions and medical care utilization in periods before and after the birth of a child.” *Medical Care*. 47(1)105-114.

- Reid, R., B. B., Roos, N. P., Black, C., MacWilliam, L., Menec, V. "Do Some Physician Groups See Sicker Patients than Others? Implications for Primary Care Policy in Manitoba." *Manitoba Centre for Health Policy and Evaluation, Department of Community Health Services Faculty of Medicine, University of Manitoba*.
<http://www.umanitoba.ca/centres/mchp/reports/pdfs/acg2001.pdf>
- Reid, R., M. L., Roos, N., Bogdanovic, B., Black, C. (1999). "Measuring Morbidity in Populations: Performance of the Johns Hopkins Adjusted Clinical Group (ACG) Case-Mix Adjustment System in Manitoba." *Manitoba Centre for Health Policy and Evaluation, Department of Community Health Services Faculty of Medicine, University of Manitoba*.
<http://www.umanitoba.ca/centres/mchp/reports/pdfs/acg.pdf>
- Reid, R. J., MacWilliam, L., Verhulst, L., Roos, N., and Atkinson, M. (2001). "Performance of the ACG Case-Mix System in Two Canadian Provinces." *Medical Care*, 39(1), 86-99.
<http://www.lww-medicalcare.com/pt/re/medcare/fulltext.00005650-200101000-00010.htm>
- Reid, R. J., Roos, N. P., MacWilliam, L., Frohlich, N., and Black, C. (2002) "Assessing Population Health Care Need Using a Claims-based ACG Morbidity Measure: A Validation in the Province of Manitoba." *Health Services Research*, 37(5): 1345-1364.
<http://www.blackwell-synergy.com/doi/abs/10.1111/1475-6773.01029>
- Reid, R. J., Evans, R., Barer, M., Sheps, S., Kerluke, K., McGrail, K., Hetzman, C. and Pagliccia, N. (2003) "Conspicuous consumption: characterizing high users of physician services in one Canadian province." *Journal of Health Services Research & Policy*, 8(4): 1345-1364.
<http://www.blackwell-synergy.com/doi/abs/10.1111/1475-6773.01029>
- Robinson J.W., Zeger S.L., Forrest C.B. (2006). "A Hierarchical Multivariate Two-Part Model for Profiling Providers' Effects on Health Care Changes." *Journal of the American Statistical Association*, 101(475), 911-923.
- Rosen, A. K., Loveland, S. A., Rakovski, C. C., Christiansen, C., L., Berlowitz, D. R. (2003). "Do Different Case-Mix Measures Affect Assessments of Provider Efficiency: Lessons From the Department of Veteran Affairs." *Journal of Ambulatory Care Management*, 26(3), 229-242.
<http://pt.wkhealth.com/pt/re/lwwgateway/abstract.00004479-200307000-00006.htm>
- Rosen, A. K., Loveland, S., Anderson, J. J., Rothendler, J. A., Hankin, C. S., Rakovski, C., C., et. al. (2001). "Evaluating Diagnosis-Based Case-Mix Measures: How Well Do They Apply to the VA Populations?" *Medical Care*, 39(7), 692-704. <http://www.lww-medicalcare.com/pt/re/medcare/fulltext.00005650-200107000-00006.htm>

- Rosen, A. K., Rakovski, C., Loveland, S. A., Anderson, J. J., Berlowitz, D. R. (2002) "Profiling Resource Use: Do Different Outcomes Affect Assessments of Provider Efficiency?" *American Journal of Managed Care*, 8(12), 1105-1115.
<http://www.ajmc.com/files/articlefiles/AJMC2002decRosen1105-1115.pdf>
- Rosen, A. K., Reid, R., Broemeling, A., and Rakovski, C. C. (2003). "Applying a Risk-Adjustment Framework to Primary Care: Can We Improve on Existing Measures?" *Annals of Family Medicine*, 1(1), 44-51.
- Rosenblatt, R. A., Baldwin, L. M., Chan, L., Fordyce, M. A., Hirsch, I. R., Palmer, J. P., et. al. (2001). "Improving the Quality of Outpatient Care for Older Patients With Diabetes: Lesson From a Comparison of Rural and Urban Communities." *Journal of Family Practice*, 50(8), 676-680.
http://www.jfponline.com/content/2001/08/jfp_0801_06760.asp
- Salem-Schatz, S., Moore, G., Rucker, M., and Pearson, S. (1994). "The Case For Case-Mix Adjustment In Practice Profiling: When Good Apples Look Bad." *JAMA*, 272(11), 871-874.
<http://jama.ama-assn.org/cgi/content/abstract/272/11/871>
- Sales, A. E., Liu, C. F., Sloan, K. L., Malkin, J., Fishan, P. A., Rosen, A. K., et. al. (2003). "Predicting Costs of Care Using Pharmacy-Based Measure Risk Adjustment in a Veteran Population." *Medical Care*, 41(6), 753-760.
<http://www.lww-medicalcare.com/pt/re/medicare/abstract.00005650-200306000-00008.htm>
- Salsberg, E., Forte, G. (2004). "Benefits and Pitfalls in Applying the Experience of Prepaid Group Practices to the U.S. Physician Supply." *Health Affairs – Web Exclusive*, W4, 73-75.
- Schoenbaum, S.C., (2004). "Physicians and Prepaid Group Practices." *Health Affairs – Web Exclusive*, W4, 76-78.
- Shen, Y. and Ellis, R. P. (2002). "Cost-Minimizing Risk Adjustment." *Journal of Health Economic*, 21(3), 515-530.
<http://www.sciencedirect.com/science/article/B6V8K-459J6C7-1/2/750e4d9c422c203710b505981a0b9f0a>
- Shen, Y., Ellis, R. P. (2002). "How Profitable is Risk Selection? A Comparison of Four Risk Adjustment Models." *Health Economics*, 11(2), 165-174.
http://people.bu.edu/ellisrp/shenellis_profitability2002.pdf
- Shenkman, E., Pendergast, J., Wegener, D. H., Hartzel, T., Naff, R., Freedman S., et. al. (1997). "Children's Health Care Use in the Healthy Kids Program." *Pediatrics*, 100(6), 947-953.
<http://pediatrics.aappublications.org/cgi/content/full/100/6/947>
- Shenkman, E., Breiner, J.. (2001). "Characteristics of Risk Adjustment Systems." Working Paper Series, #2. Division of Child Health Services Research and Evaluation, Institute for Child Health Policy, University of Florida.

- Shields, A. E., Comstock, C., Finkelstein, J. A., and Weiss, K.B. (2003). "Comparing Asthma Care Provided to Medicaid-Enrolled Children in a Primary Care Case Manager Plan and a Staff Model HMO." *Ambulatory Pediatric*, 3(5), 253-262.
[http://ampe.allenpress.com/ampeonline/?request=get-document&doi=10.1367%2F1539-4409\(2003\)003%3C0253:CACPTM%3E2.0.CO%3B2](http://ampe.allenpress.com/ampeonline/?request=get-document&doi=10.1367%2F1539-4409(2003)003%3C0253:CACPTM%3E2.0.CO%3B2)
- Sheilds, A. E., Finkelstein, J. A., Comstock, C., Weiss, K. B. (2002). "Process of Care for Medicaid-Enrolled Children with Asthma." *Medical Care*, 40(4), 303-314
<http://www.lww-medicalcare.com/pt/re/medcare/fulltext.00005650-200204000-00006.htm>
- Smith, N. S., and Weiner, J. P. (1994). "Applying Population-Based Case-Mix Adjustment in Managed Care: The Johns Hopkins Ambulatory Care Group System." *Managed Care Quarterly*, 2(3), 21-34.
- Starfield, B., Lemke, K. W., Herbert, R., Pavlovich, W. D., and Anderson, G. (2005). "Comorbidity and the Use of Primary Care and Specialist Care in the Elderly." *Annals of Family Medicine*, 3(3), 215-222.
<http://annalsfm.highwire.org/cgi/content/full/3/3/215>
- Starfield, B., Lemke, K. W., Bernhardt, T., Foldes, S. S., Forrest, C. B., and Weiner, J. P. (2003). "Comorbidity: Implications for the Importance of Primary Care in Case Management." *Annals of Family Medicine*, 1(1), 8-14.
<http://www.annfammed.org/cgi/content/full/1/1/8>
- Starfield, B., Weiner, J., Mumford, L., Steinwachs, D. (1991). "Ambulatory Care Groups: A Categorization of Diagnoses For Research and Management." *Health Services Research*, 26(1), 53-74.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=1901841
- Stuart, M. E., and Steinwachs, D. M. (1993). "Patient Mix Differences Among Ambulatory Providers and Their Effects on Utilization and Payments For Maryland Medicaid Users." *Medical Care*, 31(12), 1119-1137.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8246641&dopt=Abstract
- Sullivan, C. Omar, R., Forrest, C., Majeed, A. (2004). "Adjusting for Case Mix and Social Class in Examining Variation in Home Visits Between Practices." *Family Practice*, 21(4), 355-363.
<http://fampra.oxfordjournals.org/cgi/content/full/21/4/355>
- Sylvia M.L., Shadmi E., Hsiao C.J., Boyd C.M., Schuster A.B., et. al. (2006). "Clinical Features of High-Risk Older Persons Identified by Predictive Modeling." *Disease Management*, 9(1), 56-62.
- "The Faces of Medicaid." (2000). *Publication for the Center of Health Care Strategies, Inc., Finance*, 71-75.
<http://www.chcs.org/publications/pdf/cfm/Finance.pdf>

- Thomas, J. W., Grazier, K. L., and Ward, K. (2004). "Comparing Accuracy of Risk-Adjustment Methodologies Used in Economic Profiling of Physicians." *Inquiry*, 41(2), 218-231.
<http://www.inquiryjournalonline.org/inqronline/?request=get-abstract&issn=0046-9580&volume=041&issue=02&page=0218>
- Tucker, A., Weiner, J., Abrams, C. (2002). "Health-Based Risk Adjustment: Application to Premium Development and Profiling." *Health Administration Press, Ann Arbor*.
- Tucker, A. M., Weiner, J. P., Honigfeld, S., and Parton, R. A. (1996). "Profiling Primary Care Physician Resource Use: Examining the Application of Case-Mix Adjustment." *Journal of Ambulatory Care Management*, 19(1), 60-80.
<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&listuids=10154370&dopt=Abstract>
- Verhulst, L., Reid, R. J., Forrest, C. B. (2001). "Hold It - My Patients are Sicker! The Importance of Case Mix Adjustment to Practitioner Profiles in British Columbia." *BC Medical Journal*, 43(6), 328-333.
http://www.bcma.org/public/bc_medical_journal/BCMj/2001/july_august_2001/PremisePatientsSicker.asp
- Volpel, A., O'Brien, J. (2005). "Strategies for Assessing Health Plan Performance on Chronic Diseases: Selecting Performance Indicators and Applying Health-Based Risk Adjustment." CHCS, Inc., Resource Paper.
http://www.chcs.org/publications3960/publications_show.htm?doc_id=263738
- Weiner, J. (1991). "Ambulatory Case-Mix Methodologies: Applications to Primary Care Research." In Grady, M. (ed) *Primary Care Research: Theory and Methods*.
- Weiner, J. P., Dobson, A., Maxwell, S. L., Coleman, K., Starfield, B., Anderson, G. F. (1996). "Risk-Adjusted Medicare Capitation Rates Using Ambulatory and Inpatient Diagnoses." *Health Care Financing Review*, 17(3), 77-99.
- Weiner, J. P., Starfield, B. H., Lieberman, R. N. (1992). "Johns Hopkins Ambulatory Care Groups (ACGs): A Case-Mix System For UR, QA, and Capitation Adjustment." *HMO Practice*, 6(1), 13-19.
<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&listuids=10119658&dopt=Abstract>
- Weiner, J. P., Starfield, B., Stuart, M., Powe, N. R., Steinwachs, D. M. (1996). "Ambulatory Care Practice Variation Within a Medicaid Program." *Health Services Research*, 30(6), 751-770.
<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&listuids=8591928&dopt=Abstract>
- Weiner, J. P., Starfield, B. H., Steinwachs, D. M., and Mumford, L. M. (1991). "Development and Application of a Population-Oriented Measure of Ambulatory Care Case-Mix." *Medical Care*, 29(5), 452-472.
<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&listuids=1902278&dopt=Abstract>

- Weiner, J. P., Tucker, A. M., Collins, A. M., Fakhraei, H., Liebermann, R., Abrams, C., et. al. (1998). "The Development of Risk-Adjusted Capitation Payment System: The Maryland Medicaid Model." *Journal of Ambulatory Care Management*, 21(4), 29-52.
<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&listuids=10387436&dopt=Abstract>
- Weir, Sharada, Phil, D., Aweh, Gideon, Clark, Robin E. (2008). "Case Selection for a Medicaid Chronic Care Management Program." *Health Care Financing Review*, Volume 30, Number 1, Fall 2008, pp 61-74.
<http://www.cms.hhs.gov/HealthCareFinancingReview/downloads/08Fallpg61.pdf>
- Weyrauch, K. F., Boiko, P., and Feeny, D. (1995). "HMO Family Physicians: Men and Women Differ in Their Work." *HMO Practice*, 9(4), 155-161.
<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&listuids=10170166&dopt=Abstract>
- Willson, D. F., Horn, S.D., Hendley, J. O., Smout, R., and Gassaway, J. (2001). "Effect of Practice Variation on Resource Utilization in Infants Hospitalized for Viral Lower Respiratory Illness." *Pediatrics*, 108(4), 851-855.
<http://pediatrics.aappublications.org/cgi/reprint/108/4/851.pdf>
- Wolff, J. L., Starfield, B., and Anderson, G. (2002). "Prevalence, Expenditures, and Complications of Multiple Chronic Conditions in the Elderly." *Arch of Internal Medicine*, 162, 2269-2276.
- Woolf, S. H., Rothenich, S. F., Johnson, R. E., Marsland, D. W. (2000). "Selection Bias from Requiring Patients to Give Consent to Examine Data for Health Services Research." *AMA, Archives of Family Medicine*, 9(10), 1111-1118.
<http://archfami.ama-assn.org/cgi/reprint/9/10/1111.pdf>
- Zielinski, A., Kronogard, M., Lenhoff, H., & Halling, A. (2009). Validation of ACG case-mix for equitable resource allocation in swedish primary health care. *BMC Public Health*, 9(1), 347.