codafication

Pioneering New Ways To Make The World Simpler.

Insurance REST API

Exported on 03/04/2026

codafication

Table of Contents

1 API Flow 6
2 Webhook Events 7
2.1 Authentication 7
2.1.1 HMAC 7
2.2 Event 7
2.2.1 Contract 7
2.2.2 Event Types 8
2.2.3 Body 10
3 REST APIs 11
3.1 Authentication 11
3.1.1 JWT Token 11
3.1.2 Client Credentials Exchange 11
3.1.3 Active Tenant ID 12
3.2 Endpoints 12
3.2.1 Base URL 12
3.2.2 Methods 12
3.3 Entities 16
3.3.1 Claim 16
3.3.2 Job 27
3.3.3 Job (When Included in the Claim object) 38
3.3.4 Vendor 39
3.3.5 Task 41
3.3.6 Quote 44
3.3.7 Invoices 66
3.3.8 Purchase Orders 71
3.3.9 Messages 97
3.3.10 Appointment 100
3.3.11 JSON Body - Appointment 103
3.3.12 JSON Body - Create Appointment 104
3.3.13 JSON Body - Update Appointment 104
3.3.14 Report 105
3.4 Attachment 111

codafication

3.4.1 File vs Meta Data Transfer 111
3.4.2 Attachment Types 111
3.4.3 Contracts 111
3.5 HTTP Error Codes 116
3.5.1 Status Codes 116
3.5.2 Examples of 400 and 404: 116

codafication

Confidential - Do Not Share

- API Flow
- Webhook Events
  - Authentication
    - HMAC
  - Event
    - Contract
    - Event Types
    - Body
- REST APIs
  - Authentication
    - JWT Token
    - Client Credentials Exchange
      - Endpoints
      - GET /auth/token
    - Active Tenant ID
  - Endpoints
    - Base URL
    - Methods
  - Entities
    - Claim
      - Contract
      - JSON Body (Claim)
    - Job
      - Contract
      - JSON Body (Job)
    - Job (When Included in the Claim object)
      - Contract
    - Vendor
      - Parameters
      - Example:
      - Return value
      - Contract
      - JSON Body (Vendor)
    - Task
      - Contract
      - JSON Body (Task)
    - Quote
      - Contracts
        - Quote
        - Group
        - Combo
        - Item
      - JSON Body
        - Quote
        - Create Quote
        - Update Quote
    - Invoices
      - Contract
      - JSON Body

- Invoice
- Create Invoice
- Update Invoice
- Purchase Orders
  - Contract
    - Purchase Order
    - Purchase Order Group
    - Purchase Order Combo
    - Purchase Order Item
  - JSON Body
    - Purchase Order
    - Create Purchase Order
    - Update Purchase Order
- Messages
  - Contract
  - JSON Body
    - Message
    - Create Message
- Appointment
  - Contracts
    - Appointment
    - Attendee
- JSON Body - Appointment
- JSON Body - Create Appointment
- JSON Body - Update Appointment
- Report
  - Contract
  - JSON Body
    - JSON BODY - Report
    - JSON Body - Create Report
    - JSON Body - Update Report
- Attachment
  - File vs Meta Data Transfer
  - Attachment Types
  - Contracts
    - Attachment
    - JSON Body - Attachment
    - JSON Body - Create Attachment
    - JSON Body - Update Attachment
    - Endpoints
      - POST attachments
      - POST attachments/scopedId
      - GET attachments/scopedId
      - GET attachments/scopedId/download
- HTTP Error Codes
  - Status Codes
  - Examples of 400 and 404:

1 API Flow


Integration Layer
CW Integration Layer
REST APIs
Auth (JWT Bearer Token)
Endpoints
Claims
Jobs
Reports
Quotes
POs
Invoices
Messages
Tasks
Attachments
Claim/Vendor System
User and System Actions
Endpoint
User
Crunchwork
Webhooks System
Auth (HMAC)
Event Types
Jobs
Reports
Quotes
POs
Messages
Tasks
Invoices
Attachments

2 Webhook Events

2.1 Authentication

2.1.1 HMAC

The webhook system uses a Hash-based Message Authentication Code (HMAC) to guarantee event origin and tamper-proof event contents. More details on HMAC can be seen here. Each webhook subscriber (external system) will be provided with a secret key to be used.

The HMAC code will be sent as the `Event-Signature` header on the event. Verification of an event involves:

1. Creating an HMAC of the event payload with `sha256` using the provided secret key.
2. Outputting the HMAC digest in a `base64` format.
3. Comparing this output with the content of the `Event-Signature` header

It's worth noting that HMAC needs to have EXACT byte-for-byte input of the event, so if your HTTP framework parses JSON, simply re-serialising that JSON may not match the signed event string (i.e. a different number of spaces, has line breaks, etc.). The raw request body **must** be used as input.

2.2 Event

2.2.1 Contract

CW Event Field	Type	Example	Notes
id	String	Messaged Id	Id will remain of the event will remain the same even if we need to retry it.
type	String	NEW_JOB, NEW_QUOTE, NEW_REPORT, NEW_INVOICE, etc.	This is the same as the Alias
timestamp	String	Date and time of the transaction	Timestamp will remain even if we need to retry the event
payload.id	`UUID`	Id of the of the entity for the type of event. Id of the Job, Id of the Quote, Id of the Invoice	
payload.teamIds	Array<UUID>	Team or Vendor Identifier related to the event	
payload.tenantId	UUID	Tenant Identifier of the Event	

CW Event Field	Type	Example	Notes
payload.client	String	Client or Instance of the Event. e.g. stating- develop-	
payload.projectExternalReference	String	Project External Reference Number	

2.2.2 Event Types

Event Type ID (Mutation Name)	Event Type Alias	Teams	Description	Notes
createPulseJob	NEW_JOB	• Insurance	This is for internal Jobs	Used for Internal Assessors and Audit jobs. • Insurer: Only for non-API transactions
createPulseChildJob	NEW_JOB	• Insurance • Vendor	This is for External Jobs	Used for Internal Assessors and Audit jobs. • Insurer: Only for non-API transactions • Vendor: all Jobs allocated to the vendor
UpdateJob	UPDATE_JOB	• Insurance • Vendor		It should include at least the following updates on the job: • Job Details Updates • Job Status changes
createPurchaseOrder	NEW_PURCHASE_ORDER	• Insurance • Vendor	Create single purchase order	
createPurchaseOrders	NEW_PURCHASE_ORDER	• Insurance • Vendor	Create multiple purchase orders	

Event Type ID (Mutation Name)	Event Type Alias	Teams	Description	Notes
updatePurchaseOrder	UPDATE_PURCHASE_ORDER	• Insurance • Vendor		It should include at least the following updates on the job: • Purchase Order Details Updates (Prices, line items etc) • Purchase Orders Status changes It should not include any changes on the Progress invoices attached to the purchase order
upsertPurchaseOrderTradeInvoices	NEW_INVOICE	• Insurance • Vendor		It should only include: • New Progress Invoices uploaded to the Purchase Order
updatePurchaseOrderTradeInvoice	UPDATE_INVOICE	• Insurance • Vendor?		It should only include: • Updates (e.g. status changes, etc) on existing invoices uploaded to the purchase order
createMessagesMessage	NEW_MESSAGE	• Insurance • Vendor		Only messages sent to the recipient.
createPulseTask	NEW_TASK	• Insurance • Vendor		Only tasks allocated to the recipient of the task
updatePulseTask	UPDATE_TASK	• Insurance • Vendor		
	NEW_ATTACHMENT	• Vendor		
	UPDATE_ATTACHMENT	• Vendor		

2.2.3 Body

```
{
  "id": "messageId",
  "type": "NEW_JOB",
  "timestamp": "2025-01-10T00:30:00.681Z",
  "payload": {
    "id": "UUID",
    "teamId": ["UUID"],
    "tenantId": "UUID",
    "client": "ABCD",
    "projectExternalReference": "12345"
  }
}
```

3 REST APIs

3.1 Authentication

3.1.1 JWT Token

Codafication uses JWT token-based authentication to validate incoming API requests. For more information about JWTs, visit JWT.io.

Mechanism	Format
Authorization header (preferred)	HTTP Header Authorization: Bearer {{token}}

3.1.2 Client Credentials Exchange

Endpoints

Develop	Staging	Production
https://develop-{client}.crunchwork.com/auth/token?grant_type=client_credentials	https://staging-{client}.crunchwork.com/auth/token?grant_type=client_credentials	https://{client}.crunchwork.com/auth/token?grant_type=client_credentials

GET /auth/token

a `client_id` / `client_secret` pair can be exchanged for a JWT Access Token by making a GET request to /auth/token. The credentials must be provided via Basic Authorization in the format of `base64(client_id:client_secret)`.

The param of grant_type=client_credentials is **required**.

```
POST /token HTTP/1.1
Host: server.example.com
Authorization: Basic base64(client_id:client_secret)
Content-Type: application/x-www-form-urlencoded
grant_type=client_credentials
```

A curl example:

```
curl --location 'https://example.crunchwork.com/auth/token?
grant_type=client_credentials' \
```

```
--header 'Authorization: Basic Y2xpZW50X2lkOmNsaWVudF9zZWNyZXQ='
```

The success response will appear as follows:

```
HTTP/1.1 200 OK
Content-Type: application/json;charset=UTF-8
Cache-Control: no-store
Pragma: no-cache
{
  "access_token":"2YotnFZFEjr1zCsicMWpAA",
  "token_type":"example",
  "expires_in":3600,
  "example_parameter":"example_value"
}
```

Error responses are covered in the spec here: https://datatracker.ietf.org/doc/html/rfc6749#section-5.2

3.1.3 Active Tenant ID

To inform the API which tenant your requests should be scoped to, an "Active Tenant ID" must be provided with requests.

This is set as the HTTP Header `active-tenant-id` : {{tenant_UUID}}

Generally, suppliers will only operate within one tenant; this ID will be provided to suppliers on initial setup.

3.2 Endpoints

3.2.1 Base URL

Develop	Staging	Production
https://develop-{client}.crunchwork.com/rest/insurance-rest/	https://staging-{client}.crunchwork.com/rest/insurance-rest/	https://{client}.crunchwork.com/rest/insurance-rest/

3.2.2 Methods

URI	Phases	Teams	Action	Method	Body	Output	Notes
/claims	Phase 1	• Insurance	Create	POST	Claim	Claim	
/appointments	Phase 1	• Vendor	Create	POST	Appointment	Appointment	

URI	Phases	Teams	Action	Method	Body	Output	Notes
/attachments	Phase 1	• Vendor	Create	POST			
/attachments/{id}	Phase 1	• Vendor	Read	GET			
/attachments/{id}	Phase 1	• Vendor	Update	POST			
/claims/{id}	Phase 1	• Insurance	Update	POST	Claim	Claim	
/invoices	Phase 1	• Vendor	Create	POST	Invoice	Invoice	
/invoices/{id}	Phase 1	• Insurance • Vendor	Read	GET	N/A	Invoice	
/invoices/{id}	Phase 1	• Insurance • Vendor	Update	POST	Invoice	Invoice	
/jobs	Phase 1	• Insurance • Vendor	Create	POST	Job	Job	
/jobs/{id}	Phase 1	• Insurance • Vendor	Read	GET	N/A	Job	
/jobs/{id}	Phase 1	• Insurance • Vendor	Update	POST	Job	Job	Vendor should only be able to update job status and only the status that they are allowed to use.

codafication

URI	Phases	Teams	Action	Method	Body	Output	Notes
/jobs/{id}/quotes	Phase 1	• Insurance	Read	GET	N/A	Quote	
/messages	Phase 1	• Insurance • Vendor	Create	POST	Message	Message	
/messages/{id}	Phase 1	• Insurance • Vendor	Read	GET	N/A	Message	
/purchase-orders/{id}	Phase 1	• Insurance • Vendor	Read	GET	N/A	Purchase Order	
/purchase-orders/{id}	Phase 1	• Insurance	Update	POST			
/quotes	Phase 1	• Vendor	Create	POST	Quote	Quote	
/quotes/{id}	Phase 1	• Insurance • Vendor	Update	POST	Quote	Quote	
/reports	Phase 1	• Vendor	Create	POST	Report	Report	
/reports/{id}	Phase 1	• Vendor	Update	POST	Report	Report	
/tasks	Phase 1	• Vendor	Create	POST	Task	Task	
/tasks/{id}	Phase 1	• Insurance • Vendor	Read	GET	N/A	Task	

codafication

URI	Phases	Teams	Action	Method	Body	Output	Notes
/tasks/{id}	Phase 1	• Vendor	Update	POST	Task	Task	
/appointments/{id}	Phase 2	• Vendor	Update	POST	Appointment	Appointment	
/jobs/{id}/invoices	Phase 2	• Insurance	Read	GET	N/A	Invoice	
/jobs/{id}/messages	Phase 2	• Insurance	Read	GET	N/A	Message	
/jobs/{id}/purchase-orders	Phase 2	• Insurance	Read	GET	N/A	PO	
/jobs/{id}/reports/	Phase 2	• Insurance	Read	GET	N/A	Report	
/jobs/{id}/tasks	Phase 2	• Insurance	Read	GET	N/A	Task	
/jobs/{id}/status	Phase 2	• Vendor	Update	POST	N/A	Job	
/quotes/{id}	Phase 2	• Insurance • Vendor	Read	GET	N/A	Quote	
/reports/{id}	Phase 2	• Insurance • Vendor	Read	GET	N/A	Report	
/appointments/{id}	Phase 3	• Insurance • Vendor	Read	GET	N/A	Appointment	

URI	Phases	Teams	Action	Method	Body	Output	Notes
/claims/{id}	Phase 3	• Insurance • Vendor	Read	GET	N/A	Claim	
/claims?claimNumber=abcdf	Phase 3	• Insurance	Read	GET	N/A	Claim	Ability to Query by Claim Number
/claims?externalReference=abcdf	Phase 3	• Insurance	Read	GET	N/A	Claim	Ability to Query by External Reference
vendors/allocation	Phase 4	• Insurance	Read	GET	N/A	List<vendors>	
/appointments/{id}/cancel	Phase 5	• Vendor	Update	POST	{"reason": "…"}	Appointment	
/messages/{id}/acknowledge	Phase 5	• Insurance • Vendor	Update	POST	N/A	Message	

3.3 Entities

3.3.1 Claim

The below table defines the Crunchwork entities at the claim level. It does not distinguish fields between tenancies since there is no need from a contract perspective. Tenancies will be defined instead by a HTTP header.

Contract

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes	Rules
id	project.id	String	Ignored	Ignored		

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes	Rules
lodgementDate	project.lodgementDate	String	Ignored	Ignored		
status.id	project.status	String	Ignored	Ignored		
status.name	project.status	String	Ignored	Ignored		
status.externalReference	project.status	String	Optional	Optional		
account.id	project.account_id	String	Ignored	Ignored		
account.name	project.account.name	String	Ignored	Ignored		
account.externalReference	project.account	String	Required	Optional		Unknown Value: Fail API Call
claimNumber	project.reference	String	Optional	Optional		
externalReference	project.externalReference	String	Optional	Optional		
address.unitNumber	project.address.unitNumber	String	Optional	Optional		
address.streetNumber	project.address.streetNumber	String	Optional	Optional		
address.streetName	project.address.streetName	String	Optional	Optional		

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes	Rules
address.suburb	project.address.suburb	String	Optional	Optional		
address.postcode	project.address.postcode	String	Optional	Optional	This is used with brand/account to automatically select a zone	
address.state	project.address.state	String	Optional	Optional		
address.country	project.address.country	String	Optional	Optional		
address.latitude	project.address.latitude	Float	Ignored	Ignored		
address.longitude	project.address.longitude	Float	Ignored	Ignored		
catCode.id	project.cat_code_id	String	Ignored	Ignored		
catCode.Name	project.catCode	String	Optional	Optional	Please pass a name for CW to automatically add the CAT code if it does not exist.	
catCode.externalReference	project.catCode	String	Optional	Optional		Unknown Value: Add Mapping Value and Record
lossType.id	project.loss_type_id	String	Ignored	Ignored		

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes	Rules
lossType.name	project.lossType	String	Ignored	Ignored		
lossType.externalReference	project.lossType	String	Optional	Optional		Unknown Value: Choose a default
lossSubType.id	project.loss_sub_type_id	String	Ignored	Ignored		
lossSubType.name	project.lossSubType	String	Ignored	Ignored		
lossSubType.externalReference	project.lossSubType	String	Optional	Optional		Unknown Value: Continue API call
dateOfLoss	project.customData.dateOfLoss	String	Optional	Optional	Clients to follow ISO 8601 UTC for datetime fields	
vulnerableCustomer	project.customData.vulnerableCustomer	Boolean	Optional	Optional		
totalLoss	project.customData.totalLoss	Boolean	Optional	Optional		
contentiousClaim	project.customData.contentiousClaim	Boolean	Optional	Optional		

codafication

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes	Rules
claimDecision.name	project.customData.claimDecision	String	Ignored	Ignored	Examples: {“Claim Accepted“, “Claim Denied“, “Claim Partially Denied”, “Claim Coverage Pending”}	
claimDecision.externalReference	project.claimDecision	String	Optional	Optional		Unknown Value: Continue API call
priority.name	project.customData.priority	String	Ignored	Ignored	Examples: {low, med, high}	
priority.externalReference	project.customData.priority	String	Optional	Optional		Unknown Value: Continue API call
autoApprovalApplies	project.customData.approvalLimitApplicable	Boolean	Optional	Optional	Default to False	
incidentDescription	project.customData.incidentDescription	String	Optional	Optional	HTML Text supported	
abn	project.customData.abn	String	Optional	Optional		
policyName	project.policyName	String	Optional	Optional		
policyType.name	project.customData.policyType	String	Ignored	Ignored	Examples { home, commercial, strata, landlord, contents }	

codafication

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes	Rules
policyType.externalReference	project.customData.policyType	String	Optional	Optional		Unknown Value: Continue API call
policyNumber	project.customData.policyNumber	String	Optional	Optional		
policyInceptionDate	project.customData.policyInceptionDate	String	Optional	Optional	Clients to follow ISO 8601 UTC for datetime fields	
lineOfBusiness.name	project.customData.lineOfBusiness	String	Ignored	Ignored	Examples { personalProperty, commercialProperty, strataProperty, landlord }	
lineOfBusiness.externalReference	project.customData.lineOfBusiness	String	Optional	Optional		Unknown Value: Continue API call
buildingSumInsured	project.customData.buildingSumInsured	Float	Optional	Optional		
contentsSumInsured	project.customData.contentsSumInsured	Float	Optional	Optional		
collectExcess	project.customData.collectExcess	Boolean	Optional	Optional		
excess	project.customData.excess	Float	Optional	Optional		
postalAddress	project.customData.postalAddress	String	Optional	Optional		

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes	Rules
contacts.id	project.contacts	String	Ignored	Ignored		
contacts.firstName	project.contacts	String	Optional	Optional	Required if new Contact	
contacts.lastName	project.contacts	String	Optional	Optional	Required if new Contact	
contacts.email	project.contacts	String	Optional	Optional		
contacts.homePhone	project.contacts	String	Optional	Optional		
contacts.mobilePhone	project.contacts	String	Optional	Optional		
contacts.workPhone	project.contacts	String	Optional	Optional		
contacts.externalReference	project.contacts	String	Required	Required	Required if the Contact Objects is included.	Unknown Value: Add Mapping Value and Record
contacts.preferredMethodOfContact.name	project.contacts	String	Ignored	Ignored	Examples: {“Email“, “Home Phone“, “Mobile Phone“, “Work Phone“}	

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes	Rules
contacts.preferredMethodOfContact.externalReference	project.contacts	String	Optional	Optional		Unknown Value: Continue API call
contacts.type.name	project.contacts	String	Ignored	Ignored	Examples: {“Main Contact“, “Insured“, “Tenant“, “Authorised Representative“, “Other“}	
contacts.type.externalReference	project.contacts	String	Required	Required	Required if the Contact Objects is included.	Unknown Value: Continue API call
contacts.notes	project.contacts	String	Optional	Optional		
assignees.type.name	project.assignees	String	Ignored	Ignored	This is to cover the following: • Claim Consultant • Property Assessor • Internal Auditor • Desktop Assessor • Technical Assessor	
assignees.type.externalReference	project.assignees	String	Optional	Optional		Unknown Value: Continue API call

codafication

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes	Rules
assignees.id	project.assignees	String	Ignored	Ignored		
assignees.externalReference		String	Optional	Optional	Required if the assignees Objects is included.	Unknown Value: Continue API call
assignees.name	project.assignees	String	Ignored	Ignored		
assignees.email			Ignored	Ignored		
updatedAtDate	project.updatedAtDate	String	Ignored	Ignored		
tenantId	project.tenantId	String	Ignored	Ignored		
customData	project.customData	String	Ignored	Ignored		
vulnerabilityCategory	project.customData.vulnerabilityCategory	String	Optional	Optional		
contentiousClaim	project.customData.contentiousClaim	Boolean	Optional	Optional		
contentiousActivityFlag	project.customData.contentiousActivityFlag	Boolean	Optional	Optional		
contentiousActivityDetails	project.customData.contentiousActivityDetails	String	Optional	Optional		
accommodationBenefitLimit	project.customData.accommodationBenefitLimit	Float	Optional	Optional		

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes	Rules
maximumAccommodationDurationLimit	project.customData.maximumAccommodationDurationLimit	String	Optional	Optional		
contentsDamaged	project.customData.contentsDamaged	Boolean	Optional	Optional		

JSON Body (Claim)


```
{
  "id": "UUID",
  "lodgementDate": "2025-01-10",
  "status": {
    "id": "UUID",
    "name": "ALLOCATED",
    "externalReference": "2323"
  },
  "vulnerabilityCategory": "Example",
  "contentiousClaim": false,
  "contentiousActivityFlag": false,
  "contentiousActivityDetails": "",
  "accommodationBenefitLimit": 500.00,
  "maximumAccomodationDurationLimit": "2 weeks",
  "contentsDamaged": true,
  "account": {
    "id": "UUID",
    "name": "Account Name",
    "externalReference": "2323"
  },
  "claimNumber": "CODA12345",
  "externalReference": "CODA12345",
  "address": {
    "unitNumber": "",
    "streetNumber": "128",
    "streetName": "Robertson Street",
    "suburb": "Fortitude Valley",
    "postcode": "4006",
    "state": "QLD",
    "country": "Australia",
    "latitude": -27.458054,
    "longitude": 153.038858
  },
  "catCode": {
    "id": "UUID",
    "name": "FLOOD-2026-02",
    "externalReference": "2323"
```

```
  },
  "lossType": {
    "id": "UUID",
    "name": "EXAMPLE",
    "externalReference": "2323"
  },
  "lossSubType": {
    "id": "UUID",
    "name": "EXAMPLE",
    "externalReference": "2323"
  },
  "dateOfLoss": "2025-01-10",
  "vulnerableCustomer": false,
  "totalLoss": false,
  "contentiousClaim": false,
  "claimDecision": "Claim Accepted",
  "priority": "LOW",
  "autoApprovalApplies": true,
  "incidentDescription": "Lorum Ipsum",
  "abn": "121334234v",
  "policyName": "John Smith",
  "policyType": "HOME",
  "policyNumber": "CODAPOL1234",
  "policyInceptionDate": "2025-01-05",
  "lineOfBusiness": "PersonalProperty",
  "buildingSumInsured": 500000,
  "contentsSumInsured": 10000,
  "collectExcess": true,
  "excess": 500,
  "postalAddress": "1 Arthur Street, Fortitude Valley",
  "contacts": [
    {
      "id": "UUID",
      "firstName": "Jane",
      "lastName": "Doe",
      "email": "jane.doe@test.com",
      "type": "INSURED",
      "mobilePhone": null,
      "homePhone": null,
      "workPhone": null,
      "notes": null
    }
  ],
  "assignees": [
    {
      "id": "UUID",
      "name": "Jane",
      "type": "INSURED"
    }
  ],
  "updatedAtDate": "2025-01-10",
  "tenantId":"string"
```

```
}
```

3.3.2 Job

Contract

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes	Rules
id	job.id	String	Ignored	Ignored		
parentClaimId	project.parentClaimId	String	Ignored	Ignored		
address.unitNumber	project.address.unitNumber	String	Ignored	Ignored		
address.streetNumber	project.address.streetNumber	String	Ignored	Ignored		
address.streetName	project.address.streetName	String	Ignored	Ignored		
address.suburb	project.address.suburb	String	Ignored	Ignored		
address.postcode	project.address.postcode	String	Ignored	Ignored		
address.state	project.address.state	String	Ignored	Ignored		
address.country	project.address.country	String	Ignored	Ignored		
address.latitude	project.address.latitude	Float	Ignored	Ignored		
address.longitude	project.address.longitude	Float	Ignored	Ignored		

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes	Rules
requestDate	job.customData.requestDate	String	Ignored	Ignored		
collectExcess	job.customData.collectExcess	Boolean	Optional	Optional	Just Available on Vendor Tenancy	
excess	job.customData.excess	Float	Optional	Optional	Just Available on Vendor Tenancy	
jobType.id	job.type	String	Ignored	Ignored		
jobType.Name	job.type	String	Ignored	Ignored		
jobType.externalReference	job.type	String	Required	Ignored		Unknown Value: Fail API Call
status.id	job.status	String	Ignored	Ignored		
status.name	job.status	String	Ignored	Ignored		
status.externalReference	job.status	String	Optional	Optional		Unknown Value: Fail API Call
jobInstructions	job.customData.jobInstructions	String	Optional	Optional	HTML Supported	
makeSafeRequired	job.customData.makeSafeRequired	Boolean	Optional	Optional	Just Available on Vendor Tenancy	
externalReference	job.externalReference	String	Optional	Optional	Used for storing external system ID (i.e service request ID)	

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes	Rules
claimId	job.project_id	String	Required	Ignored		
vendor.id	job.vendor (job.vendor_id job.team_ids)	String	Ignored	Ignored	Just Available on Vendor Tenancy Dictates whether or not it's an internal/ external job	
vendor.name	job.vendor	String	Ignored	Ignored	Just Available on Vendor Tenancy	
vendor.externalReference		String	Optional	Optional	Just Available on Vendor Tenancy	Unknown Value: Fail API Call
appointments	job.appointments	List<Appointment>	Ignored	Ignored		
contacts.id	project.contacts	String	Ignored	Ignored		
contacts.firstName	project.contacts	String	Optional	Optional	Required if new Contact	
contacts.lastName	project.contacts	String	Optional	Optional	Required if new Contact	
contacts.email	project.contacts	String	Optional	Optional		
contacts.homePhone	project.contacts	String	Optional	Optional		
contacts.mobilePhone	project.contacts	String	Optional	Optional		
contacts.workPhone	project.contacts	String	Optional	Optional		

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes	Rules
contacts.externalReference	project.contacts	String	Required	Required	Required if the Contact Objects is included.	Unknown Value: Add Mapping Value and Record
contacts.preferredMethodOfContact.name	project.contacts	String	Ignored	Ignored	Examples: {“Email“, “Home Phone“, “Mobile Phone“, “Work Phone“}	
contacts.preferredMethodOfContact.externalReference	project.contacts	String	Optional	Optional		Unknown Value: Continue API call
contacts.type.name	project.contacts	String	Ignored	Ignored	Examples: {“Main Contact“, “Insured“, “Tenant“, “Authorised Representative“, “Other“}	
contacts.type.externalReference	project.contacts	String	Required	Required	Required if the Contact Objects is included.	Unknown Value: Continue API call
contacts.notes	project.contacts	String	Optional	Optional		
updatedAtDate	job.updatedAtDate	String	Ignored	Ignored		
claim	Project	Claim	Ignored	Ignored		

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes	Rules
emergency	job.customData.emergency	Boolean	Required	Optional		'Temporary Accommodation' Job Type only
habitableProperty	job.customData.habitableProperty	Boolean	Required	Optional		'Temporary Accommodation' Job Type only
estimatedStayStartDate	job.customData.estimatedStayStartDate	String	Required	Optional	Clients to follow ISO 8601 UTC for datetime fields	'Temporary Accommodation' Job Type only
estimatedStayEndDate	job.customData.estimatedStayEndDate	String	Required	Optional	Clients to follow ISO 8601 UTC for datetime fields	'Temporary Accommodation' Job Type only
specialistCategory.name	job.customData.specialistCategory	String	Ignored	Ignored	Examples: { "Plumbing", "Roofing", "Surveyors" }	'Specialist' Job Type only
specialistCategory.externalReference	job.customData.specialistCategory	String	Required	Optional		'Specialist' Job Type only
specialistReport.name	job.customData.specialistReport	String	Ignored	Ignored	Examples: { "Causation Report", "Specialist Advice" }	'Specialist' Job Type only

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes	Rules
specialistReport.externalReference	job.customData.specialistReport	String	Required	Optional		'Specialist' Job Type only
specialistBusinessName	job.customData.specialistBusinessName	String	Optional	Optional		'Specialist' Job Type only. Only valid when `isSpecificSpecialistRequired === true`, ignored otherwise.
locationOfDamage	job.customData.locationOfDamage	String	Required	Optional		'Specialist' Job Type only
typeOfDamage	job.customData.typeOfDamage	String	Required	Optional		'Specialist' Job Type only
originalJobReference	job.customData.originalJobReference	String	Optional	Optional		'Rectification Assessment' and 'Builder Rectification Work' Job Types only

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes	Rules
originalJobType.id	job.customData.originalJobType	String	Ignored	Ignored		'Rectification Assessment' and 'Builder Rectification Work' Job Types only
originalJobType.name	job.customData.originalJobType	String	Ignored	Ignored	Examples: { "Vendor - Builder Quote", "Vendor - Builder Assessment", "Vendor - Builder Make Safe" }	'Rectification Assessment' and 'Builder Rectification Work' Job Types only
originalJobType.externalReference	job.customData.originalJobType	String	Required	Optional		'Rectification Assessment' and 'Builder Rectification Work' Job Types only
paidJob	job.customData.paidJob	Boolean	Required	Optional		'Rectification Assessment' and 'Builder Rectification Work' Job Types only

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes	Rules
auditType.name	job.customData.auditType	String	Ignored	Ignored		'Internal Audit" Job Type only
auditType.externalReference	job.customData.auditType	String	Required	Optional		'Internal Audit" Job Type only
numberOfAdults	job.customData.numberOfAdults	Integer	Optional	Optional		'Temporary Accommodation' Job Type Only. Must be between 1 and 10.
numberOfChildren	job.customData.numberOfChildren	Integer	Optional	Optional		'Temporary Accommodation' Job Type Only. Must be between 0 and 10.
numberOfBedrooms	job.customData.numberOfBedrooms	Integer	Optional	Optional		'Temporary Accommodation' Job Type Only. Must be between 0 and 10.

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes	Rules
numberOfCots	job.customData.numberOfCots	Integer	Optional	Optional		'Temporary Accommodation' Job Type Only. Must be between 0 and 10.
numberOfVehicles	job.customData.numberOfVehicles	Integer	Optional	Optional		'Temporary Accommodation' Job Type Only. Must be between 0 and 5.
mobilityConsiderations	job.customData.mobilityConsiderations	List<{name: String, externalReference: String}>	Optional	Optional	Example value: [{"name": "Disabled (Accessible)", "externalReference": "Disabled (Accessible)"}, {"name": "No-Stair", "externalReference": "No-Stair"}]	'Temporary Accommodation' Job Type Only.
petsInformation	job.customData.petsInformation	String	Optional	Optional		'Temporary Accommodation' Job Type Only.
isSpecificSpecialistRequired	job.customData.isSpecificSpecialistRequired	Boolean	Optional	Ignored		'Specialist' Job Type only

JSON Body (Job)


```
{
  "id": "uuid",
  "tenantId": "uuid",
  "address": {
    "unitNumber": "",
    "streetNumber": "128",
    "streetName": "Robertson Street",
    "suburb": "Fortitude Valley",
    "postcode": "4006",
    "state": "QLD",
    "country": "Australia",
    "latitude": -27.458054,
    "longitude": 153.038858
  },
  "emergency": true,
  "isSpecificSpecialistRequired": true,
  "habitableProperty": false,
  "estimatedStayStartDate": "2025-03-04T06:52:01.253+00:00",
  "estimatedStayEndDate": "2025-03-04T06:52:01.253+00:00",
  "specialistCategory": {
    "name": "Example",
    "externalReference": "sample"
  },
  "specialistReport": {
    "name": "Example",
    "externalReference": "sample"
  }
  "specialistBusinessName": "Example",
  "locationOfDamage": "Example",
  "typeOfDamage": "Example",
  "originalJobReference": "Example",
  "originalJobType": {
    "id": "UUID",
    "name": "Example",
    "externalReference": "sample"
  },
  "paidJob": true,
  "auditType": {
  "name": "Desktop",
  "externalReference": "sample"
},
"numberOfAdults": 2,
"numberOfChildren": 3,
"numberOfBedrooms": 2,
"numberOfCots": 1,
"numberOfVehicles": 1,
"mobilityConsiderations": [
  {
    "name": "Disabled (Accessible)""
    "externalReference": "sample1"
```

```
    },
    {
      "name": "No-Stair",
      "externalReference": "sample2"
    }
  ],
  "petsInformation": "Pet 1: Type: Dog Size: Large",
    "requestDate": "2025-01-05",
    "collectExcess": true,
    "excess": 500,
    "jobType": {
      "id": "UUID",
      "name": "ASSESSMENT",
      "externalReference": "2323"
    },
    "status": {
      "id": "UUID",
      "name": "ALLOCATED",
      "externalReference": "2323"
    },
    "jobInstructions": "Please attend.",
    "makeSafeRequired": false,
    "externalReference": "CODA12345",
    "claimId": "UUID",
    "parentClaimId": "UUID",
    "vendor": {
      "id": "UUID",
      "name": "ABC",
      "externalReference": "2323"
    },
    "appointments": [
      {
        "name": "Initial Assessment",
        "jobId": "UUID",
        "location": "ONSITE",
        "startDate": "2025-01-10T00:30:00.681Z",
        "endDate": "2025-01-10T01:60:00.681Z",
        "attendees": [
          {
            "type": "CONTACT",
            "email": "insured@gmail.com",
            "contactId": "UUID"
          }
        ]
      }
    ],
    "contacts": [
      {
        "id": "UUID",
        "firstName": "Jane",
        "lastName": "Doe",
        "email": "jane.doe@test.com",
        "type": "INSURED",
```

```
      "mobilePhone": null,
      "homePhone": null,
      "workPhone": null,
      "notes": null
    }
  ],
  "updatedAtDate": "2025-01-10"
}
```

3.3.3 Job (When Included in the Claim object)

Contract

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes
id	job.id	String	Ignored	Ignored	
jobType.id	job.type	String	Ignored	Ignored	
jobType.Name	job.type	String	Ignored	Ignored	
jobType.externalReference	job.type	String	Required	Ignored	
status.id	job.status	String	Ignored	Ignored	
status.name	job.status	String	Ignored	Ignored	
status.externalReference	job.status	String	Ignored	Ignored	
vendor.id	job.vendor (job.vendor_id job.team_ids)	String	Ignored	Ignored	Just Available on Vendor Tenancy Dictates whether or not it's an internal/ external job

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes
vendor.name	job.vendor	String	Ignored	Ignored	Just Available on Vendor Tenancy
vendor.externalReference		String	Ignored	Ignored	Just Available on Vendor Tenancy
externalReference	job.externalReference	String	Ignored	Ignored	Used for storing external system ID (i.e service request ID)
tenantId		String	Ignored	Ignored	

3.3.4 Vendor

Parameters

Parameter	Type	Required?	Notes
jobType	String	Yes	External reference of job type
account	String	Yes	External reference of account
postcode	String	Yes	Postcode of the risk address
lossType	String	Yes	External reference of loss type
totalLoss	Boolean	No	
returnOnlyTopResult	Boolean	No	When true, only the top vendor is returned.

Example:

GET vendors/allocation?
jobType=myextref&account=myextref&zone=myextref&postcode=4006&lossType=myextref&totalLoss=true

Return value

Array<Vendor>

Contract

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes	Rules
id	vendor.id	String	N/A	N/A		
name	vendor.businessName	String	N/A	N/A		
externalReference		String	N/A	N/A		
address.unitNumber	vendor.address.unitNumber	String	N/A	N/A		
address.streetNumber	vendor.address.streetNumber	String	N/A	N/A		
address.streetName	vendor.address.streetName	String	N/A	N/A		
address.city	vendor.address.city	String	N/A	N/A		
address.state	vendor.address.state	String	N/A	N/A		
address.postcode	vendor.address.postcode	String	N/A	N/A		
address.country	vendor.address.country	String	N/A	N/A		
address.fullAddress	vendor.address.fullAddress	String	N/A	N/A		
phone	vendor.phone	String	N/A	N/A		
afterHoursPhone	vendor.customData.afterHoursPhone	String	N/A	N/A		

JSON Body (Vendor)

```
{
  "id": "UUID",
  "name": "Sample",
```

```
  "externalReference": "Sample",
  "address": {
    "unitNumber": "1",
    "streetNumber": "11",
    "streetName": "First St",
    "city": "Fortitude Valley",
    "state": "QLD",
    "postcode": "4006",
    "country": "Australia",
    "fullAddress": "Unit 1, 11 First St Fortitude Valley, 4006 QLD, Australia"
  },
  "phone": "1111 111 111",
  "afterHoursPhone": "1111 111 111"
}
```

3.3.5 Task

Contract

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes	Rules
id	task.id	String	Ignored	Ignored	To update a Task, pass its id in params rather than body (/tasks/:id)	
tenantId	task.tenantId	String	Ignored	Ignored		
taskType.id	task.taskTypeId	String	Ignored	Ignored		
taskType.name	task.taskType	String	Ignored	Ignored		
taskType.externalReference	task.taskType	String	Required	Optional		
claimId	task.projectId	String	Required (either claim or job id required)	Optional		

codafication

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes	Rules
jobId	task.jobId	String	Required (either claim or job id required)	Optional		
name	task.name	String!	Required	Optional		
description	task.description	String	Optional	Optional		
dueDate	task.dueDate	String	Optional	Optional		
priority	task.priority	{'Low', 'Medium', 'High', 'Critical'}	Optional	Optional	Defaults to Low if unknown	
status	task.status	{'Open', 'Completed', 'Failed'}	Optional	Optional	Defaults to Open if unknown	
tag	task.tag	String	Optional	Optional		
createdAtDate	task.createdAt	String	Ignored	Ignored		
updatedAtDate	task.updatedAt	String	Ignored	Ignored		
completedAtDate	task.completedAt	String	Ignored	Ignored		
createdBy.id	task.createdByUserId	String	Ignored	Ignored		
createdBy.name	task.createdBy	String	Ignored	Ignored		
createdBy.externalReference	task.createdBy	String	Ignored	Ignored		

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes	Rules
assignedTo.id	task.assignedToUserId	String	Ignored	Ignored		
assignedTo.name	task.assignedTo	String	Ignored	Ignored		
assignedTo.externalReference	task.assignedTo	String	Optional	Optional		Unknown Value: Continue API call

JSON Body (Task)

```
{
  "id": "UUID",
  "tenantId": "UUID",
  "taskType": {
    "id": "UUID",
    "name": "Initial Contact",
    "externalReference": "123"
  },
  "claimId": "UUID",
  "jobId": "UUID",
  "name": "Contact customer",
  "description": "Initial contact",
  "dueDate": "2025-03-04T06:52:01.253+00:00",
  "priority": "High",
  "status": "Completed",
  "tag": "ExampleTag",
  "updatedAtDate": "2025-03-04T06:52:01.253+00:00",
  "completedAtDate": "2025-03-04T06:52:01.253+00:00",
  "createdBy": {
    "id": "UUID",
    "name": "Joe Smith",
    "externalReference": "345"
  },
  "assignedTo": {
    "id": "UUID",
    "name": "John Smith",
    "externalReference": "234"
  }
}
```

codafication

3.3.6 Quote

Contracts

Quote

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes
id	revision.quoteId	String	Ignored	Ignored	To update a Quote, pass its id in params rather than body (/ quotes/:id)
externalReference	revision.externalId	String	Optional	Optional	
name	revision.name	String	Required	Optional	
tenantId	revison.tenantId	String	Ignored	Ignored	
status.id	revision.statusId	String	Ignored	Ignored	
status.name	revision.status	String	Ignored	Ignored	
status.type	revision.status	String	Ignored	Ignored	e.g Draft, Cash Settled, Published, Cancelled
status.externalReference	revision.status	String	Ignored	Optional	
quoteType.id	revision.quoteTypeId	String	Ignored	Ignored	
quoteType.name	revision.quoteType	String	Ignored	Ignored	
quoteType.external Reference	revision.quoteType	String	Optional	Optional	
quoteNumber	revision.quoteNumber	String	Ignored	Optional	
date	revision.date	String	Optional	Optional	

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes
reference	revision.reference	String	Optional	Optional	
note	revision.note	String	Optional	Optional	
expiresInDays	revision.expiresInDays	Integer	Optional	Optional	
subTotal	revision.subTotal	Float!	Ignored	Ignored	Sum of all group subTotals (line item totals including markup, before tax)
totalTax	revision.totalTax	Float!	Ignored	Ignored	Sum of all group 'totalTax' amounts
total	revision.total	Float!	Ignored	Ignored	Sum of all group totals (subTotal + totalTax)
groups	revision.groups	List<Group>	Optional	Optional	Groups of Items and Combos. Complete list of groups and their Items/Combos must be passed to this property when performing an Update, if any changes to groups or their Items/Combos are desired.
toName	revision.toName	String	Optional	Optional	
toCompanyRegistrationNumber	revision.toCompanyRegistrationNumber	String	Optional	Optional	
toContactName	revision.toContactName	String	Optional	Optional	

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes
toClientReference	revision.toClientReference	String	Optional	Optional	
toPhoneNumber	revision.toPhoneNumber	String	Optional	Optional	
toEmail	revision.toEmail	String	Optional	Optional	
toUnitNumber	revision.toUnitNumber	String	Optional	Optional	
toStreetNumber	revision.toStreetNumber	String	Optional	Optional	
toStreetName	revision.toStreetName	String	Optional	Optional	
toSuburb	revision.toSuburb	String	Optional	Optional	
toPostCode	revision.toPostCode	String	Optional	Optional	
toState	revision.toState	String	Optional	Optional	
toCountry	revision.toCountry	String	Optional	Optional	
forName	revision.forName	String	Optional	Optional	
forCompanyRegistrationNumber	revision.forCompanyRegistrationNumber	String	Optional	Optional	
forContactName	revision.forContactName	String	Optional	Optional	
forPhoneNumber	revision.forPhoneNumber	String	Optional	Optional	
forClientReference	revision.forClientReference	String	Optional	Optional	
forEmail	revision.forEmail	String	Optional	Optional	

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes
forUnitNumber	revision.forUnitNumber	String	Optional	Optional	
forStreetNumber	revision.forStreetNumber	String	Optional	Optional	
forStreetName	revision.forStreetName	String	Optional	Optional	
forSuburb	revision.forSuburb	String	Optional	Optional	
forPostCode	revision.forPostCode	String	Optional	Optional	
forState	revision.forState	String	Optional	Optional	
forCountry	revision.forCountry	String	Optional	Optional	
fromName	revision.fromName	String	Optional	Optional	
fromCompanyRegistrationNumber	revision.fromCompanyRegistrationNumber	String	Optional	Optional	
fromContactName	revision.fromContactName	String	Optional	Optional	
fromPhoneNumber	revision.fromPhoneNumber	String	Optional	Optional	
fromEmail	revision.fromEmail	String	Optional	Optional	
fromUnitNumber	revision.fromUnitNumber	String	Optional	Optional	
fromStreetNumber	revision.fromStreetNumber	String	Optional	Optional	
fromStreetName	revision.fromStreetName	String	Optional	Optional	
fromSuburb	revision.fromSuburb	String	Optional	Optional	

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes
fromPostCode	revision.fromPostCode	String	Optional	Optional	
fromState	revision.fromState	String	Optional	Optional	
fromCountry	revision.fromCountry	String	Optional	Optional	
createdAtDate	quote.createdAt	String	Ignored	Ignored	
updatedAtDate	revision.updatedAt	String	Ignored	Ignored	
claimId	revision.pulseProjectId	String	Optional	Optional	Either jobId or claimId is required
jobId	revision.pulseJobId	String	Optional	Optional	Either jobId or claimId is required
isAutoApproved	revision.isAutoApproved	Boolean	Ignored	Ignored	
createdBy.id	quote.createdByUserId	String	Ignored	Ignored	
createdBy.name	quote.createdBy	String	Ignored	Ignored	
createdBy.externalReference	quote.createdBy	String	Ignored	Ignored	
updatedBy.id	revision.updatedByUserId	String	Ignored	Ignored	
updatedBy.name	revision.updatedBy	String	Ignored	Ignored	
updatedBy.external Reference	revision.updatedBy	String	Ignored	Ignored	
estimatedStartDate	revision.customData.estimatedStartDate		Optional	Optional	

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes
estimatedCompletionDate	revision.customData.estimatedCompletionDate		Optional	Optional	
reasonForVariation	revision.customData.reasonForVariation		Optional	Optional	
customData	revision.customData	Record <String, any>	Ignored	Ignored	read only

Group

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes
id	group.id	String!	Ignored	Optional	Required in POST Update to update existing groups, but not required for new groups.
groupLabel.id	group.groupLabelId	String!	Ignored	Ignored	
groupLabel.name	group.name	String	Ignored	Ignored	
groupLabel.externalReference	group.groupLabel	String	Required	Optional	
description	group.description	String	Optional	Optional	
length	group.length	Float	Optional	Optional	
width	group.width	Float	Optional	Optional	
height	group.height	Float	Optional	Optional	
index	group.index	Integer	Optional	Optional	The position of the group in the list (UI)

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes
subTotal	group.subTotal	Float	Ignored	Ignored	The sum of this group's Combo and Item subTotals
totalTax	group.totalTax	Float	Ignored	Ignored	The sum of this group's Combo and Item totalTax amounts
total	group.total	Float	Ignored	Ignored	The sum of this group's Combo and Item totals
items	group.items	List<Item>	Optional	Optional	The Items included in this group
combos	group.combos	List<Combo>	Optional	Optional	The Combos included in this group
createdAtDate	group.createdAt	String!	Ignored	Ignored	
createdBy.id	group.createdByUserId	String	Ignored	Ignored	
createdBy.name	group.createdBy	String	Ignored	Ignored	
createdBy.externalReference	group.createdBy	String	Ignored	Ignored	
updatedAtDate	group.updatedAt	String!	Ignored	Ignored	
updatedBy.id	group.updatedByUserId	String	Ignored	Ignored	
updatedBy.name	group.updatedBy	String	Ignored	Ignored	
updatedBy.externalReference	group.updatedBy	String	Ignored	Ignored	

Combo

CW API Field	CW UI Field	Type	POST create	POST update	Notes
id	combo.id	String	Ignored	Optional	Required in POST Update to update existing Combos, but not required for new Combos.
index	combo.index	Integer	Optional	Optional	The position of the combo in the list (UI
catalogComboId	combo.catalogComboId	String	Optional	Optional	to specify which catalog combo it is coming from
tenantId	combo.tenantId	String!	Ignored	Ignored	
name	combo.name	String	Optional	Optional	
lineScopeStatus.id	combo.lineScopeStatusId	String!	Ignored	Ignored	
lineScopeStatus.name	combo.lineScopeStatus	String!	Ignored	Ignored	
lineScopeStatus.externalReference	combo.lineScopeStatus	String!	Required	Optional	
description	combo.description	String	Optional	Optional	
category	combo.category	String	Optional	Optional	
subCategory	combo.subCategory	String	Optional	Optional	
quantity	combo.quantity	Float	Optional	Optional	

CW API Field	CW UI Field	Type	POST create	POST update	Notes
items	combo.items	List<Item>	Optional	Optional	The Items included in this combo
unitCost	combo.unitCost	Float	Ignored	Ignored	A numerical value representing the sum of the combo's items before markup or tax
markupValue	combo.markupValue	Float	Ignored	Ignored	A numerical value representing the total markup amount in dollars for the combo's items
subTotal	combo.subTotal	Float	Ignored	Ignored	The sum of this Combo's Items' subTotals
totalTax	combo.totalTax	Float	Ignored	Ignored	The sum of this Combo's Items' totalTax amounts
total	combo.total	Float	Ignored	Ignored	The sum of this Combo's Items' totals
delete	combo.delete	Boolean	Ignored	Optional	Can be set to 'true' to delete combo from its group
allocatedCost	combo.allocatedCost	Float	Ignored	Ignored	The total cost allocated to purchase orders

CW API Field	CW UI Field	Type	POST create	POST update	Notes
committedCost	combo.committedCost	Float	Ignored	Ignored	The total cost allocated to purchase orders with Sent Status
createdAtDate	combo.createdAt	String!	Ignored	Ignored	
createdBy.id	combo.createdByUserId	String	Ignored	Ignored	
createdBy.name	combo.createdBy	String	Ignored	Ignored	
createdBy.externalReference	combo.createdBy	String	Ignored	Ignored	
updatedAtDate	combo.updatedAt	String!	Ignored	Ignored	
updatedBy.id	combo.updatedByUserId	String	Ignored	Ignored	
updatedBy.name	combo.updatedBy	String	Ignored	Ignored	
updatedBy.externalReference	combo.updatedBy	String	Ignored	Ignored	
customData	combo.customData	Record<String, any>	Ignored	Ignored	read only

Item

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes
id	item.id	String	Ignored	Optional	Required in POST Update to update existing Items, but not required for new Items.

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes
tenantId	item.tenantId	String!	Ignored	Ignored	
catalogItemId	item.catalogItemId	String	Optional	Optional	The catalog item related to this line item
name	item.name	String	Optional	Optional	
category	item.category	String	Optional	Optional	
subCategory	item.subCategory	String	Optional	Optional	
type	item.type	String	Optional	Optional	e.g. Labour, Material, Other
index	item.index	Integer	Optional	Optional	The position of the item in the list (UI)
description	item.description	String	Optional	Optional	
unitType.id	item.unitTypeId	String	Ignored	Ignored	Catalog Unit Type ID for a line item
unitType.name	item.unitType	String	Ignored	Ignored	
unitType.externalReference	item.unitType	String	Optional	Optional	
quantity	item.quantity	Float	Optional	Optional	
tax	item.tax	Float	Optional	Optional	Item tax percentage e.g 10 = 10%
pcps	item.pcps	{“PC“, “PS“}	Optional	Optional	Prime Cost (PC) or Provisional Sum (PS)

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes
buyCost	item.buyCost	Float	Optional	Optional	The wholesale cost of an individual unit
unitCost	item.unitCost	Float	Optional	Optional	The resell cost of an individual unit minus tax and markup
subTotal	item.subTotal	Float	Ignored	Ignored	(unitCost * quantity) + markup amount (markup amount is equal to markupValue if markupType = 'Absolute', or 'unitCost * quantity * (markupValue / 100)' if markupType = 'Percentage')
totalTax	item.totalTax	Float	Ignored	Ignored	subTotal * (tax / 100)
total	item.total	Float	Ignored	Ignored	subTotal + totalTax
markupType	item.markupType	{"Absolute", "Percentage"}	Optional	Optional	Markup Type - Absolute value or Percentage
markupValue	item.markupValue	Float	Optional	Optional	A numerical value representing markup value in dollars if type is Absolute, or as a percentage (e.g. 10 = 10%) if type is Percentage

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes
delete	item.delete	Boolean	Ignored	Optional	Can be set to 'true' to delete this item from its group
note	item.note	String	Optional	Optional	
internal	item.internal	Boolean	Optional	Optional	Internal line item should not be converted into Purchase Order
mismatches	item.mismatches	List<{property: string!, catalogValue: string!}>	Ignored	Ignored	If it comes from a catalog item, it will show all locked fields whose value don't match with the catalog item.
tags	item.tags	List<String!>	Optional	Optional	
lineScopeStatus.id	item.lineScopeStatusId	String!	Ignored	Ignored	
lineScopeStatus.name	item.lineScopeStatus	String!	Ignored	Ignored	
lineScopeStatus.externalReference	item.lineScopeStatus	String!	Optional	Optional	
allocatedCost	item.allocatedCost	Float	Ignored	Ignored	The total cost allocated to purchase orders
committedCost	item.committedCost	Float	Ignored	Ignored	The total cost allocated to purchase orders with Sent Status

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes
createdAtDate	item.createdAt	String!	Ignored	Ignored	
createdBy.id	item.createdByUserId	String	Ignored	Ignored	
createdBy.name	item.createdBy	String	Ignored	Ignored	
createdBy.externalReference	item.createdBy	String	Ignored	Ignored	
updatedAtDate	item.updatedAt	String!	Ignored	Ignored	
updatedBy.id	item.updatedByUserId	String	Ignored	Ignored	
updatedBy.name	item.updatedBy	String	Ignored	Ignored	
updatedBy.externalReference	item.updatedBy	String	Ignored	Ignored	
customData	item.customData		Ignored	Ignored	read only

JSON Body

Quote


```
{
  "id": "UUID",
  "name": "Internal Desktop Assessment - JEDI315-IDA1",
  "status": {
    "id": "UUID",
    "name": "Draft",
    "type": "Draft",
    "externalReference": "sample"
  },
  "quoteTypeId": {
    "id": "UUID",
    "name": "Quote",
    "externalReference": "sample"
  },
  "quoteNumber": "2",
  "date": "2025-03-04T06:52:01.253+00:00",
```

```
"reference": "MyRef123",
"note": "some note text",
"expiresInDays": 3,
"totalTax": 15.3,
"subTotal": 153,
"total": 168.3,
"toName": "Account Company",
"toCompanyRegistrationNumber": "123123123",
"toContactName": "",
"toClientReference": "23",
"toPhoneNumber": "0431018424",
"toEmail": "labrat@codafication.com",
"toUnitNumber": "2",
"toStreetNumber": "2",
"toStreetName": "2",
"toSuburb": "2",
"toPostCode": "2",
"toState": "2",
"toCountry": "2",
"forName": "Bob Smith",
"forCompanyRegistrationNumber": "123123123",
"forContactName": "Bob Smith",
"forClientReference": "23",
"forPhoneNumber": "123123123",
"forEmail": "labrat@codafication.com",
"forUnitNumber": "2",
"forStreetNumber": "2",
"forStreetName": "2",
"forSuburb": "2",
"forPostCode": "2",
"forState": "2",
"forCountry": "2",
"fromName": "Quoting Company",
"fromCompanyRegistrationNumber": "00000000",
"fromContactName": "Jim",
"fromPhoneNumber": "112312312",
"fromEmail": "labrat@codafication.com.au",
"fromUnitNumber": "1",
"fromStreetNumber": "1",
"fromStreetName": "First St",
"fromSuburb": "Adelaide",
"fromPostCode": "5000",
"fromState": "SA",
"fromCountry": "Australia",
"groups": [
  {
    "id": "UUID",
    "groupLabel": {
      id: "UUID",
      name: "Bedroom 1",
      externalReference: "sample"
    },
    "description": "a description",
```

```
"length": 2,
"width": 2,
"height": 2,
"index": 0,
"items": [
  {
    "id": "UUID",
    "name": "Test Item 1 Update",
    "description": "Test Item 1 Update",
    "type": "Material",
    "category": "Test",
    "subCategory": null,
    "tax": 10,
    "quantity": 1,
    "index": 0,
    "markupType": "Percentage",
    "markupValue": 2,
    "unitType": {
      "id":  "UUID",
      "name": "EA",
      "externalReference": "sample"
    },
    "pcps": "PC",
    "buyCost": 150,
    "unitCost": 150,
    "subTotal": 153,
    "totalTax": 15.3,
    "total": 168.3,
    "note": "some note text",
    "catalogItemId": "UUID",
    "internal": false,
    "mismatches": [],
    "customData": {},
    "lineScopeStatus": {
      "id": "UUID",
      "name": "Draft",
      "externalReference": "REF123"
    },
    "allocatedCost": 0,
    "committedCost": 0
  }
],
"combos": [
  {
    "id": "UUID",
    "name": "22",
    "description": "22ttt",
    "category": "Test",
    "quantity": 1,
    "index": 1,
    "items": [
      {
        "id": "UUID",
```

```
            "name": "Test Item 1 (copy)",
            "description": "Test Item 1 mm",
            "type": "Labour",
            "category": "Test",
            "subCategory": null,
            "tax": 10,
            "quantity": 1,
            "index": 0,
            "markupType": "Percentage",
            "markupValue": 2,
            "unitType": {
              "id":  "UUID",
              "name": "LM",
              "externalReference": "sample"
            },
            "pcps": null,
            "buyCost": 100,
            "unitCost": 150,
            "subTotal": 153,
            "totalTax": 15.3,
            "total": 168.3,
            "note": null,
            "catalogItemId": "UUID",
            "internal": false,
            "mismatches": [
              {
                "property": "markupValue",
                "catalogValue": "10"
              }
            ],
            "customData": {},
            "allocatedCost": 0,
            "committedCost": 0
          }
        ],
        "subTotal": 153,
        "totalTax": 15.3,
        "total": 168.3,
        "catalogComboId": "UUID",
        "lineScopeStatus": {
          "id": "UUID",
          "name": "Draft",
          "externalReference": "REF123"
        },
        "allocatedCost": 0,
        "committedCost": 0
      }
    ]
  }
],
"estimatedStartDate": "2025-03-04T06:52:01.253+00:00",
"estimatedCompletionDate": "2025-03-04T06:52:01.253+00:00",
"customData": {},
```

```
  "claimId": "UUID",
  "jobId": "UUID",
  "updatedAt": "2025-03-04T06:52:01.253+00:00",
  "updatedBy": {
    "id": "UUID",
    "name": "John Smith",
    "externalReference": "234"
  }
}
```


Create Quote


```
{
  "name": "Internal Desktop Assessment - JEDI315-IDA1",
  "quoteType": {
    "externalReference": "sample"
  },
  "date": "2025-03-04T06:52:01.253+00:00",
  "reference": "JEDI315-IDA1",
  "note": null,
  "expiresInDays": 3,
  "toName": "Account Company",
  "toCompanyRegistrationNumber": "123123123",
  "toContactName": "",
  "toClientReference": "23",
  "toPhoneNumber": "0431018424",
  "toEmail": "labrat@codafication.com",
  "toUnitNumber": "2",
  "toStreetNumber": "2",
  "toStreetName": "2",
  "toSuburb": "2",
  "toPostCode": "2",
  "toState": "2",
  "toCountry": "2",
  "forName": "Bob Smith",
  "forCompanyRegistrationNumber": "123123123",
  "forContactName": "Bob Smith",
  "forClientReference": "23",
  "forPhoneNumber": "0431018424",
  "forEmail": "labrat@codafication.com",
  "forUnitNumber": "2",
  "forStreetNumber": "2",
  "forStreetName": "2",
  "forSuburb": "2",
  "forPostCode": "2",
  "forState": "2",
  "forCountry": "2",
  "fromName": "Quoting Company",
  "fromCompanyRegistrationNumber": "00000000",
  "fromContactName": "Jim",
  "fromPhoneNumber": "112312312",
```

```
"fromEmail": "labrat@codafication.com.au",
"fromUnitNumber": "1",
"fromStreetNumber": "1",
"fromStreetName": "First St",
"fromSuburb": "Adelaide",
"fromPostCode": "5000",
"fromState": "SA",
"fromCountry": "Australia"
"groups": [
  {
    "groupLabel": {
      "externalReference": "sample"
    },
    "description": "a description",
    "length": 2,
    "width": 2,
    "height": 2,
    "index": 0,
    "items": [
      {
        "name": "Test Item 1",
        "description": "Test Item 1",
        "type": "Material",
        "category": "Test",
        "subCategory": null,
        "tax": 10,
        "quantity": 1,
        "index": 0,
        "markupType": "Percentage",
        "markupValue": 2,
        "unitType": {
          "externalReference": "sample"
        },
        "pcps": null,
        "buyCost": 150,
        "unitCost": 150,
        "note": null,
        "catalogItemId": "UUID",
        "internal": false,
        "lineScopeStatus": {
          "externalReference": "sample"
        }
      }
    ],
    "combos": [
      {
        "name": "22",
        "description": "22ttt"
        "category": "Test",
        "quantity": 1,
        "index": 1,
        "items": [
          {
```

```
                "name": "Test Item 1 (copy)",
                "description": "Test Item 1 mm",
                "excluded": false,
                "type": "Labour",
                "category": "Test",
                "subCategory": null,
                "tax": 10,
                "quantity": 1,
                "index": 0,
                "markupType": "Percentage",
                "markupValue": 2,
                "unitTypeId": {
                  "externalReference": "sample"
                },
                "pcps": null,
                "buyCost": 100,
                "unitCost": 150,
                "note": null,
                "catalogItemId": "UUID",
                "internal": false
              }
            ]
            "catalogComboId": "UUID",
            "lineScopeStatus": {
              "externalReference": "sample"
            }
          }
        ]
      }
    ],
    "estimatedStartDate": "2025-03-04T06:52:01.253+00:00",
    "estimatedCompletionDate": "2025-03-04T06:52:01.253+00:00",
    "claimId": "UUID", // can provide one or both of 'jobId' and 'claimId'
    "jobId": "UUID"
  }
```

Update Quote

```
{
  "name": "Internal Desktop Assessment - JEDI315-IDA1",
  "quoteType": {
    "externalReference": "sample"
  },
  "status": {
    "externalReference": "sample"
  },
  "quoteNumber": "3",
  "date": "2025-03-04T06:52:01.253+00:00",
  "reference": "JEDI315-IDA1",
  "note": null,
```

```
"expiresInDays": 3,
"toName": "Account Company",
"toCompanyRegistrationNumber": "123123123",
"toContactName": "",
"toClientReference": "23",
"toPhoneNumber": "0431018424",
"toEmail": "labrat@codafication.com",
"toUnitNumber": "2",
"toStreetNumber": "2",
"toStreetName": "2",
"toSuburb": "2",
"toPostCode": "2",
"toState": "2",
"toCountry": "2",
"forName": "Bob Smith",
"forCompanyRegistrationNumber": "123123123",
"forContactName": "Bob Smith",
"forClientReference": "23",
"forPhoneNumber": "0431018424",
"forEmail": "labrat@codafication.com",
"forUnitNumber": "2",
"forStreetNumber": "2",
"forStreetName": "2",
"forSuburb": "2",
"forPostCode": "2",
"forState": "2",
"forCountry": "2",
"fromName": "Quoting Company",
"fromCompanyRegistrationNumber": "00000000",
"fromContactName": "Jim",
"fromPhoneNumber": "112312312",
"fromEmail": "labrat@codafication.com.au",
"fromUnitNumber": "1",
"fromStreetNumber": "1",
"fromStreetName": "First St",
"fromSuburb": "Adelaide",
"fromPostCode": "5000",
"fromState": "SA",
"fromCountry": "Australia"
"groups": [
  {
    "id": "UUID",
    "groupLabel": {
      "externalReference": "sample"
    },
    "description": "a description",
    "length": 2,
    "width": 2,
    "height": 2,
    "index": 0,
    "items": [
      {
        "delete": true,
```

```
      "id": "UUID",
      "name": "Test Item 1",
      "description": "Test Item 1",
      "type": "Material",
      "category": "Test",
      "subCategory": null,
      "tax": 10,
      "quantity": 1,
      "index": 0,
      "markupType": "Percentage",
      "markupValue": 2,
      "unitType": {
        "externalReference": "sample"
      },
      "pcps": null,
      "buyCost": 150,
      "unitCost": 150,
      "note": null,
      "catalogItemId": "UUID",
      "internal": false,
      "lineScopeStatus": {
        "externalReference": "sample"
      }
    }
  ],
  "combos": [
    {
      "id": "UUID",
      "name": "22",
      "description": "22ttt"
      "category": "Test",
      "quantity": 1,
      "index": 1,
      "items": [
        {
          "name": "Test Item 1 (copy)",
          "description": "Test Item 1 mm",
          "excluded": false,
          "type": "Labour",
          "category": "Test",
          "subCategory": null,
          "tax": 10,
          "quantity": 1,
          "index": 0,
          "markupType": "Percentage",
          "markupValue": 2,
          "unitTypeId": {
            "externalReference": "sample"
          },
          "pcps": null,
          "buyCost": 100,
          "unitCost": 150,
          "note": null,
```

```
                "catalogItemId": "UUID",
                "internal": false,
              }
            ]
            "catalogComboId": "UUID",
            "lineScopeStatus": {
              "externalReference": "sample"
            }
          }
        ]
      }
    ],
    "estimatedStartDate": "2025-03-31",
    "estimatedCompletionDate": "2025-09-16",
    "claimId": "UUID", // can provide one or both of 'jobId' and 'claimId'
    "jobId": "UUID"
  }
```

3.3.7 Invoices

Contract

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes	Rules
id	tradeInvoice.id	String	Ignored	Ignored	To update a Trade Invoice pass its id in params rather than body (/invoices/:id)	

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes	Rules
excessAmount	tradeInvoice.Excess	Float	Ignored	Ignored	• If excess is not applicable to the invoice excessAmount will be null • Else the Excess value will be displayed on the excessAmount field • Also, when applicable excess amount will only be included on the first invoice uploaded that the total is more or equal to the excess.	
jobId	tradeInvoice.jobId	String	Ignored	Ignored		
claimId	tradeInvoice.claimId	String	Ignored	Ignored		
tenantId	tradeInvoice.tenantId	String	Ignored	Ignored		

codafication

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes	Rules
purchaseOrderId	tradeInvoice.purchaseOrderId	String	Required	Required	For trade invoices this is required but for merging with future invoices this should not be required.	
invoiceNumber	tradeInvoice.invoiceNumber	String	Optional	Optional	Recommended in Updates, for checking duplicating trade invoices with same invoice number	
issueDate	tradeInvoice.issueDate	String	Optional	Optional		
receivedDate	tradeInvoice.receivedDate	String	Optional	Optional		
comments	tradeInvoice.comments	String	Optional	Optional		
subTotal	tradeInvoice.invoiceTotalExclGST	Float	Ignored	Ignored		
totalTax	tradeInvoice.invoiceGST	Float	Optional	Optional	Percentage of GST	
total	tradeInvoice.invoiceTotal	Float	Optional	Optional		
declinedReason	tradeInvoice.declinedReason	String	Optional	Optional		
status.id	tradeInvoice.tradeInvoiceStatusId	String	Ignored	Ignored		
status.name	tradeInvoice.tradeInvoiceStatus	String	Ignored	Ignored		

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes	Rules
status.externalReference	tradeInvoice.tradeInvoiceStatus	String	Optional	Optional		Unknown Value: Continue API call
delete	tradeInvoice.delete	Boolean	Ignored	Optional	If delete is set to true; the trade invoice will be soft deleted	
createdAtDate	tradeInvoice.createdAt	String	Ignored	Ignored		
updatedAtDate	tradeInvoice.updatedAt	String	Ignored	Ignored		
createdBy.id	tradeInvoice.createdByUserId	String	Ignored	Ignored		
createdBy.name	tradeInvoice.createdBy	String	Ignored	Ignored		
createdBy.externalReference	tradeInvoice.createdBy	String	Ignored	Ignored		
updatedBy.id	tradeInvoice.updatedByUserId	String	Ignored	Ignored		
updatedBy.name	tradeInvoice.updatedBy	String	Ignored	Ignored		
updatedBy.externalReference	tradeInvoice.updatedBy	String	Ignored	Ignored		

JSON Body

Invoice

```
{
  "id": "UUID",
  ”jobId”: “UUID”,
```

```
  ”claimId”,
  "tenantId": "UUID",
  "purchaseOrderId": "UUID",
  "invoiceNumber": "1234",
  "issueDate": "2025-03-18T00:00:00.000Z",
  "receivedDate": "2025-03-18T00:00:00.000Z",
  "comments": "Example comment",
  "totalTax": 10,
  "subTotal": "118.1818"
  "total": 130,
  "declinedReason": "Example declined",
  "status": { "id": "UUID", "name": "Draft", "externalReference": "IAG1234" },
  "delete": false,
  "createdAtDate": "2025-03-18T00:33:10.368Z",
  "updatedAtDate": "2025-03-18T00:33:10.368Z",
  "createdBy": {
    "id": "UUID",
    "name": "John Doe",
    "externalReference": "Example"
  },
  "updatedBy": {
    "id": "UUID",
    "name": "John Doe",
    "externalReference": "Example"
  }
}
```

Create Invoice

```
{
  "purchaseOrderId": "UUID",
  "invoiceNumber": "1234",
  "issueDate": "2025-03-18T00:00:00.000Z",
  "receivedDate": "2025-03-18T00:00:00.000Z",
  "comments": "Example comment",
  "totalTax": 10,
  "total": 130,
  "declinedReason": "Example declined",
  "status": { "externalReference": "IAG1234" }
}
```

Update Invoice

```
{
  "purchaseOrderId": "UUID",
  "invoiceNumber": "1234",
  "issueDate": "2025-03-18T00:00:00.000Z",
  "receivedDate": "2025-03-18T00:00:00.000Z",
  "delete": false,
  "comments": "Example comment",
```

```
  "totalTax": 10,
  "total": 130,
  "declinedReason": "Example declined",
  "status": { "externalReference": "IAG1234" }
}
```

3.3.8 Purchase Orders

Contract

Purchase Order

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes	Rules
id	purchaseOrder.id	String	Ignored	Ignored	To update a PO, pass its id in params rather than body (/purchaseOrders/:id)	
externalId	purchaseOrder.externalId	String	Optional	Optional		
name	purchaseOrder.name	String	Optional	Optional		
tenantId	purchaseOrder.tenantId	String	Ignored	Ignored		
status.id	purchaseOrder.statusId	String	Optional	Optional		
status.name	purchaseOrder.status	String	Optional	Optional		
status.externalReference	purchaseOrder.status	String	Optional	Optional		Unknown Value: Continue API call

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes	Rules
purchaseOrderNumber	purchaseOrder.purchaseOrderNumber	String	Ignored	Ignored	Purchase Order number is auto generated in CW and cannot be manually amended	
startDate	purchaseOrder.date	String	Optional	Optional		
endDate	purchaseOrder.endDate	String	Optional	Optional		
startTime	purchaseOrder.startTime	String	Optional	Optional		
endTime	purchaseOrder.endTime	String	Optional	Optional		
jobId	purchaseOrder.pulseJobId	String	Optional	Optional	Job Id or Claim Id must be provided when creating a PO.	
claimId	purchaseOrder.pulseProjectId	String	Optional	Optional	Job Id or Claim Id must be provided when creating a PO.	
http://vendor.id	purchaseOrder.vendorId	String	Optional	Optional		
vendor.name	purchaseOrder.vendor	String	Optional	Optional		
vendor.externalReference	purchaseOrder.vendor	String	Optional	Optional		Unknown Value: Continue API call

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes	Rules
quoteRevisionId	purchaseOrder.quoteRevisionId	String	Optional	Optional	A PO can be generated from a quote; this field keeps a record of the quote from which it was created	
purchaseOrderType.id	purchaseOrder.purchaseOrderTypeId	String	Optional	Optional		
purchaseOrderType.name	purchaseOrder.purchaseOrderType	String	Optional	Optional		
purchaseOrderType.externalReference	purchaseOrder.purchaseOrderType	String	Optional	Optional		Unknown Value: Fail API call
note	purchaseOrder.note	String	Optional	Optional		
vendorAllocationJobTypeId	purchaseOrder.vendorAllocationJobTypeId	String	Optional	Optional	These values are set when creating an external job for the vendor from PO	
vendorAllocationReportTypeId	purchaseOrder.vendorAllocationJobTypeId	String	Optional	Optional	These values are set when creating an external job for the vendor from PO	
expiresInDays	purchaseOrder.expiresInDays	Integer	Optional	Optional		
total	purchaseOrder.total	Float	Ignored	Ignored		
toName	purchaseOrder.toName	String	Optional	Optional		

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes	Rules
toCompanyRegistrationNumber	purchaseOrder.toCompanyRegistrationNumber	String	Optional	Optional		
toContactName	purchaseOrder.toContactName	String	Optional	Optional		
toInvoiceNumber	purchaseOrder.toInvoiceNumber	String	Optional	Optional		
toPhoneNumber	purchaseOrder.toPhoneNumber	String	Optional	Optional		
toEmail	purchaseOrder.toEmail	String	Optional	Optional		
toUnitNumber	purchaseOrder.toUnitNumber	String	Optional	Optional		
toStreetNumber	purchaseOrder.toStreetNumber	String	Optional	Optional		
toStreetName	purchaseOrder.toStreetName	String	Optional	Optional		
toSuburb	purchaseOrder.toSuburb	String	Optional	Optional		
toPostCode	purchaseOrder.toPostCode	String	Optional	Optional		
toState	purchaseOrder.toState	String	Optional	Optional		
toCountry	purchaseOrder.toCountry	String	Optional	Optional		
forName	purchaseOrder.forName	String	Optional	Optional		
forCompanyRegistrationNumber	purchaseOrder.forCompanyRegistrationNumber	String	Optional	Optional		

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes	Rules
forContactName	purchaseOrder.forContactName	String	Optional	Optional		
forPhoneNumber	purchaseOrder.forPhoneNumber	String	Optional	Optional		
forInvoiceNumber	purchaseOrder.forInvoiceNumber	String	Optional	Optional		
forEmail	purchaseOrder.forEmail	String	Optional	Optional		
forUnitNumber	purchaseOrder.forUnitNumber	String	Optional	Optional		
forStreetNumber	purchaseOrder.forStreetNumber	String	Optional	Optional		
forStreetName	purchaseOrder.forStreetName	String	Optional	Optional		
forSuburb	purchaseOrder.forSuburb	String	Optional	Optional		
forPostCode	purchaseOrder.forPostCode	String	Optional	Optional		
forState	purchaseOrder.forState	String	Optional	Optional		
forCountry	purchaseOrder.forCountry	String	Optional	Optional		
fromName	purchaseOrder.fromName	String	Optional	Optional		
fromCompanyRegistrationNumber	purchaseOrder.fromCompanyRegistrationNumber	String	Optional	Optional		
fromContactName	purchaseOrder.fromContactName	String	Optional	Optional		

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes	Rules
fromPhoneNumber	purchaseOrder.fromPhoneNumber	String	Optional	Optional		
fromEmail	purchaseOrder.fromEmail	String	Optional	Optional		
fromUnitNumber	purchaseOrder.fromUnitNumber	String	Optional	Optional		
fromStreetNumber	purchaseOrder.fromStreetNumber	String	Optional	Optional		
fromStreetName	purchaseOrder.fromStreetName	String	Optional	Optional		
fromSuburb	purchaseOrder.fromSuburb	String	Optional	Optional		
fromPostCode	purchaseOrder.fromPostCode	String	Optional	Optional		
fromState	purchaseOrder.fromState	String	Optional	Optional		
fromCountry	purchaseOrder.fromCountry	String	Optional	Optional		
createdAtDate	purchaseOrder.createdAt	String	Ignored	Ignored		
createdBy.id	purchaseOrder.createdByUserId	String	Ignored	Ignored		
createdBy.name	purchaseOrder.createdBy	String	Ignored	Ignored		
createdBy.externalReference	purchaseOrder.createdBy	String	Ignored	Ignored		
updatedAtDate	purchaseOrder.updatedAt	String	Ignored	Ignored		

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes	Rules
updatedBy.id	purchaseOrder.updatedByUserId	String	Ignored	Ignored		
updatedBy.name	purchaseOrder.updatedBy	String	Ignored	Ignored		
updatedBy.externalReference	purchaseOrder.updatedBy	String	Ignored	Ignored		
adjustedTotal	purchaseOrder.adjustedTotal	Float	Ignored	Ignored		
adjustedTotalAdjustmentAmount	purchaseOrder.adjustedTotalAdjustmentAmount	Float	Ignored	Ignored		
groups	purchaseOrder.groups	List<PurchaseOrderGroup>	Optional	Optional		
invoices	purchaseOrder.tradeInvoices	List<Invoice>	Ignored	Ignored		

Purchase Order Group

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes	Rules
id	group.id	String	Ignored	Optional	Required in POST Update to update existing groups, but not required for new groups.	
groupLabel.id	group.groupLabelId	String	Ignored	Ignored		

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes	Rules
groupLabel.name	group.groupLabel	String	Ignored	Ignored		
groupLabel.externalReference	group.groupLabel	String	Required	Optional		Unknown Value: Fail API call
description	group.description	String	Optional	Optional		
length	group.length	Float	Optional	Optional		
width	group.width	Float	Optional	Optional		
height	group.height	Float	Optional	Optional		
index	group.index	Integer	Optional	Optional	The position of the group in the list (UI)	
subTotal	group.subTotal	Float	Ignored	Ignored	The sum of this group's Combo and Item subTotals	
totalTax	group.totalTax	Float	Ignored	Ignored	The sum of this group's Combo and Item totalTax amounts	
total	group.total	Float	Ignored	Ignored	The sum of this group's Combo and Item totals	
items	group.items	List<PurchaseOrderItem>	Optional	Optional	The Items included in this group	

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes	Rules
combos	group.combos	List<PurchaseOrderCombo>	Optional	Optional	The Combos included in this group	
createdAtDate	group.createdAt	String	Ignored	Ignored		
createdBy.Id	group.createdByUserId	String	Ignored	Ignored		
createdBy.name	group.createdBy	String	Ignored	Ignored		
createdBy.externalReference	group.createdBy	String	Ignored	Ignored		
updatedAtDate	group.updatedAt	String	Ignored	Ignored		
updatedBy.id	group.updatedByUserId	String	Ignored	Ignored		
updatedBy.name	group.updatedBy	String	Ignored	Ignored		
updatedBy.externalReference	group.updatedBy	String	Ignored	Ignored		

Purchase Order Combo

CW API Field	CW UI Field	Type	POST create	POST update	Notes	Rules
id	combo.id	String	Ignored	Optional	Required in POST Update to update existing Combos, but not required for new Combos.	

CW API Field	CW UI Field	Type	POST create	POST update	Notes	Rules
index	combo.index	Integer	Optional	Optional	The position of the combo in the list (UI	
catalogComboId	combo.catalogComboId	String	Optional	Optional	to specify which catalog combo it is coming from	
tenantId	combo.tenantId	String	Ignored	Ignored		
name	combo.name	String	Optional	Optional		
description	combo.description	String	Optional	Optional		
category	combo.category	String	Optional	Optional		
subCategory	combo.subCategory	String	Optional	Optional		
quantity	combo.quantity	Float	Optional	Optional		
items	combo.items	List<PurchaseOrderItem>	Optional	Optional	The Items included in this combo	
quoteComboId	combo.quoteComboId	String	Optional	Optional		
markupType	combo.markupType	{“Absolute”, “Percentage”}	Optional	Optional	Coda to confirm.	
markupValue	combo.markupValue	Float	Optional	Optional		
tax	combo.tax	Float	Optional	Optional		
total	combo.total	Float	Ignored	Ignored		

CW API Field	CW UI Field	Type	POST create	POST update	Notes	Rules
delete	combo.delete	Boolean	Ignored	Optional	Can be set to 'true' to delete combo from its group	
createdAtDate	combo.createdAt	String	Ignored	Ignored		
createdBy.id	combo.createdByUserId	String	Ignored	Ignored		
createdBy.name	combo.createdBy	String	Ignored	Ignored		
createdBy.externalReference	combo.createdBy	String	Ignored	Ignored		
updatedAtDate	combo.updatedAt	String	Ignored	Ignored		
updatedBy.id	combo.updatedByUserId	String	Ignored	Ignored		
updatedBy.name	combo.updatedBy	String	Ignored	Ignored		
updatedBy.external Reference	combo.updatedBy	String	Ignored	Ignored		

Purchase Order Item

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes
id	item.id	String	Ignored	Optional	Required in POST Update to update existing Items, but not required for new Items.
tenantId	item.tenantId	String	Ignored	Ignored	

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes
catalogItemId	item.catalogItemId	String	Optional	Optional	The catalog item related to this line item
name	item.name	String	Optional	Optional	
category	item.category	String	Optional	Optional	
subCategory	item.subCategory	String	Optional	Optional	
type	item.type	String	Optional	Optional	e.g. Labour, Material, Other
index	item.index	Integer	Optional	Optional	The position of the item in the list (UI)
description	item.description	String	Optional	Optional	
unitType.id	item.unitTypeId	String	Ignored	Ignored	Catalog Unit Type ID for a catalog line item OR manual unit type ID
unitType.name	item.unitType	String	Ignored	Ignored	
unitType.externalReference	item.unitType	String	Optional	Optional	
quantity	item.quantity	Float	Optional	Optional	
tax	item.tax	Float	Optional	Optional	Item tax percentage e.g 10 = 10%
pcps	item.pcps	{“PC“, “PS“}	Optional	Optional	Prime Cost (PC) or Provisional Sum (PS)
buyCost	item.buyCost	Float	Optional	Optional	

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes
unitCost	item.unitCost	Float	Optional	Optional	
markupType	item.markupType	{“Absolute”, “Percentage”}	Optional	Optional	Markup Type - Absolute value or Percentage
markupValue	item.markupValue	Float	Optional	Optional	A numerical value representing markup value in dollars if type is Absolute, or as a percentage (e.g. 10 = 10%) if type is Percentage
delete	item.delete	Boolean	Ignored	Optional	Can be set to ‘true’ to delete this item from its group
note	item.note	String	Optional	Optional	
quoteLineItemId	item.quoteLineItemId	String	Optional	Optional	
tags	item.tags	List<String>	Optional	Optional	
reconciliation	item.reconciliation	Float	Optional	Optional	
manualAllocation	item.manualAllocation	Boolean	Optional	Optional	The flag to determine if a buy cost has been updated. Where 'true' == manual update, 'false' == bulk allocation, 'null' == historical records that haven't yet been updated

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes
createdAtDate	item.createdAt	String	Ignored	Ignored	
createdBy.id	item.createdByUserId	String	Ignored	Ignored	
createdBy.name	item.createdBy	String	Ignored	Ignored	
createdBy.externalReference	item.createdBy	String	Ignored	Ignored	
updatedAtDate	item.updatedAt	String	Ignored	Ignored	
updatedBy.id	item.updatedByUserId	String	Ignored	Ignored	
updatedBy.name	item.updatedBy	String	Ignored	Ignored	
updatedBy.externalReference	item.updatedBy	String	Ignored	Ignored	

JSON Body

Purchase Order

```
{
  "id": "UUID",
  "externalId": "ExternalId",
  "name": "PO123-G",
  "tenantId": "UUID",
  "status": {
    "id": "UUID",
    "name": "Draft",
    "externalReference": "Draft"
  },
  "purchaseOrderNumber": "4",
  "startDate": "2025-03-17T00:00:00.000+00:00",
  "endDate": "2025-03-17T00:00:00.000+00:00",
  "startTime": "00:00:00",
  "endTime": "12:00:00",
  "jobId": "UUID",
  "claimId": "UUID",
  "vendor": {
    "id": "UUID",
    "name": "Vendor name",
```

```
    "externalReference": "External Vendor Ref"
  },
  "quoteRevisionId": "UUID",
  "purchaseOrderType": {
    "id": "UUID",
    "name": "PO - Type",
    "externalReference": "External Ref"
  },
  "note": "Test Note",
  "vendorAllocationJobTypeId": "UUID",
  "vendorAllocationReportTypeId": "UUID",
  "expiresInDays": 12,
  "total": 120,
  "toName": "Example Name",
  "toCompanyRegistrationNumber": "1234",
  "toContactName": "Example Name",
  "toInvoiceNumber": "12345",
  "toPhoneNumber": "0210004444",
  "toEmail": "example@mail.com",
  "toUnitNumber": "1",
  "toStreetNumber": "123",
  "toStreetName": "Albert Street",
  "toSuburb": "Brisbane City",
  "toPostCode": "4000",
  "toState": "QLD",
  "toCountry": "Australia",
  "forName": "Example Name",
  "forCompanyRegistrationNumber": "123445",
  "forContactName": "Exmaple Name",
  "forPhoneNumber": "0800222444",
  "forInvoiceNumber": "IAG-123",
  "forEmail": "example@mail.com",
  "forUnitNumber": null,
  "forStreetNumber": "1A",
  "forStreetName": "Mount Dandenong Tourist Road",
  "forSuburb": "Tremont",
  "forPostCode": "3785",
  "forState": "VIC",
  "forCountry": "Australia",
  "fromName": "IAG",
  "fromCompanyRegistrationNumber": "00000000",
  "fromContactName": "IAG",
  "fromPhoneNumber": "1",
  "fromEmail": "labrat@codafication.com.au",
  "fromUnitNumber": "1",
  "fromStreetNumber": "1",
  "fromStreetName": "as",
  "fromSuburb": "as",
  "fromPostCode": "4000",
  "fromState": "QLD",
  "fromCountry": "Australia",
  "adjustedTotal": 100,
  "adjustedTotalAdjustmentAmount": 200,
```

```
"groups": [
  {
    "id": "UUID",
    "groupLabel": {
      "id": "UUID",
      "name": "Bathroom",
      "externalReference": "Bathroom"
    },
    "description": "Example description",
    "length": 10,
    "width": 15,
    "height": 10,
    "index": 0,
    "subTotal": 0,
    "totalTax": 0,
    "total": 120,
    "items": [
      {
        "id": "UUID",
        "tenantId": "UUID",
        "catalogItemId": "UUID",
        "name": "Test name",
        "category": "Test",
        "subCategory": null,
        "type": "Material",
        "index": 0,
        "description": "Testing",
        "unitType": {
          "id": "UUID",
          "name": "EA",
          "externalReference": "EA"
        },
        "quantity": 1,
        "tax": 10,
        "pcps": "PC",
        "buyCost": 120,
        "unitCost": 0,
        "markupType": "Percentage",
        "markupValue": 0,
        "note": null,
        "quoteLineItemId": "UUID",
        "tags": [],
        "reconciliation": 100,
        "manualAllocation": true,
        "createdAtDate": "2025-03-17T06:05:24.293+00:00",
        "updatedAtDate": "2025-04-22T05:07:34.672+00:00",
        "createdBy": {
          "id": "UUID",
          "name": "Ella Example",
          "externalReference": "Ella Example"
        },
        "updatedBy": {
          "id": "UUID",
```

```
        "name": "Ella Example",
        "externalReference": "Ella Example"
      }
    }
  ],
  "combos": [
    {
      "id": "UUID",
      "index": 1,
      "catalogComboId": "UUID",
      "tenantId": "UUID",
      "name": "Test Combo",
      "description": "Test Combo",
      "category": "Test",
      "subCategory": null,
      "quantity": 1,
      "items": [
        {
          "id": "UUID",
          "tenantId": "UUID",
          "catalogItemId": "UUID",
          "name": "Test Item 1",
          "category": "Test",
          "subCategory": null,
          "type": "Labour",
          "index": 0,
          "description": "Test Item 1",
          "unitType": {
            "id": "UUID",
            "name": "EA",
            "externalReference": "EA"
          },
          "quantity": 1,
          "tax": 10,
          "pcps": "PS",
          "buyCost": 100,
          "unitCost": 100,
          "markupType": "Percentage",
          "markupValue": 0,
          "tags": [],
          "reconciliation": null,
          "manualAllocation": null,
          "createdAtDate": "2025-04-22T22:32:32.271+00:00",
          "updatedAtDate": "2025-04-22T22:32:32.271+00:00",
          "createdBy": {
            "id": "UUID",
            "name": "Ella Example",
            "externalReference": "Ella Example"
          },
          "updatedBy": {
            "id": "UUID",
            "name": "Ella Example",
            "externalReference": "Ella Example"
```

```
      }
    },
    {
      "id": "UUID",
      "tenantId": "UUID",
      "catalogItemId": "UUID",
      "name": "Test Item 3",
      "category": "Test",
      "subCategory": "Test Sub Category",
      "type": "Labour",
      "index": 1,
      "description": "Test Item 3",
      "unitType": {
        "id": "UUID",
        "name": "M2",
        "externalReference": "M2"
      },
      "quantity": 1,
      "tax": 10,
      "pcps": "PS",
      "buyCost": 30,
      "unitCost": 30,
      "markupType": "Percentage",
      "markupValue": 0,
      "tags": [],
      "reconciliation": 30,
      "manualAllocation": false,
      "createdAtDate": "2025-04-22T22:32:32.271+00:00",
      "updatedAtDate": "2025-04-22T22:32:32.271+00:00",
      "createdBy": {
        "id": "UUID",
        "name": "Ella Example",
        "externalReference": "Ella Example"
      },
      "updatedBy": {
        "id": "UUID",
        "name": "Ella Example",
        "externalReference": "Ella Example"
      }
    }
  ],
  "quoteComboId": "UUID",
  "markupType": "Percentage",
  "markupValue": 0,
  "tax": 10,
  "total": 130,
  "createdAtDate": "2025-04-22T22:32:31.939+00:00",
  "updatedAtDate": "2025-04-22T22:32:31.939+00:00",
  "createdBy": {
    "id": "UUID",
    "name": "Ella Example",
    "externalReference": "Ella Example"
  },
```

```
          "updatedBy": {
            "id": "UUID",
            "name": "Ella Example",
            "externalReference": "Ella Example"
          }
        }
      ],
      "createdAtDate": "2025-03-17T06:05:23.936+00:00",
      "updatedAtDate": "2025-04-22T05:07:34.956+00:00",
      "createdBy": {
        "id": "UUID",
        "name": "Ella Example",
        "externalReference": "Ella Example"
      },
      "updatedBy": {
        "id": "UUID",
        "name": "Ella Example",
        "externalReference": "Ella Example"
      }
    }
  ],
  "invoices": [
    {
      "id": "UUID",
      "tenantId": "UUID",
      "purchaseOrderId": "UUID",
      "invoiceNumber": "44",
      "issueDate": null,
      "receivedDate": "2025-04-15T00:00:00.000+00:00",
      "comments": "tset",
      "subTotal": 403.6364,
      "totalTax": 10,
      "total": 444,
      "declinedReason": null,
      "status": {
        "id": "UUID",
        "name": "Submitted",
        "externalReference": "Submitted"
      },
      "createAtDate": "2025-04-15T04:35:19.706+00:00",
      "updateAtDate": "2025-04-15T04:35:24.255+00:00",
      "createdBy": {
        "id": "UUID",
        "name": "Rocio Carrero",
        "externalReference": null
      },
      "updatedBy": {
        "id": "UUID",
        "name": "Rocio Carrero",
        "externalReference": null
      }
    }
  ],
```

```
  "createdAtDate": "2025-03-17T06:05:23.936+00:00",
  "updatedAtDate": "2025-04-22T05:07:34.672+00:00",
  "createdBy": {
    "id": "UUID",
    "name": "Ella Example",
    "externalReference": "Ella Example"
  },
  "updatedBy": {
    "id": "UUID",
    "name": "System Generated",
    "externalReference": null
  }
}
```

Create Purchase Order

```
{
  "externalId": "ExternalId",
  "name": "PO123-G",
  "status": {
    "externalReference": "Sent"
  },
  "startDate": "2025-03-17",
  "endDate": "2025-03-17",
  "startTime": "00:00:00",
  "endTime": "12:00:00",
  "jobId": "UUID",
  "claimId": "UUID",
  "vendor": {
    "externalReference": "External Vendor Ref"
  },
  "quoteRevisionId": "UUID",
  "purchaseOrderType": {
    "externalReference": "External Ref"
  },
  "note": "Test Note",
  "vendorAllocationJobTypeId": "UUID",
  "vendorAllocationReportTypeId": "UUID",
  "expiresInDays": 12,
  "toName": "Example Name",
  "toCompanyRegistrationNumber": "1234",
  "toContactName": "Example Name",
  "toInvoiceNumber": "12345",
  "toPhoneNumber": "0210004444",
  "toEmail": "example@mail.com",
  "toUnitNumber": "1",
  "toStreetNumber": "123",
  "toStreetName": "Albert Street",
  "toSuburb": "Brisbane City",
  "toPostCode": "4000",
  "toState": "QLD",
```

```
"toCountry": "Australia",
"forName": "Example Name",
"forCompanyRegistrationNumber": "123445",
"forContactName": "Exmaple Name",
"forPhoneNumber": "0800222444",
"forInvoiceNumber": "IAG-123",
"forEmail": "example@mail.com",
"forUnitNumber": null,
"forStreetNumber": "1A",
"forStreetName": "Mount Dandenong Tourist Road",
"forSuburb": "Tremont",
"forPostCode": "3785",
"forState": "VIC",
"forCountry": "Australia",
"fromName": "IAG",
"fromCompanyRegistrationNumber": "00000000",
"fromContactName": "IAG",
"fromPhoneNumber": "1",
"fromEmail": "labrat@codafication.com.au",
"fromUnitNumber": "1",
"fromStreetNumber": "1",
"fromStreetName": "as",
"fromSuburb": "as",
"fromPostCode": "4000",
"fromState": "QLD",
"fromCountry": "Australia",
"groups": [
  {
    "groupLabel": {
      "externalReference": "Bathroom"
    },
    "description": "Example description",
    "length": 10,
    "width": 15,
    "height": 10,
    "index": 0,
    "totalTax": 0,
    "items": [
      {
        "name": "Test name",
        "category": "Test",
        "type": "Material",
        "index": 0,
        "description": "Testing",
        "unitType": {
          "externalReference": "EA"
        },
        "quantity": 1,
        "tax": 10,
        "pcps": "PC",
        "buyCost": 120,
        "unitCost": 0,
        "markupType": "Percentage",
```

```
        "markupValue": 0,
        "tags": [],
        "reconciliation": 100,
        "manualAllocation": true
      }
    ],
    "combos": [
      {
        "name": "Combo 1",
        "description": "Combo 1",
        "category": "Test",
        "subCategory": null,
        "index": 0,
        "quantity": 1,
        "items": [
          {
            "name": "Toughened Glass 3mm",
            "description": "Toughened Glass 3mm",
            "type": "Material",
            "category": "Glass",
            "index": 0,
            "quantity": 1,
            "unitType": {
              "externalReference": "EA"
            },
            "buyCost": 100,
            "unitCost": 100,
            "tax": 10,
            "markupType": "Percentage",
            "markupValue": 0,
            "catalogItemId": "UUID"
          },
          {
            "name": "YK 123",
            "description": "YK 123",
            "type": "Labour",
            "category": "Test",
            "index": 1,
            "quantity": 1,
            "unitType": {
              "externalReference": "EA"
            },
            "pcps": "PC",
            "buyCost": 100,
            "unitCost": 100,
            "tax": 10,
            "markupType": "Percentage",
            "markupValue": 0,
            "catalogItemId": "UUID"
          }
        ],
        "tax": 10,
        "markupType": "Percentage",
```

```
            "markupValue": 0,
            "catalogComboId": "UUID"
          }
        ]
      }
    ]
  }
```

Update Purchase Order

```
{
  "externalId": "ExternalId",
  "name": "PO123-G",
  "status": {
    "externalReference": "Sent"
  },
  "startDate": "2025-03-17",
  "endDate": "2025-03-17",
  "startTime": "00:00:00",
  "endTime": "12:00:00",
  "jobId": "UUID",
  "claimId": "UUID",
  "vendor": {
    "externalReference": "External Vendor Ref"
  },
  "quoteRevisionId": "UUID",
  "purchaseOrderType": {
    "externalReference": "External Ref"
  },
  "note": "Test Note",
  "vendorAllocationJobTypeId": "UUID",
  "vendorAllocationReportTypeId": "UUID",
  "expiresInDays": 12,
  "toName": "Example Name",
  "toCompanyRegistrationNumber": "1234",
  "toContactName": "Example Name",
  "toInvoiceNumber": "12345",
  "toPhoneNumber": "0210004444",
  "toEmail": "example@mail.com",
  "toUnitNumber": "1",
  "toStreetNumber": "123",
  "toStreetName": "Albert Street",
  "toSuburb": "Brisbane City",
  "toPostCode": "4000",
  "toState": "QLD",
  "toCountry": "Australia",
  "forName": "Example Name",
  "forCompanyRegistrationNumber": "123445",
  "forContactName": "Exmaple Name",
  "forPhoneNumber": "0800222444",
  "forInvoiceNumber": "IAG-123",
```

```
"forEmail": "example@mail.com",
"forUnitNumber": null,
"forStreetNumber": "1A",
"forStreetName": "Mount Dandenong Tourist Road",
"forSuburb": "Tremont",
"forPostCode": "3785",
"forState": "VIC",
"forCountry": "Australia",
"fromName": "IAG",
"fromCompanyRegistrationNumber": "00000000",
"fromContactName": "IAG",
"fromPhoneNumber": "1",
"fromEmail": "labrat@codafication.com.au",
"fromUnitNumber": "1",
"fromStreetNumber": "1",
"fromStreetName": "as",
"fromSuburb": "as",
"fromPostCode": "4000",
"fromState": "QLD",
"fromCountry": "Australia",
"groups": [
  {
    "id": "UUID",
    "groupLabel": {
      "externalReference": "Bathroom"
    },
    "description": "Example description",
    "length": 10,
    "width": 15,
    "height": 10,
    "index": 0,
    "totalTax": 0,
    "items": [
      {
        "id": "UUID",
        "catalogItemId": "UUID",
        "name": "Test name",
        "category": "Test",
        "subCategory": null,
        "type": "Material",
        "index": 0,
        "description": "Testing",
        "unitType": {
          "externalReference": "EA"
        },
        "quantity": 1,
        "tax": 10,
        "pcps": "PC",
        "buyCost": 120,
        "unitCost": 0,
        "markupType": "Percentage",
        "markupValue": 0,
        "note": null,
```

```
      "quoteLineItemId": "UUID",
      "tags": [],
      "reconciliation": 100,
      "manualAllocation": true
    }
  ],
  "combos": [
    {
      "id": "UUID",
      "index": 1,
      "catalogComboId": "UUID",
      "name": "Test Combo",
      "description": "Test Combo - update",
      "category": "Test",
      "subCategory": null,
      "quantity": 1,
      "items": [
        {
          "id": "UUID",
          "catalogItemId": "UUID",
          "name": "Test Item 1",
          "category": "Test",
          "subCategory": null,
          "type": "Labour",
          "index": 0,
          "description": "Test Item 1",
          "unitType": {
            "externalReference": "EA"
          },
          "quantity": 1,
          "tax": 10,
          "pcps": "PS",
          "buyCost": 100,
          "unitCost": 100,
          "markupType": "Percentage",
          "markupValue": 0,
          "tags": [],
          "reconciliation": null,
          "manualAllocation": null
        },
        {
          "id": "UUID",
          "catalogItemId": "UUID",
          "name": "Test Item 3",
          "category": "Test",
          "subCategory": "Test Sub Category",
          "type": "Labour",
          "index": 1,
          "description": "Test Item 3",
          "unitType": {
            "externalReference": "M2"
          },
          "quantity": 1,
```

```
            "tax": 10,
            "pcps": "PS",
            "buyCost": 30,
            "unitCost": 30,
            "markupType": "Percentage",
            "markupValue": 0,
            "tags": ["Test tag"],
            "reconciliation": 30,
            "manualAllocation": false
          }
        ],
        "quoteComboId": "UUID",
        "markupType": "Percentage",
        "markupValue": 0,
        "tax": 10
      }
    ]
  },
  {
    "groupLabel": {
      "externalReference": "Office"
    },
    "description": "Example description - creating new group",
    "length": 10,
    "width": 15,
    "height": 10,
    "index": 0,
    "totalTax": 0,
    "items": [
      {
        "catalogItemId": "UUID",
        "name": "Test name - adding new items",
        "category": "Test",
        "subCategory": null,
        "type": "Material",
        "index": 0,
        "description": "Testing",
        "unitType": {
          "externalReference": "EA"
        },
        "quantity": 1,
        "tax": 10,
        "pcps": "PC",
        "buyCost": 120,
        "unitCost": 0,
        "markupType": "Percentage",
        "markupValue": 0,
        "note": null,
        "quoteLineItemId": "UUID",
        "tags": [],
        "reconciliation": 100,
        "manualAllocation": true
      }
```

```
        ],
        "combos": []
      }
    ]
  }
```

3.3.9 Messages

Contract

CW API Field	CW UI Field	Type	POST Create	Notes	Rules
id	message.id	String	Ignored		
messageType.id	message.messageTypeId	String	Ignored		
messageType.name	message.messageType	String	Ignored		
messageType.externalReference	message.messageType	String	Required		
fromClaimId	message.fromPulseProjectId	String	Optional	Coda will required “fromClaimId“ or “fromJobId“	
fromJobId	message.fromPulseJobId	String	Optional	Coda will required “fromClaimId“ or “fromJobId“	
text	message.text	String	Optional		
toClaimId	message.toPulseProjectId	String	Optional	Coda will required “toClaimId“ or “toJobId“	
toJobId	message.toPulseJobId	String	Optional	Coda will required “toClaimId“ or “toJobId“	

CW API Field	CW UI Field	Type	POST Create	Notes	Rules
toAssigneeRole.id	message.toPulseAssigneeRole	String	Ignored	Name of the role on the target claim/job to target with the message. toUserId will be automatically populated with the id of the user in this role.	
toAssigneeRole.name		String	Ignored		
toAssigneeRole.externalReference		String	Optional		
toUser.id	message.toUserId	String	Ignored	Optionally message can be targeted at a specific user.	
toUser.name		String	Ignored		
toUser.externalReference		String	Optional		
acknowledgementRequired	message.acknowledgementRequired	Boolean	Optional		
acknowledgedAt	message.acknowledgedAt	String	Ignored		
acknowledgedBy.id	message.acknowledgedByUserId	String	Ignored		
acknowledgedBy.name	message.acknowledgedBy	String	Ignored		
acknowledgedBy.externalReference	message.acknowledgedBy	String	Ignored		
fromTenantId	message.fromTenantId	String!	Ignored		

CW API Field	CW UI Field	Type	POST Create	Notes	Rules
toTenantId	message.toTenantId	String!	Ignored		
createdAtDate	message.createdAt	String!	Ignored		
createdByUser.id	message.createdByUserId	String!	Ignored		
createdByUser.name	message.createdBy	String!	Ignored		
createdByUser.externalReference	message.createdBy	String	Ignored		

JSON Body

Message

```
{
  "id": "UUID",
  "messageType": {
    "id": "UUID",
    "name": "Message",
    "externalReference": "sample"
  },
  "fromClaimId": "UUID",
  "fromJobId": "UUID",
  "toClaimId": "UUID",
  "toJobId": "UUID",
  "text": "My message text",
  "toAssigneeRole": {
    "id": "UUID",
    "name": "Claim Consultant",
    "externalReference": "sample",
  "toUser": {
    "id": "userIdString",
    "name": "User Full Name",
    "externalReference": "sample"
  },
  "acknowledgementRequired": true,
  "acknowledgedAt": "2025-03-04T06:52:01.253+00:00",
  "acknowledgedBy": {
    "id": "userIdString",
    "name": "User Full Name",
    "externalReference": "sample"
  },
```

```
  "fromTenantId": "UUID",
  "toTenantId": "UUID",
  "createdAtDate": "2025-03-04T06:52:01.253+00:00",
  "createdBy": {
    "id": "userIdString",
    "name": "User Full Name",
    "externalReference": "sample"
  }
}
```

Create Message

```
{
  "id": "UUID",
  "messageType": {
    "externalReference": "sample"
  },
  "fromClaimId": "UUID",
  "fromJobId": "UUID",
  "toClaimId": "UUID",
  "toJobId": "UUID",
  "text": "My message text",
   "toAssigneeRole": {
    "externalReference": "sample",
  "toUser": {
    "externalReference": "sample"
  },
  "acknowledgementRequired": false
}
```

3.3.10 Appointment

Contracts

Appointment

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes	Rules
id	appointment.id	String	Ignored	Ignored		
name	appointment.name	String	Required	Optional		

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes	Rules
jobId	appointment.pulseJobId	String	Required	Optional		
location	appointment.location	{'ONSITE', 'DIGITAL'}	Required	Optional		
startDate	appointment.startDate	String	Required	Optional	Clients to follow ISO 8601 UTC for datetime fields	
endDate	appointment.endDate	String	Required	Optional	Clients to follow ISO 8601 UTC for datetime fields	
attendees	appointment.attendees	List<Attendee>	Required	Optional	Sending an empty array is an acceptable input.	
status	appointment.status	String	Ignored	Ignored		
appointmentType.id	appointment.appointmentType	String	Ignored	Ignored		
appointmentType.name	appointment.appointmentType	String	Ignored	Ignored		

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes	Rules
appointmentType.externalReference	appointment.appointmentType	String	Required	Ignored	Supported types: • Inspection • Specialist • Appointment • Re-inspection	
customData.specialistTypeVisit.name	appointment.customData.specialistTypeVisit	String		Ignored		
customData.specialistTypeVisit.externalReference	appointment.customData.specialistTypeVisit	String	Required for appointmentType.externalReferenece === 'Specialist'	Ignored	See below for supported values.	Required for appointmentType.externalReferenece === 'Specialist'

Supported Specialist type external reference

- Electrician – Electrical reports
- Solar report – Report on solar panels
- Plumbers report – Leak detection / CCTV investigation
- Security system / CCTV surveillance – Specialist reporting
- Asbestos specialist – Report on potential asbestos exposure
- Roofers report – Damage to roof and/or source of water ingress
- Garage door / motor specialist – Report on garage doors and motors
- Air conditioner / Heating specialist – Report on air conditioners / heater operation and cause of damage

Attendee

CW API Field	CW UI Field	Type	POST Create	POST Update	Rules
id	appointment.attendee.id	String	Ignored	Ignored	

CW API Field	CW UI Field	Type	POST Create	POST Update	Rules
type	appointment.attendee.type	{'USER', 'CONTACT'}	Required	Required	
attendeeValue.id	appointment.attendee.attendeeValue	String	Ignored	Ignored	
attendeeValue.name	appointment.attendee.attendeeValue	String	Ignored	Ignored	
attendeeValue.externalReference	appointment.attendee.attendeeValue	String	Required	Required	Unknown Value: Continue API call
role	apppointment.attendee.role	String	Ignored	Ignored	

3.3.11 JSON Body - Appointment

```
{
  "id": "UUID",
  "name": "My Appointment",
  "appointmentType": {
    //Please select one from the supported types and make sure that it matches
exactly.
    "externalReference": "Inspection"
  },
  "jobId": "UUID",
  "location": "ONSITE",
  "startDate": "2025-03-04T06:52:01.253+00:00",
  "endDate": "2025-03-04T06:52:01.253+00:00",
  "status": "Booked",
  "attendees": [
    {
      "id": "UUID",
      "type": "USER",
      "attendeeValue": {
        "id": "UUID",
        "name": "John Smith",
        "externalReference": "sample"
      },
      "role": "Property Assessor"
    }
  ],
```

```
  "customData": {
    "specialistTypeVisit": {
      // Please select one from the supported list, and make sure it matches exactly
to pass validation
      "externalReference": "Electrician - Electrical reports"
    }
  }
}
```

3.3.12 JSON Body - Create Appointment

```
{
  "name": "My Appointment",
  "appointmentType": {
    "externalReference": "sample"
  },
  "jobId": "UUID",
  "location": "ONSITE",
  "startDate": "2025-03-04T06:52:01.253+00:00",
  "endDate": "2025-03-04T06:52:01.253+00:00",
  "attendees": [
    {
      "type": "USER",
      "attendeeValue": {
        "externalReference": "sample"
      }
    }
  ],
  "customData": {
    "specialistTypeVisit": {
      "externalReference": "sample"
    }
  }
}
```

3.3.13 JSON Body - Update Appointment

```
{
  "name": "My Appointment",
  "location": "ONSITE",
  "startDate": "2025-03-04T06:52:01.253+00:00",
  "endDate": "2025-03-04T06:52:01.253+00:00",
  "attendees": [
    {
      "type": "USER",
      "attendeeValue": {
        "externalReference": "sample"
      }
```

```
    }
  ],
  "customData": {
    "specialistTypeVisit": {
      "externalReference": "sample"
    }
  }
}
```

3.3.14 Report

Contract

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes
id	report.id	String	Ignored	Required	To update a report, pass its id in params rather than body (/reports/:id)
tenantId	report.tenantId	String	Ignored	Ignored	
reportType.id	report.reportTypeId	String	Ignored	Ignored	
reportType.name	report.reportType	String	Ignored	Ignored	
reportType.externalReference	report.reportType	String	Required	Ignored	
title	report.title	String	Optional	Optional	
reference	report.reference	String	Optional	Optional	
status.id	report.status	String	Ignored	Ignored	
status.name	report.status	String	Ignored	Ignored	

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes
status.externalReference	report.status	String	Optional	Optional	To publish a report, set its status to a 'published' status type.
jobId	report.pulseJobId	String	Optional	Ignored	
claimId	report.pulseProjectId	String	Optional	Ignored	
customData	report.customData	JSON	Optional	Optional	
createdAtDate	report.createdAt	String	Ignored	Ignored	
updatedAtDate	report.updatedAt	String	Ignored	Ignored	
createdBy.id	report.createdByUserId	String	Ignored	Ignored	
createdBy.name	report.createdBy	String	Ignored	Ignored	
createdBy.externalReference	report.createdBy	String	Ignored	Ignored	
updatedBy.id	report.updatedByUserId	String	Ignored	Ignored	
updatedBy.name	report.updatedBy	String	Ignored	Ignored	
updatedBy.externalReference	report.updatedBy	String	Ignored	Ignored	

codafication

JSON Body

JSON BODY - Report


```
{
  "id": "UUID",
  "reportType": {
    "id": "UUID",
    "name": "Field Assessment",
    "externalReference": "sample"
  },
  "title": "Report - 3 - AAA40 - Field Assessment - 0",
  "reference": "AAA40-IFA1",
  "status": {
    "id": "UUID",
    "name": "Draft",
    "externalReference": "sample"
  },
  "jobId": "UUID",
  "claimId": "UUID",
  "customData": {
    "policyName": "policy name",
    "policyNumber": "ABC123",
    "claimNumber": "123ABC",
    "requestDate": "2025-03-04T06:52:01.253+00:00",
    "address": "sample address",
    "addressAttended": true,
    "otherAddress": "sample",
    "siteAttendanceOrVaDateTime": "2025-03-04T06:52:01.253+00:00",
    "personsParticipatingInAttendance": "sample person1",
    "builderEstimatorName": "sample name",
    "builderEstimatorPhoneNumber": "1111111111",
    "insuranceAssessorAttended": true,
    "insuranceAssessorName": "sample name",
    "insuranceAssessorPhoneNumber": "1111111111",
    "occupancyType": "Vacant",
    "furnitureRemovalStorage": true,
    "customerArrangedRepairs": true,
    "arrangedRepairComments": "sample comment",
    "houseM2": 100,
    "estimatedBuildYear": "1990",
    "buildingType": "House",
    "designType": "Single Storey",
    "constructionType": "Brick Veneer",
    "roofType": "Cement Tiles",
    "mainHouseRoofDamage": false,
    "habitable": true,
    "unihabitablePropertyReason": "sample reason",
    "otherUnihabitableReason": "sample reason",
    "safetyHazards": "Asbestos at Property",
    "environmentalHazards": "Mould",
    "additionalStructures": "Other",
```

```
    "otherStructures": "sample",
    "dateOfLoss": "2025-03-04T06:52:01.253+00:00",
    "makeSafeRequired": true,
    "dateMakeSafeCompleted": "2025-03-04T06:52:01.253+00:00",
    "clientDiscussions": "sample",
    "confirmLossType": "Fire",
    "damageObserved": "sample",
    "hasDamageCausedByEventCoveredByPolicy": "Yes",
    "causeOfDamage": "sample",
    "preExistingMaintenanceIssues": true,
    "preExistingRelateDamage": "No, unrelated",
    "maintainanceDefectIssues": "sample",
    "worksRequiredToAddressRelatedDamage": "sample",
    "costEstimateForRepairs": 100,
    "claimRecommendation": "Accept",
    "estimatedRepairTime": 10,
    "estimatedRepairDuration": "Days",
    "hasInsuredAdvised": true,
    "propertyCondition": true,
    "clientWillingToProceed": true,
    "temporaryAccommodationOrLossOfRentRequired": "Yes, Loss of Rent",
    "tempAccommodationEstimatedAmount": 100,
    "tempAccommodationEstimatedDuration": "Days",
    "specialistRequired": true,
    "specialistType": "drilling",
    "specialNotes": "sample notes",
    "conclusion": "sample conclusion",
    "builderLicenses": "sample license"
  }
}
```


JSON Body - Create Report


```
{
  "reportType": {
    "externalReference": "Field Assessment"
  },
  "title": "Report - 3 - AAA40 - Field Assessment - 0",
  "reference": "AAA40-IFA1",
  "jobId": "UUID",
  "claimId": "UUID",
  "customData": {
    "addressAttended": true,
    "otherAddress": "sample",
    "siteAttendanceOrVaDateTime": "2025-04-14T09:23:45.000Z",
    "personsParticipatingInAttendance": "sample person1",
    "builderEstimatorName": "sample name",
    "builderEstimatorPhoneNumber": "1111111111",
    "insuranceAssessorAttended": true,
    "insuranceAssessorName": "sample name",
    "insuranceAssessorPhoneNumber": "1111111111",
```

```
    "occupancyType": "Vacant",
    "furnitureRemovalStorage": true,
    "customerArrangedRepairs": true,
    "arrangedRepairComments": "sample comment",
    "houseM2": 100,
    "estimatedBuildYear": "1990",
    "buildingType": "House",
    "designType": "Single Storey",
    "constructionType": "Brick Veneer",
    "roofType": "Cement Tiles",
    "mainHouseRoofDamage": false,
    "habitable": true,
    "unihabitablePropertyReason": "sample reason",
    "otherUnihabitableReason": "sample reason",
    "safetyHazards": "Asbestos at Property",
    "environmentalHazards": "Mould",
    "additionalStructures": "Other",
    "otherStructures": "sample",
    "makeSafeRequired": true,
    "dateMakeSafeCompleted": "2025-03-04",
    "clientDiscussions": "sample",
    "confirmLossType": "Fire",
    "damageObserved": "sample",
    "hasDamageCausedByEventCoveredByPolicy": "Yes",
    "causeOfDamage": "sample",
    "preExistingMaintenanceIssues": true,
    "preExistingRelateDamage": "No, unrelated",
    "maintainanceDefectIssues": "sample",
    "worksRequiredToAddressRelatedDamage": "sample",
    "costEstimateForRepairs": 100,
    "claimRecommendation": "Accept",
    "estimatedRepairTime": 10,
    "estimatedRepairDuration": "Days",
    "hasInsuredAdvised": true,
    "propertyCondition": true,
    "clientWillingToProceed": true,
    "temporaryAccommodationOrLossOfRentRequired": "Yes, Loss of Rent",
    "tempAccommodationEstimatedAmount": 100,
    "tempAccommodationEstimatedDuration": "Days",
    "specialistRequired": true,
    "specialistType": "drilling",
    "specialNotes": "sample notes",
    "conclusion": "sample conclusion",
    "builderLicenses": "sample license"
  }
}
```


JSON Body - Update Report


```
{
  "title": "Report - 3 - AAA40 - Field Assessment - 0",
```

```
"reference": "AAA40-IFA1",
"customData": {
  "addressAttended": true,
  "otherAddress": "sample",
  "siteAttendanceOrVaDateTime": "2025-03-04T00:00:00.000+00:00",
  "personsParticipatingInAttendance": "sample person1",
  "builderEstimatorName": "sample name",
  "builderEstimatorPhoneNumber": "1111111111",
  "insuranceAssessorAttended": true,
  "insuranceAssessorName": "sample name",
  "insuranceAssessorPhoneNumber": "1111111111",
  "occupancyType": "Vacant",
  "furnitureRemovalStorage": true,
  "customerArrangedRepairs": true,
  "arrangedRepairComments": "sample comment",
  "houseM2": 100,
  "estimatedBuildYear": "1990",
  "buildingType": "House",
  "designType": "Single Storey",
  "constructionType": "Brick Veneer",
  "roofType": "Cement Tiles",
  "mainHouseRoofDamage": false,
  "habitable": true,
  "unihabitablePropertyReason": "sample reason",
  "otherUnihabitableReason": "sample reason",
  "safetyHazards": "Asbestos at Property",
  "environmentalHazards": "Mould",
  "additionalStructures": "Other",
  "otherStructures": "sample",
  "makeSafeRequired": true,
  "dateMakeSafeCompleted": "2025-04-17",
  "clientDiscussions": "sample",
  "confirmLossType": "Fire",
  "damageObserved": "sample",
  "hasDamageCausedByEventCoveredByPolicy": "Yes",
  "causeOfDamage": "sample",
  "preExistingMaintenanceIssues": true,
  "preExistingRelateDamage": "No, unrelated",
  "maintainanceDefectIssues": "sample",
  "worksRequiredToAddressRelatedDamage": "sample",
  "costEstimateForRepairs": 100,
  "claimRecommendation": "Accept",
  "estimatedRepairTime": 10,
  "estimatedRepairDuration": "Days",
  "hasInsuredAdvised": true,
  "propertyCondition": true,
  "clientWillingToProceed": true,
  "temporaryAccommodationOrLossOfRentRequired": "Yes, Loss of Rent",
  "tempAccommodationEstimatedAmount": 100,
  "tempAccommodationEstimatedDuration": "Days",
  "specialistRequired": true,
  "specialistType": "drilling",
  "specialNotes": "sample notes",
```

```
    "conclusion": "sample conclusion",
    "builderLicenses": "sample license"
  }
}
```

3.4 Attachment

The attachments endpoint is the single location to interact with any type of attachment in Crunchwork, e.g. pulse attachments, report writter attachments, quote attachments.

3.4.1 File vs Meta Data Transfer

Upload:

- Use formData, with a 'file' field, and a field for each metadata property.

Download:

- Use separate endpoints for metadata retrieval vs file retrieval
  - `attachments/:scopedId` for retrieving metadata
  - `attachments/:scopedId/download` for downloading the file

3.4.2 Attachment Types

- PulseAttachment
- PurchaseOrderAttachment
- ContactsAttachment
- VendorManagerAttachment
- TradeInvoiceAttachment
- QuotesAttachment
- InvoicesAttachment (CW Invoices, not PO trade invoices - not currently supported by Insurance REST)
- TenderAttachment
- ReportWriterAttachment

3.4.3 Contracts

Attachment

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes
id	attachment.id	String	Ignored	Ignored	

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes
scopedId		String	Ignored	Ignored	To update an Attachment, pass its scopedId in params (/attachments/:scopedId) scopedId follows the fomat: <relatedRecordType>-<attachment.id>
relatedRecordType		{“Claim”, “Job”, “PurchaseOrder”, “Quote”, “Report”, “Tender”, “Invoice”, “Contact”, “Vendor”}	Required	Ignored	Ignored for update, as this information is derived from the scopedId.
relatedRecordId	attachment.jobId/projectId/purchaseOrderId/revisionId/reportOriginId/tenderId/tradeInvoiceId/contactId/vendorId	String	Required	Ignored	Ignored for update, as we don’t support user to move the attachment to a different record
oid	attachment.oid	Int	Ignored	Ignored	
size	attachment.mediaPayload.size	Int	Ignored	Ignored	
mimeType	attachment.mediaPayload.mimeType	String	Ignored	Ignored	

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes
fileName	attachment.mediaPayload.fileName	String	Ignored	Ignored	
url	attachment.url	String	Ignored	Ignored	
documentType.id	attachment.documentTypeId	String	Ignored	Ignored	“Claim”, “Job”, and “ReportWriter“ record types only
documentType.name	attachment.documentType	String	Ignored	Ignored	“Claim”, “Job”, and “ReportWriter“ record types only
documentType.externalReference	attachment.documentType	String	Optional	Optional	“Claim”, “Job”, and “ReportWriter“ record types only
description	attachment.description	String	Optional	Optional	“Claim”, “Job”, “Quote”, “Report”, “Tender”, “PurchaseOrder”, and “Invoice“ record types only
title	attachment.title	String	Optional	Optional	“Claim”, “Job”, and “Report” record types only
createdAtDate	attachment.createdAt	String	Ignored	Ignored	
updatedAtDate	attachment.updatedAt	String	Ignored	Ignored	

CW API Field	CW UI Field	Type	POST Create	POST Update	Notes
createdBy.id	attachment.createdByUserId	String	Ignored	Ignored	
createdBy.name		String	Ignored	Ignored	
createdBy.externalReference		String	Ignored	Ignored	
updatedBy.id	attachment.updatedByUserId	String	Ignored	Ignored	
updatedBy.name		String	Ignored	Ignored	
updatedBy.externalReference		String	Ignored	Ignored	

JSON Body - Attachment

```
{
  "id": "UUID",
  "relatedRecordType": "PulseJob",
  "relatedRecordId": "UUID",
  "documentType": {
    "id": "UUID",
    "name": "Attachment",
    "externalReference": "sample" // some relatedRecordTypes only
  },
  "description": "a description", // some relatedRecordTypes only
  "title": "a title", // some relatedRecordTypes only
  "oid": 225699,
  "size": 14118,
  "mimeType": "application/pdf",
  "filename": "pdf-test-1.pdf",
  "url": "https://myhost.codafy.com.au/graphql/v2/media/pulseAttachment/ea2667aa-
ed37-47ae-b69d-81129b43c6d3",
  "createdAtDate": "2025-03-04T06:52:01.253+00:00",
  "updatedAtDate": "2025-03-04T06:52:01.253+00:00",
  "createdBy": {
    "id": "userIdString",
    "name": "User Full Name",
    "externalReference": "sample"
  },
  "updatedBy": {
```

```
    "id": "userIdString",
    "name": "User Full Name",
    "externalReference": "sample"
  }
}
```

JSON Body - Create Attachment

Form Data

```
file: <binary file>
relatedRecordType: 'PulseJob'
relatedRecordId: 'UUID'
documentTypeExternalReference: 'sample' // Job,Claim,and report only
description: 'Assessment report pdf'
title: 'AAA123 Assessment Report'
```

JSON Body - Update Attachment

```
{
  "relatedRecordType": "PulseJob",
  "relatedRecordId": "UUID",
  "documentType": {
    "externalReference": "sample" // Job,Claim,and report only
  },
  "description": "a description", // some relatedRecordTypes only
  "title": "a title" // some relatedRecordTypes only
}
```

Endpoints

POST attachments

Create a new attachment. Takes a file and metadata as formData

POST attachments/scopedId

Update an attachment's metadata

GET attachments/scopedId

Fetch an attachment's metadata

GET attachments/scopedId/download

Download an attachment

3.5 HTTP Error Codes

3.5.1 Status Codes

Status Code	Meaning
200	The request succeeded.
201	The request succeeded, and a new record was created as a result.
400	Invalid input. Response will indicate which parameter(s) and why.
401	Invalid or expired token.
404	Resource not found. Either the resource doesn't exist in the tenant specified in the `active-tenant-id` header or the caller is not authorised to access it. Also returned when handling for request method is not found. (e.g. PATCH /messages is not implemented)
500	Server error

3.5.2 Examples of 400 and 404:

- 400: Invalid input: claimId does not conform to the "uuid" format
- 404: Could not find job type with id
- 404: Could not find vendor with id
- 400: Vendor details provided but the claim with id ${jobInput.claimId} is in the tenant specified by the active-tenant-id header (i.e. Internal Jobs). Vendor Allocation jobs can only be created for a parent claim in a different tenant.
- 400: Vendor details provided but the claim with id ${jobInput.claimId} is not a parent claim (i.e. Vendor Claim/Project Id was provided and this is not allowed). Vendor Allocation jobs can only be created for parent claims.
- 404: Cannot find Claim with id ${jobInput.claimId} in tenant specified by active-tenant-id header for internal job creation

⚠ Confidential - Do Not Share