

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report Options...

Check by text input ▼ ☐ CSS

```
<a href="/contacts" class="ps-2 float-right"> Contact Us </a>
</footer>

<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta2/dist/js/bootstrap.bundle.min.js"
  integrity="sha384-b5kHyXgcpbZJ0/tY9U17kGkf1S0CWuKcCD38l8YkeH8z8QjE0GmW1gYU5S9F0nJ0" crossorigin="anonymous">
</script>

<script>
  var tooltipTriggerList = [].slice.call(document.querySelectorAll('[data-bs-toggle="tooltip"]'))
  var tooltipList = tooltipTriggerList.map(function (tooltipTriggerEl) {
    return new bootstrap.Tooltip(tooltipTriggerEl)
  })

  var popoverTriggerList = [].slice.call(document.querySelectorAll('[data-bs-toggle="popover"]'))
  var popoverList = popoverTriggerList.map(function (popoverTriggerEl) {
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```
1.  ↵
2.  <!DOCTYPE html>↵
3.  <html lang="en">↵
4.    <head>↵
5.      <meta charset="utf-8">↵
6.      <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
7.      <meta name="viewport" content="width=device-width, initial-scale=1">↵
8.  ↵
9.    <!-- CSRF Token -->↵
10.    <meta name="csrf-token" content="9mz1HxeFlPTYr4s83zXkkFFB9ltrNjPhvuwhVDJK">↵
11.  ↵
12.    <title>Login</title>↵
13.  ↵
14.    <!-- Styles -->↵
15.    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta2/dist/css/bootstrap.min.css" rel="stylesheet"
integrity="sha384-BmbxuPwQa2lc/FVzBcNJ7UAyJxM6wuqIj61tLrc4wSX0szH/Ev+nYRRuWlolflfl" crossorigin="anonymous">↵
16.    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.4.0/font/bootstrap-icons.css">↵
17.    <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/scrollBar.css">↵
18.    <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/print.css">↵
19.    <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/test.css">↵
20.    <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/footer.css">↵
21.    <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/zoom.css">↵
22.    <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/user.css">↵
23.    <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/cards.css">↵
24.    <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/cart.css">↵
25.    <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/contacts.css">↵
26.    <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/searchResults.css">↵
27.    <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/signin.css">↵
28.    <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/addItem.css">↵
29.  ↵
30.  ↵
31.    <link rel="preconnect" href="https://fonts.gstatic.com">↵
32.    <link href="https://fonts.googleapis.com/css2?family=Poppins&display=swap" rel="stylesheet">↵
33.  ↵
34.    <script src="http://lbaw2111.lbaw-prod.fe.up.pt/js/ajax.js" defer></script>↵
35.  ↵
36.  ↵
37.  ↵
38.    <meta name="viewport" content="width=device-width, initial-scale=1">↵
39.  ↵
40.    <script>↵
41.      // Fix for Firefox autofocus CSS bug↵
42.      // See: http://stackoverflow.com/questions/18943276/html-5-autofocus-messes-up-css-
loading/18945951#18945951↵
43.    </script>↵
44.  ↵
45.  </head>↵
```

```

46.  ↵
47.  <body>↵
48.  ↵
49.  ↵
50.  ↵
51.  ↵
52.  <nav class="navbar navbar-expand-lg navbar-dark sticky-top pb-lg-2 pb-0" style="background-color:#36312b">↵
53.      <div class="container-fluid">↵
54.  ↵
55.      ↵
56.          ↵
57.  ↵
58.      ↵
59.      <a class="navbar-brand ms-lg-4" href="/"></a>↵
60.      <button class="navbar-toggler btn btn-lg border-0" id="personButton" type="button" data-bs-
toggle="collapse" data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-
expanded="false" aria-label="Toggle navigation">↵
61.          <i class="bi bi-lg bi-person-circle"></i>↵
62.      </button>↵
63.  ↵
64.      <div class="collapse navbar-collapse d-lg-flex justify-content-between text-center"
id="navbarSupportedContent">↵
65.          ↵
66.          <form action="/searchResults" class="d-lg-inline d-none w-50 ms-5" method="get">↵
67.              <div class="input-group">↵
68.                  ↵
69.                  <input name="step" value="1" style="display: none;">↵
70.                  <input type="text" id="search" name="search" class="form-control w-50" placeholder="Search
For An Item" aria-label="Text input with dropdown button">↵
71.                  <button type="submit" class="btn btn-secondary" aria-label="Text input with dropdown
button"><i class="bi bi-search"></i></button>↵
72.              </div>↵
73.          </form>↵
74.          <ul class="navbar-nav mb-2 mb-lg-0">↵
75.              <li class="nav-item d-lg-flex align-items-lg-center py-2 py-lg-0 px-lg-2">↵
76.                  <a class="nav-link pe-0" href="/userProfile/cart">↵
77.                      <i class="bi bi-cart" style="font-size: 1.5em;"></i>↵
78.                      <span class="cart-number-small d-lg-none" style="color:white !important">↵
79.                          <span class="cart-number">1</span> items↵
80.                      </span>↵
81.                  </a>↵
82.                  <span class="cart-number cart-number-badge d-lg-block d-none d-flex">1</span>↵
83.              </li>↵
84.  ↵
85.      <li class="nav-item">↵

```

```

86.                                     <div class="d-flex align-items-center justify-content-center pt-
1" >↵
87.                                     <a class="nav-link" href="/login" style="color:white !important">Login</a>↵
88.                                     </div>↵
89.                                     </li>↵
90. ↵
91.                                     <li class="nav-item">↵
92.                                     <div class="d-flex align-items-center justify-content-center pt-
1" >↵
93.                                     <a class="nav-link" href="/register" style="color:white !important">Register</a>↵
94.                                     </div>↵
95. ↵
96.                                     </li>↵
97.                                     </ul>↵
98.                                     </div>↵
99.                               </div>↵
100.          <div class="d-lg-none row w-100 h-100" id="navbarCategoryDropDown">↵
101.          </div>↵
102.    </nav>↵
103.    ↵
104.    <main class="d-flex" id="page">↵
105.      <div class="row align-self-stretch no-gutters w-100" style="margin-left: 0px;">↵
106.    ↵
107.    ↵
108.      ↵
109.      ↵
110.    ↵
111.    <div class="p-0" style="background-color:#f2f2f2;">↵
112.      <div class="container col-md-7 p-lg-5 p-3 shadow-sm h-100" style="background-color:white">↵
113.        <div class="col-md-7 mx-auto">↵
114.          <div class="myform form ">↵
115.                                     <div class="logo mb-3">↵
116.                                     <div class="col-md-12 text-center">↵
117.                                       <h1>Sign in</h1>↵
118.                                     </div>↵
119.                                     </div>↵
120.                                     <form action="http://lbaw2111.lbaw-prod.fe.up.pt/login" method="POST" name="Login">↵
121.    ↵
122.                                     <input type="hidden" name="_token" value="9mz1HxeFlPTYr4s83zXkkFFB9ltrNjPhvuwhVDJK" />↵
123.    ↵
124.                                     <div class="form-group">↵
125.                                       <label for="email">E-mail</label>↵
126.                                       <input id="email" type="email" name="email" class="form-control" value="" required autofocus
placeholder="Enter Email">↵
127.                                     </div>↵
128.    ↵
129.                                     <div class="form-group">↵

```

```

130.         <label for="password" >Password</label>↵
131.         <input class="form-control" id="password" type="password" name="password" required
placeholder="Enter Password">↵
132.     </div>↵
133. ↵
134.         <a href="/forgot-password" id="forgot-password" style="font-size: 13px;">Forgot Password</a>↵
135. ↵
136.         <div class="col-md-12 text-center pt-3">↵
137.             <button type="submit" class="btn btn-block btn-dark">Login</button>↵
138.         </div>↵
139.     </form>↵
140. ↵
141.     <div class="col-md-12 ">↵
142.         <div class="signin-or">↵
143.             <hr class="hr-or">↵
144.             <span class="span-or">or</span>↵
145.         </div>↵
146.     </div>↵
147.     <div class="col-md-12 mb-3">↵
148.         <p class="text-center pt-3">↵
149.             <a class="google btn"><i class="fa fa-google-plus">↵
150.                 </i> Signup using Google↵
151.             </a>↵
152.         </p>↵
153.     </div>↵
154.     <div class="form-group">↵
155.         <p class="text-center">Don't have account? <a href="/register" id="register">Register here</a>
</p>↵
156.     </div>↵
157. </div>↵
158. </div>↵
159. </div>↵
160. </div>↵
161.         <!-- separator -->↵
162. ↵
163.         ↵
164.     </div>↵
165. </main>↵
166. <footer class="footer" style="background-color: #EAE7DE;">↵
167.     <a href="/about" class="ps-2 float-right"> About </a>↵
168.     <a href="/faq" class="ps-2 float-right"> FAQ </a>↵
169.     <a href="/contacts" class="ps-2 float-right"> Contact Us </a>↵
170. </footer>↵
171. ↵
172.     <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta2/dist/js/bootstrap.bundle.min.js"↵
173.         integrity="sha384-b5kHyXgcpbZJ0/tY9U17kGkf1S0CWuKcCD38l8YkeH8z8QjE0GmW1gYU5S9FOnJ0"
crossorigin="anonymous">↵

```

```
174.     </script>↵
175. ↵
176.     <script>↵
177.         var tooltipTriggerList = [].slice.call(document.querySelectorAll('[data-bs-toggle="tooltip"]'))↵
178.         var tooltipList = tooltipTriggerList.map(function (tooltipTriggerEl) {↵
179.             return new bootstrap.Tooltip(tooltipTriggerEl)↵
180.         })↵
181. ↵
182.         var popoverTriggerList = [].slice.call(document.querySelectorAll('[data-bs-toggle="popover"]'))↵
183.         var popoverList = popoverTriggerList.map(function (popoverTriggerEl) {↵
184.             return new bootstrap.Popover(popoverTriggerEl)↵
185.         })↵
186.     </script>↵
187. ↵
188. </body>↵
189. ↵
190. </html>
```

Used the HTML parser.

Total execution time 19 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 21.5.28