
## Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

## Source

```
1. ←
 2. <!DOCTYPE html>↔
 3. <html lang="en">←
 4.
      <head>←
 5.
        <meta charset="utf-8">←
 6.
        <meta http-equiv="X-UA-Compatible" content="IE=edge">←
 7.
        <meta name="viewport" content="width=device-width, initial-scale=1">←
 8. ←
 9.
        <!-- CSRF Token -->↔
10.
        <meta name="csrf-token" content="9mz1HxeFlPTYr4s83zXkkFFB9ltrNiPhvuwhVDJK">↔
11. ←
12.
            <title>About Us</title>←
13. ←
14.
        <!-- Styles -->↔
15.
        <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta2/dist/css/bootstrap.min.css" rel="stylesheet"</pre>
    integrity="sha384-BmbxuPwOa2lc/FVzBcNJ7UAyJxM6wuqIi61tLrc4wSX0szH/Ev+nYRRuWlolf1f1" crossorigin="anonymous">↔
        <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.4.0/font/bootstrap-icons.css">↔
16.
17.
        <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/scrollBar.css">↔
18.
        <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/print.css">↔
19.
        <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/test.css">↔
20.
        <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/footer.css">↔
21.
        <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/zoom.css">↔
22.
        <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/user.css">↔
23.
        <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/cards.css">↔
24.
        <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/cart.css">↔
25.
        <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/contacts.css">↔
26.
        <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/searchResults.css">↔
27.
        <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/signin.css">↔
28.
        <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/addItem.css">←
29. ←
30. ←
31.
        <link rel="preconnect" href="https://fonts.gstatic.com">←
32.
        <link href="https://fonts.googleapis.com/css2?family=Poppins&display=swap" rel="stylesheet">←
33. ←
34.
        <script src="http://lbaw2111.lbaw-prod.fe.up.pt/js/ajax.js" defer></script>↔
35. ←
36. ←
37. ←
38.
        <meta name="viewport" content="width=device-width, initial-scale=1">←
39.
40.
        <script>←
41.
            // Fix for Firefox autofocus CSS bug←
            // See: http://stackoverflow.com/questions/18943276/html-5-autofocus-messes-up-css-
42.
    loading/18945951#18945951↔
43.
        </script>←
44. ←
45.
      </head>←
```

```
46.
47. <body>←
48. ←
49.
50.
        \hookrightarrow
51.
      <nav class="navbar navbar-expand-lg navbar-dark sticky-top pb-lg-2 pb-0" style="background-color:#36312b">←
52.
53.
          <div class="container-fluid">←
54. ←
55.
56.
57
                  <button class="btn btn-lg ms-3 me-0" id="categorySideBarButton" type="button" data-bs-</pre>
    toggle="collapse" data-bs-target="#collapsableColumn" aria-controls="collapsableColumn" style="margin-right:2%;">↔
58.
                       <i class="bi bi-list-task" style="color:white !important"></i>↔
59.
                  </button>←
60.
61. ←
62.
63
              <a class="navbar-brand ms-lg-4" href="/"><img class="img-fluid" width="150" height="30"</pre>
    src="http://lbaw2111.lbaw-prod.fe.up.pt/img/logo light.png" alt="logo"></a>↔
              <button class="navbar-toggler btn btn-lg border-0" id="personButton" type="button" data-bs-</pre>
64.
    toggle="collapse" data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-
    expanded="false" aria-label="Toggle navigation">↔
65.
                  <i class="bi bi-lg bi-person-circle"></i></i>
66.
              </button>←
67. ←
68.
              <div class="collapse navbar-collapse d-lg-flex justify-content-between text-center"</pre>
    id="navbarSupportedContent">↔
69.
70.
                     <form action="/searchResults" class="d-lg-inline d-none w-50 ms-5" method="get">←
                         <div class="input-group">←
71.
72.
73.
                                 <select class="form-select fs-lg-3" id="categories" name="categories">↔
74.
                                     <option selected value="-1">All</option>←
75. ←
76.
                                                                               <option value="1">Computers</option>←
77.
                                                                               <option value="2">Books</option>←
78.
                                                                               <option value="3">Eletrodomestics</option>←
79.
                                                                               <option value="4">Video Games</option>←
80.
                                                                               <option value="5">Smartphones</option>←
                                                                               <option value="6">Headphones</option>←
81.
82.
                                                                               <option value="7">Music CDs, Vinil</option>←
                                                                               <option value="8">School Material</option>←
83.
84.
                                                                               <option value="9">Home Theatres</option>←
85.
                                                                               <option value="10">Televisions</option>←
86.
                                                                               <option value="11">Movies</option>←
87.
                                                                  </select>↔
```

```
88.
 89.
                           <input name="step" value="1" style="display: none:">←
                           <input type="text" id="search" name="search" class="form-control w-50" placeholder="Search</pre>
 90.
    For An Item" aria-label="Text input with dropdown button">←
                           <button type="submit" class="btn btn-secondary" aria-label="Text input with dropdown</pre>
91.
    button"><i class="bi bi-search"></i></button>↔
                        </div>↩
92.
93.
                    </form>←
 94.
                    ←
                                           ↔
 95.
                           <a class="nav-link pe-0" href=/userProfile/cart>↔
 96.
 97.
                           <i class="bi bi-cart" style="font-size: 1.5em;"></i>
98.
                           <span class="cart-number-small d-lg-none" style="color:white !important">←
99.
                               <span class="cart-number">1</span> items↔
100.
                           </span>
101.
                           </a>←
102.
                           <span class="cart-number cart-number-badge d-lg-block d-none d-flex">1</span>↔
103.
                        ←
104. ←
105.
                        class="nav-item">←
106.
                                                      <div class="d-flex align-items-center justify-content-center pt-</pre>
    1">↩
107.
                                   <a class="nav-link" href="/login" style="color:white !important">Login</a>↔
108.
                               </div>←
109.
                                               ←
110. ←
111.
                        class="nav-item">←
112.
                                                      <div class="d-flex align-items-center justify-content-center pt-</pre>
    1">↩
113.
                                   <a class="nav-link" href="/register" style="color:white !important">Register</a>↔
114.
                               </div>←
115. ←
116.
                                               ←
117.
                    ←
              </div>↩
118.
119.
          </div>←
120.
          <div class="d-lg-none row w-100 h-100" id="navbarCategoryDropDown">↔
                       <form action="/searchResults" class="col-11 offset-1" method="get">←
121.
122.
                    <div class="input-group">←
123.
                       <select class="form-select fs-lg-3" id="search category" name="categories">↔
124.
                           <option selected value="-1">All</option>←
125. ←
126.
                                                      <option value="1">Computers</option>←
127.
                                                      <option value="2">Books</option>←
128.
                                                      <option value="3">Eletrodomestics</option>←
129.
                                                      <option value="4">Video Games</option>←
                                                      <option value="5">Smartphones</option>←
130.
```

```
131.
                                                          <option value="6">Headphones</option>←
132.
                                                          <option value="7">Music CDs, Vinil</option>←
133.
                                                          <option value="8">School Material</option>←
134.
                                                          <option value="9">Home Theatres</option>←
135.
                                                          <option value="10">Televisions</option>←
136.
                                                          <option value="11">Movies</option>←
137.
138.
                         </select>↔
                         <input name="step" value="1" style="display: none;">←
139.
                         <input type="text" id="searchSmall" name="search" class="form-control w-25" placeholder="Search</pre>
140
     For An Item" aria-label="Text input with dropdown button">↔
141.
                         <button type="submit" class="btn btn-dark w-25" aria-label="Text input with dropdown button"><i</pre>
     class="bi bi-search"></i></button>↔
142.
                     </div>←
143.
                 </form>←
144.
                   </div>←
145.
       </nav>↔
146.
147.
           <main class="d-flex" id="page">←
148.
               <div class="row align-self-stretch no-gutters w-100" style="margin-left: 0px;">↔
149. ←
150. ←
151.
                 <div class="col-lg-2 col-md-4 col-6 text-center collapse p-0" id="collapsableColumn"</pre>
152.
     style="position:fixed;">↔
153.
         <div class="list-group h-100 rounded-0">←
154.
                         <form action="/searchResults" method="GET" name="Login">↔
155.
                     <input type="hidden" name="categories" value="1">←
156.
                     <button class="list-group-item list-group-item-action text-center">Computers</button>
157.
                 </form>
158.
                         <form action="/searchResults" method="GET" name="Login">↔
159.
                     <input type="hidden" name="categories" value="2">←
160.
                     <button class="list-group-item list-group-item-action text-center">Books</button>
161.
                 </form>
162.
                         <form action="/searchResults" method="GET" name="Login">←
163.
                     <input type="hidden" name="categories" value="3">←
                     <button class="list-group-item list-group-item-action text-center">Eletrodomestics</button>
164.
165.
                 </form>
166.
                         <form action="/searchResults" method="GET" name="Login">↔
167.
                     <input type="hidden" name="categories" value="4">←
168.
                     <button class="list-group-item list-group-item-action text-center">Video Games</button>
169.
                 </form>
170.
                         <form action="/searchResults" method="GET" name="Login">↔
171.
                     <input type="hidden" name="categories" value="5">←
172.
                     <button class="list-group-item list-group-item-action text-center">Smartphones</button>
173.
                 </form>
174.
                         <form action="/searchResults" method="GET" name="Login">↔
```

```
175.
                      <input type="hidden" name="categories" value="6">←
176.
                     <button class="list-group-item list-group-item-action text-center">Headphones</button>
177.
                 </form>
178.
                          <form action="/searchResults" method="GET" name="Login">↔
                     <input type="hidden" name="categories" value="7">←
179.
180.
                      <button class="list-group-item list-group-item-action text-center">Music CDs, Vinil</button>
181.
                 </form>
182.
                          <form action="/searchResults" method="GET" name="Login">↔
183.
                     <input type="hidden" name="categories" value="8">←
184.
                      <button class="list-group-item list-group-item-action text-center">School Material/button>
185.
                 </form>
186.
                          <form action="/searchResults" method="GET" name="Login">↔
187.
                     <input type="hidden" name="categories" value="9">←
188.
                      <button class="list-group-item list-group-item-action text-center">Home Theatres</button>
189.
                 </form>
190.
                          <form action="/searchResults" method="GET" name="Login">↔
191.
                     <input type="hidden" name="categories" value="10">←
192.
                     <button class="list-group-item list-group-item-action text-center">Televisions</button>
193.
                 </form>
194.
                          <form action="/searchResults" method="GET" name="Login">↔
195.
                     <input type="hidden" name="categories" value="11">←
196.
                      <button class="list-group-item list-group-item-action text-center">Movies</button>
197.
                 </form>
198.
199.
         </div>↩
200. </div>
201. <div class="p-0" style="background-color:#f2f2f2;">↔
202.
         <div id="about" class="container col-md-7 px-0 px-sm-2 p-lg-5 p-3 shadow-sm h-100" style="background-</pre>
     color:white">←
203.
             <div class="d-block">←
204.
                 <div class="mb-5 text-center">←
205.
                      <br/>
<br/>
do class="fs-1">About us</b>←
206.
                 </div>←
207.
                 <div class="offset-md-1 col-md-10 fs-4">←
208.
                     <a>Fneuc is a website created during the 2021's pandemic. <br> We created this website in order to
     help our customers during↔
209.
                         those arduous times. Our aim is to provide our in shop service but in an online platform. This
     way our customers can still enjoy↔
210.
                          the products we provided before the lockdown while staying at the comfort of their homes.</a>↔
211.
                 </div>↔
             </div>↩
212.
213.
         </div>←
214. </div>←
215.
                       <!-- separator -->↔
216. ←
217.
218.
               </div>←
```

```
219.
           </main>↩
220.
           <footer class="footer" style="background-color: #EAE7DE:">←
                   <a href="/about" class="ps-2 float-right"> About </a>↔
221.
222.
                   <a href="/fag" class="ps-2 float-right"> FAO </a>↔
223.
                   <a href="/contacts" class="ps-2 float-right"> Contact Us </a>↔
224.
           </footer>←
225. ←
226.
           <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta2/dist/js/bootstrap.bundle.min.js"
←</pre>
227.
               integrity="sha384-b5kHyXgcpbZJ0/tY9Ul7kGkf1S0CWuKcCD3818YkeH8z80jE0GmW1gYU5S9F0nJ0"
     crossorigin="anonymous">↔
228.
           </script>↔
229. ←
230.
           <script>←
231.
             var tooltipTriggerList = [].slice.call(document.querySelectorAll('[data-bs-toggle="tooltip"]'))↔
232.
             var tooltipList = tooltipTriggerList.map(function (tooltipTriggerEl) { ↔
233.
             return new bootstrap. Tooltip(tooltipTriggerEl) ←
234.
             })←
235. ←
236.
             var popoverTriggerList = [].slice.call(document.querySelectorAll('[data-bs-toggle="popover"]'))↔
237.
             var popoverList = popoverTriggerList.map(function (popoverTriggerEl) { ↔
238.
               return new bootstrap.Popover(popoverTriggerEl) ↔
239.
             })←
240.
           </script>↩
241. ←
242.
     </body>←
243. ←
244. </html>
```

Used the HTML parser.

Total execution time 24 milliseconds.

About this checker • Report an issue • Version: 21.5.28