

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report Options...

Check by ☐ CSS

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">

    <!-- CSRF Token -->
    <meta name="csrf-token" content="oSGdceRCpvJGHoyWKLaruhpKjExkI0EEM2uRbDOF">

    <title>

      Lia's Profile
    </title>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** Section lacks heading. Consider using `h2` or `h6` elements to [add identifying headings to all sections](#).

[From line 324, column 37; to line 324, column 66](#)

```
<section id="userNameContent">↵
```

2. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

[From line 341, column 37; to line 341, column 63](#)

```
<section id="emailContent">↵
```

3. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

[From line 423, column 61; to line 423, column 84](#)

```
<section class="col-10">↵
```

4. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

[From line 426, column 89; to line 426, column 158](#)

```
<section class="col d-flex align-items-center justify-content-center">↵↵
```

5. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

[From line 438, column 29; to line 438, column 52](#)

```
<section class="col-10">↵
```

6. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

[From line 441, column 61; to line 441, column 130](#)

```
<section class="col d-flex align-items-center justify-content-center">↵
```

7. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

[From line 452, column 61; to line 452, column 84](#)

```
<section class="col-10">↵
```

8. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

[From line 455, column 89; to line 455, column 158](#)

```
<section class="col d-flex align-items-center justify-content-center">↵↵
```

Document checking completed.

Source

```
1.  <
2.  <!DOCTYPE html><
3.  <html lang="en"><
4.    <head><
5.      <meta charset="utf-8"><
6.      <meta http-equiv="X-UA-Compatible" content="IE=edge"><
7.      <meta name="viewport" content="width=device-width, initial-scale=1"><
8.    <
9.      <!-- CSRF Token --><
10.     <meta name="csrf-token" content="oSGdceRCpvJGHoyWKLaruhpKjExkI0EEM2uRbDOF"><
11.    <
12.      <title><
13.        <
14.          Lia's Profile<
15.        </title><
16.    <
17.      <!-- Styles --><
18.      <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta2/dist/css/bootstrap.min.css" rel="stylesheet"
19.      integrity="sha384-BmbxuPwQa2lc/FVzBcNJ7UAyJxM6wquij61tLrc4wSX0szH/Ev+nYRRuWlolflfl" crossorigin="anonymous"><
20.      <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.4.0/font/bootstrap-icons.css"><
21.      <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/scrollBar.css"><
22.      <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/print.css"><
23.      <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/test.css"><
24.      <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/footer.css"><
25.      <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/zoom.css"><
26.      <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/user.css"><
27.      <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/cards.css"><
28.      <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/cart.css"><
29.      <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/contacts.css"><
30.      <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/searchResults.css"><
31.      <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/signin.css"><
32.      <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/addItem.css"><
33.    <
34.      <link rel="preconnect" href="https://fonts.gstatic.com"><
35.      <link href="https://fonts.googleapis.com/css2?family=Poppins&display=swap" rel="stylesheet"><
36.    <
37.      <script src="http://lbaw2111.lbaw-prod.fe.up.pt/js/ajax.js" defer></script><
38.    <
```

```

39. ↵
40. ↵
41. <meta name="viewport" content="width=device-width, initial-scale=1">↵
42. ↵
43. <script>↵
44.     // Fix for Firefox autofocus CSS bug↵
45.     // See: http://stackoverflow.com/questions/18943276/html-5-autofocus-messes-up-css-loading/18945951#18945951↵
46. </script>↵
47. ↵
48. </head>↵
49. ↵
50. <body>↵
51. ↵
52.     ↵
53.     ↵
54.     ↵
55. <nav class="navbar navbar-expand-lg navbar-dark sticky-top pb-lg-2 pb-0" style="background-color:#36312b">↵
56.     <div class="container-fluid">↵
57. ↵
58.         ↵
59.             ↵
60.             <button class="btn btn-lg ms-3 me-0" id="categorySideBarButton" type="button" data-bs-toggle="collapse"
data-bs-target="#collapsibleColumn" aria-controls="collapsibleColumn" style="margin-right:2%;">↵
61.                 <i class="bi bi-list-task" style="color:white !important"></i>↵
62.             </button>↵
63.             ↵
64. ↵
65.             ↵
66.             <a class="navbar-brand ms-lg-4" href="/"></a>↵
67.             <button class="navbar-toggler btn btn-lg border-0" id="personButton" type="button" data-bs-toggle="collapse"
data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-
label="Toggle navigation">↵
68.                 <i class="bi bi-lg bi-person-circle"></i>↵
69.             </button>↵
70. ↵
71.             <div class="collapse navbar-collapse d-lg-flex justify-content-between text-center"
id="navbarSupportedContent">↵
72.                 ↵
73.                 <form action="/searchResults" class="d-lg-inline d-none w-50 ms-5" method="get">↵
74.                     <div class="input-group">↵
75.                         ↵
76.                         <select class="form-select fs-lg-3" id="categories" name="categories">↵
77.                             <option selected value="-1">All</option>↵
78. ↵
79.                             <option value="1">Computers</option>↵
80.                             <option value="2">Books</option>↵
81.                             <option value="3">Eletrdomestics</option>↵

```

```

82.                                     <option value="4">Video Games</option>↵
83.                                     <option value="5">Smartphones</option>↵
84.                                     <option value="6">Headphones</option>↵
85.                                     <option value="7">Music CDs, Vinyl</option>↵
86.                                     <option value="8">School Material</option>↵
87.                                     <option value="9">Home Theatres</option>↵
88.                                     <option value="10">Televisions</option>↵
89.                                     <option value="11">Movies</option>↵
90.                                     </select>↵
91.                                     ↵
92.                                     <input name="step" value="1" style="display: none;">↵
93.                                     <input type="text" id="search" name="search" class="form-control w-50" placeholder="Search For
An Item" aria-label="Text input with dropdown button">↵
94.                                     <button type="submit" class="btn btn-secondary" aria-label="Text input with dropdown button">
<i class="bi bi-search"></i></button>↵
95.                                     </div>↵
96.                               </form>↵
97.                               <ul class="navbar-nav mb-2 mb-lg-0">↵
98.                                   <li class="nav-item d-lg-flex align-items-lg-center py-2 py-lg-0 px-lg-2">↵
99.                                       <a class="nav-link pe-0" href=/userProfile/cart>↵
100.                                           <i class="bi bi-cart" style="font-size: 1.5em;"></i>↵
101.                                           <span class="cart-number-small d-lg-none" style="color:white !important">↵
102.                                               <span class="cart-number">15</span> items↵
103.                                           </span>↵
104.                                           </a>↵
105.                                           <span class="cart-number cart-number-badg d-lg-block d-none d-flex">15</span>↵
106.                                       </li>↵
107. ↵
108.                                   <li class="nav-item">↵
109.                                       ↵
110. ↵
111.                                   <li class="nav-item">↵
112.                                       <div class="d-flex align-items-center justify-content-center pt-
1">↵
113.                                           <a href=/userProfile/ class="d-block" style="width: 3vw;">↵
114.                                               <div id="profilePic" class="d-flex rounded-
circle" style=height:0;width:100%;padding-bottom:100%;background-image:url(&quot;http://lbaw2111.lbaw-
prod.fe.up.pt/img/users/6.png&quot;);background-position:center;background-size:cover;>↵
115.                                               </div>↵
116.                                               ↵
117.                                               ↵
118.                                           </a>↵
119.                                               <span id="hasNotifications" class=" d-lg-block
rounded-circle">↵
120.                                               </span>↵
121.                                               <a id="navbarUsername" class="nav-link p-1 pe-2 align-
middle" href=/userProfile/ style="color:white !important; border-right: 1px solid;">LbawAdmin2021</a>↵

```

```

122.                                     <a class="nav-link p-1 align-middle px-2"
href=/management style="color:white !important; border-right: 1px solid;" >Manage</a>↵
123.                                     <a class="nav-link p-1 ps-2" href="/logout"
style="color:white !important;">Logout</a>↵
124.                                     </div>↵
125.                                     </li>↵
126.                                 </ul>↵
127.                            </div>↵
128.                    </div>↵
129.                    <div class="d-lg-none row w-100 h-100" id="navbarCategoryDropDown">↵
130.                        <form action="/searchResults" class="col-11 offset-1" method="get">↵
131.                            <div class="input-group">↵
132.                                <select class="form-select fs-lg-3" id="search_category" name="categories">↵
133.                                    <option selected value="-1">All</option>↵
134.                                ↵
135.                                    <option value="1">Computers</option>↵
136.                                    <option value="2">Books</option>↵
137.                                    <option value="3">Eletrodomestics</option>↵
138.                                    <option value="4">Video Games</option>↵
139.                                    <option value="5">Smartphones</option>↵
140.                                    <option value="6">Headphones</option>↵
141.                                    <option value="7">Music CDs, Vinyl</option>↵
142.                                    <option value="8">School Material</option>↵
143.                                    <option value="9">Home Theatres</option>↵
144.                                    <option value="10">Televisions</option>↵
145.                                    <option value="11">Movies</option>↵
146.                                ↵
147.                                </select>↵
148.                                <input name="step" value="1" style="display: none;">↵
149.                                <input type="text" id="searchSmall" name="search" class="form-control w-25" placeholder="Search
For An Item" aria-label="Text input with dropdown button">↵
150.                                <button type="submit" class="btn btn-dark w-25" aria-label="Text input with dropdown button"><i
class="bi bi-search"></i></button>↵
151.                            </div>↵
152.                        </form>↵
153.                    </div>↵
154.    </nav>↵
155.    ↵
156.    <main class="d-flex" id="page">↵
157.        <div class="row align-self-stretch no-gutters w-100" style="margin-left: 0px;">↵
158.    ↵
159.    ↵
160.        ↵
161.        <div class="col-lg-2 col-md-4 col-6 text-center collapse p-0" id="collapsableColumn"
style="position:fixed;">↵
162.            <div class="list-group h-100 rounded-0">↵
163.                <form action="/searchResults" method="GET" name="Login">↵
164.                    <input type="hidden" name="categories" value="1">↵

```

```

165.     <button class="list-group-item list-group-item-action text-center">Computers</button>      ↵
166. </form>      ↵
167.     <form action="/searchResults" method="GET" name="Login">↵
168.     <input type="hidden" name="categories" value="2">↵
169.     <button class="list-group-item list-group-item-action text-center">Books</button>      ↵
170. </form>      ↵
171.     <form action="/searchResults" method="GET" name="Login">↵
172.     <input type="hidden" name="categories" value="3">↵
173.     <button class="list-group-item list-group-item-action text-center">Eletrodomestics</button>  ↵
174. </form>      ↵
175.     <form action="/searchResults" method="GET" name="Login">↵
176.     <input type="hidden" name="categories" value="4">↵
177.     <button class="list-group-item list-group-item-action text-center">Video Games</button>  ↵
178. </form>      ↵
179.     <form action="/searchResults" method="GET" name="Login">↵
180.     <input type="hidden" name="categories" value="5">↵
181.     <button class="list-group-item list-group-item-action text-center">Smartphones</button>  ↵
182. </form>      ↵
183.     <form action="/searchResults" method="GET" name="Login">↵
184.     <input type="hidden" name="categories" value="6">↵
185.     <button class="list-group-item list-group-item-action text-center">Headphones</button>    ↵
186. </form>      ↵
187.     <form action="/searchResults" method="GET" name="Login">↵
188.     <input type="hidden" name="categories" value="7">↵
189.     <button class="list-group-item list-group-item-action text-center">Music CDs, Vinyl</button> ↵
190. </form>      ↵
191.     <form action="/searchResults" method="GET" name="Login">↵
192.     <input type="hidden" name="categories" value="8">↵
193.     <button class="list-group-item list-group-item-action text-center">School Material</button> ↵
194. </form>      ↵
195.     <form action="/searchResults" method="GET" name="Login">↵
196.     <input type="hidden" name="categories" value="9">↵
197.     <button class="list-group-item list-group-item-action text-center">Home Theatres</button>  ↵
198. </form>      ↵
199.     <form action="/searchResults" method="GET" name="Login">↵
200.     <input type="hidden" name="categories" value="10">↵
201.     <button class="list-group-item list-group-item-action text-center">Televisions</button>   ↵
202. </form>      ↵
203.     <form action="/searchResults" method="GET" name="Login">↵
204.     <input type="hidden" name="categories" value="11">↵
205.     <button class="list-group-item list-group-item-action text-center">Movies</button>      ↵
206. </form>      ↵
207.     ↵
208. </div>↵
209. </div>↵
210. <script src="http://lbaw2111.lbaw-prod.fe.up.pt/js/userPage.js" defer></script>↵
211. ↵
212. <div class="p-0" style="background-color:#f2f2f2;">↵

```

```

213.     <div id="userProfile" class="container col-md-7 p-lg-5 p-3 shadow-sm h-100" style="background-color:white">↵
214.         <div class="row">↵
215.             <div class="col-lg-3 col-md-3 col-3 mb-1">↵
216.                 <div id="userPageProfilePic" class="d-flex rounded-circle"
style=height:0;width:100%;padding-bottom:100%;background-image:url(&quot;http://lbaw2111.lbaw-
prod.fe.up.pt/img/users/6.png&quot;);background-position:center;background-size:cover;>↵
217.                 </div>↵
218.                     <section id="editUserImage" class="d-flex justify-content-end">↵
219.                         <button id="imageButton" type="button" data-bs-toggle="modal" data-bs-target="#img-modal"
class="btn" value="6">↵
220.                             <i class="bi bi-pencil-square"></i>↵
221.                         </button>↵
222.                         <!-- Modal -->↵
223.                         <div id="img-modal" class="modal fade" tabindex="-1" aria-labelledby="exampleModalLabel" aria-
hidden="true">↵
224.                             <div class="modal-dialog">↵
225.                                 <form id="imgForm" enctype="multipart/form-data">↵
226.                                     <div class="modal-content" id="modal-content">↵
227.                                         <div class="modal-header">↵
228.                                             <h5 class="modal-title" id="exampleModalLabel">Change Profile
Picture</h5>↵
229.                                             <button type="button" class="btn-close" data-bs-dismiss="modal" aria-
label="Close"></button>↵
230.                                         </div>↵
231.                                         <input id="imageInput" accept="image/png, image/jpeg" type="file"
class="btn p-0 pb-1 pt-1" onchange="previewImage(event)"/>↵
232.                                         ↵
233.                                         <div class="modal-footer">↵
234.                                             <button id="submitImage" type="button" data-bs-dismiss="modal" class="btn
btn-success mb-1"> <i class="bi bi-check-circle-fill"></i>Submit</button>↵
235.                                             <button id="cancelImage" type="button" data-bs-dismiss="modal" class="btn
btn-danger"> <i class="bi bi-check-circle-fill"></i>Cancel</button>↵
236.                                         </div>↵
237.                                         ↵
238.                                     </div>↵
239.                                 </form> ↵
240.                             </div>↵
241.                         </div>↵
242.                     </section>↵
243.                 </div>↵
244.             <div id="profileMainInfo" class="col-lg-5 col-md-9 col-9">↵
245.                 <h2 class="px-2 pt-2">Lia Polti </h2>↵
246.                 <p class="fs-5 px-2 fw-bold mt-lg-3 col-12 d-none d-md-block">Balance:<span class="fs-4 ms-2"
style="color:green;">$5,223,662.00</span></p>↵
247.             </div>↵
248.             <p class="text-center d-block d-md-none px-2 fw-bold mt-lg-3 col-12">Balance:<span class="fs-4 ms-2"
style="color:green;">$5,223,662.00</span></p>↵

```



```

249. ↵
250.         ↵
251.         <div id="profileOptions" class="col-lg-4 col-md-12 col-sm-12">↵
252.             <a href=http://lbaw2111.lbaw-prod.fe.up.pt/userProfile/wishlist class="btn btn-danger w-100 p-3
shadow rounded-0 rounded-top">↵
253.                 <i class="bi bi-heart-fill me-2"></i>Wishlist↵
254.             </a>↵
255.             <br>↵
256. ↵
257.             <!-- Button trigger modal -->↵
258.             <button type="button" class="btn btn-dark w-100 p-3 shadow rounded-0" data-bs-toggle="modal" data-
bs-target="#balanceModal">↵
259.                 Add balance↵
260.             </button>↵
261. ↵
262.             <!-- Modal -->↵
263.             <div class="modal fade show" id="balanceModal" tabindex="-1" aria-labelledby="balanceModalLabel"
aria-hidden="true">↵
264.                 <div class="modal-dialog">↵
265.                     <div class="modal-content">↵
266.                         <div class="modal-header">↵
267.                             <h5 class="modal-title" id="balanceModalLabel">Add balance to account</h5>↵
268.                             <button type="button" class="btn btn-light ms-2" style="border: solid 1px lightgrey;" data-bs-
container="body" data-bs-trigger="focus" data-bs-toggle="popover" data-bs-placement="bottom" data-bs-html="true" data-
bs-content="You can add money to your account via <b>PayPal</b>.<br>Your balance can then be used to <b>buy
produts</b> in the store.<br><b>Cannot be refunded</b>.">↵
269.                                 <i class="bi bi-info-circle"></i> What's this?↵
270.                             </button>↵
271.                             <button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>↵
272.                         </div>↵
273.                         <div class="modal-body">↵
274.                             <form method="post" action="http://lbaw2111.lbaw-prod.fe.up.pt/userProfile/balance"
id="addBalance">↵
275.                                 <input type="hidden" name="_token" value="oSGdceRCpvJGHoyWKLaruhpKjExkI0EEM2uRbDOF">
<label class="col-form-label"> How much would you like to add?</label>↵
276.                                 <div class="input-group mb-3">↵
277.                                     <div class="input-group-prepend">↵
278.                                         <div class="input-group-text">$</div>↵
279.                                     </div>↵
280.                                     <input type="number" class="form-control" name="balance_amount" required
id="balance_amount-name" placeholder="Amount, I.e: 20">↵
281.                                 </div>↵
282.                             </form>↵
283.                         </div>↵
284.                     <div class="modal-footer">↵
285.                         <button type="button" class="btn btn-secondary" data-bs-dismiss="modal">Close</button>↵
286.                         <button type="submit" class="btn btn-primary" form="addBalance">Proceed to PayPal</button>↵

```

```

287.         <i class="bi bi-info-circle-fill" data-bs-toggle="tooltip" data-bs-placement="right" title="You
will be redirected to the PayPal website to continue">↵
288.         </i>↵
289.     </div>↵
290.         ↵
291. </div>↵
292. </div>↵
293. </div>↵
294.         <br>↵
295.         <a href=http://lbaw2111.lbaw-prod.fe.up.pt/userProfile/purchaseHistory class="btn btn-light w-100
p-3 shadow-sm rounded-0 rounded-bottom">↵
296.             Purchase History↵
297.         </a>↵
298.     </div>↵
299.         ↵
300. </div>↵
301. ↵
302.     ↵
303.     ↵
304.     <section id="profileInfo" class="row mt-5">↵
305.         <div class="col-lg-8 col-12">↵
306.             <h2 class="mb-3">↵
307.                 Account Info ↵
308.                 <button class="btn" data-bs-container="body" data-bs-trigger="focus" data-bs-toggle="popover"
title="User Profile" data-bs-placement="right" data-bs-html="true" ↵
309.                     data-bs-content="Here you can consult and edit user information:↵
310.                         <ul>↵
311.                             <li><b>Username</b></li>↵
312.                             <li><b>Password</b> (you will be redirected to change password)</li>↵
313.                             <li><b>E-mail</b></li>↵
314.                         </ul>">↵
315.                     <i class="bi bi-question-circle-fill"></i>↵
316.                 </button>↵
317.             </h2>↵
318.             <div class="table-responsive">↵
319.                 <table id="accountInfo" class="table">↵
320.                     <tbody>↵
321.                         <tr id="username">↵
322.                             <th scope="row">Username</th>↵
323.                             <td>↵
324.                                 <section id="userNameContent">↵
325.                                     LbawAdmin2021↵
326.                                     <button type="button" class="btn"
onclick="editUsernameForm(&#039;LbawAdmin2021&#039;;6)">↵
327.                                         <i class="bi bi-pencil-square" ></i>↵
328.                                     </button>↵
329.                                 ↵
330.                             </section>↵

```

```

331.         </td><↵
332.         ↵
333.     </tr><↵
334.         <tr><↵
335.             <th scope="row">Password</th><↵
336.             <td><a href="/change-password" class="btn btn-dark">Change password</a></td><↵
337.         </tr><↵
338.         <tr><↵
339.             <th scope="row">E-mail</th><↵
340.             <td><↵
341.                 <section id="emailContent"><↵
342.                     lbawAdmin@gmail.com<↵
343.                                     <button type="button" class="btn"
onclick="editEmailForm(&#039;lbawAdmin@gmail.com&#039;;6)"><↵
344.                                     <i class="bi bi-pencil-square"></i></button><↵
345.                                     </section><↵
346.             </td><↵
347.         </tr><↵
348.     </tbody><↵
349. </table><↵
350. </div><↵
351. ↵
352.     <section id="userShipping"><↵
353. <div class="d-flex mb-2"><↵
354.     <h2><↵
355.         Shipping Information<↵
356.         <button class="btn ms-2" data-bs-container="body" data-bs-trigger="focus" data-bs-
toggle="popover" title="Shipping Address" data-bs-placement="right" data-bs-html="true" <↵
357.             data-bs-content="This is where your future orders will be delivered to"><↵
358.             <i class="bi bi-question-circle-fill"></i><↵
359.         </button><↵
360.     </h2><↵
361.         <button type="button" class="btn btn-lg ms-3 p-0"
onclick="getAddressEditForm(&#039;shipping&#039;;)"><i class="bi bi-pencil-square"></i></button><↵
362.     </div><↵
363.     <table id="shippingInfo" class="table"><↵
364.         <tbody id="shippingInfoBody"><↵
365.             <tr><↵
366.                 <th scope="row">Address</th><↵
367.                 <td>Oak Way</td><↵
368.             </tr><↵
369.             <tr><↵
370.                 <th scope="row">City</th><↵
371.                 <td>Birmingham</td><↵
372.             </tr><↵
373.             <tr><↵
374.                 <th scope="row">Zip-Code</th><↵
375.                 <td>49361</td><↵

```

```

376.         </tr><↵
377.         <tr><↵
378.             <th scope="row">Country</th><↵
379.             <td>Peru</td><↵
380.         </tr><↵
381.     </tbody><↵
382. </table><↵
383. </section><↵
384.         <section id="userBilling"><↵
385.             <div class="d-flex mb-2"><↵
386.                 <h2><↵
387.                     Billing Information<↵
388.                         <button class="btn ms-2" data-bs-container="body" data-bs-trigger="focus" data-bs-
toggle="popover" title="Billing Address" data-bs-placement="right" data-bs-html="true" <↵
389.                             data-bs-content="This is where your future orders will be delivered to"><↵
390.                             <i class="bi bi-question-circle-fill"></i><↵
391.                         </button><↵
392.                         </h2><↵
393.                         <button type="button" class="btn btn-lg ms-3 p-0"
onclick="getAddressEditForm(&#039;billing&#039;)"><i class="bi bi-pencil-square"></i></button><↵
394.                     </div><↵
395.                     <table id="billingInfo" class="table"><↵
396.                         <tbody id="billingInfoBody"><↵
397.                             <tr><↵
398.                                 <th scope="row">Address</th><↵
399.                                 <td>Oak Way</td><↵
400.                             </tr><↵
401.                             <tr><↵
402.                                 <th scope="row">City</th><↵
403.                                 <td>Birmingham</td><↵
404.                             </tr><↵
405.                             <tr><↵
406.                                 <th scope="row">Zip-Code</th><↵
407.                                 <td>49361</td><↵
408.                             </tr><↵
409.                             <tr><↵
410.                                 <th scope="row">Country</th><↵
411.                                 <td>Peru</td><↵
412.                             </tr><↵
413.                         </tbody><↵
414.                     </table><↵
415.                 </section>↵
416.             ↵
417.         </div><↵
418. ↵
419.         <div class="col-lg-4 border-start" id="notifications"><↵
420.             <h2 class="mb-3">Notifications</h2><↵
421.             <ul class="list-group list-group-flush"><↵

```

```

422.                                     <li class="list-group-item d-flex">↵
423.                                     <section class="col-10">↵
424.                                     <a href=/item/9>iPhone 12 Pro Max</a> has stock again!↵
425.                                     </section>↵
426.                                     <section class="col d-flex
align-items-center justify-content-center">↵
427. ↵
428.                                     <form method="POST" action=/notification/7>↵
429.                                     <input type="hidden" name="_token"
value="oSGdceRCpvJGHoyWKLaruhpKjExkI0EEM2uRbDOF">↵
430.                                     <button type="submit" data-id=7 class="deleteNotificationButton"
style="background-color: white; border: none;">↵
431.                                     <i class="bi bi-trash-fill"></i>↵
432.                                     </button>↵
433.                                     </form>↵
434. ↵
435.                                     </section>↵
436.                                     </li> ↵
437.                                     <li class="list-group-item d-
flex">↵
438.                                     <section class="col-10">↵
439.                                     <a href=/item/9>iPhone 12 Pro Max</a> from your wish list is on sale! ↵
440.                                     </section>↵
441.                                     <section class="col d-flex align-items-center justify-
content-center">↵
442.                                     ↵
443.                                     <form method="POST" action=/notification/8>↵
444.                                     <input type="hidden" name="_token"
value="oSGdceRCpvJGHoyWKLaruhpKjExkI0EEM2uRbDOF">↵
445.                                     <button type="submit" data-id=8 class="deleteNotificationButton"
style="background-color: white; border: none;">↵
446.                                     <i class="bi bi-trash-fill"></i>↵
447.                                     </button>↵
448.                                     </form>↵
449.                                     </section>↵
450.                                     </li> ↵
451.                                     <li class="list-group-item d-
flex">↵
452.                                     <section class="col-10">↵
453.                                     <a href=/item/11>Headphones Bluetooth Sony WH-1000XM3</a> has stock again!↵
454.                                     </section>↵
455.                                     <section class="col d-flex
align-items-center justify-content-center">↵
456. ↵
457.                                     <form method="POST" action=/notification/9>↵
458.                                     <input type="hidden" name="_token"
value="oSGdceRCpvJGHoyWKLaruhpKjExkI0EEM2uRbDOF">↵

```

```

459.             <button type="submit" data-id=9 class="deleteNotificationButton"
style="background-color: white; border: none;">↵
460.                 <i class="bi bi-trash-fill"></i>↵
461.             </button>↵
462.         </form>↵
463. ↵
464.             </section>↵
465.         </li> ↵
466.     ↵
467. </ul>↵
468. </div>↵
469. ↵
470. </section>↵
471. ↵
472.         <!-- Button trigger modal -->↵
473.         <button type="button" class="btn btn-danger p-3 shadow mt-5" data-bs-toggle="modal" data-bs-
target="#deleteAccount">↵
474.             <i class="bi bi-x-circle-fill"></i> Delete Account ↵
475.         </button>↵
476.         <!-- Modal -->↵
477.         <div class="modal fade" id="deleteAccount" tabindex="-1" aria-labelledby="deleteAccountLabel" aria-
hidden="true">↵
478.             <div class="modal-dialog">↵
479.                 <div class="modal-content">↵
480.                     <div class="modal-header">↵
481.                         <h5 class="modal-title" id="deleteAccountLabel">Are you sure you want to delete your
account?</h5>↵
482.                         <button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close">
</button>↵
483.                     </div>↵
484.                     <div class="modal-body">↵
485.                         <form>↵
486.                             <label class="col-form-label"> This process cannot be reverted!</label>↵
487.                         </form>↵
488.                     </div>↵
489.                     <div class="modal-footer">↵
490.                         <button type="button" class="btn btn-secondary" data-bs-dismiss="modal">Close</button>↵
491.                     ↵
492.                         <button id="deleteAccountButton" type="submit" class="btn btn-danger"
onclick=deleteAccount(6)>Yes, delete my account</button>↵
493.                     ↵
494.                     </div>↵
495.                 </div>↵
496.             </div>↵
497.         </div>↵
498.     </div>↵
499. </div>↵
500.         <!-- separator -->↵

```

```
501. ↵
502.     ↵
503.     </div>↵
504. </main>↵
505. <footer class="footer" style="background-color: #EAE7DE;">↵
506.     <a href="/about" class="ps-2 float-right"> About </a>↵
507.     <a href="/faq" class="ps-2 float-right"> FAQ </a>↵
508.     <a href="/contacts" class="ps-2 float-right"> Contact Us </a>↵
509. </footer>↵
510. ↵
511. <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta2/dist/js/bootstrap.bundle.min.js"↵
512.     integrity="sha384-b5kHyXgcpbZJ0/tY9U17kGkf1S0CWuKcCD38l8YkeH8z8QjE0GmW1gYU5S9FOnJ0"↵
    crossorigin="anonymous">↵
513. </script>↵
514. ↵
515. <script>↵
516.     var tooltipTriggerList = [].slice.call(document.querySelectorAll('[data-bs-toggle="tooltip"]'))↵
517.     var tooltipList = tooltipTriggerList.map(function (tooltipTriggerEl) {↵
518.         return new bootstrap.Tooltip(tooltipTriggerEl)↵
519.     })↵
520. ↵
521.     var popoverTriggerList = [].slice.call(document.querySelectorAll('[data-bs-toggle="popover"]'))↵
522.     var popoverList = popoverTriggerList.map(function (popoverTriggerEl) {↵
523.         return new bootstrap.Popover(popoverTriggerEl)↵
524.     })↵
525. </script>↵
526. ↵
527. </body>↵
528. ↵
529. </html>
```

Used the HTML parser.

Total execution time 102 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 21.6.2