

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

### Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by text input ▾ ☐ CSS

```
</form>
</div>

</div>
</div>

<!-- separator -->

</div>
</main>
<footer class="footer" style="background-color: #EAE7DE;">
  <a href="/about" class="ps-2 float-right"> About </a>
  <a href="/faq" class="ps-2 float-right"> FAQ </a>
```

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

**Document checking completed. No errors or warnings to show.**

### Source

```

1.  ↵
2.  <!DOCTYPE html>↵
3.  <html lang="en">↵
4.    <head>↵
5.      <meta charset="utf-8">↵
6.      <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
7.      <meta name="viewport" content="width=device-width, initial-scale=1">↵
8.  ↵
9.    <!-- CSRF Token -->↵
10.    <meta name="csrf-token" content="oSGdceRCpvJGHoyWKLaruhpKjExkI0EEM2uRbDOF">↵
11.  ↵
12.    <title>Checkout</title>↵
13.  ↵
14.    <!-- Styles -->↵
15.    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta2/dist/css/bootstrap.min.css" rel="stylesheet"
integrity="sha384-BmbxuPwQa2lc/FVzBcNJ7UAyJxM6wuqIj61tLrc4wSX0szH/Ev+nYRRuWlolflfl" crossorigin="anonymous">↵
16.    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.4.0/font/bootstrap-icons.css">↵
17.    <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/scrollBar.css">↵
18.    <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/print.css">↵
19.    <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/test.css">↵
20.    <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/footer.css">↵
21.    <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/zoom.css">↵
22.    <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/user.css">↵
23.    <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/cards.css">↵
24.    <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/cart.css">↵
25.    <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/contacts.css">↵
26.    <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/searchResults.css">↵
27.    <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/signin.css">↵
28.    <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/addItem.css">↵
29.  ↵
30.  ↵
31.    <link rel="preconnect" href="https://fonts.gstatic.com">↵
32.    <link href="https://fonts.googleapis.com/css2?family=Poppins&display=swap" rel="stylesheet">↵
33.  ↵
34.    <script src="http://lbaw2111.lbaw-prod.fe.up.pt/js/ajax.js" defer></script>↵
35.  ↵
36.  ↵
37.  ↵
38.    <meta name="viewport" content="width=device-width, initial-scale=1">↵
39.  ↵
40.    <script>↵
41.      // Fix for Firefox autofocus CSS bug↵
42.      // See: http://stackoverflow.com/questions/18943276/html-5-autofocus-messes-up-css-
loading/18945951#18945951↵
43.    </script>↵
44.  ↵
45.  </head>↵

```

```

46.  ↵
47.  <body>↵
48.  ↵
49.  ↵
50.  ↵
51.  ↵
52.  <nav class="navbar navbar-expand-lg navbar-dark sticky-top pb-lg-2 pb-0" style="background-color:#36312b">↵
53.      <div class="container-fluid">↵
54.  ↵
55.      ↵
56.          ↵
57.              <button class="btn btn-lg ms-3 me-0" id="categorySideBarButton" type="button" data-bs-
toggle="collapse" data-bs-target="#collapsibleColumn" aria-controls="collapsibleColumn" style="margin-right:2%;">↵
58.                  <i class="bi bi-list-task" style="color:white !important"></i>↵
59.              </button>↵
60.              ↵
61.  ↵
62.      ↵
63.          <a class="navbar-brand ms-lg-4" href="/"></a>↵
64.          <button class="navbar-toggler btn btn-lg border-0" id="personButton" type="button" data-bs-
toggle="collapse" data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-
expanded="false" aria-label="Toggle navigation">↵
65.              <i class="bi bi-lg bi-person-circle"></i>↵
66.          </button>↵
67.  ↵
68.      <div class="collapse navbar-collapse d-lg-flex justify-content-between text-center"
id="navbarSupportedContent">↵
69.          ↵
70.              <form action="/searchResults" class="d-lg-inline d-none w-50 ms-5" method="get">↵
71.                  <div class="input-group">↵
72.                      ↵
73.                          <select class="form-select fs-lg-3" id="categories" name="categories">↵
74.                              <option selected value="-1">All</option>↵
75.  ↵
76.                              <option value="1">Computers</option>↵
77.                              <option value="2">Books</option>↵
78.                              <option value="3">Eletrdomestics</option>↵
79.                              <option value="4">Video Games</option>↵
80.                              <option value="5">Smartphones</option>↵
81.                              <option value="6">Headphones</option>↵
82.                              <option value="7">Music CDs, Vinyl</option>↵
83.                              <option value="8">School Material</option>↵
84.                              <option value="9">Home Theatres</option>↵
85.                              <option value="10">Televisions</option>↵
86.                              <option value="11">Movies</option>↵
87.                          </select>↵

```

```

88.         ↵
89.         <input name="step" value="1" style="display: none;">↵
90.         <input type="text" id="search" name="search" class="form-control w-50" placeholder="Search
For An Item" aria-label="Text input with dropdown button">↵
91.         <button type="submit" class="btn btn-secondary" aria-label="Text input with dropdown
button"><i class="bi bi-search"></i></button>↵
92.         </div>↵
93.     </form>↵
94.     <ul class="navbar-nav mb-2 mb-lg-0">↵
95.         <li class="nav-item d-lg-flex align-items-lg-center py-2 py-lg-0 px-lg-2">↵
96.             <a class="nav-link pe-0" href=/userProfile/cart>↵
97.                 <i class="bi bi-cart" style="font-size: 1.5em;"></i>↵
98.                 <span class="cart-number-small d-lg-none" style="color:white !important">↵
99.                     <span class="cart-number">15</span> items↵
100.                 </span>↵
101.                 </a>↵
102.                 <span class="cart-number cart-number-badge d-lg-block d-none d-flex">15</span>↵
103.             </li>↵
104.         ↵
105.         <li class="nav-item">↵
106.             ↵
107.         ↵
108.         <li class="nav-item">↵
109.             <div class="d-flex align-items-center justify-content-center pt-
1">↵
110.                 <a href=/userProfile/ class="d-block" style="width: 3vw;">↵
111.                     <div id="profilePic" class="d-flex rounded-
circle" style=height:0;width:100%;padding-bottom:100%;background-image:url(&quot;http://lbaw2111.lbaw-
prod.fe.up.pt/img/users/6.png&quot;);background-position:center;background-size:cover;>↵
112.                     </div>↵
113.                     ↵
114.                     ↵
115.                 </a>↵
116.                 <span id="hasNotifications" class=" d-lg-block
rounded-circle">↵
117.                     </span>↵
118.                 <a id="navbarUsername" class="nav-link p-1 pe-2
align-middle" href=/userProfile/ style="color:white !important; border-right: 1px solid;">LbawAdmin2021</a>↵
119.                 <a class="nav-link p-1 align-middle px-2"
href=/management style="color:white !important; border-right: 1px solid;" >Manage</a>↵
120.                 <a class="nav-link p-1 ps-2" href="/logout"
style="color:white !important;">Logout</a>↵
121.             </div>↵
122.         </li>↵
123.     </ul>↵
124. </div>↵
125. </div>↵

```

```

126.     <div class="d-lg-none row w-100 h-100" id="navbarCategoryDropDown">↵
127.         <form action="/searchResults" class="col-11 offset-1" method="get">↵
128.             <div class="input-group">↵
129.                 <select class="form-select fs-lg-3" id="search_category" name="categories">↵
130.                     <option selected value="-1">All</option>↵
131. ↵
132.                     <option value="1">Computers</option>↵
133.                     <option value="2">Books</option>↵
134.                     <option value="3">Eletrdomestics</option>↵
135.                     <option value="4">Video Games</option>↵
136.                     <option value="5">Smartphones</option>↵
137.                     <option value="6">Headphones</option>↵
138.                     <option value="7">Music CDs, Vinyl</option>↵
139.                     <option value="8">School Material</option>↵
140.                     <option value="9">Home Theatres</option>↵
141.                     <option value="10">Televisions</option>↵
142.                     <option value="11">Movies</option>↵
143.                 ↵
144.             </select>↵
145.             <input name="step" value="1" style="display: none;">↵
146.             <input type="text" id="searchSmall" name="search" class="form-control w-25" placeholder="Search
For An Item" aria-label="Text input with dropdown button">↵
147.             <button type="submit" class="btn btn-dark w-25" aria-label="Text input with dropdown button"><i
class="bi bi-search"></i></button>↵
148.         </div>↵
149.     </form>↵
150. </div>↵
151. </nav>↵
152. ↵
153.     <main class="d-flex" id="page">↵
154.         <div class="row align-self-stretch no-gutters w-100" style="margin-left: 0px;">↵
155. ↵
156. ↵
157.             ↵
158.             <div class="col-lg-2 col-md-4 col-6 text-center collapse p-0" id="collapsableColumn"
style="position:fixed;">↵
159.                 <div class="list-group h-100 rounded-0">↵
160.                     <form action="/searchResults" method="GET" name="Login">↵
161.                         <input type="hidden" name="categories" value="1">↵
162.                         <button class="list-group-item list-group-item-action text-center">Computers</button> ↵
163.                     </form>↵
164.                     <form action="/searchResults" method="GET" name="Login">↵
165.                         <input type="hidden" name="categories" value="2">↵
166.                         <button class="list-group-item list-group-item-action text-center">Books</button> ↵
167.                     </form>↵
168.                     <form action="/searchResults" method="GET" name="Login">↵
169.                         <input type="hidden" name="categories" value="3">↵

```

```

170.         <button class="list-group-item list-group-item-action text-center">Eletrodomestics</button>      ↵
171.     </form>      ↵
172.         <form action="/searchResults" method="GET" name="Login">↵
173.         <input type="hidden" name="categories" value="4">↵
174.         <button class="list-group-item list-group-item-action text-center">Video Games</button>      ↵
175.     </form>      ↵
176.         <form action="/searchResults" method="GET" name="Login">↵
177.         <input type="hidden" name="categories" value="5">↵
178.         <button class="list-group-item list-group-item-action text-center">Smartphones</button>      ↵
179.     </form>      ↵
180.         <form action="/searchResults" method="GET" name="Login">↵
181.         <input type="hidden" name="categories" value="6">↵
182.         <button class="list-group-item list-group-item-action text-center">Headphones</button>      ↵
183.     </form>      ↵
184.         <form action="/searchResults" method="GET" name="Login">↵
185.         <input type="hidden" name="categories" value="7">↵
186.         <button class="list-group-item list-group-item-action text-center">Music CDs, Vinyl</button>      ↵
187.     </form>      ↵
188.         <form action="/searchResults" method="GET" name="Login">↵
189.         <input type="hidden" name="categories" value="8">↵
190.         <button class="list-group-item list-group-item-action text-center">School Material</button>      ↵
191.     </form>      ↵
192.         <form action="/searchResults" method="GET" name="Login">↵
193.         <input type="hidden" name="categories" value="9">↵
194.         <button class="list-group-item list-group-item-action text-center">Home Theatres</button>      ↵
195.     </form>      ↵
196.         <form action="/searchResults" method="GET" name="Login">↵
197.         <input type="hidden" name="categories" value="10">↵
198.         <button class="list-group-item list-group-item-action text-center">Televisions</button>      ↵
199.     </form>      ↵
200.         <form action="/searchResults" method="GET" name="Login">↵
201.         <input type="hidden" name="categories" value="11">↵
202.         <button class="list-group-item list-group-item-action text-center">Movies</button>      ↵
203.     </form>      ↵
204.     ↵
205. </div>↵
206. </div>↵
207. ↵
208. <script src="http://lbaw2111.lbaw-prod.fe.up.pt/js/checkout.js" defer></script>↵
209. ↵
210. <div class="p-0" style="background-color:#f2f2f2;">↵
211.     <div id="checkoutPage" class="container col-lg-7 col-md-11 p-lg-4 p-3 shadow-sm h-100" style="background-
color:white">↵
212.         <h2 class="ps-lg-5 mb-4">Checkout</h2>↵
213.         <ul class="nav nav-tabs mb-3 nav-fill text-center" id="pills-tab" role="tablist">↵
214.             <li class="nav-item" role="presentation">↵

```

```

215.         <button class="nav-link disabled w-100" id="pills-overview-tab" data-bs-toggle="pill" data-bs-
target="#pills-overview" type="button" role="tab" aria-selected="false"><
216.             <span class="badge bg-secondary rounded-circle me-3">1</span>Overview<
217.         </button><
218.     </li><
219.     <li class="nav-item" role="presentation"><
220.         <button class="nav-link disabled w-100" id="pills-addresses-tab" data-bs-toggle="pill" data-bs-
target="#pills-addresses" type="button" role="tab" aria-selected="true"><
221.             <span class="badge bg-secondary rounded-circle me-3">2</span>Addresses<
222.         </button><
223.     </li><
224.     <li class="nav-item" role="presentation"><
225.         <button class="nav-link active w-100" id="pills-shipping-tab" data-bs-toggle="pill" data-bs-
target="#pills-shipping" type="button" role="tab" aria-selected="false"><
226.             <span class="badge bg-success rounded-circle me-3">3</span>Shipping<
227.         </button><
228.     </li><
229.     <li class="nav-item" role="presentation"><
230.         <button class="nav-link disabled w-100" id="pills-payment-tab" data-bs-toggle="pill" data-bs-
target="#pills-payment" type="button" role="tab" aria-selected="false"><
231.             <span class="badge bg-secondary rounded-circle me-3">4</span>Payment<
232.         </button><
233.     </li><
234. </ul><
235. <div class="tab-content" id="pills-tabContent"><
236.     <
237.     <
238.         <div class="tab-pane fade show active" id="pills-shipping" role="tabpanel" aria-
labelledby="pills-shipping-tab"><
239.             <form method="post" action="http://lbaw2111.lbaw-prod.fe.up.pt/checkout/toPayment" id="shippingChoose"
class="p-3 px-lg-5 px-md-2 px-1"><
240.                 <input type="hidden" name="_token" value="oSGdceRCpvJGHoyWKLaruhpKjExkI0EEM2uRbDOF">             <h5 class="mb-4
ms-4 text-lg-start text-center">Please select the desired shipping method</h5><
241.                 <ul class="list-group list-group-flush" id="shipping_list"><
242.                     <li class="list-group-item"><
243.                         <div class="form-check row"><
244.                             <div class="col-1"><
245.                                 <input required class="form-check-input" type="radio" name="shippingMethod" value="1" id="shipping_1"><
246.                             </div><
247.                             <div class="col-12"><
248.                                 <label class="form-check-label row" for="shipping_1"><
249.                                     <
250.                                     <span class="col-7 ps-3 fs-5 shippingName"><
251.                                         CTT<
252.                                     </span><

```

```

253.         <span class="shipping-price col-3 text-center">$1.50</span>↵
254.     </label>↵
255. </div>↵
256. </div>↵
257. </li>         <li class="list-group-item">↵
258.     <div class="form-check row">↵
259.         <div class="col-1">↵
260.             <input required class="form-check-input" type="radio" name="shippingMethod" value="2" id="shipping_2">↵
261.         </div>↵
262.         <div class="col-12">↵
263.             <label class="form-check-label row" for="shipping_2">↵
264.                 ↵
265.                 <span class="col-7 ps-3 fs-5 shippingName">↵
266.                     DHL↵
267.                 </span>↵
268.                 <span class="shipping-price col-3 text-center">$2.00</span>↵
269.             </label>↵
270.         </div>↵
271.     </div>↵
272. </li>         <li class="list-group-item">↵
273.     <div class="form-check row">↵
274.         <div class="col-1">↵
275.             <input required class="form-check-input" type="radio" name="shippingMethod" value="3" id="shipping_3">↵
276.         </div>↵
277.         <div class="col-12">↵
278.             <label class="form-check-label row" for="shipping_3">↵
279.                 ↵
280.                 <span class="col-7 ps-3 fs-5 shippingName">↵
281.                     FedEx↵
282.                 </span>↵
283.                 <span class="shipping-price col-3 text-center">$2.40</span>↵
284.             </label>↵
285.         </div>↵
286.     </div>↵
287. </li>         </ul>↵
288.     <footer class="text-end mt-5 row">↵
289.         <button type="button" class="btn btn-dark col-lg-3 col-12 go_back_checkout" id="go_back_shipping"><i
                class="bi bi-arrow-left-circle"></i> Go Back</button>↵
290.         <button type="submit" class="btn btn-success offset-lg-6 col-lg-3 col-12">Proceed to Payment <i
                class="bi bi-arrow-right-circle"></i></button>↵
291.     </footer>↵
292. </form>↵
293. </div>     ↵

```



```
294.         ↵
295.         </div>↵
296.     </div>↵
297. </div>↵
298. ↵
299.         <!-- separator -->↵
300. ↵
301.         ↵
302.     </div>↵
303. </main>↵
304. <footer class="footer" style="background-color: #EAE7DE;">↵
305.     <a href="/about" class="ps-2 float-right"> About </a>↵
306.     <a href="/faq" class="ps-2 float-right"> FAQ </a>↵
307.     <a href="/contacts" class="ps-2 float-right"> Contact Us </a>↵
308. </footer>↵
309. ↵
310. <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta2/dist/js/bootstrap.bundle.min.js"↵
311.     integrity="sha384-b5kHyXgcpbZJ0/tY9U17kGkF1S0CWuKcCD38l8YkeH8z8QjE0GmW1gYU5S9FOnJ0"↵
312.     crossorigin="anonymous">↵
313. </script>↵
314. ↵
315. <script>↵
316.     var tooltipTriggerList = [].slice.call(document.querySelectorAll('[data-bs-toggle="tooltip"]'))↵
317.     var tooltipList = tooltipTriggerList.map(function (tooltipTriggerEl) {↵
318.         return new bootstrap.Tooltip(tooltipTriggerEl)↵
319.     })↵
320. ↵
321.     var popoverTriggerList = [].slice.call(document.querySelectorAll('[data-bs-toggle="popover"]'))↵
322.     var popoverList = popoverTriggerList.map(function (popoverTriggerEl) {↵
323.         return new bootstrap.Popover(popoverTriggerEl)↵
324.     })↵
325. </script>↵
326. </body>↵
327. ↵
328. </html>
```

Used the HTML parser.

Total execution time 25 milliseconds.

---

[About this checker](#) • [Report an issue](#) • Version: 21.5.28

