
Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

```
2. Warning Section lacks heading. Consider using [h2]-[h6] elements to add identifying headings to all sections.

From line 205, column 1; to line 205, column 40

script> \( \text{csection class="row" id="shopping_cart"} \) \( \text{c} \text{c} \)
```

Document checking completed.

Source

```
1. ←
 2. <!DOCTYPE html>↔
 3. <html lang="en">←
 4.
      <head>←
 5.
        <meta charset="utf-8">←
 6.
        <meta http-equiv="X-UA-Compatible" content="IE=edge">←
 7.
        <meta name="viewport" content="width=device-width. initial-scale=1">↔
 8.
   \leftarrow
 9.
        <!-- CSRF Token -->↔
        <meta name="csrf-token" content="9mz1HxeFlPTYr4s83zXkkFFB9ltrNjPhvuwhVDJK">←
10.
11. ←
12.
            <title>User Cart</title>↔
13. ←
14.
        <!-- Stvles -->↔
15.
        <link href="https://cdn.isdelivr.net/npm/bootstrap@5.0.0-beta2/dist/css/bootstrap.min.css" rel="stvlesheet"</pre>
    integrity="sha384-BmbxuPwQa2lc/FVzBcNJ7UAyJxM6wuqIj61tLrc4wSX0szH/Ev+nYRRuWlolf1f1" crossorigin="anonymous">↔
        <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.4.0/font/bootstrap-icons.css">←
16.
        <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/scrollBar.css">←
17.
        <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/print.css">↔
18.
19.
        <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/test.css">↔
20.
        <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/footer.css">↔
        <link rel="stvlesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/zoom.css">←
21.
22.
        <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/user.css">↔
        <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/cards.css">↔
23.
        <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/cart.css">↔
24.
25.
        <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/contacts.css">↔
        <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/searchResults.css">←
26.
27.
        <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/signin.css">↔
28.
        <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/addItem.css">↔
29. ←
30. ←
        <link rel="preconnect" href="https://fonts.gstatic.com">←
31.
```

```
32.
        <link href="https://fonts.googleapis.com/css2?family=Poppins&display=swap" rel="stylesheet">←
33. ←
34.
        <script src="http://lbaw2111.lbaw-prod.fe.up.pt/js/ajax.js" defer></script>←
35. ←
36 ↔
37. ←
38.
        <meta name="viewport" content="width=device-width, initial-scale=1">←
39.
40.
        <script>←
41.
            // Fix for Firefox autofocus CSS bug↔
42.
            // See: http://stackoverflow.com/questions/18943276/html-5-autofocus-messes-up-css-loading/18945951#18945951 ↔
43.
        </script>↔
44 ←
45.
      </head>←
46.
47. <body>←
48. ←
49.
50.
51.
52.
      <nav class="navbar navbar-expand-lg navbar-dark sticky-top pb-lg-2 pb-0" style="background-color:#36312b">↔
53.
          <div class="container-fluid">←
54. ←
55.
56.
57.
                  <button class="btn btn-lg ms-3 me-0" id="categorySideBarButton" type="button" data-bs-toggle="collapse"</pre>
    data-bs-target="#collapsableColumn" aria-controls="collapsableColumn" style="margin-right:2%;">↔
58.
                      <i class="bi bi-list-task" style="color:white !important"></i>↔
59.
                  </button>←
60.
61. ←
62.
63.
              <a class="navbar-brand ms-lg-4" href="/"><img class="img-fluid" width="150" height="30"</pre>
    src="http://lbaw2111.lbaw-prod.fe.up.pt/img/logo light.png" alt="logo"></a>↔
              <button class="navbar-toggler btn btn-lg border-0" id="personButton" type="button" data-bs-toggle="collapse"</pre>
64.
    data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-
   label="Toggle navigation">↔
65.
                  <i class="bi bi-lg bi-person-circle"></i>
66.
              </button>←
67. ←
68.
              <div class="collapse navbar-collapse d-lg-flex justify-content-between text-center"</pre>
    id="navbarSupportedContent">↔
69.
70.
                    <form action="/searchResults" class="d-lg-inline d-none w-50 ms-5" method="get">←
71.
                         <div class="input-group">←
72.
73.
                                 <select class="form-select fs-lg-3" id="categories" name="categories">↔
74.
                                     <option selected value="-1">All</option>←
```

```
75. ←
76.
                                                                        <option value="1">Computers</option>←
                                                                        <option value="2">Books</option>←
77.
78.
                                                                        <option value="3">Eletrodomestics</option>←
79
                                                                        <option value="4">Video Games</option>←
80.
                                                                        <option value="5">Smartphones</option>←
81.
                                                                        <option value="6">Headphones
82.
                                                                        <option value="7">Music CDs, Vinil</option>←
83.
                                                                         <option value="8">School Material</option>←
84.
                                                                        <option value="9">Home Theatres</option>←
85.
                                                                        <option value="10">Televisions</option>←
86.
                                                                        <option value="11">Movies</option>←
87.
                                                             </select>←
88.
89.
                           <input name="step" value="1" style="display: none;">←
                           <input type="text" id="search" name="search" class="form-control w-50" placeholder="Search For</pre>
90.
    An Item" aria-label="Text input with dropdown button">↔
91.
                           <button type="submit" class="btn btn-secondary" aria-label="Text input with dropdown button">
    <i class="bi bi-search"></i></button>←
92.
                       </div>←
93.
                   </form>←
94.
                   ←
95.
                                          ←
96.
                           <a class="nav-link pe-0" href=/userProfile/cart>←
97.
                           <i class="bi bi-cart" style="font-size: 1.5em;"></i>
                           <span class="cart-number-small d-lg-none" style="color:white !important">←
98.
99.
                               <span class="cart-number">1</span> items↔
100.
                           </span>
101.
102.
                           <span class="cart-number cart-number-badge d-lg-block d-none d-flex">1</span>↔
103.
                       ←
104. ←
105.
                       class="nav-item">↔
106.
                                                     <div class="d-flex align-items-center justify-content-center pt-</pre>
    1">↩
107.
                                   <a class="nav-link" href="/login" style="color:white !important">Login</a>↔
108.
                               </div>←
109.
                                              ←
110. ←
                       class="nav-item">↔
111.
112.
                                                     <div class="d-flex align-items-center justify-content-center pt-</pre>
    1">←
113.
                                   <a class="nav-link" href="/register" style="color:white !important">Register</a>↔
114.
                               </div>←
115. ←
116.
                                              ←
117.
                   ↩
118.
              </div>←
```

```
119.
           </div>←
120.
           <div class="d-lg-none row w-100 h-100" id="navbarCategorvDropDown">←
121.
                         <form action="/searchResults" class="col-11 offset-1" method="get">←
122.
                     <div class="input-group">←
123.
                         <select class="form-select fs-lg-3" id="search category" name="categories">←
124.
                             <option selected value="-1">All</option>←
125. ←
126.
                                                          <option value="1">Computers</option>←
127.
                                                          <option value="2">Books</option>←
128.
                                                          <option value="3">Eletrodomestics</option>←
129.
                                                          <option value="4">Video Games</option>←
130.
                                                          <option value="5">Smartphones</option>←
131.
                                                          <option value="6">Headphones</option>←
132.
                                                          <option value="7">Music CDs, Vinil</option>←
133.
                                                          <option value="8">School Material</option>←
134.
                                                          <option value="9">Home Theatres</option>←
135.
                                                          <option value="10">Televisions</option>←
136.
                                                          <option value="11">Movies</option>←
137.
138.
                         </select>←
139.
                         <input name="step" value="1" style="display: none;">←
                         <input type="text" id="searchSmall" name="search" class="form-control w-25" placeholder="Search</pre>
140.
     For An Item" aria-label="Text input with dropdown button">↔
141.
                         <button type="submit" class="btn btn-dark w-25" aria-label="Text input with dropdown button"><i</pre>
     class="bi bi-search"></i></button>↔
142.
                     </div>←
143.
                 </form>←
144.
                   </div>←
145.
       </nav>↔
146.
147.
           <main class="d-flex" id="page">↔
148.
               <div class="row align-self-stretch no-gutters w-100" style="margin-left: 0px;">←
149. ←
150. ←
151.
                                  \leftarrow
152.
153. <div class="col-lg-2 col-md-4 col-6 text-center collapse p-0" id="collapsableColumn" style="position:fixed;">↔
154.
         <div class="list-group h-100 rounded-0">←
155.
                         <form action="/searchResults" method="GET" name="Login">↔
156.
                     <input type="hidden" name="categories" value="1">←
157.
                     <button class="list-group-item list-group-item-action text-center">Computers</button>
158.
                 </form>
159.
                         <form action="/searchResults" method="GET" name="Login">↔
160.
                     <input type="hidden" name="categories" value="2">←
161.
                     <button class="list-group-item list-group-item-action text-center">Books</button>
162.
                 </form>
163.
                         <form action="/searchResults" method="GET" name="Login">↔
164.
                     <input type="hidden" name="categories" value="3">←
```

```
165.
                     <button class="list-group-item list-group-item-action text-center">Eletrodomestics</button>
166.
                 </form>
167.
                         <form action="/searchResults" method="GET" name="Login">←
168.
                     <input type="hidden" name="categories" value="4">←
169.
                     <button class="list-group-item list-group-item-action text-center">Video Games
170.
                 </form>
171.
                         <form action="/searchResults" method="GET" name="Login">↔
172.
                     <input type="hidden" name="categories" value="5">←
173.
                     <button class="list-group-item list-group-item-action text-center">Smartphones</button>
174.
                 </form>
175.
                         <form action="/searchResults" method="GET" name="Login">←
176.
                     <input type="hidden" name="categories" value="6">←
177
                     <button class="list-group-item list-group-item-action text-center">Headphones</button>
178.
                 </form>
179.
                         <form action="/searchResults" method="GET" name="Login">←
180.
                     <input type="hidden" name="categories" value="7">←
181.
                     <button class="list-group-item list-group-item-action text-center">Music CDs, Vinil</button>
182.
                 </form>
183.
                         <form action="/searchResults" method="GET" name="Login">←
184.
                     <input type="hidden" name="categories" value="8">←
185.
                     <button class="list-group-item list-group-item-action text-center">School Material/button>
                                                                                                                        \rightarrow
186.
                 </form>
187.
                         <form action="/searchResults" method="GET" name="Login">↔
188.
                     <input type="hidden" name="categories" value="9">←
189.
                     <button class="list-group-item list-group-item-action text-center">Home Theatres</button>
190.
                 </form>
191.
                         <form action="/searchResults" method="GET" name="Login">←
192.
                     <input type="hidden" name="categories" value="10">←
193.
                     <button class="list-group-item list-group-item-action text-center">Televisions</button>
194.
                 </form>
195.
                         <form action="/searchResults" method="GET" name="Login">←
196.
                     <input type="hidden" name="categories" value="11">←
197.
                     <button class="list-group-item list-group-item-action text-center">Movies</button>
198.
                 </form>
199.
200.
         </div>←
201. </div>←
202. <script src="http://lbaw2111.lbaw-prod.fe.up.pt/js/cart.js" defer></script>↔
203. ←
204. ←
205. <section class="row" id="shopping cart">←
206. ←
207. ←
208.
         <section class="col-lg-9 ps-md-5 d-flex flex-column flex-grow-1">←
209.
         <h2 class="d-none d-sm-block ms-5 mt-4">↔
210.
             Your cart←
211.
             <button class="btn ms-1" data-bs-container="body" data-bs-trigger="focus" data-bs-toggle="popover"</pre>
    title="Shopping Cart" data-bs-placement="right" data-bs-html="true" ↔
```

```
212.
                data-bs-content="Here you can see the products you want to <b>order</b>, edit the desired <b>quantity</b>
    or <b>remove</b> them from the list.<br>
<
213.
                                When you are ready to complete the purchase click <b>'Checkout'</b>">↔
214.
                <i class="bi bi-question-circle-fill"></i></i>
215
            </button>←
        </h2>↔
216.
217. ←
218.
            <div class="list-group list-group-flush" id="cartList">
219.
                                                                            <div class="list-group-item cart-item p-0 row</pre>
    py-3" data-id="1">↔
220.
221.
         <div class="row px-0 mx-0">←
222
            <div class="col-lg-2 col-9 d-flex justify-content-center">↔
223.
                <a class="link-dark" href=/item/1><img src="http://lbaw2111.lbaw-prod.fe.up.pt/img/items/image1.png"</pre>
    class="img-fluid" alt="..."></a>↔
224.
            </div>←
225.
            <div class="col-lg-6 col-12 border-left border-dark">←
226.
                <div class="row mt-lg-0 mt-3">←
227.
                     <div class="col-12 ps-lg-0 ps-4">←
228.
                        <h5 class="title ps-4"><a class="link-dark" href=/item/1>ASUS laptop MSXKD-231</a></h5>↔
                        Cutting-edge laptop for all your needs

229.
230.
                    </div>←
231. ←
232.
                </div>←
233.
            </div>←
234.
            <div class="col d-flex flex-column justify-content-center text-center">←
235.
                <span class="title fs-5 mb-3">$2,500.00</span>↔
236.
            </div>←
237.
            <div class="col ps-3 mb-3 d-flex flex-row text-center fs-5 py-4">↔
238.
                                <input type="number" class="form-control product-quantity" data-id="0" value="1"> ←
                            <button class="btn btn-danger ms-3 remove cart"><i class="bi bi-trash-fill"></i></button>↔
239.
240.
            </div>←
241.
         </div>←
242. </div>←
243.
                                         \leftarrow
244.
                           \hookrightarrow
245.
            </div>←
246.
         </section>←
247. ←
248.
         <div class="col-lg-3 flex-column d-flex border-start justify-content-center pb-3 mt-sm-5" id="totalInfo">↔
249.
                        <section class="pb-4">←
250.
                    <div class="text-center mx-auto fs-5">Total (w/ IVA):</div>←
                    $2,500.00↔
251.
252.
                </section>←
253.
                    </div>←
254. </section>←
255.
                      <!-- separator -->↔
256. ←
```

```
257.
258.
               </div>↩
259.
           </main>↔
260.
           <footer class="footer" style="background-color: #EAE7DE;">←
261.
                   <a href="/about" class="ps-2 float-right"> About </a>↔
262.
                   <a href="/fag" class="ps-2 float-right"> FAO </a>↔
263.
                   <a href="/contacts" class="ps-2 float-right"> Contact Us </a>↔
264.
           </footer>←
265. ←
266.
           <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta2/dist/js/bootstrap.bundle.min.js"
←</pre>
267.
               integrity="sha384-b5kHyXgcpbZJ0/tY9Ul7kGkf1S0CWuKcCD3818YkeH8z80jE0GmW1gYU5S9F0nJ0"
     crossorigin="anonymous">↔
           </script>↔
268.
269. ←
270.
           <script>←
             var tooltipTriggerList = [].slice.call(document.querySelectorAll('[data-bs-toggle="tooltip"]'))↔
271.
272.
             var tooltipList = tooltipTriggerList.map(function (tooltipTriggerEl) { ↔
             return new bootstrap. Tooltip(tooltipTriggerEl) ←
273.
274.
             })←
275. ←
276.
             var popoverTriggerList = [].slice.call(document.querySelectorAll('[data-bs-toggle="popover"]'))↔
277.
             var popoverList = popoverTriggerList.map(function (popoverTriggerE1) { ↔
               return new bootstrap.Popover(popoverTriggerEl) ←
278.
279.
             })←
280.
           </script>←
281. ←
282.
      </body>←
283. ←
284. </html>
```

Used the HTML parser.

Total execution time 18 milliseconds.

About this checker • Report an issue • Version: 21.5.28