Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☑ source   ☐ outline   ☐ image report   [Options…]

Check by [text input ▾]   ☐ css

```
bi-arrow-right-circle"></i></button>
        </footer>
    </form>
</div>


                    </div>
        </div>
</div>


                    <!-- separator -->


            </div>
        </main>
```

[Check]

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering]

Document checking completed. No errors or warnings to show.

Source

```
1.  ↵
2.  <!DOCTYPE html>↵
3.  <html lang="en">↵
4.    <head>↵
5.      <meta charset="utf-8">↵
6.      <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
7.      <meta name="viewport" content="width=device-width, initial-scale=1">↵
8.  ↵
9.      <!-- CSRF Token -->↵
10.     <meta name="csrf-token" content="oSGdceRCpvJGHoyWKLaruhpKjExkI0EEM2uRbDOF">↵
11. ↵
12.         <title>Checkout</title>↵
13. ↵
14.     <!-- Styles -->↵
15.     <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta2/dist/css/bootstrap.min.css" rel="stylesheet"
    integrity="sha384-BmbxuPwQa2lc/FVzBcNJ7UAyJxM6wuqIj61tLrc4wSX0szH/Ev+nYRRuWlolflfl" crossorigin="anonymous">↵
16.     <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.4.0/font/bootstrap-icons.css">↵
17.     <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/scrollBar.css">↵
18.     <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/print.css">↵
19.     <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/test.css">↵
20.     <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/footer.css">↵
21.     <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/zoom.css">↵
22.     <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/user.css">↵
23.     <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/cards.css">↵
24.     <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/cart.css">↵
25.     <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/contacts.css">↵
26.     <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/searchResults.css">↵
27.     <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/signin.css">↵
28.     <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/addItem.css">↵
29. ↵
30. ↵
31.     <link rel="preconnect" href="https://fonts.gstatic.com">↵
32.     <link href="https://fonts.googleapis.com/css2?family=Poppins&display=swap" rel="stylesheet">↵
33. ↵
34.     <script src="http://lbaw2111.lbaw-prod.fe.up.pt/js/ajax.js" defer></script>↵
35. ↵
36. ↵
37. ↵
38.     <meta name="viewport" content="width=device-width, initial-scale=1">↵
39.         ↵
40.     <script>↵
41.         // Fix for Firefox autofocus CSS bug↵
42.         // See: http://stackoverflow.com/questions/18943276/html-5-autofocus-messes-up-css-
    loading/18945951#18945951↵
43.     </script>↵
44. ↵
45.   </head>↵
```

```
46.      ↵
47.  <body>↵
48.   ↵
49.        ↵
50.        ↵
51.      ↵
52.   <nav class="navbar navbar-expand-lg navbar-dark sticky-top pb-lg-2 pb-0" style="background-color:#36312b">↵
53.        <div class="container-fluid">↵
54.  ↵
55.           ↵
56.                                                ↵
57.                <button class="btn btn-lg ms-3 me-0" id="categorySideBarButton" type="button" data-bs-
    toggle="collapse" data-bs-target="#collapsableColumn" aria-controls="collapsableColumn" style="margin-right:2%;">↵
58.                  <i class="bi bi-list-task"  style="color:white !important"></i>↵
59.             </button>↵
60.              ↵
61.  ↵
62.           ↵
63.          <a class="navbar-brand ms-lg-4" href="/"><img class="img-fluid" width="150" height="30"
    src="http://lbaw2111.lbaw-prod.fe.up.pt/img/logo_light.png" alt="logo"></a>↵
64.          <button class="navbar-toggler btn btn-lg border-0" id="personButton" type="button" data-bs-
    toggle="collapse" data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-
    expanded="false" aria-label="Toggle navigation">↵
65.                <i class="bi bi-lg bi-person-circle"></i>↵
66.          </button>↵
67.  ↵
68.          <div class="collapse navbar-collapse d-lg-flex justify-content-between text-center"
    id="navbarSupportedContent">↵
69.             ↵
70.              <form action="/searchResults" class="d-lg-inline d-none w-50 ms-5" method="get">↵
71.              <div class="input-group">↵
72.                ↵
73.                <select class="form-select fs-lg-3" id="categories" name="categories">↵
74.                   <option selected value="-1">All</option>↵
75.  ↵
76.                                              <option value="1">Computers</option>↵
77.                                              <option value="2">Books</option>↵
78.                                              <option value="3">Eletrodomestics</option>↵
79.                                              <option value="4">Video Games</option>↵
80.                                              <option value="5">Smartphones</option>↵
81.                                              <option value="6">Headphones</option>↵
82.                                              <option value="7">Music CDs, Vinil</option>↵
83.                                              <option value="8">School Material</option>↵
84.                                              <option value="9">Home Theatres</option>↵
85.                                              <option value="10">Televisions</option>↵
86.                                              <option value="11">Movies</option>↵
87.                                    </select>↵
```

```
88.                                                  ↵
89.                          <input name="step" value="1" style="display: none;">↵
90.                          <input type="text" id="search" name="search" class="form-control w-50" placeholder="Search
    For An Item" aria-label="Text input with dropdown button">↵
91.                          <button type="submit" class="btn btn-secondary" aria-label="Text input with dropdown
    button"><i class="bi bi-search"></i></button>↵
92.                        </div>↵
93.                    </form>↵
94.                    <ul class="navbar-nav mb-2 mb-lg-0">↵
95.                                    <li class="nav-item d-lg-flex align-items-lg-center py-2 py-lg-0 px-lg-2">↵
96.                    <a class="nav-link pe-0" href=/userProfile/cart>↵
97.                    <i class="bi bi-cart" style="font-size: 1.5em;"></i>↵
98.                    <span class="cart-number-small d-lg-none" style="color:white !important">↵
99.                        <span class="cart-number">15</span> items↵
100.                    </span>                                      ↵
101.                    </a>↵
102.                    <span class="cart-number cart-number-badge d-lg-block d-none d-flex">15</span>↵
103.                </li>↵
104. ↵
105.                <li class="nav-item">↵
106.                                    </li>↵
107. ↵
108.                <li class="nav-item">↵
109.                                    <div class="d-flex align-items-center justify-content-center pt-
    1">↵
110.                        <a href=/userProfile/ class="d-block" style="width: 3vw;">↵
111.                                    <div id="profilePic" class="d-flex rounded-
    circle" style=height:0;width:100%;padding-bottom:100%;background-image:url(&quot;http://lbaw2111.lbaw-
    prod.fe.up.pt/img/users/6.png&quot;);background-position:center;background-size:cover;>↵
112.                        </div>↵
113.                        ↵
114.                                    ↵
115.                    </a>↵
116.                                    <span id="hasNotifications" class=" d-lg-block
    rounded-circle">↵
117.                        </span>↵
118.                                    <a id="navbarUsername" class="nav-link p-1 pe-2
    align-middle" href=/userProfile/ style="color:white !important; border-right: 1px solid;">LbawAdmin2021</a>↵
119.                                    <a class="nav-link p-1 align-middle px-2"
    href=/management style="color:white !important; border-right: 1px solid;" >Manage</a>↵
120.                                    <a class="nav-link p-1 ps-2" href="/logout"
    style="color:white !important;">Logout</a>↵
121.                    </div>↵
122.                                    </li>↵
123.            </ul>↵
124.        </div>↵
125.    </div>↵
```

```
126.          <div class="d-lg-none row w-100 h-100" id="navbarCategoryDropDown">↵
127.                   <form action="/searchResults" class="col-11 offset-1" method="get">↵
128.               <div class="input-group">↵
129.                   <select class="form-select fs-lg-3" id="search_category" name="categories">↵
130.                       <option selected value="-1">All</option>↵
131.  ↵
132.                                              <option value="1">Computers</option>↵
133.                                              <option value="2">Books</option>↵
134.                                              <option value="3">Eletrodomestics</option>↵
135.                                              <option value="4">Video Games</option>↵
136.                                              <option value="5">Smartphones</option>↵
137.                                              <option value="6">Headphones</option>↵
138.                                              <option value="7">Music CDs, Vinil</option>↵
139.                                              <option value="8">School Material</option>↵
140.                                              <option value="9">Home Theatres</option>↵
141.                                              <option value="10">Televisions</option>↵
142.                                              <option value="11">Movies</option>↵
143.                           ↵
144.                   </select>↵
145.                   <input name="step" value="1" style="display: none;">↵
146.                   <input type="text" id="searchSmall" name="search" class="form-control w-25" placeholder="Search
      For An Item" aria-label="Text input with dropdown button">↵
147.                   <button type="submit" class="btn btn-dark w-25" aria-label="Text input with dropdown button"><i
      class="bi bi-search"></i></button>↵
148.               </div>↵
149.           </form>↵
150.              </div>↵
151.    </nav>↵
152.     ↵
153.      <main class="d-flex" id="page">↵
154.         <div class="row align-self-stretch no-gutters w-100" style="margin-left: 0px;">↵
155.  ↵
156.  ↵
157.                           ↵
158.             <div class="col-lg-2 col-md-4 col-6 text-center collapse p-0" id="collapsableColumn"
      style="position:fixed;">↵
159.      <div class="list-group h-100 rounded-0">↵
160.                   <form action="/searchResults" method="GET" name="Login">↵
161.               <input type="hidden" name="categories" value="1">↵
162.               <button class="list-group-item list-group-item-action text-center">Computers</button>          ↵
163.           </form>                    ↵
164.                   <form action="/searchResults" method="GET" name="Login">↵
165.               <input type="hidden" name="categories" value="2">↵
166.               <button class="list-group-item list-group-item-action text-center">Books</button>         ↵
167.           </form>                    ↵
168.                   <form action="/searchResults" method="GET" name="Login">↵
169.               <input type="hidden" name="categories" value="3">↵
```

```
170.                    <button class="list-group-item list-group-item-action text-center">Eletrodomestics</button>        ↵
171.          </form>      ↵
172.              <form action="/searchResults" method="GET" name="Login">↵
173.          <input type="hidden" name="categories" value="4">↵
174.          <button class="list-group-item list-group-item-action text-center">Video Games</button>        ↵
175.          </form>      ↵
176.              <form action="/searchResults" method="GET" name="Login">↵
177.          <input type="hidden" name="categories" value="5">↵
178.          <button class="list-group-item list-group-item-action text-center">Smartphones</button>        ↵
179.          </form>      ↵
180.              <form action="/searchResults" method="GET" name="Login">↵
181.          <input type="hidden" name="categories" value="6">↵
182.          <button class="list-group-item list-group-item-action text-center">Headphones</button>        ↵
183.          </form>      ↵
184.              <form action="/searchResults" method="GET" name="Login">↵
185.          <input type="hidden" name="categories" value="7">↵
186.          <button class="list-group-item list-group-item-action text-center">Music CDs, Vinil</button>        ↵
187.          </form>      ↵
188.              <form action="/searchResults" method="GET" name="Login">↵
189.          <input type="hidden" name="categories" value="8">↵
190.          <button class="list-group-item list-group-item-action text-center">School Material</button>        ↵
191.          </form>      ↵
192.              <form action="/searchResults" method="GET" name="Login">↵
193.          <input type="hidden" name="categories" value="9">↵
194.          <button class="list-group-item list-group-item-action text-center">Home Theatres</button>        ↵
195.          </form>      ↵
196.              <form action="/searchResults" method="GET" name="Login">↵
197.          <input type="hidden" name="categories" value="10">↵
198.          <button class="list-group-item list-group-item-action text-center">Televisions</button>        ↵
199.          </form>      ↵
200.              <form action="/searchResults" method="GET" name="Login">↵
201.          <input type="hidden" name="categories" value="11">↵
202.          <button class="list-group-item list-group-item-action text-center">Movies</button>        ↵
203.          </form>      ↵
204.      ↵
205.    </div>↵
206. </div>↵
207.  ↵
208. <script src="http://lbaw2111.lbaw-prod.fe.up.pt/js/checkout.js" defer></script>↵
209.  ↵
210. <div class="p-0" style="background-color:#f2f2f2;">↵
211.    <div id="checkoutPage" class="container col-lg-7 col-md-11 p-lg-4 p-3 shadow-sm h-100" style="background-
     color:white">↵
212.        <h2 class="ps-lg-5 mb-4">Checkout</h2>↵
213.        <ul class="nav nav-tabs mb-3 nav-fill text-center" id="pills-tab" role="tablist">↵
214.            <li class="nav-item" role="presentation">↵
```

```
215.                          <button class="nav-link disabled w-100" id="pills-overview-tab" data-bs-toggle="pill" data-bs-
       target="#pills-overview" type="button" role="tab" aria-selected="false">↵
216.                              <span class="badge bg-secondary rounded-circle me-3">1</span>Overview↵
217.                          </button>↵
218.                      </li>↵
219.                      <li class="nav-item" role="presentation">↵
220.                          <button class="nav-link active w-100" id="pills-addresses-tab" data-bs-toggle="pill" data-bs-
       target="#pills-addresses" type="button" role="tab" aria-selected="true">↵
221.                              <span class="badge bg-success rounded-circle me-3">2</span>Addresses↵
222.                          </button>↵
223.                      </li>↵
224.                      <li class="nav-item" role="presentation">↵
225.                          <button class="nav-link disabled w-100" id="pills-shipping-tab" data-bs-toggle="pill" data-bs-
       target="#pills-shipping" type="button" role="tab" aria-selected="false">↵
226.                              <span class="badge bg-secondary rounded-circle me-3">3</span>Shipping↵
227.                          </button>↵
228.                      </li>↵
229.                      <li class="nav-item" role="presentation">↵
230.                          <button class="nav-link disabled w-100" id="pills-payment-tab" data-bs-toggle="pill" data-bs-
       target="#pills-payment" type="button" role="tab" aria-selected="false">↵
231.                              <span class="badge bg-secondary rounded-circle me-3">4</span>Payment↵
232.                          </button>↵
233.                      </li>↵
234.                  </ul>↵
235.                  <div class="tab-content" id="pills-tabContent">↵
236.                      ↵
237.                                      <div class="tab-pane fade show active" id="pills-addresses" role="tabpanel" aria-
       labelledby="pills-addresses-tab">↵
238.          ↵
239.          <form method="post" action="http://lbaw2111.lbaw-prod.fe.up.pt/checkout/toShipping" class="row p-4"
       id="addresses_checkout_form">↵
240.              <input type="hidden" name="_token" value="oSGdceRCpvJGHoyWKLaruhpKjExkI0EEM2uRbDOF">          <div
       id="billingAddressDiv_checkout" class="col-lg-6 col-12">↵
241.                  <h4 class="text-center mb-4">Billing Address</h4>↵
242.                  <div class="form-check mt-4 ps-5">↵
243.                      ↵
244.                          <input class="form-check-input" type="checkbox" value="Yes" checked name="useDefinedBilling"
       id="useDefinedBilling">↵
245.                              <label class="form-check-label" for="useDefinedBilling">↵
246.                      Use previously defined billing address↵
247.                          </label>↵
248.                  </div>↵
249.                   ↵
250.                  <table id="billingAddress_checkout" class="mt-4 mb-5 table">↵
251.              <tbody>↵
252.              <tr>↵
253.                  <th scope="row">Address</th>↵
```

```
254.                    <td>Oak Way</td>↵
255.                </tr>↵
256.                <tr>↵
257.                    <th scope="row">City</th>↵
258.                    <td>Birmingham</td>↵
259.                </tr>↵
260.                <tr>↵
261.                    <th scope="row">Country</th>↵
262.                    <td>Peru</td>↵
263.                </tr>↵
264.                <tr>↵
265.                    <th scope="row">Zip Code</th>↵
266.                    <td>49361</td>↵
267.                </tr>↵
268.            </tbody>↵
269.        </table>                    </div>↵
270.  ↵
271.            <div class="col-lg-6 addressForm">↵
272.                <h4 class="text-center mb-4">Shipping Address</h4>↵
273.                <div class="row mt-4 ps-3">↵
274.                    <div class="form-check text-md-start col-12">↵
275.                        <input class="form-check-input" checked type="radio" name="shippingUse" value="defined"
        id="useDefinedShipping">↵
276.                        <label class="form-check-label" for="useDefinedShipping">↵
277.                            Use previously defined shipping address↵
278.                        </label>↵
279.                    </div>↵
280.                    <div class="form-check text-md-start col-12">↵
281.                        <input class="form-check-input" type="radio" name="shippingUse" value="equal"
        id="shippingEqualBilling">↵
282.                        <label class="form-check-label" for="shippingEqualBilling">↵
283.                            Use my billing address as my shipping address↵
284.                        </label>↵
285.                    </div>↵
286.                    <div class="form-check text-md-start col-12">↵
287.                        <input class="form-check-input" type="radio" name="shippingUse" value="other"
        id="otherShipping">↵
288.                        <label class="form-check-label" for="otherShipping">↵
289.                            Insert a different shipping address↵
290.                        </label>↵
291.                    </div>↵
292.                </div>↵
293.                <table id="shippingAddress_checkout" class="mt-4 mb-5 table">↵
294.                <tbody>↵
295.                <tr>↵
296.                    <th scope="row">Address</th>↵
297.                    <td>Oak Way</td>↵
```

```
298.              </tr>↵
299.              <tr>↵
300.                  <th scope="row">City</th>↵
301.                  <td>Birmingham</td>↵
302.              </tr>↵
303.              <tr>↵
304.                  <th scope="row">Country</th>↵
305.                  <td>Peru</td>↵
306.              </tr>↵
307.              <tr>↵
308.                  <th scope="row">Zip Code</th>↵
309.                  <td>49361</td>↵
310.              </tr>↵
311.          </tbody>↵
312.      </table>          </div>↵
313.              ↵
314.          <footer class="ps-4 mt-3 row">↵
315.              <button type="button" class="btn btn-dark col-lg-3 col-12 go_back_checkout" id="go_back_addresses"><i
      class="bi bi-arrow-left-circle"></i> Go Back</button>↵
316.              <button type="submit" class="btn btn-success offset-lg-6 col-lg-3 col-12">Proceed to Shipping <i
      class="bi bi-arrow-right-circle"></i></button>↵
317.          </footer>↵
318.      </form>↵
319. </div>          ↵
320.              ↵
321.              ↵
322.                  </div>↵
323.      </div>↵
324. </div>↵
325.  ↵
326.                  <!-- separator -->↵
327.  ↵
328.                  ↵
329.          </div>↵
330.      </main>↵
331.      <footer class="footer" style="background-color: #EAE7DE;">↵
332.              <a href="/about" class="ps-2 float-right"> About </a>↵
333.              <a href="/faq" class="ps-2 float-right"> FAQ </a>↵
334.              <a href="/contacts" class="ps-2 float-right"> Contact Us </a>↵
335.      </footer>↵
336.  ↵
337.      <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta2/dist/js/bootstrap.bundle.min.js"↵
338.          integrity="sha384-b5kHyXgcpbZJO/tY9Ul7kGkf1S0CWuKcCD38l8YkeH8z8QjE0GmW1gYU5S9FOnJ0"
      crossorigin="anonymous">↵
339.      </script>↵
340.  ↵
341.      <script>↵
```

```
342.        var tooltipTriggerList = [].slice.call(document.querySelectorAll('[data-bs-toggle="tooltip"]'))↵
343.        var tooltipList = tooltipTriggerList.map(function (tooltipTriggerEl) {↵
344.        return new bootstrap.Tooltip(tooltipTriggerEl)↵
345.        })↵
346.  ↵
347.        var popoverTriggerList = [].slice.call(document.querySelectorAll('[data-bs-toggle="popover"]'))↵
348.        var popoverList = popoverTriggerList.map(function (popoverTriggerEl) {↵
349.          return new bootstrap.Popover(popoverTriggerEl)↵
350.        })↵
351.      </script>↵
352.  ↵
353.    </body>↵
354.  ↵
355. </html>
```

Used the HTML parser.

Total execution time 84 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 21.6.2