# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☑ source ☐ outline ☐ image report [Options…]

Check by [text input ▾] ☐ css

```
        </div>
    </main>
    <footer class="footer" style="background-color: #EAE7DE;">
            <a href="/about" class="ps-2 float-right"> About </a>
            <a href="/faq" class="ps-2 float-right"> FAQ </a>
            <a href="/contacts" class="ps-2 float-right"> Contact Us </a>
    </footer>

    <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta2/dist/js/bootstrap.bundle.min.js"
        integrity="sha384-b5kHyXgcpbZJO/tY9Ul7kGkf1S0CWuKcCD38l8YkeH8z8QjE0GmW1gYU5S9FOnJ0" crossorigin="anonymous">
    </script>

    <script>
      var tooltipTriggerList = [].slice.call(document.querySelectorAll('[data-bs-toggle="tooltip"]'))
```

[Check]

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering]

Document checking completed. No errors or warnings to show.

Source

```
 1.  ↵
 2.  <!DOCTYPE html>↵
 3.  <html lang="en">↵
 4.    <head>↵
 5.      <meta charset="utf-8">↵
 6.      <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
 7.      <meta name="viewport" content="width=device-width, initial-scale=1">↵
 8.  ↵
 9.      <!-- CSRF Token -->↵
10.      <meta name="csrf-token" content="9mz1HxeFlPTYr4s83zXkkFFB9ltrNjPhvuwhVDJK">↵
11.  ↵
12.          <title>Register</title>↵
13.  ↵
14.      <!-- Styles -->↵
15.      <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta2/dist/css/bootstrap.min.css" rel="stylesheet"
     integrity="sha384-BmbxuPwQa2lc/FVzBcNJ7UAyJxM6wuqIj61tLrc4wSX0szH/Ev+nYRRuWlolflfl" crossorigin="anonymous">↵
16.      <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.4.0/font/bootstrap-icons.css">↵
17.      <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/scrollBar.css">↵
18.      <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/print.css">↵
19.      <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/test.css">↵
20.      <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/footer.css">↵
21.      <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/zoom.css">↵
22.      <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/user.css">↵
23.      <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/cards.css">↵
24.      <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/cart.css">↵
25.      <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/contacts.css">↵
26.      <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/searchResults.css">↵
27.      <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/signin.css">↵
28.      <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/addItem.css">↵
29.  ↵
30.  ↵
31.      <link rel="preconnect" href="https://fonts.gstatic.com">↵
32.      <link href="https://fonts.googleapis.com/css2?family=Poppins&display=swap" rel="stylesheet">↵
33.  ↵
34.      <script src="http://lbaw2111.lbaw-prod.fe.up.pt/js/ajax.js" defer></script>↵
35.  ↵
36.  ↵
37.  ↵
38.      <meta name="viewport" content="width=device-width, initial-scale=1">↵
39.      ↵
40.      <script>↵
41.          // Fix for Firefox autofocus CSS bug↵
42.          // See: http://stackoverflow.com/questions/18943276/html-5-autofocus-messes-up-css-
     loading/18945951#18945951↵
43.      </script>↵
44.  ↵
45.    </head>↵
```

```
46.        ↵
47.  <body>↵
48.    ↵
49.        ↵
50.        ↵
51.      ↵
52.    <nav class="navbar navbar-expand-lg navbar-dark sticky-top pb-lg-2 pb-0" style="background-color:#36312b">↵
53.        <div class="container-fluid">↵
54.  ↵
55.            ↵
56.                        ↵
57.  ↵
58.              ↵
59.            <a class="navbar-brand ms-lg-4" href="/"><img class="img-fluid" width="150" height="30"
     src="http://lbaw2111.lbaw-prod.fe.up.pt/img/logo_light.png" alt="logo"></a>↵
60.            <button class="navbar-toggler btn btn-lg border-0" id="personButton" type="button" data-bs-
     toggle="collapse" data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-
     expanded="false" aria-label="Toggle navigation">↵
61.                <i class="bi bi-lg bi-person-circle"></i>↵
62.            </button>↵
63.  ↵
64.            <div class="collapse navbar-collapse d-lg-flex justify-content-between text-center"
     id="navbarSupportedContent">↵
65.                    ↵
66.                <form action="/searchResults" class="d-lg-inline d-none w-50 ms-5" method="get">↵
67.                    <div class="input-group">↵
68.                              ↵
69.                        <input name="step" value="1" style="display: none;">↵
70.                        <input type="text" id="search" name="search" class="form-control w-50" placeholder="Search
     For An Item" aria-label="Text input with dropdown button">↵
71.                        <button type="submit" class="btn btn-secondary" aria-label="Text input with dropdown
     button"><i class="bi bi-search"></i></button>↵
72.                    </div>↵
73.                </form>↵
74.                <ul class="navbar-nav mb-2 mb-lg-0">↵
75.                                    <li class="nav-item d-lg-flex align-items-lg-center py-2 py-lg-0 px-lg-2">↵
76.                        <a class="nav-link pe-0" href=/userProfile/cart>↵
77.                        <i class="bi bi-cart" style="font-size: 1.5em;"></i>↵
78.                        <span class="cart-number-small d-lg-none" style="color:white !important">↵
79.                            <span class="cart-number">1</span> items↵
80.                        </span>                        ↵
81.                        </a>↵
82.                        <span class="cart-number cart-number-badge d-lg-block d-none d-flex">1</span>↵
83.                    </li>↵
84.  ↵
85.                    <li class="nav-item">↵
```

```
86.                                             <div class="d-flex align-items-center justify-content-center pt-
      1">↵
87.                               <a class="nav-link" href="/login" style="color:white !important">Login</a>↵
88.                           </div>↵
89.                                         </li>↵
90.    ↵
91.                     <li class="nav-item">↵
92.                                             <div class="d-flex align-items-center justify-content-center pt-
      1">↵
93.                               <a class="nav-link" href="/register" style="color:white !important">Register</a>↵
94.                           </div>↵
95.    ↵
96.                                         </li>↵
97.                   </ul>↵
98.               </div>↵
99.          </div>↵
100.        <div class="d-lg-none row w-100 h-100" id="navbarCategoryDropDown">↵
101.             </div>↵
102.   </nav>↵
103.     ↵
104.       <main class="d-flex" id="page">↵
105.          <div class="row align-self-stretch no-gutters w-100" style="margin-left: 0px;">↵
106.   ↵
107.   ↵
108.                                ↵
109.           <!-- Form -->↵
110. <form method="POST" action="http://lbaw2111.lbaw-prod.fe.up.pt/register">↵
111.    <input type="hidden" name="_token" value="9mz1HxeFlPTYr4s83zXkkFFB9ltrNjPhvuwhVDJK">↵
112.   ↵
113.    <div class="p-0" style="background-color:#f2f2f2;">↵
114.        <div class="container col-md-7 p-lg-5 p-3 shadow-sm h-100" style="background-color:white">↵
115.           <div class="w-75 m-auto pt-3">↵
116.               <div class="text-center pt-3 fs-3">↵
117.                   <b>Account info</b>↵
118.               </div>↵
119.               <div class="pt-3">↵
120.                   <label style="padding-bottom: 1%;" for="email"  class="form-label"><b>E-Mail Address</b></label>↵
121.                   <input id="email" type="email" name="email" value="" required class="form-control" placeholder="E-
      mail, I.e: email@hotmail.com">↵
122.                                   </div>↵
123.               <div class="row pt-3">↵
124.                   <div class="col-md-6">↵
125.                       <label style="padding-bottom: 1%;" for="first_name" class="form-label"><b>First Name</b>
      </label>↵
126.                       <input id="first_name" type="text" name="first_name" value="" required autofocus class="form-
      control" placeholder="First Name, I.e: John">↵
127.                                       </div>↵
```

```
128.  ↵
129.                    <div class="col-md-6">↵
130.                       <label style="padding-bottom: 1%;" for="last_name" class="form-label"><b>Last Name</b></label>↵
131.                       <input id="last_name" type="text" name="last_name" value="" required  class="form-control"
      placeholder="Last Name, I.e: John">↵
132.                                               </div>↵
133.                </div>↵
134.                <div class="pt-3">↵
135.                  <label style="padding-bottom: 1%;" for="username"  class="form-label">↵
136.                     <b>Username</b>↵
137.                     <span>↵
138.                       <i class="bi bi-question-circle-fill" data-bs-toggle="tooltip" data-bs-placement="right"
      title="This will be your username visible to other users. Minimum of 4 characters">↵
139.                       </i>↵
140.                     </span>↵
141.                  </label>↵
142.                  <input id="username" type="text" name="username" value="" required class="form-control"
      placeholder="Username, I.e: JonDoe2">↵
143.                              </div>↵
144.                <div class="pt-3">↵
145.                  <label style="padding-bottom: 1%;" for="password"  class="form-label">↵
146.                     <b>Password</b>↵
147.                     <i class="bi bi-info-circle-fill" data-bs-toggle="tooltip" data-bs-placement="right" title="Choose
      a password of at least 6 characters">↵
148.                     </i>↵
149.                  </label>↵
150.                     <input id="password" type="password" name="password" value="" required class="form-control"
      placeholder="Password">↵
151.                                 </div>↵
152.                <div class="pt-3">↵
153.                  <label style="padding-bottom: 1%;" for="password_confirmation"  class="form-label">↵
154.                     <b>Confirm Password</b>↵
155.                  </label>↵
156.                  <input id="password_confirmation" type="password" name="password_confirmation" value="" required
      class="form-control" placeholder="Confirm Password">↵
157.                                 </div>↵
158.  ↵
159.                <div class="d-flex mt-3 flex-column justify-content-center h-50 align-items-center">↵
160.                   <button type="submit" class="btn btn-success w-50" >↵
161.                        Register↵
162.                   </button>↵
163.                </div>                 ↵
164.            </div>↵
165.        </div>↵
166.    </div>↵
167. </form>↵
168.                    <!-- separator -->↵
```

```
169.  ↵
170.                         ↵
171.             </div>↵
172.         </main>↵
173.         <footer class="footer" style="background-color: #EAE7DE;">↵
174.                 <a href="/about" class="ps-2 float-right"> About </a>↵
175.                 <a href="/faq" class="ps-2 float-right"> FAQ </a>↵
176.                 <a href="/contacts" class="ps-2 float-right"> Contact Us </a>↵
177.         </footer>↵
178.  ↵
179.         <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta2/dist/js/bootstrap.bundle.min.js"↵
180.             integrity="sha384-b5kHyXgcpbZJO/tY9Ul7kGkf1S0CWuKcCD38l8YkeH8z8QjE0GmW1gYU5S9FOnJ0"
        crossorigin="anonymous">↵
181.         </script>↵
182.  ↵
183.         <script>↵
184.           var tooltipTriggerList = [].slice.call(document.querySelectorAll('[data-bs-toggle="tooltip"]'))↵
185.           var tooltipList = tooltipTriggerList.map(function (tooltipTriggerEl) {↵
186.           return new bootstrap.Tooltip(tooltipTriggerEl)↵
187.           })↵
188.  ↵
189.           var popoverTriggerList = [].slice.call(document.querySelectorAll('[data-bs-toggle="popover"]'))↵
190.           var popoverList = popoverTriggerList.map(function (popoverTriggerEl) {↵
191.             return new bootstrap.Popover(popoverTriggerEl)↵
192.           })↵
193.         </script>↵
194.  ↵
195.     </body>↵
196.  ↵
197.  </html>
```

Used the HTML parser.

Total execution time 38 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 21.6.2