

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report Options...

Check by text input ▾ ☐ CSS

```
<a href="/about" class="ps-2 float-right"> About </a>
<a href="/faq" class="ps-2 float-right"> FAQ </a>
<a href="/contacts" class="ps-2 float-right"> Contact Us </a>
</footer>

<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta2/dist/js/bootstrap.bundle.min.js"
  integrity="sha384-b5kHyXgcpbZJ0/tY9U17kGkf1S0CWuKcCD38l8YkeH8z8QjE0GmW1gYU5S9F0nJ0" crossorigin="anonymous">
</script>

<script>
  var tooltipTriggerList = [].slice.call(document.querySelectorAll('[data-bs-toggle="tooltip"]'))
  var tooltipList = tooltipTriggerList.map(function (tooltipTriggerEl) {
    return new bootstrap.Tooltip(tooltipTriggerEl)
  })
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```
1.  ␣
2.  <!--Google map-->␣
3.  <!DOCTYPE html>␣
4.  <html lang="en">␣
5.    <head>␣
6.      <meta charset="utf-8">␣
7.      <meta http-equiv="X-UA-Compatible" content="IE=edge">␣
8.      <meta name="viewport" content="width=device-width, initial-scale=1">␣
9.    ␣
10.   <!-- CSRF Token -->␣
11.   <meta name="csrf-token" content="9mz1HxeFlPTYr4s83zXkkFFB91trNjPhvuwhVDJK">␣
12. ␣
13.     <title>Contact Us</title>␣
14. ␣
15.   <!-- Styles -->␣
16.   <link href="https://cdn.jsdelivrivr.net/npm/bootstrap@5.0.0-beta2/dist/css/bootstrap.min.css" rel="stylesheet"
integrity="sha384-BmbxuPwQa2lc/FVzBcNJ7UAyJxM6wuqIj61tLrc4wSX0szH/Ev+nYRRuWlolflfl" crossorigin="anonymous">␣
17.   <link rel="stylesheet" href="https://cdn.jsdelivrivr.net/npm/bootstrap-icons@1.4.0/font/bootstrap-icons.css">␣
18.   <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/scrollBar.css">␣
19.   <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/print.css">␣
20.   <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/test.css">␣
21.   <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/footer.css">␣
22.   <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/zoom.css">␣
23.   <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/user.css">␣
24.   <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/cards.css">␣
25.   <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/cart.css">␣
26.   <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/contacts.css">␣
27.   <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/searchResults.css">␣
28.   <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/signin.css">␣
29.   <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/addItem.css">␣
30. ␣
31. ␣
32.   <link rel="preconnect" href="https://fonts.gstatic.com">␣
33.   <link href="https://fonts.googleapis.com/css2?family=Poppins&display=swap" rel="stylesheet">␣
34. ␣
35.   <script src="http://lbaw2111.lbaw-prod.fe.up.pt/js/ajax.js" defer></script>␣
36. ␣
37. ␣
38. ␣
39.   <meta name="viewport" content="width=device-width, initial-scale=1">␣
40. ␣
41.   <script>␣
42.     // Fix for Firefox autofocus CSS bug␣
43.     // See: http://stackoverflow.com/questions/18943276/html-5-autofocus-messes-up-css-
loading/18945951#18945951␣
44.   </script>␣
45. ␣
```

```

46. </head>↵
47. ↵
48. <body>↵
49. ↵
50. ↵
51. ↵
52. ↵
53. <nav class="navbar navbar-expand-lg navbar-dark sticky-top pb-lg-2 pb-0" style="background-color:#36312b">↵
54.     <div class="container-fluid">↵
55. ↵
56.     ↵
57.         ↵
58.         <button class="btn btn-lg ms-3 me-0" id="categorySideBarButton" type="button" data-bs-
toggle="collapse" data-bs-target="#collapsibleColumn" aria-controls="collapsibleColumn" style="margin-right:2%;">↵
59.             <i class="bi bi-list-task" style="color:white !important"></i>↵
60.         </button>↵
61.         ↵
62. ↵
63.     ↵
64.     <a class="navbar-brand ms-lg-4" href="/"></a>↵
65.     <button class="navbar-toggler btn btn-lg border-0" id="personButton" type="button" data-bs-
toggle="collapse" data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-
expanded="false" aria-label="Toggle navigation">↵
66.         <i class="bi bi-lg bi-person-circle"></i>↵
67.     </button>↵
68. ↵
69.     <div class="collapse navbar-collapse d-lg-flex justify-content-between text-center"
id="navbarSupportedContent">↵
70.         ↵
71.         <form action="/searchResults" class="d-lg-inline d-none w-50 ms-5" method="get">↵
72.             <div class="input-group">↵
73.                 ↵
74.                 <select class="form-select fs-lg-3" id="categories" name="categories">↵
75.                     <option selected value="-1">All</option>↵
76. ↵
77.                     <option value="1">Computers</option>↵
78.                     <option value="2">Books</option>↵
79.                     <option value="3">Eletródomeéstics</option>↵
80.                     <option value="4">Video Games</option>↵
81.                     <option value="5">Smartphones</option>↵
82.                     <option value="6">Headphones</option>↵
83.                     <option value="7">Music CDs, Vinyl</option>↵
84.                     <option value="8">School Material</option>↵
85.                     <option value="9">Home Theatres</option>↵
86.                     <option value="10">Televisions</option>↵
87.                     <option value="11">Movies</option>↵

```

```

88.                                     </select><↵
89.                                     ↵
90.                                     <input name="step" value="1" style="display: none;">↵
91.                                     <input type="text" id="search" name="search" class="form-control w-50" placeholder="Search
For An Item" aria-label="Text input with dropdown button">↵
92.                                     <button type="submit" class="btn btn-secondary" aria-label="Text input with dropdown
button"><i class="bi bi-search"></i></button>↵
93.                                     </div>↵
94.                                     </form>↵
95.                                     <ul class="navbar-nav mb-2 mb-lg-0">↵
96.                                         <li class="nav-item d-lg-flex align-items-lg-center py-2 py-lg-0 px-lg-2">↵
97.                                             <a class="nav-link pe-0" href="/userProfile/cart">↵
98.                                                 <i class="bi bi-cart" style="font-size: 1.5em;"></i>↵
99.                                                 <span class="cart-number-small d-lg-none" style="color:white !important">↵
100.                                                     <span class="cart-number">1</span> items↵
101.                                                 </span>↵
102.                                                 </a>↵
103.                                                 <span class="cart-number cart-number-badge d-lg-block d-none d-flex">1</span>↵
104.                                         </li>↵
105. ↵
106.                                     <li class="nav-item">↵
107.                                         <div class="d-flex align-items-center justify-content-center pt-
1">↵
108.                                             <a class="nav-link" href="/login" style="color:white !important">Login</a>↵
109.                                         </div>↵
110.                                         </li>↵
111. ↵
112.                                     <li class="nav-item">↵
113.                                         <div class="d-flex align-items-center justify-content-center pt-
1">↵
114.                                             <a class="nav-link" href="/register" style="color:white !important">Register</a>↵
115.                                         </div>↵
116. ↵
117.                                         </li>↵
118.                                     </ul>↵
119.                                 </div>↵
120. </div>↵
121. <div class="d-lg-none row w-100 h-100" id="navbarCategoryDropDown">↵
122.     <form action="/searchResults" class="col-11 offset-1" method="get">↵
123.         <div class="input-group">↵
124.             <select class="form-select fs-lg-3" id="search_category" name="categories">↵
125.                 <option selected value="-1">All</option>↵
126. ↵
127.                                     <option value="1">Computers</option>↵
128.                                     <option value="2">Books</option>↵
129.                                     <option value="3">Eletrodomestics</option>↵
130.                                     <option value="4">Video Games</option>↵

```

```

131.         <option value="5">Smartphones</option>↵
132.         <option value="6">Headphones</option>↵
133.         <option value="7">Music CDs, Vinyl</option>↵
134.         <option value="8">School Material</option>↵
135.         <option value="9">Home Theatres</option>↵
136.         <option value="10">Televisions</option>↵
137.         <option value="11">Movies</option>↵
138.     ↵
139.     </select>↵
140.     <input name="step" value="1" style="display: none;">↵
141.     <input type="text" id="searchSmall" name="search" class="form-control w-25" placeholder="Search
For An Item" aria-label="Text input with dropdown button">↵
142.     <button type="submit" class="btn btn-dark w-25" aria-label="Text input with dropdown button"><i
class="bi bi-search"></i></button>↵
143.     </div>↵
144. </form>↵
145. </div>↵
146. </nav>↵
147. ↵
148.     <main class="d-flex" id="page">↵
149.         <div class="row align-self-stretch no-gutters w-100" style="margin-left: 0px;">↵
150. ↵
151. ↵
152.         ↵
153.         <div class="col-lg-2 col-md-4 col-6 text-center collapse p-0" id="collapsibleColumn"
style="position:fixed;">↵
154.             <div class="list-group h-100 rounded-0">↵
155.                 <form action="/searchResults" method="GET" name="Login">↵
156.                     <input type="hidden" name="categories" value="1">↵
157.                     <button class="list-group-item list-group-item-action text-center">Computers</button>     ↵
158.                 </form>↵
159.                 <form action="/searchResults" method="GET" name="Login">↵
160.                     <input type="hidden" name="categories" value="2">↵
161.                     <button class="list-group-item list-group-item-action text-center">Books</button>     ↵
162.                 </form>↵
163.                 <form action="/searchResults" method="GET" name="Login">↵
164.                     <input type="hidden" name="categories" value="3">↵
165.                     <button class="list-group-item list-group-item-action text-center">Eletrdomestics</button>     ↵
166.                 </form>↵
167.                 <form action="/searchResults" method="GET" name="Login">↵
168.                     <input type="hidden" name="categories" value="4">↵
169.                     <button class="list-group-item list-group-item-action text-center">Video Games</button>     ↵
170.                 </form>↵
171.                 <form action="/searchResults" method="GET" name="Login">↵
172.                     <input type="hidden" name="categories" value="5">↵
173.                     <button class="list-group-item list-group-item-action text-center">Smartphones</button>     ↵
174.                 </form>↵

```

```

175.         <form action="/searchResults" method="GET" name="Login">↵
176.         <input type="hidden" name="categories" value="6">↵
177.         <button class="list-group-item list-group-item-action text-center">Headphones</button>    ↵
178.     </form>↵
179.         <form action="/searchResults" method="GET" name="Login">↵
180.         <input type="hidden" name="categories" value="7">↵
181.         <button class="list-group-item list-group-item-action text-center">Music CDs, Vinyl</button>    ↵
182.     </form>↵
183.         <form action="/searchResults" method="GET" name="Login">↵
184.         <input type="hidden" name="categories" value="8">↵
185.         <button class="list-group-item list-group-item-action text-center">School Material</button>    ↵
186.     </form>↵
187.         <form action="/searchResults" method="GET" name="Login">↵
188.         <input type="hidden" name="categories" value="9">↵
189.         <button class="list-group-item list-group-item-action text-center">Home Theatres</button>    ↵
190.     </form>↵
191.         <form action="/searchResults" method="GET" name="Login">↵
192.         <input type="hidden" name="categories" value="10">↵
193.         <button class="list-group-item list-group-item-action text-center">Televisions</button>    ↵
194.     </form>↵
195.         <form action="/searchResults" method="GET" name="Login">↵
196.         <input type="hidden" name="categories" value="11">↵
197.         <button class="list-group-item list-group-item-action text-center">Movies</button>    ↵
198.     </form>↵
199. ↵
200. </div>↵
201. </div>↵
202. ↵
203. <div class="container col-12 p-0" style="background-color: #D0D8D4">↵
204.     <div class="col-12 offset-md-1 col-md-10 h-100 p-0" style="max-width: 100%; background-color: #F8F8F8;">↵
205.         <div class="container" id="contact">↵
206.             <div class="d-flex row">↵
207.                 <div class="col-12 col-md-8">↵
208.                     <iframe id="ContactsMap" style="width: 100%" height="350"
src="https://maps.google.co.uk/maps?
f=q&source=s_q&hl=en&geocode=&q=15+Springfield+Way,+Hythe,+CT21+5SH&aq=t&sll=52.8382,-2.327815&sspn=8.047465,13.6669
92&ie=UTF8&hq=&hnear=15+Springfield+Way,+Hythe+CT21+5SH,+United+Kingdom&t=m&z=14&ll=51.077429,1.121722&output=embed"
>↵
209.                     </iframe>↵
210.                 </div>↵
211.                 <section class="col pt-md-5" id="ContactsCol">↵
212.                     <div class="container pt-md-5">↵
213.                         <h2>Fneuc</h2>↵
214.                         <address>↵
215.                             <strong>Fneuc</strong><br>↵
216.                             15 Springfield Way<br>↵
217.                             Hythe CT21 5SH<br>↵

```

```

218.                                     UK<br>↵
219.                                     Phone: +0351 123 456 789↵
220.                                </address>↵
221.                                </div>↵
222.                        </section>↵
223.                        </div>↵
224.                </div>↵
225.                </div>↵
226. </div>↵
227.                <!-- separator -->↵
228. ↵
229.                ↵
230.                </div>↵
231.        </main>↵
232.        <footer class="footer" style="background-color: #EAE7DE;">↵
233.                <a href="/about" class="ps-2 float-right"> About </a>↵
234.                <a href="/faq" class="ps-2 float-right"> FAQ </a>↵
235.                <a href="/contacts" class="ps-2 float-right"> Contact Us </a>↵
236.        </footer>↵
237. ↵
238.        <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta2/dist/js/bootstrap.bundle.min.js"↵
239.                integrity="sha384-b5kHyXgcpbZJ0/tY9U17kGk1S0CWuKcCD38l8YkeH8z8QjE0GmW1gYU5S9FOnJ0"↵
240.        crossorigin="anonymous">↵
241. ↵
242.        <script>↵
243.                var tooltipTriggerList = [].slice.call(document.querySelectorAll('[data-bs-toggle="tooltip"]'))↵
244.                var tooltipList = tooltipTriggerList.map(function (tooltipTriggerEl) {↵
245.                return new bootstrap.Tooltip(tooltipTriggerEl)↵
246.                })↵
247. ↵
248.                var popoverTriggerList = [].slice.call(document.querySelectorAll('[data-bs-toggle="popover"]'))↵
249.                var popoverList = popoverTriggerList.map(function (popoverTriggerEl) {↵
250.                return new bootstrap.Popover(popoverTriggerEl)↵
251.                })↵
252.        </script>↵
253. ↵
254. </body>↵
255. ↵
256. </html>

```

Used the HTML parser.

Total execution time 48 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 21.5.28