## Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

## Source

```
1. ←
 2. <!DOCTYPE html>↔
 3. <html lang="en">←
 4.
      <head>←
 5.
        <meta charset="utf-8">←
 6.
        <meta http-equiv="X-UA-Compatible" content="IE=edge">←
 7.
        <meta name="viewport" content="width=device-width, initial-scale=1">↔
 8. ←
 9.
        <!-- CSRF Token -->↔
10.
        <meta name="csrf-token" content="oSGdceRCpvJGHoyWKLaruhpKjExkI0EEM2uRbDOF">↔
11. ←
12.
            <title>←
13.
14.
            User Administration↔
15.
        </title>←
16. ←
17.
        <!-- Styles -->↔
18.
        <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta2/dist/css/bootstrap.min.css" rel="stylesheet"</pre>
   integrity="sha384-BmbxuPwOa2lc/FVzBcNJ7UAyJxM6wuqIj61tLrc4wSX0szH/Ev+nYRRuWlolf1f1" crossorigin="anonymous">↔
        <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.4.0/font/bootstrap-icons.css">↔
19.
20.
        <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/scrollBar.css">↔
21.
        <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/print.css">↔
22.
        <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/test.css">↔
23.
        <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/footer.css">↔
24.
        <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/zoom.css">↔
25.
        <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/user.css">↔
26.
        <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/cards.css">↔
27.
        <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/cart.css">↔
28.
        <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/contacts.css">←
29.
        <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/searchResults.css">↔
30.
        <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/signin.css">↔
31.
        <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/addItem.css">↔
32. ←
33. ←
34.
        <link rel="preconnect" href="https://fonts.gstatic.com">←
35.
        <link href="https://fonts.googleapis.com/css2?family=Poppins&display=swap" rel="stylesheet">←
36. ←
37.
        <script src="http://lbaw2111.lbaw-prod.fe.up.pt/js/ajax.js" defer></script>↔
38. ←
39. ←
40. ←
41.
        <meta name="viewport" content="width=device-width, initial-scale=1">←
42.
43.
        <script>←
44.
            // Fix for Firefox autofocus CSS bug←
            // See: http://stackoverflow.com/questions/18943276/html-5-autofocus-messes-up-css-
45.
    loading/18945951#18945951↔
```

```
46.
        </script>←
47. ←
48.
      </head>↔
49.
      \hookrightarrow
50. <body>←
51. ←
52.
        \leftarrow
53.
        \leftarrow
54.
55.
      <nav class="navbar navbar-expand-lg navbar-dark sticky-top pb-lg-2 pb-0" style="background-color:#36312b">←
56.
          <div class="container-fluid">←
57. ←
58.
59.
60
                   <button class="btn btn-lg ms-3 me-0" id="categorySideBarButton" type="button" data-bs-</pre>
    toggle="collapse" data-bs-target="#collapsableColumn" aria-controls="collapsableColumn" style="margin-right:2%;">↔
61.
                       <i class="bi bi-list-task" style="color:white !important"></i>↔
62.
                   </button>←
63.
64. ←
65.
66
              <a class="navbar-brand ms-lg-4" href="/"><img class="img-fluid" width="150" height="30"</pre>
    src="http://lbaw2111.lbaw-prod.fe.up.pt/img/logo light.png" alt="logo"></a>↔
67.
              <button class="navbar-toggler btn btn-lg border-0" id="personButton" type="button" data-bs-</pre>
    toggle="collapse" data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-
    expanded="false" aria-label="Toggle navigation">↔
                   <i class="bi bi-lg bi-person-circle"></i>
68.
69.
              </button>←
70. ←
71.
               <div class="collapse navbar-collapse d-lg-flex justify-content-between text-center"</pre>
    id="navbarSupportedContent">←
72.
73.
                     <form action="/searchResults" class="d-lg-inline d-none w-50 ms-5" method="get">←
74.
                         <div class="input-group">←
75.
76.
                                 <select class="form-select fs-lg-3" id="categories" name="categories">↔
77.
                                      <option selected value="-1">All</option>←
78. ←
79.
                                                                                <option value="1">Computers</option>←
80.
                                                                                <option value="2">Books</option>←
81.
                                                                                <option value="3">Eletrodomestics</option>←
82.
                                                                                <option value="4">Video Games</option>←
                                                                                <option value="5">Smartphones</option>←
83.
84.
                                                                                <option value="6">Headphones</option>←
85.
                                                                                <option value="7">Music CDs, Vinil</option>←
86.
                                                                                <option value="8">School Material</option>←
                                                                                <option value="9">Home Theatres</option>←
87.
```

```
88.
                                                                           <option value="10">Televisions</option>←
 89.
                                                                           <option value="11">Movies</option>←
 90.
                                                               </select>←
 91.
 92.
                            <input name="step" value="1" style="display: none;">←
                            <input type="text" id="search" name="search" class="form-control w-50" placeholder="Search</pre>
 93.
    For An Item" aria-label="Text input with dropdown button">↔
                            <button type="submit" class="btn btn-secondary" aria-label="Text input with dropdown</pre>
 94.
    button"><i class="bi bi-search"></i></button>↔
 95.
                        </div>←
 96.
                    </form>←
                    ←
 97.
 98.
                                            ←
 99.
                            <a class="nav-link pe-0" href=/userProfile/cart>←
100.
                            <i class="bi bi-cart" style="font-size: 1.5em;"></i>
101.
                            <span class="cart-number-small d-lg-none" style="color:white !important">↔
102.
                                <span class="cart-number">15</span> items↔
103.
                            </span>
104.
                            </a>←
105.
                            <span class="cart-number cart-number-badge d-lg-block d-none d-flex">15</span>↔
106.
                        ↔
107. ←
108.
                        ←
109.
                                               ←
110. ←
111.
                        class="nav-item">←
112.
                                                       <div class="d-flex align-items-center justify-content-center pt-</pre>
    1">↩
113.
                                    <a href=/userProfile/ class="d-block" style="width: 3vw;">←
114.
                                                                           <div id="profilePic" class="d-flex rounded-</pre>
    circle" style=height:0;width:100%;padding-bottom:100%;background-image:url("http://lbaw2111.lbaw-
    prod.fe.up.pt/img/users/6.png");background-position:center;background-size:cover;>←
115.
                                        </div>←
116.
                                        \hookrightarrow
117.
                                                                           \leftarrow
118.
                                    </a>←
                                                                       <span id="hasNotifications" class=" d-lg-block</pre>
119.
    rounded-circle">←
120.
                                        </span>←
121.
                                                                   <a id="navbarUsername" class="nav-link p-1 pe-2</pre>
    align-middle" href=/userProfile/ style="color:white !important; border-right: 1px solid;">LbawAdmin2021</a>↔
122.
                                                                   <a class="nav-link p-1 align-middle px-2"</pre>
    href=/management style="color:white !important; border-right: 1px solid;" >Manage</a> ↔
                                                                   <a class="nav-link p-1 ps-2" href="/logout"</pre>
123.
     style="color:white !important;">Logout</a>↔
124.
                                </div>←
125.
                                               ←
```

```
126.
                     127.
               </div>↩
128.
           </div>←
129.
           <div class="d-lg-none row w-100 h-100" id="navbarCategoryDropDown">↔
130.
                         <form action="/searchResults" class="col-11 offset-1" method="get">←
131.
                     <div class="input-group">←
                         <select class="form-select fs-lg-3" id="search category" name="categories">↔
132.
133.
                             <option selected value="-1">All</option>←
134. ←
135.
                                                          <option value="1">Computers</option>←
136.
                                                          <option value="2">Books</option>←
137.
                                                          <option value="3">Eletrodomestics</option>←
138.
                                                          <option value="4">Video Games</option>←
139.
                                                          <option value="5">Smartphones</option>←
140.
                                                          <option value="6">Headphones</option>←
141.
                                                          <option value="7">Music CDs, Vinil</option>←
142.
                                                          <option value="8">School Material</option>←
143.
                                                          <option value="9">Home Theatres</option>←
144.
                                                          <option value="10">Televisions</option>←
145.
                                                          <option value="11">Movies</option>←
146.
147.
                         </select>←
148.
                         <input name="step" value="1" style="display: none;">←
149.
                         <input type="text" id="searchSmall" name="search" class="form-control w-25" placeholder="Search</pre>
     For An Item" aria-label="Text input with dropdown button">←
                         <button type="submit" class="btn btn-dark w-25" aria-label="Text input with dropdown button"><i</pre>
150.
     class="bi bi-search"></i></button>←
151.
                     </div>←
152.
                 </form>←
153.
                   </div>←
154.
       </nav>↩
155.
156.
           <main class="d-flex" id="page">←
157.
               <div class="row align-self-stretch no-gutters w-100" style="margin-left: 0px;">↔
158. ←
159. ←
160.
                                  \hookrightarrow
161.
162. <script src="http://lbaw2111.lbaw-prod.fe.up.pt/js/manageUsers.js" defer></script>↔
163. ←
164. ←
165. <div class="col-lg-2 col-md-4 col-6 text-center collapse p-0" id="collapsableColumn" style="position:fixed;">↔
166.
         <div class="list-group h-100 rounded-0">←
167.
                         <form action="/searchResults" method="GET" name="Login">←
168.
                     <input type="hidden" name="categories" value="1">←
                     <button class="list-group-item list-group-item-action text-center">Computers/button>
169.
170.
                 </form>
```

```
171.
                        <form action="/searchResults" method="GET" name="Login">↔
172.
                    <input type="hidden" name="categories" value="2">↔
173.
                    <button class="list-group-item list-group-item-action text-center">Books</button>
174.
                </form>
175.
                        <form action="/searchResults" method="GET" name="Login">↔
176.
                    <input type="hidden" name="categories" value="3">↔
177.
                    <button class="list-group-item list-group-item-action text-center">Eletrodomestics</button>
178.
                </form>
179.
                        <form action="/searchResults" method="GET" name="Login">←
180.
                    <input type="hidden" name="categories" value="4">←
181.
                    <button class="list-group-item list-group-item-action text-center">Video Games</button>
182.
                </form>
183.
                        <form action="/searchResults" method="GET" name="Login">↔
184.
                    <input type="hidden" name="categories" value="5">←
185.
                    <button class="list-group-item list-group-item-action text-center">Smartphones</button>
186.
                </form>
187.
                        <form action="/searchResults" method="GET" name="Login">↔
188.
                    <input type="hidden" name="categories" value="6">←
189.
                    <button class="list-group-item list-group-item-action text-center">Headphones</button>
190.
                </form>
191.
                        <form action="/searchResults" method="GET" name="Login">↔
192.
                    <input type="hidden" name="categories" value="7">←
193.
                    <button class="list-group-item list-group-item-action text-center">Music CDs, Vinil/button>
194.
                </form>
195.
                        <form action="/searchResults" method="GET" name="Login">↔
196.
                    <input type="hidden" name="categories" value="8">←
197.
                    <button class="list-group-item list-group-item-action text-center">School Material</button>
198.
                </form>
199.
                        <form action="/searchResults" method="GET" name="Login">↔
200.
                    <input type="hidden" name="categories" value="9">←
201.
                    <button class="list-group-item list-group-item-action text-center">Home Theatres</button>
202.
                </form>
203.
                        <form action="/searchResults" method="GET" name="Login">↔
204.
                    <input type="hidden" name="categories" value="10">←
205.
                    <button class="list-group-item list-group-item-action text-center">Televisions</button>
206.
                </form>
207.
                        <form action="/searchResults" method="GET" name="Login">↔
208.
                    <input type="hidden" name="categories" value="11">←
209.
                    <button class="list-group-item list-group-item-action text-center">Movies</button>
210.
                </form>
211.
212.
        </div>←
213. </div><nav aria-label="breadcrumb">↔
214.
        ←
215.
             <a href="/management">Administration Area</a>
216.
            Manage Users
217.
        ←
```

```
218. </nav>↔
219. ←
220. <div class="col">↔
221.
       <div class="container flex-col">←
222.
          <div class="offset-lg-3 col-lg-6 offset-lg-3 d-block">←
223.
             <div class="input-group p-3 justify-content-center" id="userFilter">←
224.
                <div class="input-group-prepend">←
225.
                   <select class="form-select" id="filterType" aria-label="Default select example">←
226.
                      <option selected value="1">Username</option>←
227.
                      <option value="2">Name</option>←
228.
                   </select>↔
229.
                </div>←
230.
                <input type="text" id="filterText" class="form-control" aria-label="Text input with dropdown</pre>
   button">←
231.
             </div>←
232.
          </div>←
233. ←
234.
          <div class="row" id="table">←
235.
             ↔
236.
       <thead>←
237.
          238.
             #←
239.
             Name←
240.
             Username←
241.
             Email←
242.
             Actions←
243.
          ↩
244.
       </thead>←
245.
       ←
246.
          ←
247.
             1←
248.
             Rachel
249.
             ↔
250.
                <a class="username-anchor" href=/userProfile/1>Lbaw2021NormalUser </a> ↔
251.
             ←
252.
             normallogin@gmail.com←
253.
254.
                   →
255.
                      <section id=actionButtons1>←
256.
      <button data-id=1 type="button" class="banButton btn btn-danger" data-bs-toggle="modal" data-bs-</pre>
   target=#banModal1><i class="bi bi-person-x-fill"></i>↔
257.
          <span class="d-none d-lg-inline">Ban &nbsp;&nbsp;&nbsp;&nbsp;</span>↔
258.
       </button>←
259. ←
260.
      <!-- Modal -->↔
261.
      <div class="modal fade" id=banModal1 tabindex="-1" aria-labelledby=banModalLabel1 aria-hidden="true">↔
262.
          <div class="modal-dialog">←
```

```
263.
                 <div class="modal-content">←
264.
                     <div class="modal-header">←
265.
                         <h5 class="modal-title" id=banModalLabel1>Promote User/h5>↔
266.
                         <button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>↔
267.
                     </div>←
                         <div class="modal-body">↔
268.
269.
                         Are you sure you want to ban Lbaw2021NormalUser?←
270.
                         <form>←
271
                             <div class="mb-3">←
272.
                               <label class="col-form-label">Reason:</label>←
                               <textarea class="form-control" id=banReason1 style="resize: none" required></textarea>↔
273.
274.
                             </div>←
275.
                         </form>←
276.
                     </div>←
277.
                     <div class="modal-footer">←
278.
                         <button type="button" class="btn btn-secondary" data-bs-dismiss="modal">Cancel</button>↔
279.
                         <button type="button" class="btn btn-primary" data-bs-dismiss="modal"</pre>
     onclick=banUser(1)>Yes</button>←
280.
                     </div>←
281.
                 </div>←
282.
             </div>←
283.
         </div>←
284. ←
285. ←
286. ←
287.
288.
         <button data-id=1 type="button" class="promoteButton btn btn-success" data-bs-toggle="modal" data-bs-</pre>
     target=#promoteModal1><i class="bi bi-person-plus-fill"></i>

289.
             <span class="d-none d-lg-inline">Promote to Admin< ←</pre>
290.
         </button>←
291.
292.
         <!-- Modal -->↔
293.
         <div class="modal fade" id=promoteModal1 tabindex="-1" aria-labelledby=promoteModalLabel1 aria-hidden="true">←
294.
             <div class="modal-dialog">←
295.
                 <div class="modal-content">←
296.
                     <div class="modal-header">←
297.
                     <h5 class="modal-title" id=promoteModalLabel1>Promote User</h5>↔
                     <button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>←
298.
299.
                     </div>←
300.
                     <div class="modal-body">←
301.
                     Are you sure you want to promote Lbaw2021NormalUser? ←
302.
                     </div>←
303.
                     <div class="modal-footer">←
304.
                     <button type="button" class="btn btn-secondary" data-bs-dismiss="modal">Cancel</button>↔
                     <button type="button" class="btn btn-primary" data-bs-dismiss="modal"</pre>
305.
     onclick=promoteUser(1)>Yes</button>↔
306.
                     </div>←
```

```
307.
               </div>←
308.
           </div>←
309.
        </div>←
310. ←
311.
312. </section>
313.
                      ←
314.
315.
           ←
316.
               ←
               2←
317.
318.
               Herbert←
319.
               ←
320.
                  <a class="username-anchor" href=/userProfile/3>Carlos83 </a> ↔
321.
               ←
322.
               gamingwithapotato@gmail.com
323.
324.
                      >←
325.
                         <section id=actionButtons3>←
326.
        <button data-id=3 type="button" class="banButton btn btn-danger" data-bs-toggle="modal" data-bs-</pre>
    target=#banModal3><i class="bi bi-person-x-fill"></i>↔
327.
           <span class="d-none d-lg-inline">Ban &nbsp;&nbsp;&nbsp;&nbsp;</span>↔
328.
        </button>←
329. ←
330.
        <!-- Modal -->↔
331.
        <div class="modal fade" id=banModal3 tabindex="-1" aria-labelledby=banModalLabel3 aria-hidden="true">↔
332.
           <div class="modal-dialog">←
333.
               <div class="modal-content">←
334.
                  <div class="modal-header">←
335.
                      <h5 class="modal-title" id=banModalLabel3>Promote User/h5>↔
336.
                      <button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>↔
337.
                  </div>←
338.
                      <div class="modal-body">←
339.
                      Are you sure you want to ban Carlos83?↔
340.
                      <form>←
341.
                          <div class="mb-3">↔
342.
                           <label class="col-form-label">Reason:</label>←
343.
                           <textarea class="form-control" id=banReason3 style="resize: none" required></textarea>↔
344.
                         </div>←
345.
                      </form>←
                  </div>↔
346.
347.
                  <div class="modal-footer">←
                      <button type="button" class="btn btn-secondary" data-bs-dismiss="modal">Cancel</button>←
348.
349.
                      <button type="button" class="btn btn-primary" data-bs-dismiss="modal"</pre>
    onclick=banUser(3)>Yes</button>←
350.
                  </div>←
351.
               </div>↔
```

```
352.
           </div>←
353.
        </div>↔
354. ←
355. ←
356. ←
357.
        <button data-id=3 type="button" class="promoteButton btn btn-success" data-bs-toggle="modal" data-bs-</pre>
358
    target=#promoteModal3><i class="bi bi-person-plus-fill"></i>↔
359.
           <span class="d-none d-lg-inline">Promote to Admin</span> ←
360.
        </button>←
361.
        ے
362.
        <!-- Modal -->↔
363.
        <div class="modal fade" id=promoteModal3 tabindex="-1" aria-labelledby=promoteModalLabel3 aria-hidden="true">←
364.
           <div class="modal-dialog">←
365.
               <div class="modal-content">←
366.
                  <div class="modal-header">←
367.
                  <h5 class="modal-title" id=promoteModalLabel3>Promote User</h5>↔
368.
                  <button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>↔
369.
                  </div>←
370.
                  <div class="modal-body">←
371.
                  Are you sure you want to promote Carlos83?←
372.
                  </div>←
373.
                  <div class="modal-footer">←
374.
                  <button type="button" class="btn btn-secondary" data-bs-dismiss="modal">Cancel</button>↔
375.
                  <button type="button" class="btn btn-primary" data-bs-dismiss="modal"</pre>
    onclick=promoteUser(3)>Yes</button>↔
376.
                  </div>←
377.
               </div>←
378.
           </div>←
379.
        </div>←
380. ←
381.
382. </section>
383.
                      ←
384.
385.
           ←
386.
               ←
387.
               3←
               Fons
388.
389.
               ↔
390.
                  <a class="username-anchor" href=/userProfile/4>Helma </a>←
391.
               ←
392.
               FreddyWarner@gawab.ca←
393.
                                    ≻
394.
                         <section id=actionButtons4>←
        <button data-id=4 type="button" class="d-none d-lg-inline unbanButton btn btn-danger" data-bs-toggle="modal"</pre>
395.
    data-bs-target=#unbanModal4><i class="bi bi-person-check-fill"></i>↔
```

```
396.
           Unhan←
397.
        </button>←
398.
399.
        <!-- Modal -->↔
       <div class="modal fade" id=unbanModal4 tabindex="-1" aria-labelledby=unbanModalLabel4 aria-hidden="true">←
400.
401
           <div class="modal-dialog">←
402.
           <div class="modal-content">←
403.
               <div class="modal-header">←
404
               <h5 class="modal-title" id=unbanModalLabel4>Unban User/h5>↔
405.
               <button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>↔
406.
               </div>←
407.
               <div class="modal-body">←
408.
                  Are you sure you want to unban Helma?
409.
                  >Ban reason: Offensive comments↔
410.
               </div>←
411
               <div class="modal-footer">←
412.
               <button type="button" class="btn btn-secondary" data-bs-dismiss="modal">Cancel</button>↔
413
               <button type="button" class="btn btn-primary" data-bs-dismiss="modal" onclick=unbanUser(4)>Yes</button>↔
414.
               </div>←
415.
           </div>←
416.
           </div>←
417.
        </div>←
418. </section>←
419.
                      420.
421.
           ←
422.
               ←
423.
               4←
              Isaac←
424.
               ↔
425.
426.
                  <a class="username-anchor" href=/userProfile/5>Bess0 </a>←
427.
               ←
428.
               BiancaDulisse2@lycos.co.uk↔
429.
430.
                      →
431.
                         <section id=actionButtons5>←
432.
       <button data-id=5 type="button" class="banButton btn btn-danger" data-bs-toggle="modal" data-bs-</pre>
    target=#banModal5><i class="bi bi-person-x-fill"></i>↔
433.
           <span class="d-none d-lg-inline">Ban &nbsp;&nbsp;&nbsp;&nbsp;</span>↔
434.
        </button>←
435. ←
        <!-- Modal -->↔
436.
437.
       <div class="modal fade" id=banModal5 tabindex="-1" aria-labelledby=banModalLabel5 aria-hidden="true">↔
438.
           <div class="modal-dialog">↔
439.
               <div class="modal-content">←
                  <div class="modal-header">↔
440.
441.
                      <h5 class="modal-title" id=banModalLabel5>Promote User</h5>↔
```

```
442.
                         <button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>↔
443.
                     </div>←
444.
                         <div class="modal-body">←
445.
                         Are you sure you want to ban Bess0?←
446.
                         <form>←
447
                             <div class="mb-3">←
448.
                               <label class="col-form-label">Reason:</label>←
449.
                               <textarea class="form-control" id=banReason5 style="resize: none" required></textarea>↔
450.
                             </div>←
451.
                         </form>←
452.
                     </div>←
453.
                     <div class="modal-footer">←
454.
                         <button type="button" class="btn btn-secondary" data-bs-dismiss="modal">Cancel</button>↔
455.
                         <button type="button" class="btn btn-primary" data-bs-dismiss="modal"</pre>
     onclick=banUser(5)>Yes</button>←
456.
                     </div>←
457.
                 </div>←
458.
             </div>←
459.
         </div>←
460. ←
461. ←
462. ←
463.
464
         <button data-id=5 type="button" class="promoteButton btn btn-success" data-bs-toggle="modal" data-bs-</pre>
    target=#promoteModal5><i class="bi bi-person-plus-fill"></i>
<
465.
             <span class="d-none d-lg-inline">Promote to Admin< ←</pre>
466.
         </button>←
467.
         ے
468.
         <!-- Modal -->↔
469.
         <div class="modal fade" id=promoteModal5 tabindex="-1" aria-labelledby=promoteModalLabel5 aria-hidden="true">←
470.
             <div class="modal-dialog">←
471.
                 <div class="modal-content">↔
472.
                     <div class="modal-header">←
473.
                     <h5 class="modal-title" id=promoteModalLabel5>Promote User</h5>↔
                     <button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>↔
474.
475.
                     </div>←
476.
                     <div class="modal-body">←
477.
                     Are you sure you want to promote Bess0?←
478.
                     </div>←
479.
                     <div class="modal-footer">←
480.
                     <button type="button" class="btn btn-secondary" data-bs-dismiss="modal">Cancel</button>↔
                     <button type="button" class="btn btn-primary" data-bs-dismiss="modal"</pre>
481.
     onclick=promoteUser(5)>Yes</button>←
482.
                     </div>←
                 </div>↩
483.
484.
             </div>←
485.
         </div>←
```

```
486. ←
487.
        ے
488. </section>
489.
                      ←
490.
491
           ←
492.
               ←
493.
               5←
494.
               Javier
               ←
495.
                  <a class="username-anchor" href=/userProfile/2>Suzanne36 </a>

496.
497.
               ←
498.
               RogierGuethlein4@weboffice.de
499.
500.
                      →
501.
                         <section id=actionButtons2>←
502.
        <button data-id=2 type="button" class="banButton btn btn-danger" data-bs-toggle="modal" data-bs-</pre>
    target=#banModal2><i class="bi bi-person-x-fill"></i>↔
503.
           <span class="d-none d-lg-inline">Ban &nbsp;&nbsp;&nbsp;&nbsp;
504.
        </button>←
505. ←
506.
        <!-- Modal -->↔
507.
        <div class="modal fade" id=banModal2 tabindex="-1" aria-labelledby=banModalLabel2 aria-hidden="true">↔
508.
           <div class="modal-dialog">←
509.
               <div class="modal-content">←
510.
                  <div class="modal-header">←
511.
                      <h5 class="modal-title" id=banModalLabel2>Promote User/h5>↔
512.
                      <button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>↔
513.
                  </div>←
514.
                      <div class="modal-body">←
515.
                      Are you sure you want to ban Suzanne36?←
516.
                      <form>←
                         <div class="mb-3">↔
517.
518.
                           <label class="col-form-label">Reason:</label>←
                           <textarea class="form-control" id=banReason2 style="resize: none" required></textarea>↔
519.
520.
                         </div>←
521.
                      </form>←
522.
                  </div>←
523.
                  <div class="modal-footer">←
524.
                      <button type="button" class="btn btn-secondary" data-bs-dismiss="modal">Cancel</button>↔
525.
                      <button type="button" class="btn btn-primary" data-bs-dismiss="modal"</pre>
    onclick=banUser(2)>Yes</button>←
526.
                  </div>↩
527.
               </div>←
           </div>↩
528.
529.
        </div>←
530. ←
```

```
531. ←
532. ←
533.
534.
        <button data-id=2 type="button" class="promoteButton btn btn-success" data-bs-toggle="modal" data-bs-</pre>
    target=#promoteModal2><i class="bi bi-person-plus-fill"></i>

535.
           <span class="d-none d-lg-inline">Promote to Admin</span> ←
536.
        </button>←
537.
538.
        <!-- Modal -->↔
        <div class="modal fade" id=promoteModal2 tabindex="-1" aria-labelledby=promoteModalLabel2 aria-hidden="true">←
539.
           <div class="modal-dialog">←
540.
541.
               <div class="modal-content">←
542.
                   <div class="modal-header">←
543.
                  <h5 class="modal-title" id=promoteModalLabel2>Promote User</h5>↔
544.
                  <button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>↔
545.
                  </div>←
546.
                  <div class="modal-body">←
547.
                  Are you sure you want to promote Suzanne36?←
548.
                  </div>←
                  <div class="modal-footer">←
549.
550.
                  <button type="button" class="btn btn-secondary" data-bs-dismiss="modal">Cancel</button>↔
551.
                  <button type="button" class="btn btn-primary" data-bs-dismiss="modal"</pre>
    onclick=promoteUser(2)>Yes</button>↔
552.
                  </div>←
553.
               </div>←
554.
           </div>←
555.
        </div>←
556. ←
557.
558. </section>
559.
                      ←
560.
561.
           ←
562.
               ←
563.
               6←
564.
               Mads
565.
               ←
566.
                   <a class="username-anchor" href=/userProfile/7>Steph3 </a>←
567.
               ←
               HToler@mymail.us
568.
569.
570.
                      >←
571.
                          <section id=actionButtons7>←
572.
        <button data-id=7 type="button" class="banButton btn btn-danger" data-bs-toggle="modal" data-bs-</pre>
    target=#banModal7><i class="bi bi-person-x-fill"></i>↔
573.
           <span class="d-none d-lg-inline">Ban &nbsp;&nbsp;&nbsp;&nbsp;</span>↔
574.
        </button>←
```

```
575. ←
576.
         <!-- Modal -->↔
577.
         <div class="modal fade" id=banModal7 tabindex="-1" aria-labelledby=banModalLabel7 aria-hidden="true">←
578.
             <div class="modal-dialog">←
579.
                 <div class="modal-content">←
580.
                     <div class="modal-header">←
581.
                         <h5 class="modal-title" id=banModalLabel7>Promote User/h5>↔
                         <button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>↔
582.
583.
                     </div>←
584.
                         <div class="modal-body">←
585.
                         Are you sure you want to ban Steph3?←
586.
                         <form>←
587.
                             <div class="mb-3">←
                               <label class="col-form-label">Reason:</label>←
588.
589.
                               <textarea class="form-control" id=banReason7 style="resize: none" required></textarea>↔
590.
                             </div>←
591.
                         </form>←
592.
                     </div>←
593.
                     <div class="modal-footer">←
594.
                         <button type="button" class="btn btn-secondary" data-bs-dismiss="modal">Cancel</button>↔
595.
                         <button type="button" class="btn btn-primary" data-bs-dismiss="modal"</pre>
     onclick=banUser(7)>Yes</button>←
596.
                     </div>←
597.
                 </div>↩
598.
             </div>←
599.
         </div>←
600. ←
601. ←
602. ←
603.
604.
         <button data-id=7 type="button" class="promoteButton btn btn-success" data-bs-toggle="modal" data-bs-</pre>
     target=#promoteModal7><i class="bi bi-person-plus-fill"></i>↔
605.
             <span class="d-none d-lg-inline">Promote to Admin< ←</pre>
606.
         </button>←
607.
608.
         <!-- Modal -->↔
609.
         <div class="modal fade" id=promoteModal7 tabindex="-1" aria-labelledby=promoteModalLabel7 aria-hidden="true">←
610.
             <div class="modal-dialog">←
611.
                 <div class="modal-content">←
612.
                     <div class="modal-header">←
613.
                     <h5 class="modal-title" id=promoteModalLabel7>Promote User</h5>↔
                     <button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>↔
614.
615.
                     </div>←
616.
                     <div class="modal-body">←
617.
                     Are you sure you want to promote Steph3?←
618.
                     </div>←
619.
                     <div class="modal-footer">←
```

```
<button type="button" class="btn btn-secondary" data-bs-dismiss="modal">Cancel</button>↔
620.
                  <button type="button" class="btn btn-primary" data-bs-dismiss="modal"</pre>
621.
    onclick=promoteUser(7)>Yes</button>←
622.
                  </div>←
623.
               </div>←
624.
           </div>←
625.
        </div>←
626. ←
627.
628. </section>
629.
                      ←
630.
631.
           ←
632.
               ←
633.
               7←
634.
               Shermie
635.
               ←
636.
                  <a class="username-anchor" href=/userProfile/8>Piotr </a>←
637.
               ←
638.
               Mandy.Fernandez5@freeweb.co.uk
639.
640.
                      →
641.
                         <section id=actionButtons8>←
        <button data-id=8 type="button" class="banButton btn btn-danger" data-bs-toggle="modal" data-bs-</pre>
642.
    target=#banModal8><i class="bi bi-person-x-fill"></i>↔
643.
           <span class="d-none d-lg-inline">Ban &nbsp;&nbsp;&nbsp;&nbsp;
644.
        </button>←
645. ←
646.
        <!-- Modal -->↔
        <div class="modal fade" id=banModal8 tabindex="-1" aria-labelledby=banModalLabel8 aria-hidden="true">↔
647.
648.
           <div class="modal-dialog">←
649.
               <div class="modal-content">↔
650.
                  <div class="modal-header">←
651.
                      <h5 class="modal-title" id=banModalLabel8>Promote User/h5>↔
                      <button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>↔
652.
653.
                  </div>↩
654.
                      <div class="modal-body">←
655.
                      Are you sure you want to ban Piotr?↔
656.
                      <form>←
657.
                         <div class="mb-3">←
658.
                           <label class="col-form-label">Reason:</label>←
659.
                           <textarea class="form-control" id=banReason8 style="resize: none" required></textarea>↔
660.
                         </div>←
661.
                      </form>←
                  </div>↩
662.
                  <div class="modal-footer">←
663.
664.
                      <button type="button" class="btn btn-secondary" data-bs-dismiss="modal">Cancel</button>↔
```

```
665.
                      <button type="button" class="btn btn-primary" data-bs-dismiss="modal"</pre>
    onclick=banUser(8)>Yes</button>←
666.
                  </div>←
667.
               </div>←
           </div>↩
668.
669.
        </div>←
670 ←
671. ←
672. ←
673.
674.
        <button data-id=8 type="button" class="promoteButton btn btn-success" data-bs-toggle="modal" data-bs-</pre>
    target=#promoteModal8><i class="bi bi-person-plus-fill"></i>↔
675.
           <span class="d-none d-lg-inline">Promote to Admin</span> ←
676.
        </button>←
677.
678.
        <!-- Modal -->↔
679.
        <div class="modal fade" id=promoteModal8 tabindex="-1" aria-labelledby=promoteModalLabel8 aria-hidden="true">←
680.
           <div class="modal-dialog">↔
681.
               <div class="modal-content">←
682.
                   <div class="modal-header">←
683.
                  <h5 class="modal-title" id=promoteModalLabel8>Promote User</h5>↔
684.
                   <button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>↔
685.
                  </div>←
686.
                  <div class="modal-body">↔
687.
                  Are you sure you want to promote Piotr?←
688.
                  </div>←
689.
                  <div class="modal-footer">←
690.
                  <button type="button" class="btn btn-secondary" data-bs-dismiss="modal">Cancel</button>↔
                  <button type="button" class="btn btn-primary" data-bs-dismiss="modal"</pre>
691.
    onclick=promoteUser(8)>Yes</button>↔
692.
                  </div>←
693.
               </div>←
694.
           </div>←
695.
        </div>↩
696. ←
697.
698. </section>
699.
                      ↩
700.
701.
           ←
702.
               ←
703.
               8←
               Pieter←
704.
705.
               ←
706.
                   <a class="username-anchor" href=/userProfile/9>Herb246 </a> ↔
707.
               ←
708.
               Trees.Gaskins5@gawab.es
```

```
→
709.
710.
                          <section id=actionButtons9>←
        <button data-id=9 type="button" class="d-none d-lg-inline unbanButton btn btn-danger" data-bs-toggle="modal"</pre>
711.
    data-bs-target=#unbanModal9><i class="bi bi-person-check-fill"></i>↔
712.
           Unhan↔
713.
        </button>←
714
715.
        <!-- Modal -->↔
716
        <div class="modal fade" id=unbanModal9 tabindex="-1" aria-labelledby=unbanModalLabel9 aria-hidden="true">↔
717.
           <div class="modal-dialog">←
718.
           <div class="modal-content">←
719.
               <div class="modal-header">←
720.
               <h5 class="modal-title" id=unbanModalLabel9>Unban User</h5>↔
721.
               <button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>↔
722.
               </div>←
723.
               <div class="modal-body">←
724.
                   Are you sure you want to unban Herb246?
⟨p>Are you sure you want to unban Herb246?
725.
                   Ban reason: Racist comment↔
726.
               </div>←
727.
               <div class="modal-footer">←
               <button type="button" class="btn btn-secondary" data-bs-dismiss="modal">Cancel/button>←
728.
729.
               <button type="button" class="btn btn-primary" data-bs-dismiss="modal" onclick=unbanUser(9)>Yes</button>↔
730.
               </div>←
731.
           </div>←
732.
           </div>←
733.
        </div>←
734. </section>←
735.
                      736.
737.
           ←
738.
               ←
739.
               9←
               Ana
740.
741.
               ←
                   <a class="username-anchor" href=/userProfile/11>ananachos </a>↔
742.
743.
               ←
744.
               anaiobarros@hotmail.com
745.
746.
                      →
747.
                          <section id=actionButtons11>←
        <button data-id=11 type="button" class="banButton btn btn-danger" data-bs-toggle="modal" data-bs-</pre>
748.
    target=#banModal11><i class="bi bi-person-x-fill"></i>↔
           <span class="d-none d-lg-inline">Ban &nbsp;&nbsp;&nbsp;&nbsp;
749.
750.
        </button>←
751. ←
752.
        <!-- Modal -->↔
753.
        <div class="modal fade" id=banModal11 tabindex="-1" aria-labelledby=banModalLabel11 aria-hidden="true">↔
```

```
<div class="modal-dialog">←
754.
755.
                 <div class="modal-content">←
756.
                     <div class="modal-header">←
757.
                         <h5 class="modal-title" id=banModalLabel11>Promote User</h5>↔
758.
                         <button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>↔
759.
                     </div>←
                         <div class="modal-body">←
760
761.
                         Are you sure you want to ban ananachos? ←
762
                         <form>←
763
                             <div class="mb-3">←
764.
                               <label class="col-form-label">Reason:</label>←
765.
                               <textarea class="form-control" id=banReason11 style="resize: none" required></textarea>↔
766.
                             </div>←
767.
                         </form>←
768.
                     </div>↩
769
                     <div class="modal-footer">←
770.
                         <button type="button" class="btn btn-secondary" data-bs-dismiss="modal">Cancel</button>↔
771
                         <button type="button" class="btn btn-primary" data-bs-dismiss="modal"</pre>
     onclick=banUser(11)>Yes</button>←
772.
                     </div>←
773.
                 </div>←
774.
             </div>←
775.
         </div>←
776 ↔
777. ←
778. ←
779.
780.
         <button data-id=11 type="button" class="promoteButton btn btn-success" data-bs-toggle="modal" data-bs-</pre>
     target=#promoteModal11><i class="bi bi-person-plus-fill"></i>↔
781.
             <span class="d-none d-lg-inline">Promote to Admin</span> ←
782.
         </button>←
783.
784.
         <!-- Modal -->↔
785.
         <div class="modal fade" id=promoteModal11 tabindex="-1" aria-labelledby=promoteModalLabel11 aria-hidden="true">←
786.
             <div class="modal-dialog">←
787.
                 <div class="modal-content">←
788.
                     <div class="modal-header">←
789.
                     <h5 class="modal-title" id=promoteModalLabel11>Promote User</h5>↔
                     <button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>←
790.
791.
                     </div>←
792.
                     <div class="modal-body">←
793.
                     Are you sure you want to promote ananachos? ←
794.
                     </div>↔
795.
                     <div class="modal-footer">←
796.
                     <button type="button" class="btn btn-secondary" data-bs-dismiss="modal">Cancel</button>↔
                     <button type="button" class="btn btn-primary" data-bs-dismiss="modal"</pre>
797.
     onclick=promoteUser(11)>Yes</button>↔
```

```
798.
                     </div>←
799.
                 </div>↩
800.
             </div>←
801.
         </div>←
802. ←
803.
804. </section>
805.
                         ←
806.
807.
             ↩
808.
             ←
809. 
                     </div>↩
810.
         </div>←
811. </div>←
812.
                       <!-- separator -->↔
813. ←
814.
               </div>↩
815.
816.
           </main>←
817.
           <footer class="footer" style="background-color: #EAE7DE;">↔
818.
                   <a href="/about" class="ps-2 float-right"> About </a>↔
819.
                   <a href="/fag" class="ps-2 float-right"> FAO </a>↔
820.
                   <a href="/contacts" class="ps-2 float-right"> Contact Us </a>↔
821.
           </footer>←
822. ←
823.
           <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta2/dist/js/bootstrap.bundle.min.js"
←</pre>
824.
               integrity="sha384-b5kHyXgcpbZJO/tY9Ul7kGkf1S0CWuKcCD3818YkeH8z80jE0GmW1gYU5S9F0nJ0"
     crossorigin="anonymous">↔
825.
           </script>↩
826. ←
827.
           <script>←
828.
             var tooltipTriggerList = [].slice.call(document.querySelectorAll('[data-bs-toggle="tooltip"]'))↔
829.
             var tooltipList = tooltipTriggerList.map(function (tooltipTriggerEl) {↔
830.
             return new bootstrap.Tooltip(tooltipTriggerEl) ←
831.
             })←
832. ←
833.
             var popoverTriggerList = [].slice.call(document.querySelectorAll('[data-bs-toggle="popover"]'))↔
834.
             var popoverList = popoverTriggerList.map(function (popoverTriggerEl) { ↔
835.
               return new bootstrap.Popover(popoverTriggerEl) ←
836.
             })←
837.
           </script>←
838. ←
839.
       </body>←
840. ←
841. </html>
```

Used the HTML parser.

https://validator.w3.org/nu/#textarea

20/21

Total execution time 107 milliseconds.

About this checker • Report an issue • Version: 21.5.28