# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☑ source   ☐ outline   ☐ image report   [Options…]

Check by [text input ▾] ☐ CSS

```
            <!-- separator -->


        </div>
    </main>
    <footer class="footer" style="background-color: #EAE7DE;">
            <a href="/about" class="ps-2 float-right"> About </a>
            <a href="/faq" class="ps-2 float-right"> FAQ </a>
            <a href="/contacts" class="ps-2 float-right"> Contact Us </a>
    </footer>

    <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta2/dist/js/bootstrap.bundle.min.js"
        integrity="sha384-b5kHyXgcpbZJO/tY9Ul7kGkf1S0CWuKcCD38l8YkeH8z8QjE0GmW1gYU5S9FOnJ0" crossorigin="anonymous">
    </script>
```

[Check]

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering]

1. **Error** **End tag** `div` **seen, but there were open elements.**

    [From line 129, column 21; to line 129, column 26](#)

    `</div>↵`

2. **Error** **Unclosed element** `form`.

From line 121, column 17; to line 121, column 118

```
        <form action="http://lbaw2111.lbaw-prod.fe.up.pt/change-password" method="POST" name="reset-password">↵
```

3. **Error** **Stray end tag** `form`.

From line 148, column 17; to line 148, column 23

```
        </form>↵
```

4. **Error** **Stray end tag** `div`.

From line 152, column 1; to line 152, column 6

```
</div>↵</div>↵
```

5. **Error** **Stray end tag** `div`.

From line 156, column 11; to line 156, column 16

```
        </div>↵
```

Document checking completed.

Source

```
 1. ↵
 2. <!DOCTYPE html>↵
 3. <html lang="en">↵
 4.   <head>↵
 5.     <meta charset="utf-8">↵
 6.     <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
 7.     <meta name="viewport" content="width=device-width, initial-scale=1">↵
 8. ↵
 9.     <!-- CSRF Token -->↵
10.     <meta name="csrf-token" content="oSGdceRCpvJGHoyWKLaruhpKjExkI0EEM2uRbDOF">↵
11. ↵
```

```
12.          <title>Forgot Password</title>↵
13.    ↵
14.        <!-- Styles -->↵
15.        <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta2/dist/css/bootstrap.min.css" rel="stylesheet"
       integrity="sha384-BmbxuPwQa2lc/FVzBcNJ7UAyJxM6wuqIj61tLrc4wSX0szH/Ev+nYRRuWlolflfl" crossorigin="anonymous">↵
16.        <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.4.0/font/bootstrap-icons.css">↵
17.        <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/scrollBar.css">↵
18.        <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/print.css">↵
19.        <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/test.css">↵
20.        <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/footer.css">↵
21.        <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/zoom.css">↵
22.        <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/user.css">↵
23.        <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/cards.css">↵
24.        <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/cart.css">↵
25.        <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/contacts.css">↵
26.        <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/searchResults.css">↵
27.        <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/signin.css">↵
28.        <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/addItem.css">↵
29.    ↵
30.    ↵
31.        <link rel="preconnect" href="https://fonts.gstatic.com">↵
32.        <link href="https://fonts.googleapis.com/css2?family=Poppins&display=swap" rel="stylesheet">↵
33.    ↵
34.        <script src="http://lbaw2111.lbaw-prod.fe.up.pt/js/ajax.js" defer></script>↵
35.    ↵
36.    ↵
37.    ↵
38.        <meta name="viewport" content="width=device-width, initial-scale=1">↵
39.        ↵
40.        <script>↵
41.            // Fix for Firefox autofocus CSS bug↵
42.            // See: http://stackoverflow.com/questions/18943276/html-5-autofocus-messes-up-css-loading/18945951#18945951↵
43.        </script>↵
44.    ↵
45.      </head>↵
46.        ↵
47.  <body>↵
48.    ↵
49.        ↵
50.        ↵
51.      ↵
52.      <nav class="navbar navbar-expand-lg navbar-dark sticky-top pb-lg-2 pb-0" style="background-color:#36312b">↵
53.          <div class="container-fluid">↵
54.    ↵
55.          ↵
56.                  ↵
57.    ↵
58.              ↵
```

```
59.            <a class="navbar-brand ms-lg-4" href="/"><img class="img-fluid" width="150" height="30"
      src="http://lbaw2111.lbaw-prod.fe.up.pt/img/logo_light.png" alt="logo"></a>↵
60.            <button class="navbar-toggler btn btn-lg border-0" id="personButton" type="button" data-bs-toggle="collapse"
      data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-
      label="Toggle navigation">↵
61.                <i class="bi bi-lg bi-person-circle"></i>↵
62.            </button>↵
63.  ↵
64.            <div class="collapse navbar-collapse d-lg-flex justify-content-between text-center"
      id="navbarSupportedContent">↵
65.                      ↵
66.                <form action="/searchResults" class="d-lg-inline d-none w-50 ms-5" method="get">↵
67.                    <div class="input-group">↵
68.                            ↵
69.                        <input name="step" value="1" style="display: none;">↵
70.                        <input type="text" id="search" name="search" class="form-control w-50" placeholder="Search For
      An Item" aria-label="Text input with dropdown button">↵
71.                        <button type="submit" class="btn btn-secondary" aria-label="Text input with dropdown button">
      <i class="bi bi-search"></i></button>↵
72.                    </div>↵
73.                </form>↵
74.                <ul class="navbar-nav mb-2 mb-lg-0">↵
75.                            <li class="nav-item d-lg-flex align-items-lg-center py-2 py-lg-0 px-lg-2">↵
76.                    <a class="nav-link pe-0" href=/userProfile/cart>↵
77.                    <i class="bi bi-cart" style="font-size: 1.5em;"></i>↵
78.                    <span class="cart-number-small d-lg-none" style="color:white !important">↵
79.                        <span class="cart-number">15</span> items↵
80.                    </span>                        ↵
81.                    </a>↵
82.                    <span class="cart-number cart-number-badge d-lg-block d-none d-flex">15</span>↵
83.                </li>↵
84.  ↵
85.                <li class="nav-item">↵
86.                            </li>↵
87.  ↵
88.                <li class="nav-item">↵
89.                                <div class="d-flex align-items-center justify-content-center pt-
      1">↵
90.                    <a href=/userProfile/ class="d-block" style="width: 3vw;">↵
91.                                <div id="profilePic" class="d-flex rounded-
      circle" style=height:0;width:100%;padding-bottom:100%;background-image:url(&quot;http://lbaw2111.lbaw-
      prod.fe.up.pt/img/users/6.png&quot;);background-position:center;background-size:cover;>↵
92.                            </div>↵
93.                            ↵
94.                                                ↵
95.                    </a>↵
96.                                            <span id="hasNotifications" class=" d-lg-block
      rounded-circle">↵
```

```
 97.                                                   </span>↵
 98.                                                       <a id="navbarUsername" class="nav-link p-1 pe-2 align-
     middle" href=/userProfile/ style="color:white !important; border-right: 1px solid;">LbawAdmin2021</a>↵
 99.                                                       <a class="nav-link p-1 align-middle px-2"
     href=/management style="color:white !important; border-right: 1px solid;" >Manage</a>↵
100.                                                       <a class="nav-link p-1 ps-2" href="/logout"
     style="color:white !important;">Logout</a>↵
101.                                   </div>↵
102.                                               </li>↵
103.                     </ul>↵
104.               </div>↵
105.           </div>↵
106.           <div class="d-lg-none row w-100 h-100" id="navbarCategoryDropDown">↵
107.                 </div>↵
108.     </nav>↵
109.       ↵
110.           <main class="d-flex" id="page">↵
111.             <div class="row align-self-stretch no-gutters w-100" style="margin-left: 0px;">↵
112. ↵
113. ↵
114.                           ↵
115.               ↵
116. ↵
117. <div class="p-0" style="background-color:#f2f2f2;">↵
118.     <div class="container col-md-7 p-lg-5 p-3 shadow-sm h-100" style="background-color:white">↵
119.         <div class="col-md-7 mx-auto">↵
120.             <div class="myform form ">↵
121.                 <form action="http://lbaw2111.lbaw-prod.fe.up.pt/change-password" method="POST" name="reset-
     password">↵
122.                                 <input type="hidden" name="_token"
     value="oSGdceRCpvJGHoyWKLaruhpKjExkI0EEM2uRbDOF">↵
123.                     <div class="logo mb-3">↵
124.                         <div class="col-md-12 text-center">↵
125.                             <h1>Change Password</h1>↵
126.                         </div>↵
127.                     </div>↵
128. ↵
129.                 </div>↵
130.                     <div class="pt-3">↵
131.                         <label style="padding-bottom: 1%;" for="current_password" class="form-label"><b>Old
     Password</b></label>↵
132.                         <input id="current_password" type="password" name="current_password" class="form-control"
     required autofocus placeholder="Enter Old Password">↵
133.                                             </div>↵
134.                     <div class="pt-3">↵
135.                         <label style="padding-bottom: 1%;" for="password" class="form-label"><b>Password</b>
     </label>↵
```

```
136.                              <input id="password" type="password" name="password" value="" required class="form-
      control" placeholder="Password">↵
137.                                                      </div>↵
138.                      <div class="pt-3">↵
139.                          <label style="padding-bottom: 1%;" for="password_confirmation"  class="form-label">
      <b>Confirm Password</b></label>↵
140.                          <input id="password_confirmation" type="password" name="password_confirmation" value=""
      required class="form-control" placeholder="Confirm Password">↵
141.                                              </div>↵
142.                  </div>↵
143.  ↵
144.  ↵
145.                  <div class="col-md-12 text-center pt-3">↵
146.                      <button type="submit" class="btn btn-block btn-dark">Confirm Change</button>↵
147.                  </div>↵
148.              </form>↵
149.          </div>↵
150.        </div>↵
151.      </div>↵
152.  </div>↵
153.                  <!-- separator -->↵
154.  ↵
155.                  ↵
156.          </div>↵
157.      </main>↵
158.      <footer class="footer" style="background-color: #EAE7DE;">↵
159.          <a href="/about" class="ps-2 float-right"> About </a>↵
160.          <a href="/faq" class="ps-2 float-right"> FAQ </a>↵
161.          <a href="/contacts" class="ps-2 float-right"> Contact Us </a>↵
162.      </footer>↵
163.  ↵
164.      <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta2/dist/js/bootstrap.bundle.min.js"↵
165.          integrity="sha384-b5kHyXgcpbZJO/tY9Ul7kGkf1S0CWuKcCD3818YkeH8z8QjE0GmW1gYU5S9FOnJ0"
      crossorigin="anonymous">↵
166.      </script>↵
167.  ↵
168.      <script>↵
169.        var tooltipTriggerList = [].slice.call(document.querySelectorAll('[data-bs-toggle="tooltip"]'))↵
170.        var tooltipList = tooltipTriggerList.map(function (tooltipTriggerEl) {↵
171.        return new bootstrap.Tooltip(tooltipTriggerEl)↵
172.        })↵
173.  ↵
174.        var popoverTriggerList = [].slice.call(document.querySelectorAll('[data-bs-toggle="popover"]'))↵
175.        var popoverList = popoverTriggerList.map(function (popoverTriggerEl) {↵
176.          return new bootstrap.Popover(popoverTriggerEl)↵
177.        })↵
178.      </script>↵
179.  ↵
```

```
180.    </body>↵
181.  ↵
182.  </html>
```

Used the HTML parser.

Total execution time 44 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 21.6.2