

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by text input ☐ css

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">

    <!-- CSRF Token -->
    <meta name="csrf-token" content="oSGdceRCpvJGHoyWKLaruhpKjExkI0EEM2uRbDOF">

    <title>
      Manage Purchases - Fneuc
    </title>
```

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

- Error** Element `div` not allowed as child of element `button` in this context. (Suppressing further errors from this subtree.)

[From line 242, column 13; to line 242, column 41](#)

```
<div class="container-fluid">
```

Contexts in which element [div](#) may be used:

Where [flow content](#) is expected.

As a child of a [dl](#) element.

Content model for element [button](#):

[Phrasing content](#), but there must be no [interactive content](#) descendant and no descendant with the [tabindex](#) attribute specified.

2. **Error** The element [input](#) must not appear as a descendant of the [button](#) element.

[From line 261, column 25; to line 261, column 179](#)

```
<input class="btn btn-secondary changeStatus" type="button" value="Change Status" data-id="9" data-bs-  
toggle="modal" data-bs-target="#changeStatusModal_9">
```

3. **Error** Element [legend](#) not allowed as child of element [form](#) in this context. (Suppressing further errors from this subtree.)

[From line 356, column 13; to line 356, column 59](#)

```
<legend class="d-flex justify-content-between">
```

Contexts in which element [legend](#) may be used:

As the [first child](#) of a [fieldset](#) element.

Content model for element [form](#):

[Flow content](#), but with no [form](#) element descendants.

4. **Error** Element [div](#) not allowed as child of element [button](#) in this context. (Suppressing further errors from this subtree.)

[From line 395, column 13; to line 395, column 41](#)

```
<div class="container-fluid">
```

Contexts in which element [div](#) may be used:

Where [flow content](#) is expected.

As a child of a [dl](#) element.

Content model for element [button](#):

[Phrasing content](#), but there must be no [interactive content](#) descendant and no descendant with the [tabindex](#) attribute specified.

5. **Error** The element `input` must not appear as a descendant of the `button` element.

[From line 414, column 25; to line 414, column 181](#)

```
<input class="btn btn-secondary changeStatus" type="button" value="Change Status" data-id="10" data-bs-  
toggle="modal" data-bs-target="#changeStatusModal_10">
```

6. **Error** Element `legend` not allowed as child of element `form` in this context. (Suppressing further errors from this subtree.)

[From line 485, column 13; to line 485, column 59](#)

```
<legend class="d-flex justify-content-between">
```

Contexts in which element [legend](#) may be used:

As the [first child](#) of a [fieldset](#) element.

Content model for element [form](#):

[Flow content](#), but with no [form](#) element descendants.

7. **Error** Element `div` not allowed as child of element `button` in this context. (Suppressing further errors from this subtree.)

[From line 524, column 13; to line 524, column 41](#)

```
<div class="container-fluid">
```

Contexts in which element [div](#) may be used:

Where [flow content](#) is expected.

As a child of a [dl](#) element.

Content model for element [button](#):

[Phrasing content](#), but there must be no [interactive content](#) descendant and no descendant with the [tabindex](#) attribute specified.

8. **Error** The element `input` must not appear as a descendant of the `button` element.

[From line 543, column 25; to line 543, column 179](#)

```
<input class="btn btn-secondary changeStatus" type="button" value="Change Status" data-id="7" data-bs-  
toggle="modal" data-bs-target="#changeStatusModal_7">
```

9. **Error** Element `legend` not allowed as child of element `form` in this context. (Suppressing further errors from this subtree.)

[From line 662, column 13; to line 662, column 59](#)

```
<legend class="d-flex justify-content-between">
```

Contexts in which element `legend` may be used:

As the [first child](#) of a [fieldset](#) element.

Content model for element `form`:

[Flow content](#), but with no `form` element descendants.

10. **Error** Element `div` not allowed as child of element `button` in this context. (Suppressing further errors from this subtree.)

[From line 701, column 13; to line 701, column 41](#)

```
<div class="container-fluid">
```

Contexts in which element `div` may be used:

Where [flow content](#) is expected.

As a child of a [dl](#) element.

Content model for element `button`:

[Phrasing content](#), but there must be no [interactive content](#) descendant and no descendant with the [tabindex](#) attribute specified.

11. **Error** The element `input` must not appear as a descendant of the `button` element.

[From line 720, column 25; to line 720, column 179](#)

```
<input class="btn btn-secondary changeStatus" type="button" value="Change Status" data-id="6" data-bs-  
toggle="modal" data-bs-target="#changeStatusModal_6">
```

12. **Error** Element `legend` not allowed as child of element `form` in this context. (Suppressing further errors from this subtree.)

[From line 815, column 13; to line 815, column 59](#)

```
<legend class="d-flex justify-content-between">↵
```

Contexts in which element `legend` may be used:

As the [first child](#) of a `fieldset` element.

Content model for element `form`:

[Flow content](#), but with no `form` element descendants.

13. **Error** Element `div` not allowed as child of element `button` in this context. (Suppressing further errors from this subtree.)

[From line 854, column 13; to line 854, column 41](#)

```
<div class="container-fluid">↵
```

Contexts in which element `div` may be used:

Where [flow content](#) is expected.

As a child of a `dl` element.

Content model for element `button`:

[Phrasing content](#), but there must be no [interactive content](#) descendant and no descendant with the `tabindex` attribute specified.

14. **Error** The element `input` must not appear as a descendant of the `button` element.

[From line 873, column 25; to line 873, column 179](#)

```
<input class="btn btn-secondary changeStatus" type="button" value="Change Status" data-id="8" data-bs-  
toggle="modal" data-bs-target="#changeStatusModal_8">↵
```

15. **Error** Element `legend` not allowed as child of element `form` in this context. (Suppressing further errors from this subtree.)

[From line 992, column 13; to line 992, column 59](#)

```
<legend class="d-flex justify-content-between">↵
```

Contexts in which element [legend](#) may be used:

As the [first child](#) of a [fieldset](#) element.

Content model for element [form](#):

[Flow content](#), but with no [form](#) element descendants.

16. **Error** Element `div` not allowed as child of element `button` in this context. (Suppressing further errors from this subtree.)

[From line 1031, column 13; to line 1031, column 41](#)

```
<div class="container-fluid">↵
```

Contexts in which element [div](#) may be used:

Where [flow content](#) is expected.

As a child of a [dl](#) element.

Content model for element [button](#):

[Phrasing content](#), but there must be no [interactive content](#) descendant and no descendant with the [tabindex](#) attribute specified.

17. **Error** The element `input` must not appear as a descendant of the `button` element.

[From line 1050, column 25; to line 1050, column 181](#)

```
<input class="btn btn-secondary changeStatus" type="button" value="Change Status" data-id="11" data-bs-toggle="modal" data-bs-target="#changeStatusModal_11">↵
```

18. **Error** Element `legend` not allowed as child of element `form` in this context. (Suppressing further errors from this subtree.)

[From line 1145, column 13; to line 1145, column 59](#)

```
<legend class="d-flex justify-content-between">↵
```

Contexts in which element [legend](#) may be used:

As the [first child](#) of a [fieldset](#) element.

Content model for element [form](#):

[Flow content](#), but with no [form](#) element descendants.

19. **Error** The `aria-labelledby` attribute must point to an element in the same document.

[From line 267, column 5; to line 267, column 96](#)

```
ader>< <div id=collapse9 class="accordion-collapse collapse border-1" aria-labelledby="headingOne"><
```

20. **Error** The `aria-labelledby` attribute must point to an element in the same document.

[From line 353, column 5; to line 353, column 123](#)

```
/div>< <div class="modal fade" id="changeStatusModal_9" tabindex="-1" aria-labelledby="balanceModallabel" aria-  
hidden="true">< <
```

21. **Error** The `aria-labelledby` attribute must point to an element in the same document.

[From line 420, column 5; to line 420, column 97](#)

```
ader>< <div id=collapse10 class="accordion-collapse collapse border-1" aria-labelledby="headingOne"><
```

22. **Error** The `aria-labelledby` attribute must point to an element in the same document.

[From line 482, column 5; to line 482, column 124](#)

```
/div>< <div class="modal fade" id="changeStatusModal_10" tabindex="-1" aria-labelledby="balanceModallabel"  
aria-hidden="true">< <
```

23. **Error** The `aria-labelledby` attribute must point to an element in the same document.

[From line 549, column 5; to line 549, column 96](#)

```
ader>< <div id=collapse7 class="accordion-collapse collapse border-1" aria-labelledby="headingOne"><
```

24. **Error** The `aria-labelledby` attribute must point to an element in the same document.

[From line 659, column 5; to line 659, column 123](#)

```
/div>< <div class="modal fade" id="changeStatusModal_7" tabindex="-1" aria-labelledby="balanceModallabel" aria-  
hidden="true">< <
```

25. **Error** The `aria-labelledby` attribute must point to an element in the same document.

[From line 726, column 5; to line 726, column 96](#)

```
ader>< <div id=collapse6 class="accordion-collapse collapse border-1" aria-labelledby="headingOne"><
```

26. **Error** The `aria-labelledby` attribute must point to an element in the same document.

[From line 812, column 5; to line 812, column 123](#)

```
/div>< <div class="modal fade" id="changeStatusModal_6" tabindex="-1" aria-labelledby="balanceModallLabel" aria-  
hidden="true">< <
```

27. **Error** The `aria-labelledby` attribute must point to an element in the same document.

[From line 879, column 5; to line 879, column 96](#)

```
ader>< <div id=collapse8 class="accordion-collapse collapse border-1" aria-labelledby="headingOne"><
```

28. **Error** The `aria-labelledby` attribute must point to an element in the same document.

[From line 989, column 5; to line 989, column 123](#)

```
/div>< <div class="modal fade" id="changeStatusModal_8" tabindex="-1" aria-labelledby="balanceModallLabel" aria-  
hidden="true">< <
```

29. **Error** The `aria-labelledby` attribute must point to an element in the same document.

[From line 1056, column 5; to line 1056, column 97](#)

```
ader>< <div id=collapse11 class="accordion-collapse collapse border-1" aria-labelledby="headingOne"><
```

30. **Error** The `aria-labelledby` attribute must point to an element in the same document.

[From line 1142, column 5; to line 1142, column 124](#)

```
/div>< <div class="modal fade" id="changeStatusModal_11" tabindex="-1" aria-labelledby="balanceModallLabel"  
aria-hidden="true">< <
```

Document checking completed.

Source

```

1.  ↵
2.  <!DOCTYPE html>↵
3.  <html lang="en">↵
4.  <head>↵
5.  <meta charset="utf-8">↵
6.  <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
7.  <meta name="viewport" content="width=device-width, initial-scale=1">↵
8.  ↵
9.  <!-- CSRF Token -->↵
10. <meta name="csrf-token" content="oSGdceRCpvJGHoyWKLaruhpKjExkI0EEM2uRbDOF">↵
11. ↵
12. <title>↵
13.   Manage Purchases - Fneuc↵
14. </title>↵
15. ↵
16. <!-- Styles -->↵
17. <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta2/dist/css/bootstrap.min.css" rel="stylesheet"
    integrity="sha384-BmbxuPwQa2lc/FVzBcNJ7UAyJxM6wucIj61tLrc4wSX0szH/Ev+nYRRuWlolflfl" crossorigin="anonymous">↵
18. <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.4.0/font/bootstrap-icons.css">↵
19. <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/scrollBar.css">↵
20. <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/print.css">↵
21. <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/test.css">↵
22. <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/footer.css">↵
23. <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/zoom.css">↵
24. <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/user.css">↵
25. <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/cards.css">↵
26. <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/cart.css">↵
27. <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/contacts.css">↵
28. <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/searchResults.css">↵
29. <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/signin.css">↵
30. <link rel="stylesheet" href="http://lbaw2111.lbaw-prod.fe.up.pt/css/addItem.css">↵
31. ↵
32. ↵
33. <link rel="preconnect" href="https://fonts.gstatic.com">↵
34. <link href="https://fonts.googleapis.com/css2?family=Poppins&display=swap" rel="stylesheet">↵
35. ↵
36. <script src="http://lbaw2111.lbaw-prod.fe.up.pt/js/ajax.js" defer></script>↵
37. ↵
38. ↵
39. ↵
40. <meta name="viewport" content="width=device-width, initial-scale=1">↵
41. ↵
42. <script>↵
43.   // Fix for Firefox autofocus CSS bug↵

```

```

44.      // See: http://stackoverflow.com/questions/18943276/html-5-autofocus-messes-up-css-loading/18945951#18945951↵
45.    </script>↵
46.  ↵
47.  </head>↵
48.  ↵
49.  <body>↵
50.  ↵
51.    ↵
52.    ↵
53.    ↵
54.    <nav class="navbar navbar-expand-lg navbar-dark sticky-top pb-lg-2 pb-0" style="background-color:#36312b">↵
55.      <div class="container-fluid">↵
56.        ↵
57.        ↵
58.        ↵
59.        <button class="btn btn-lg ms-3 me-0" id="categorySideBarButton" type="button" data-bs-toggle="collapse"
data-bs-target="#collapsibleColumn" aria-controls="collapsibleColumn" style="margin-right:2%;">↵
60.          <i class="bi bi-list-task" style="color:white !important"></i>↵
61.        </button>↵
62.        ↵
63.        ↵
64.        ↵
65.        <a class="navbar-brand ms-lg-4" href="/"></a>↵
66.        <button class="navbar-toggler btn btn-lg border-0" id="personButton" type="button" data-bs-toggle="collapse"
data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-
label="Toggle navigation">↵
67.          <i class="bi bi-lg bi-person-circle"></i>↵
68.        </button>↵
69.        ↵
70.        <div class="collapse navbar-collapse d-lg-flex justify-content-between text-center"
id="navbarSupportedContent">↵
71.          ↵
72.          <form action="/searchResults" class="d-lg-inline d-none w-50 ms-5" method="get">↵
73.            <div class="input-group">↵
74.              ↵
75.              <select class="form-select fs-lg-3" id="categories" name="categories">↵
76.                <option selected value="-1">All</option>↵
77.                ↵
78.                <option value="1">Computers</option>↵
79.                <option value="2">Books</option>↵
80.                <option value="3">Eletrodomestics</option>↵
81.                <option value="4">Video Games</option>↵
82.                <option value="5">Smartphones</option>↵
83.                <option value="6">Headphones</option>↵
84.                <option value="7">Music CDs, Vinyl</option>↵
85.                <option value="8">School Material</option>↵
86.                <option value="9">Home Theatres</option>↵

```

```

87.                                     <option value="10">Televisions</option>↵
88.                                     <option value="11">Movies</option>↵
89.                                     </select>↵
90.                                     ↵
91.                                     <input name="step" value="1" style="display: none;">↵
92.                                     <input type="text" id="search" name="search" class="form-control w-50" placeholder="Search For
An Item" aria-label="Text input with dropdown button">↵
93.                                     <button type="submit" class="btn btn-secondary" aria-label="Text input with dropdown button">
<i class="bi bi-search"></i></button>↵
94.                                     </div>↵
95.                                 </form>↵
96.                                 <ul class="navbar-nav mb-2 mb-lg-0">↵
97.                                     <li class="nav-item d-lg-flex align-items-lg-center py-2 py-lg-0 px-lg-2">↵
98.                                         <a class="nav-link pe-0" href=/userProfile/cart>↵
99.                                             <i class="bi bi-cart" style="font-size: 1.5em;"></i>↵
100.                                             <span class="cart-number-small d-lg-none" style="color:white !important">↵
101.                                                 <span class="cart-number">15</span> items↵
102.                                             </span>↵
103.                                         </a>↵
104.                                         <span class="cart-number cart-number-badge d-lg-block d-none d-flex">15</span>↵
105.                                     </li>↵
106. ↵
107.                                     <li class="nav-item">↵
108.                                         </li>↵
109. ↵
110.                                     <li class="nav-item">↵
111.                                         <div class="d-flex align-items-center justify-content-center pt-
1">↵
112.                                             <a href=/userProfile/ class="d-block" style="width: 3vw;">↵
113.                                                 <div id="profilePic" class="d-flex rounded-
circle" style=height:0;width:100%;padding-bottom:100%;background-image:url(&quot;http://lbaw2111.lbaw-
prod.fe.up.pt/img/users/6.png&quot;);background-position:center;background-size:cover;>↵
114.                                                 </div>↵
115.                                                 ↵
116.                                                 ↵
117.                                             </a>↵
118.                                                 <span id="hasNotifications" class=" d-lg-block
rounded-circle">↵
119.                                                 </span>↵
120.                                                 <a id="navbarUsername" class="nav-link p-1 pe-2 align-
middle" href=/userProfile/ style="color:white !important; border-right: 1px solid;">LbawAdmin2021</a>↵
121.                                                 <a class="nav-link p-1 align-middle px-2"
href=/management style="color:white !important; border-right: 1px solid;" >Manage</a>↵
122.                                                 <a class="nav-link p-1 ps-2" href="/logout"
style="color:white !important;">Logout</a>↵
123.                                             </div>↵
124.                                         </li>↵
125.                                 </ul>↵

```

```

126.         </div><↵
127.     </div><↵
128.     <div class="d-lg-none row w-100 h-100" id="navbarCategoryDropDown"><↵
129.         <form action="/searchResults" class="col-11 offset-1" method="get"><↵
130.             <div class="input-group"><↵
131.                 <select class="form-select fs-lg-3" id="search_category" name="categories"><↵
132.                     <option selected value="-1">All</option><↵
133. ↵
134.                     <option value="1">Computers</option><↵
135.                     <option value="2">Books</option><↵
136.                     <option value="3">Eletrdomestics</option><↵
137.                     <option value="4">Video Games</option><↵
138.                     <option value="5">Smartphones</option><↵
139.                     <option value="6">Headphones</option><↵
140.                     <option value="7">Music CDs, Vinyl</option><↵
141.                     <option value="8">School Material</option><↵
142.                     <option value="9">Home Theatres</option><↵
143.                     <option value="10">Televisions</option><↵
144.                     <option value="11">Movies</option><↵
145. ↵
146.                 </select><↵
147.                 <input name="step" value="1" style="display: none;"><↵
148.                 <input type="text" id="searchSmall" name="search" class="form-control w-25" placeholder="Search
For An Item" aria-label="Text input with dropdown button"><↵
149.                 <button type="submit" class="btn btn-dark w-25" aria-label="Text input with dropdown button"><i
class="bi bi-search"></i></button><↵
150.             </div><↵
151.         </form><↵
152.     </div><↵
153. </nav><↵
154. ↵
155.     <main class="d-flex" id="page"><↵
156.         <div class="row align-self-stretch no-gutters w-100" style="margin-left: 0px;"><↵
157. ↵
158. ↵
159. ↵
160. ↵
161. <script src="http://lbaw2111.lbaw-prod.fe.up.pt/js/managePurchases.js" defer></script><↵
162. ↵
163. ↵
164. <div class="col-lg-2 col-md-4 col-6 text-center collapse p-0" id="collapsableColumn" style="position:fixed;"><↵
165.     <div class="list-group h-100 rounded-0"><↵
166.         <form action="/searchResults" method="GET" name="Login"><↵
167.             <input type="hidden" name="categories" value="1"><↵
168.             <button class="list-group-item list-group-item-action text-center">Computers</button>↵
169.         </form>↵
170.         <form action="/searchResults" method="GET" name="Login"><↵
171.             <input type="hidden" name="categories" value="2"><↵

```

```

172.         <button class="list-group-item list-group-item-action text-center">Books</button>      ↵
173.     </form>      ↵
174.         <form action="/searchResults" method="GET" name="Login">↵
175.             <input type="hidden" name="categories" value="3">↵
176.             <button class="list-group-item list-group-item-action text-center">Eletrodomestics</button>      ↵
177.         </form>      ↵
178.             <form action="/searchResults" method="GET" name="Login">↵
179.                 <input type="hidden" name="categories" value="4">↵
180.                 <button class="list-group-item list-group-item-action text-center">Video Games</button>      ↵
181.             </form>      ↵
182.                 <form action="/searchResults" method="GET" name="Login">↵
183.                     <input type="hidden" name="categories" value="5">↵
184.                     <button class="list-group-item list-group-item-action text-center">Smartphones</button>      ↵
185.                 </form>      ↵
186.                     <form action="/searchResults" method="GET" name="Login">↵
187.                         <input type="hidden" name="categories" value="6">↵
188.                         <button class="list-group-item list-group-item-action text-center">Headphones</button>      ↵
189.                     </form>      ↵
190.                         <form action="/searchResults" method="GET" name="Login">↵
191.                             <input type="hidden" name="categories" value="7">↵
192.                             <button class="list-group-item list-group-item-action text-center">Music CDs, Vinyl</button>      ↵
193.                         </form>      ↵
194.                             <form action="/searchResults" method="GET" name="Login">↵
195.                                 <input type="hidden" name="categories" value="8">↵
196.                                 <button class="list-group-item list-group-item-action text-center">School Material</button>      ↵
197.                             </form>      ↵
198.                                 <form action="/searchResults" method="GET" name="Login">↵
199.                                     <input type="hidden" name="categories" value="9">↵
200.                                     <button class="list-group-item list-group-item-action text-center">Home Theatres</button>      ↵
201.                                 </form>      ↵
202.                                     <form action="/searchResults" method="GET" name="Login">↵
203.                                         <input type="hidden" name="categories" value="10">↵
204.                                         <button class="list-group-item list-group-item-action text-center">Televisions</button>      ↵
205.                                     </form>      ↵
206.                                         <form action="/searchResults" method="GET" name="Login">↵
207.                                             <input type="hidden" name="categories" value="11">↵
208.                                             <button class="list-group-item list-group-item-action text-center">Movies</button>      ↵
209.                                         </form>      ↵
210.                                     ↵
211.                             </div>↵
212.     </div>↵
213. <div class="p-0" style="background-color:#f2f2f2;">↵
214.     <div id="managePurchases" class="d-flex flex-column col-lg-10 col-12 p-lg-5 pt-lg-2 p-3 m-lg-auto shadow-lg-sm h-
100" style="background-color:white; margin:0">↵
215.         <nav aria-label="breadcrumb" class="mt-2">↵
216.             <ol class="breadcrumb">↵
217.                 <li class="breadcrumb-item"> <a href="/management">Administration Area</a></li>↵
218.                 <li class="breadcrumb-item active">Manage Purchases</li>↵

```

```

219.         </ol><↵
220.     </nav><↵
221. ↵
222.     <div class="d-flex"><↵
223.         <h2 class="text-lg-start text-center">Manage Purchases</h2><↵
224.         <div class="spinner-border ms-2 d-none" role="status" id="manage_purchases_spinner"><↵
225.             <span class="visually-hidden">Loading...</span><↵
226.         </div><↵
227.     </div><↵
228. ↵
229. ↵
230.     <div class="mb-3 text-md-end text-center"><↵
231. ↵
232.         <input class="form-check-input" type="checkbox" value="" id="showArrived"><↵
233.         <label class="form-check-label" for="showArrived"><↵
234.             Show completed purchases (Arrived)<↵
235.         </label><↵
236.     </div><↵
237. ↵
238.     <ul id="managePurchasesList" class="list-group list-unstyled"><↵
239.         <li class="accordion-item purchaseFromHistory" id="purchaseEntry_9"><↵
240.             <header class="accordion-header" id=heading9><↵
241.                 <button class="accordion-button collapsed" type="button" data-bs-toggle="collapse" data-bs-target=#collapse9
aria-expanded="false" aria-controls=collapse9><↵
242.                 <div class="container-fluid"><↵
243.                     <div class="row"><↵
244.                         <div class="col-lg-2 col-6 d-flex flex-column justify-content-center text-center px-0"><↵
245.                             <span class="d-md-none d-block">ID: 9</span><↵
246.                             <span class="d-md-block d-none">9</span><↵
247.                         </div><↵
248.                         ↵
249.                         <div class="col-lg-2 col-6 pb-1 pt-1 text-center fs-5"><↵
250.                             <span class="badge bg-primary purchase-status-badge" id="status-purchase-9"><↵
251.                                 Sent<↵
252.                             </span><↵
253.                         </div><↵
254.                         <div class="col-lg-3 col-md-6 col-sm-6 pb-1 pt-1 d-flex flex-column justify-content-center"><↵
255.                             <b class="text-center" style="color: red"><span class="historyPrice">$5,877.08</span> $</b><↵
256.                         </div><↵
257.                         <div class="col-lg-3 col-md-6 col-sm-6 pb-1 pt-1 d-flex flex-column justify-content-center
historyDate text-center"><↵
258.                             2003-08-25<↵
259.                         </div><↵
260.                         <div class="col-lg-2 col-md-6 col-12 text-center"><↵
261.                             <input class="btn btn-secondary changeStatus" type="button" value="Change Status" data-id="9"
data-bs-toggle="modal" data-bs-target=#changeStatusModal_9"><↵
262.                             </div><↵
263.                         </div><↵

```

```
264.         </div><br>
265.     </button><br>
266. </header><br>
267. <div id=collapse9 class="accordion-collapse collapse border-1" aria-labelledby="headingOne"><br>
268.     <div class="accordion-body p-5 pt-4"><br>
269.         <div class="row purchase_addresses"><br>
270.             <div class="col-lg-6 col-12 purchase_Billing"><br>
271. <h4 class="text-center mb-4">Billing Address</h4><br>
272. <table class="mt-4 mb-5 table address"><br>
273.     <tbody><br>
274.         <tr><br>
275.             <th scope="row">Address</th><br>
276.             <td>744 Marcy Avenue</td><br>
277.         </tr><br>
278.         <tr><br>
279.             <th scope="row">City</th><br>
280.             <td>Kalá Déndra</td><br>
281.         </tr><br>
282.         <tr><br>
283.             <th scope="row">Country</th><br>
284.             <td>Spain</td><br>
285.         </tr><br>
286.         <tr><br>
287.             <th scope="row">Zip Code</th><br>
288.             <td>70000-120</td><br>
289.         </tr><br>
290.     </tbody><br>
291. </table><br>
292. </div>         <div class="col-lg-6 col-12 purchase_Shipping"><br>
293.     <h4 class="text-center mb-4">Shipping Address</h4><br>
294.     <table class="mt-4 mb-5 table address"><br>
295.         <tbody><br>
296.             <tr><br>
297.                 <th scope="row">Address</th><br>
298.                 <td>744 Marcy Avenue</td><br>
299.             </tr><br>
300.             <tr><br>
301.                 <th scope="row">City</th><br>
302.                 <td>Kalá Déndra</td><br>
303.             </tr><br>
304.             <tr><br>
305.                 <th scope="row">Country</th><br>
306.                 <td>Spain</td><br>
307.             </tr><br>
308.             <tr><br>
309.                 <th scope="row">Zip Code</th><br>
310.                 <td>70000-120</td><br>
311.             </tr><br>
```

```

312.         </tbody><↵
313.     </table><↵
314. </div>         </div><↵
315. ↵
316.         ↵
317.             <div class="row border-bottom pb-3 vh-50 pt-3"><↵
318.         <div class="col-lg-1 ps-5 align-self-center fs-4"><↵
319.             1x↵
320.         </div><↵
321.         <div class="col-lg-2 col-md-2"><↵
322.             <a class="item-card z" href=/item/17><↵
323.                 <↵
324.             </a><↵
325.             ↵
326.         </div><↵
327.         <div class="col-7 border-left border-dark"><↵
328.             <div class="row"><↵
329.                 <div class="col-sm-8 col-12"><↵
330.                     <a class="item-card z" href=/item/17><↵
331.                         <h3 class="title">Smart TV Samsung Neo QLED 8K 65QN800A</h3><↵
332.                         <p class="text"></p><↵
333.                     </a><↵
334.                 </div><↵
335.             ↵
336.             </div><↵
337.         </div><↵
338.         <div class="col d-flex flex-column justify-content-center text-center"><↵
339.             <p><span class="title fs-5">$5,875.08</span></p><↵
340.         </div><↵
341.     </div>         ↵
342.         <div class="purchase-shipping-method row pt-3"><↵
343.             <div class="col-lg-10 col-3 d-flex flex-column justify-content-center text-lg-end text-center pe-lg-5
fs-5">Shipping:</div><↵
344.                 <div class="col-lg-2 col-9 fs-4 text-center">DHL - $2.00</div><↵
345.             </div><↵
346.             ↵
347.             <div class="row pt-3 purchase-total"><↵
348.                 <div class="col-lg-10 col-3 d-flex flex-column justify-content-center text-lg-end text-center pe-lg-5
fs-5">Total:</div><↵
349.                     <div class="col-lg-2 col-9 fs-4 text-center">$5,877.08</div><↵
350.                 </div><↵
351.             </div><↵
352.         </div><↵
353.         <div class="modal fade" id="changeStatusModal_9" tabindex="-1" aria-labelledby="balanceModalLabel" aria-
hidden="true"><↵
354.             <div class="modal-dialog modal-content modal-body"><↵
355.                 <form><↵

```



```

356. <legend class="d-flex justify-content-between">↵
357.   <span>Purchase (ID = 9)</span>↵
358.   <span class="badge bg-primary d-flex flex-column justify-content-center" id="status-modal-9">↵
359.     Sent↵
360.   </span>↵
361. </legend>↵
362. Please select the new status for this purchase↵
363. <div class="row mt-3">↵
364.   <div class="col-4 text-center d-flex flex-column justify-content-center fs-5">↵
365.     <label for="status_9" class="form-label">Status</label>↵
366.   </div>↵
367.   <div class="col-8">↵
368.     <select id="status_9" class="form-select">↵
369.       <option value="Processing" ↵
370.         >↵
371.         Processing↵
372.       </option>↵
373.       <option value="Sent" ↵
374.         selected↵
375.         >↵
376.         Sent↵
377.       </option>↵
378.       <option value="Arrived" ↵
379.         >↵
380.         Arrived↵
381.       </option>↵
382.     </select>↵
383.   </div>↵
384. </div>↵
385. <footer class="text-end mt-2">↵
386.   <input class="btn btn-success change-status-submit" type="button" data-id="9" value="Submit" data-bs-
dismiss="modal">↵
387.   <button class="btn btn-secondary" data-bs-dismiss="modal">Cancel</button>↵
388. </footer>↵
389. </form>↵
390. </div>↵
391. </div>↵
392. </li>     <li class="accordion-item purchaseFromHistory" id="purchaseEntry_10">↵
393.   <header class="accordion-header" id=heading10>↵
394.     <button class="accordion-button collapsed" type="button" data-bs-toggle="collapse" data-bs-target=#collapse10
aria-expanded="false" aria-controls=collapse10>↵
395.     <div class="container-fluid">↵
396.       <div class="row">↵
397.         <div class="col-lg-2 col-6 d-flex flex-column justify-content-center text-center px-0">↵
398.           <span class="d-md-none d-block">ID: 10</span>↵
399.           <span class="d-md-block d-none">10</span>↵
400.         </div>↵
401.         ↵

```

```

402.         <div class="col-lg-2 col-6 pb-1 pt-1 text-center fs-5">↵
403.             <span class="badge bg-primary purchase-status-badge" id="status-purchase-10">↵
404.                 Sent↵
405.             </span>↵
406.         </div>↵
407.         <div class="col-lg-3 col-md-6 col-sm-6 pb-1 pt-1 d-flex flex-column justify-content-center">↵
408.             <b class="text-center" style="color: red"><span class="historyPrice">$1.50</span> $</b>↵
409.         </div>↵
410.         <div class="col-lg-3 col-md-6 col-sm-6 pb-1 pt-1 d-flex flex-column justify-content-center
historyDate text-center">↵
411.             2015-10-10↵
412.         </div>↵
413.         <div class="col-lg-2 col-md-6 col-12 text-center">↵
414.             <input class="btn btn-secondary changeStatus" type="button" value="Change Status" data-id="10"
data-bs-toggle="modal" data-bs-target="#changeStatusModal_10">↵
415.         </div>↵
416.     </div>↵
417. </div>↵
418. </button>↵
419. </header>↵
420. <div id=collapse10 class="accordion-collapse collapse border-1" aria-labelledby="headingOne">↵
421.     <div class="accordion-body p-5 pt-4">↵
422.         <div class="row purchase_addresses">↵
423.             <div class="col-lg-6 col-12 purchase_Billing">↵
424.                 <h4 class="text-center mb-4">Billing Address</h4>↵
425.                 <table class="mt-4 mb-5 table address">↵
426.                     <tbody>↵
427.                         <tr>↵
428.                             <th scope="row">Address</th>↵
429.                             <td>8418 Tennyson Alley</td>↵
430.                         </tr>↵
431.                         <tr>↵
432.                             <th scope="row">City</th>↵
433.                             <td>Doubravice nad Svitavou</td>↵
434.                         </tr>↵
435.                         <tr>↵
436.                             <th scope="row">Country</th>↵
437.                             <td>Bulgaria</td>↵
438.                         </tr>↵
439.                         <tr>↵
440.                             <th scope="row">Zip Code</th>↵
441.                             <td>679 11</td>↵
442.                         </tr>↵
443.                     </tbody>↵
444.                 </table>↵
445.             </div>         <div class="col-lg-6 col-12 purchase_Shipping">↵
446.                 <h4 class="text-center mb-4">Shipping Address</h4>↵
447.                 <table class="mt-4 mb-5 table address">↵

```

```

448.         <tbody>↵
449.         <tr>↵
450.             <th scope="row">Address</th>↵
451.             <td>8418 Tennyson Alley</td>↵
452.         </tr>↵
453.         <tr>↵
454.             <th scope="row">City</th>↵
455.             <td>Doubravice nad Svitavou</td>↵
456.         </tr>↵
457.         <tr>↵
458.             <th scope="row">Country</th>↵
459.             <td>Bulgaria</td>↵
460.         </tr>↵
461.         <tr>↵
462.             <th scope="row">Zip Code</th>↵
463.             <td>679 11</td>↵
464.         </tr>↵
465.     </tbody>↵
466. </table>↵
467. </div>↵
468. ↵
469.         ↵
470.         ↵
471.         <div class="purchase-shipping-method row pt-3">↵
472.             <div class="col-lg-10 col-3 d-flex flex-column justify-content-center text-lg-end text-center pe-lg-5
473.             fs-5">Shipping:</div>↵
474.             <div class="col-lg-2 col-9 fs-4 text-center">CTT - $1.50</div>↵
475.         </div>↵
476.         ↵
477.         <div class="row pt-3 purchase-total">↵
478.             <div class="col-lg-10 col-3 d-flex flex-column justify-content-center text-lg-end text-center pe-lg-5
479.             fs-5">Total:</div>↵
480.             <div class="col-lg-2 col-9 fs-4 text-center">$1.50</div>↵
481.         </div>↵
482.         <div class="modal fade" id="changeStatusModal_10" tabindex="-1" aria-labelledby="balanceModalLabel" aria-
483.         hidden="true">↵
484.             <div class="modal-dialog modal-content modal-body">↵
485.                 <form>↵
486.                     <legend class="d-flex justify-content-between">↵
487.                         <span>Purchase (ID = 10)</span>↵
488.                         <span class="badge bg-primary d-flex flex-column justify-content-center" id="status-modal-10">↵
489.                             Sent↵
490.                         </span>↵
491.                     </legend>↵
492.                     Please select the new status for this purchase↵
493.                     <div class="row mt-3">↵

```

```

493.     <div class="col-4 text-center d-flex flex-column justify-content-center fs-5">↵
494.         <label for="status_10" class="form-label">Status</label>↵
495.     </div>↵
496.     <div class="col-8">↵
497.         <select id="status_10" class="form-select">↵
498.             <option value="Processing" ↵
499.                 >↵
500.                 Processing↵
501.             </option>↵
502.             <option value="Sent"↵
503.                 selected↵
504.                 >↵
505.                 Sent↵
506.             </option>↵
507.             <option value="Arrived"↵
508.                 >↵
509.                 Arrived↵
510.             </option>↵
511.         </select>↵
512.     </div>↵
513. </div>↵
514. <footer class="text-end mt-2">↵
515.     <input class="btn btn-success change-status-submit" type="button" data-id="10" value="Submit" data-bs-
dismiss="modal">↵
516.     <button class="btn btn-secondary" data-bs-dismiss="modal">Cancel</button>↵
517. </footer>↵
518. </form>↵
519. </div>↵
520. </div>↵
521. </li>     <li class="accordion-item purchaseFromHistory" id="purchaseEntry_7">↵
522.     <header class="accordion-header" id=heading7>↵
523.     <button class="accordion-button collapsed" type="button" data-bs-toggle="collapse" data-bs-target=#collapse7
aria-expanded="false" aria-controls=collapse7>↵
524.         <div class="container-fluid">↵
525.             <div class="row">↵
526.                 <div class="col-lg-2 col-6 d-flex flex-column justify-content-center text-center px-0">↵
527.                     <span class="d-md-none d-block">ID: 7</span>↵
528.                     <span class="d-md-block d-none">7</span>↵
529.                 </div>↵
530.                 ↵
531.                 <div class="col-lg-2 col-6 pb-1 pt-1 text-center fs-5">↵
532.                     <span class="badge bg-info text-dark purchase-status-badge" id="status-purchase-7">↵
533.                     Processing↵
534.                     </span>↵
535.                 </div>↵
536.                 <div class="col-lg-3 col-md-6 col-sm-6 pb-1 pt-1 d-flex flex-column justify-content-center">↵
537.                     <b class="text-center" style="color: red"><span class="historyPrice">$88,023.94</span> $</b>↵
538.                 </div>↵

```

```

539.         <div class="col-lg-3 col-md-6 col-sm-6 pb-1 pt-1 d-flex flex-column justify-content-center
historyDate text-center">↵
540.             2000-07-01↵
541.         </div>↵
542.         <div class="col-lg-2 col-md-6 col-12 text-center">↵
543.             <input class="btn btn-secondary changeStatus" type="button" value="Change Status" data-id="7"
data-bs-toggle="modal" data-bs-target="#changeStatusModal_7">↵
544.         </div>↵
545.     </div>↵
546. </div>↵
547. </button>↵
548. </header>↵
549. <div id=collapse7 class="accordion-collapse collapse border-1" aria-labelledby="headingOne">↵
550.     <div class="accordion-body p-5 pt-4">↵
551.         <div class="row purchase_addresses">↵
552.             <div class="col-lg-6 col-12 purchase_Billing">↵
553. <h4 class="text-center mb-4">Billing Address</h4>↵
554. <table class="mt-4 mb-5 table address">↵
555.     <tbody>↵
556.         <tr>↵
557.             <th scope="row">Address</th>↵
558.             <td>90762 Norway Maple Pass</td>↵
559.         </tr>↵
560.         <tr>↵
561.             <th scope="row">City</th>↵
562.             <td>Maracás</td>↵
563.         </tr>↵
564.         <tr>↵
565.             <th scope="row">Country</th>↵
566.             <td>Burundi</td>↵
567.         </tr>↵
568.         <tr>↵
569.             <th scope="row">Zip Code</th>↵
570.             <td>45360-000</td>↵
571.         </tr>↵
572.     </tbody>↵
573. </table>↵
574. </div>         <div class="col-lg-6 col-12 purchase_Shipping">↵
575.     <h4 class="text-center mb-4">Shipping Address</h4>↵
576.     <table class="mt-4 mb-5 table address">↵
577.         <tbody>↵
578.             <tr>↵
579.                 <th scope="row">Address</th>↵
580.                 <td>90762 Norway Maple Pass</td>↵
581.             </tr>↵
582.             <tr>↵
583.                 <th scope="row">City</th>↵
584.                 <td>Maracás</td>↵

```

```

585.         </tr><↵
586.         <tr><↵
587.             <th scope="row">Country</th><↵
588.             <td>Burundi</td><↵
589.         </tr><↵
590.         <tr><↵
591.             <th scope="row">Zip Code</th><↵
592.             <td>45360-000</td><↵
593.         </tr><↵
594.     </tbody><↵
595. </table><↵
596. </div>         </div><↵
597. ↵
598.             ↵
599.             <div class="row border-bottom pb-3 vh-50 pt-3"><↵
600.                 <div class="col-lg-1 ps-5 align-self-center fs-4"><↵
601.                     1x<↵
602.                 </div><↵
603.                 <div class="col-lg-2 col-md-2"><↵
604.                     <a class="item-card z" href=/item/19><↵
605.                         <↵
607.                     </a><↵
608.                 </div><↵
609.                 <div class="col-7 border-left border-dark"><↵
610.                     <div class="row"><↵
611.                         <div class="col-sm-8 col-12"><↵
612.                             <a class="item-card z" href=/item/19><↵
613.                                 <h3 class="title">How to Train your Dragon 3</h3><↵
614.                                 <p class="text"></p><↵
615.                             </a><↵
616.                         </div><↵
617.                     ↵
618.                 </div><↵
619.             </div><↵
620.             <div class="col d-flex flex-column justify-content-center text-center"><↵
621.                 <p><span class="title fs-5">$37,081.80</span></p><↵
622.             </div><↵
623. </div>             <div class="row border-bottom pb-3 vh-50 pt-3"><↵
624.                 <div class="col-lg-1 ps-5 align-self-center fs-4"><↵
625.                     2x<↵
626.                 </div><↵
627.                 <div class="col-lg-2 col-md-2"><↵
628.                     <a class="item-card z" href=/item/9><↵
629.                         <↵
630.                     </a><↵

```

```

631.         ↵
632.     </div>↵
633.     <div class="col-7 border-left border-dark">↵
634.         <div class="row">↵
635.             <div class="col-sm-8 col-12">↵
636.                 <a class="item-card z" href=/item/9>↵
637.                     <h3 class="title">iPhone 12 Pro Max</h3>↵
638.                     <p class="text">Most recent iPhone from Apple</p>↵
639.                 </a>↵
640.             </div>↵
641. ↵
642.         </div>↵
643.     </div>↵
644.     <div class="col d-flex flex-column justify-content-center text-center">↵
645.         <p><span class="title fs-5">$25,469.87</span></p>↵
646.     </div>↵
647. </div>↵
648.         <div class="purchase-shipping-method row pt-3">↵
649.             <div class="col-lg-10 col-3 d-flex flex-column justify-content-center text-lg-end text-center pe-lg-5
fs-5">Shipping:</div>↵
650.                 <div class="col-lg-2 col-9 fs-4 text-center">FedEx - $2.40</div>↵
651.             </div>↵
652.             ↵
653.             <div class="row pt-3 purchase-total">↵
654.                 <div class="col-lg-10 col-3 d-flex flex-column justify-content-center text-lg-end text-center pe-lg-5
fs-5">Total:</div>↵
655.                     <div class="col-lg-2 col-9 fs-4 text-center">$88,023.94</div>↵
656.                 </div>↵
657.             </div>↵
658.         </div>↵
659.         <div class="modal fade" id="changeStatusModal_7" tabindex="-1" aria-labelledby="balanceModalLabel" aria-
hidden="true">↵
660.             <div class="modal-dialog modal-content modal-body">↵
661.                 <form>↵
662.                     <legend class="d-flex justify-content-between">↵
663.                         <span>Purchase (ID = 7)</span>↵
664.                         <span class="badge bg-info text-dark d-flex flex-column justify-content-center" id="status-modal-7">↵
665.                             Processing↵
666.                         </span>↵
667.                     </legend>↵
668.                     Please select the new status for this purchase↵
669.                     <div class="row mt-3">↵
670.                         <div class="col-4 text-center d-flex flex-column justify-content-center fs-5">↵
671.                             <label for="status_7" class="form-label">Status</label>↵
672.                         </div>↵
673.                         <div class="col-8">↵
674.                             <select id="status_7" class="form-select">↵
675.                                 <option value="Processing" ↵

```

```

676.                                     selected<
677.                                     ><
678.                                     Processing<
679.                               </option><
680.                               <option value="Sent">
681.                                   ><
682.                                   Sent<
683.                               </option><
684.                               <option value="Arrived">
685.                                   ><
686.                                   Arrived<
687.                               </option><
688.                               </select><
689.                         </div><
690.                   </div><
691.                   <footer class="text-end mt-2"><
692.                     <input class="btn btn-success change-status-submit" type="button" data-id="7" value="Submit" data-bs-
dismiss="modal"><
693.                     <button class="btn btn-secondary" data-bs-dismiss="modal">Cancel</button><
694.                   </footer><
695.                 </form><
696.             </div><
697. </div><
698. </li>           <li class="accordion-item purchaseFromHistory" id="purchaseEntry_6"><
699.   <header class="accordion-header" id=heading6><
700.     <button class="accordion-button collapsed" type="button" data-bs-toggle="collapse" data-bs-target=#collapse6
aria-expanded="false" aria-controls=collapse6><
701.       <div class="container-fluid"><
702.         <div class="row"><
703.           <div class="col-lg-2 col-6 d-flex flex-column justify-content-center text-center px-0"><
704.             <span class="d-md-none d-block">ID: 6</span><
705.             <span class="d-md-block d-none">6</span><
706.           </div><
707.           <
708.           <div class="col-lg-2 col-6 pb-1 pt-1 text-center fs-5"><
709.             <span class="badge bg-info text-dark purchase-status-badge" id="status-purchase-6"><
710.               Processing<
711.             </span><
712.           </div><
713.           <div class="col-lg-3 col-md-6 col-sm-6 pb-1 pt-1 d-flex flex-column justify-content-center"><
714.             <b class="text-center" style="color: red"><span class="historyPrice">$65,673.00</span> $</b><
715.           </div><
716.           <div class="col-lg-3 col-md-6 col-sm-6 pb-1 pt-1 d-flex flex-column justify-content-center
historyDate text-center"><
717.             2011-02-10<
718.           </div><
719.         </div><
       <div class="col-lg-2 col-md-6 col-12 text-center"><

```



```

720.         <input class="btn btn-secondary changeStatus" type="button" value="Change Status" data-id="6"
data-bs-toggle="modal" data-bs-target="#changeStatusModal_6">↵
721.     </div>↵
722. </div>↵
723. </div>↵
724. </button>↵
725. </header>↵
726. <div id=collapse6 class="accordion-collapse collapse border-1" aria-labelledby="headingOne">↵
727.     <div class="accordion-body p-5 pt-4">↵
728.         <div class="row purchase_addresses">↵
729.             <div class="col-lg-6 col-12 purchase_Billing">↵
730. <h4 class="text-center mb-4">Billing Address</h4>↵
731. <table class="mt-4 mb-5 table address">↵
732.     <tbody>↵
733.     <tr>↵
734.         <th scope="row">Address</th>↵
735.         <td>56 Burning Wood Crossing</td>↵
736.     </tr>↵
737.     <tr>↵
738.         <th scope="row">City</th>↵
739.         <td>Skelivka</td>↵
740.     </tr>↵
741.     <tr>↵
742.         <th scope="row">Country</th>↵
743.         <td>Antigua and Barbuda</td>↵
744.     </tr>↵
745.     <tr>↵
746.         <th scope="row">Zip Code</th>↵
747.         <td>309379</td>↵
748.     </tr>↵
749. </tbody>↵
750. </table>↵
751. </div>     <div class="col-lg-6 col-12 purchase_Shipping">↵
752. <h4 class="text-center mb-4">Shipping Address</h4>↵
753. <table class="mt-4 mb-5 table address">↵
754.     <tbody>↵
755.     <tr>↵
756.         <th scope="row">Address</th>↵
757.         <td>56 Burning Wood Crossing</td>↵
758.     </tr>↵
759.     <tr>↵
760.         <th scope="row">City</th>↵
761.         <td>Skelivka</td>↵
762.     </tr>↵
763.     <tr>↵
764.         <th scope="row">Country</th>↵
765.         <td>Antigua and Barbuda</td>↵
766.     </tr>↵

```

```

767.         <tr>↵
768.             <th scope="row">Zip Code</th>↵
769.             <td>309379</td>↵
770.         </tr>↵
771.     </tbody>↵
772. </table>↵
773. </div>         </div>↵
774. ↵
775.         ↵
776.             <div class="row border-bottom pb-3 vh-50 pt-3">↵
777.                 <div class="col-lg-1 ps-5 align-self-center fs-4">↵
778.                     1x↵
779.                 </div>↵
780.                 <div class="col-lg-2 col-md-2">↵
781.                     <a class="item-card z" href=/item/7>↵
782.                         ↵
784.                     </a>↵
785.                 </div>↵
786.                 <div class="col-7 border-left border-dark">↵
787.                     <div class="row">↵
788.                         <div class="col-sm-8 col-12">↵
789.                             <a class="item-card z" href=/item/7>↵
790.                                 <h3 class="title">Resident Evil Village - PS4</h3>↵
791.                                 <p class="text"></p>↵
792.                             </a>↵
793.                         </div>↵
794.                     ↵
795.                 </div>↵
796.             </div>↵
797.             <div class="col d-flex flex-column justify-content-center text-center">↵
798.                 <p><span class="title fs-5">$65,671.00</span></p>↵
799.             </div>↵
800. </div>         ↵
801.             <div class="purchase-shipping-method row pt-3">↵
802.                 <div class="col-lg-10 col-3 d-flex flex-column justify-content-center text-lg-end text-center pe-lg-5
803.                 fs-5">Shipping:</div>↵
804.                 <div class="col-lg-2 col-9 fs-4 text-center">DHL - $2.00</div>↵
805.             </div>↵
806.             <div class="row pt-3 purchase-total">↵
807.                 <div class="col-lg-10 col-3 d-flex flex-column justify-content-center text-lg-end text-center pe-lg-5
808.                 fs-5">Total:</div>↵
809.                 <div class="col-lg-2 col-9 fs-4 text-center">$65,673.00</div>↵
810.             </div>↵
811.         </div>↵

```

```

812. <div class="modal fade" id="changeStatusModal_6" tabindex="-1" aria-labelledby="balanceModalLabel" aria-
hidden="true">↵
813.   <div class="modal-dialog modal-content modal-body">↵
814.     <form>↵
815.       <legend class="d-flex justify-content-between">↵
816.         <span>Purchase (ID = 6)</span>↵
817.         <span class="badge bg-info text-dark d-flex flex-column justify-content-center" id="status-modal-6">↵
818.           Processing↵
819.         </span>↵
820.       </legend>↵
821.       Please select the new status for this purchase↵
822.       <div class="row mt-3">↵
823.         <div class="col-4 text-center d-flex flex-column justify-content-center fs-5">↵
824.           <label for="status_6" class="form-label">Status</label>↵
825.         </div>↵
826.         <div class="col-8">↵
827.           <select id="status_6" class="form-select">↵
828.             <option value="Processing" ↵
829.               selected↵
830.             >↵
831.               Processing↵
832.             </option>↵
833.             <option value="Sent" ↵
834.               >↵
835.                 Sent↵
836.             </option>↵
837.             <option value="Arrived" ↵
838.               >↵
839.                 Arrived↵
840.             </option>↵
841.           </select>↵
842.         </div>↵
843.       </div>↵
844.       <footer class="text-end mt-2">↵
845.         <input class="btn btn-success change-status-submit" type="button" data-id="6" value="Submit" data-bs-
dismiss="modal">↵
846.         <button class="btn btn-secondary" data-bs-dismiss="modal">Cancel</button>↵
847.       </footer>↵
848.     </form>↵
849.   </div>↵
850. </div>↵
851. </li>     <li class="accordion-item purchaseFromHistory" id="purchaseEntry_8">↵
852.   <header class="accordion-header" id=heading8>↵
853.     <button class="accordion-button collapsed" type="button" data-bs-toggle="collapse" data-bs-target=#collapse8
aria-expanded="false" aria-controls=collapse8>↵
854.     <div class="container-fluid">↵
855.       <div class="row">↵
856.         <div class="col-lg-2 col-6 d-flex flex-column justify-content-center text-center px-0">↵

```

```

857.         <span class="d-md-none d-block">ID: 8</span><br>
858.         <span class="d-md-block d-none">8</span><br>
859.     </div><br>
860.     <br>
861.     <div class="col-lg-2 col-6 pb-1 pt-1 text-center fs-5"><br>
862.         <span class="badge bg-info text-dark purchase-status-badge" id="status-purchase-8"><br>
863.             Processing<br>
864.         </span><br>
865.     </div><br>
866.     <div class="col-lg-3 col-md-6 col-sm-6 pb-1 pt-1 d-flex flex-column justify-content-center"><br>
867.         <b class="text-center" style="color: red"><span class="historyPrice">$1,134.78</span> $</b><br>
868.     </div><br>
869.     <div class="col-lg-3 col-md-6 col-sm-6 pb-1 pt-1 d-flex flex-column justify-content-center
historyDate text-center"><br>
870.         2017-05-28<br>
871.     </div><br>
872.     <div class="col-lg-2 col-md-6 col-12 text-center"><br>
873.         <input class="btn btn-secondary changeStatus" type="button" value="Change Status" data-id="8"
data-bs-toggle="modal" data-bs-target="#changeStatusModal_8"><br>
874.     </div><br>
875. </div><br>
876. </div><br>
877. </button><br>
878. </header><br>
879. <div id=collapse8 class="accordion-collapse collapse border-1" aria-labelledby="headingOne"><br>
880.     <div class="accordion-body p-5 pt-4"><br>
881.         <div class="row purchase_addresses"><br>
882.             <div class="col-lg-6 col-12 purchase_Billing"><br>
883.                 <h4 class="text-center mb-4">Billing Address</h4><br>
884.                 <table class="mt-4 mb-5 table address"><br>
885.                     <tbody><br>
886.                         <tr><br>
887.                             <th scope="row">Address</th><br>
888.                             <td>556 Troy Hill</td><br>
889.                         </tr><br>
890.                         <tr><br>
891.                             <th scope="row">City</th><br>
892.                             <td>Brasília</td><br>
893.                         </tr><br>
894.                         <tr><br>
895.                             <th scope="row">Country</th><br>
896.                             <td>Norfolk Island</td><br>
897.                         </tr><br>
898.                         <tr><br>
899.                             <th scope="row">Zip Code</th><br>
900.                             <td>70000-000</td><br>
901.                         </tr><br>
902.                     </tbody><br>

```

```

903.         </table><↵
904. </div>         <div class="col-lg-6 col-12 purchase_Shipping">↵
905.     <h4 class="text-center mb-4">Shipping Address</h4><↵
906.     <table class="mt-4 mb-5 table address"><↵
907.         <tbody><↵
908.             <tr><↵
909.                 <th scope="row">Address</th><↵
910.                 <td>556 Troy Hill</td><↵
911.             </tr><↵
912.             <tr><↵
913.                 <th scope="row">City</th><↵
914.                 <td>Brasília</td><↵
915.             </tr><↵
916.             <tr><↵
917.                 <th scope="row">Country</th><↵
918.                 <td>Norfolk Island</td><↵
919.             </tr><↵
920.             <tr><↵
921.                 <th scope="row">Zip Code</th><↵
922.                 <td>70000-000</td><↵
923.             </tr><↵
924.         </tbody><↵
925.     </table><↵
926. </div>         </div><↵
927. ↵
928.             ↵
929.                 <div class="row border-bottom pb-3 vh-50 pt-3">↵
930.                     <div class="col-lg-1 ps-5 align-self-center fs-4">↵
931.                         1x↵
932.                     </div><↵
933.                     <div class="col-lg-2 col-md-2"><↵
934.                         <a class="item-card z" href=/item/11>↵
935.                             <↵
937.                         </a><↵
938.                     </div><↵
939.                     <div class="col-7 border-left border-dark"><↵
940.                         <div class="row"><↵
941.                             <div class="col-sm-8 col-12"><↵
942.                                 <a class="item-card z" href=/item/11>↵
943.                                     <h3 class="title">Headphones Bluetooth Sony WH-1000XM3</h3><↵
944.                                     <p class="text">Wireless bluetooth headphones</p><↵
945.                                 </a><↵
946.                             </div><↵
947.                         </div>↵
948.                     </div><↵
949.                 </div><↵

```

```

950.     <div class="col d-flex flex-column justify-content-center text-center">↵
951.         <p><span class="title fs-5">$5.37</span></p>↵
952.     </div>↵
953. </div>           <div class="row border-bottom pb-3 vh-50 pt-3">↵
954.     <div class="col-lg-1 ps-5 align-self-center fs-4">↵
955.         3x↵
956.     </div>↵
957.     <div class="col-lg-2 col-md-2">↵
958.         <a class="item-card z" href=/item/4>↵
959.             ↵
960.         </a>↵
961.         ↵
962.     </div>↵
963.     <div class="col-7 border-left border-dark">↵
964.         <div class="row">↵
965.             <div class="col-sm-8 col-12">↵
966.                 <a class="item-card z" href=/item/4>↵
967.                     <h3 class="title">The Intelligent Investor</h3>↵
968.                     <p class="text">The Definitive Book on Value Investing</p>↵
969.                 </a>↵
970.             </div>↵
971. ↵
972.         </div>↵
973.     </div>↵
974.     <div class="col d-flex flex-column justify-content-center text-center">↵
975.         <p><span class="title fs-5">$375.97</span></p>↵
976.     </div>↵
977. </div>           ↵
978.         <div class="purchase-shipping-method row pt-3">↵
979.             <div class="col-lg-10 col-3 d-flex flex-column justify-content-center text-lg-end text-center pe-lg-5
fs-5">Shipping:</div>↵
980.             <div class="col-lg-2 col-9 fs-4 text-center">CTT - $1.50</div>↵
981.         </div>↵
982.         ↵
983.         <div class="row pt-3 purchase-total">↵
984.             <div class="col-lg-10 col-3 d-flex flex-column justify-content-center text-lg-end text-center pe-lg-5
fs-5">Total:</div>↵
985.             <div class="col-lg-2 col-9 fs-4 text-center">$1,134.78</div>↵
986.         </div>↵
987.     </div>↵
988. </div>↵
989.     <div class="modal fade" id="changeStatusModal_8" tabindex="-1" aria-labelledby="balanceModalLabel" aria-
hidden="true">↵
990.         <div class="modal-dialog modal-content modal-body">↵
991.             <form>↵
992.                 <legend class="d-flex justify-content-between">↵
993.                     <span>Purchase (ID = 8)</span>↵

```

```

994.         <span class="badge bg-info text-dark d-flex flex-column justify-content-center" id="status-modal-8">↵
995.             Processing↵
996.         </span>↵
997.     </legend>↵
998.     Please select the new status for this purchase↵
999.     <div class="row mt-3">↵
1000.         <div class="col-4 text-center d-flex flex-column justify-content-center fs-5">↵
1001.             <label for="status_8" class="form-label">Status</label>↵
1002.         </div>↵
1003.         <div class="col-8">↵
1004.             <select id="status_8" class="form-select">↵
1005.                 <option value="Processing" ↵
1006.                     selected↵
1007.                 >↵
1008.                     Processing↵
1009.                 </option>↵
1010.                 <option value="Sent"↵
1011.                     >↵
1012.                     Sent↵
1013.                 </option>↵
1014.                 <option value="Arrived"↵
1015.                     >↵
1016.                     Arrived↵
1017.                 </option>↵
1018.             </select>↵
1019.         </div>↵
1020.     </div>↵
1021.     <footer class="text-end mt-2">↵
1022.         <input class="btn btn-success change-status-submit" type="button" data-id="8" value="Submit" data-bs-
dismiss="modal">↵
1023.         <button class="btn btn-secondary" data-bs-dismiss="modal">Cancel</button>↵
1024.     </footer>↵
1025. </form>↵
1026. </div>↵
1027. </div>↵
1028. </li>         <li class="accordion-item purchaseFromHistory" id="purchaseEntry_11">↵
1029.     <header class="accordion-header" id=heading11>↵
1030.         <button class="accordion-button collapsed" type="button" data-bs-toggle="collapse" data-bs-target=#collapse11
aria-expanded="false" aria-controls=collapse11>↵
1031.         <div class="container-fluid">↵
1032.             <div class="row">↵
1033.                 <div class="col-lg-2 col-6 d-flex flex-column justify-content-center text-center px-0">↵
1034.                     <span class="d-md-none d-block">ID: 11</span>↵
1035.                     <span class="d-md-block d-none">11</span>↵
1036.                 </div>↵
1037.                 ↵
1038.                 <div class="col-lg-2 col-6 pb-1 pt-1 text-center fs-5">↵
1039.                     <span class="badge bg-info text-dark purchase-status-badge" id="status-purchase-11">↵

```

```

1040.             Processing↵
1041.             </span>↵
1042.         </div>↵
1043.         <div class="col-lg-3 col-md-6 col-sm-6 pb-1 pt-1 d-flex flex-column justify-content-center">↵
1044.             <b class="text-center" style="color: red"><span class="historyPrice">$22.00</span> $</b>↵
1045.         </div>↵
1046.         <div class="col-lg-3 col-md-6 col-sm-6 pb-1 pt-1 d-flex flex-column justify-content-center
historyDate text-center">↵
1047.             2021-06-04↵
1048.         </div>↵
1049.         <div class="col-lg-2 col-md-6 col-12 text-center">↵
1050.             <input class="btn btn-secondary changeStatus" type="button" value="Change Status" data-id="11"
data-bs-toggle="modal" data-bs-target="#changeStatusModal_11">↵
1051.         </div>↵
1052.     </div>↵
1053. </div>↵
1054. </button>↵
1055. </header>↵
1056. <div id=collapse11 class="accordion-collapse collapse border-1" aria-labelledby="headingOne">↵
1057.     <div class="accordion-body p-5 pt-4">↵
1058.         <div class="row purchase_addresses">↵
1059.             <div class="col-lg-6 col-12 purchase_Billing">↵
1060.                 <h4 class="text-center mb-4">Billing Address</h4>↵
1061.                 <table class="mt-4 mb-5 table address">↵
1062.                     <tbody>↵
1063.                         <tr>↵
1064.                             <th scope="row">Address</th>↵
1065.                             <td>porto</td>↵
1066.                         </tr>↵
1067.                         <tr>↵
1068.                             <th scope="row">City</th>↵
1069.                             <td>portop</td>↵
1070.                         </tr>↵
1071.                         <tr>↵
1072.                             <th scope="row">Country</th>↵
1073.                             <td>Portugal</td>↵
1074.                         </tr>↵
1075.                         <tr>↵
1076.                             <th scope="row">Zip Code</th>↵
1077.                             <td>porto</td>↵
1078.                         </tr>↵
1079.                     </tbody>↵
1080.                 </table>↵
1081.             </div>         <div class="col-lg-6 col-12 purchase_Shipping">↵
1082.                 <h4 class="text-center mb-4">Shipping Address</h4>↵
1083.                 <table class="mt-4 mb-5 table address">↵
1084.                     <tbody>↵
1085.                         <tr>↵

```



```

1086.         <th scope="row">Address</th><↵
1087.         <td>porto</td><↵
1088.     </tr><↵
1089.     <tr><↵
1090.         <th scope="row">City</th><↵
1091.         <td>portop</td><↵
1092.     </tr><↵
1093.     <tr><↵
1094.         <th scope="row">Country</th><↵
1095.         <td>Portugal</td><↵
1096.     </tr><↵
1097.     <tr><↵
1098.         <th scope="row">Zip Code</th><↵
1099.         <td>porto</td><↵
1100.     </tr><↵
1101. </tbody><↵
1102. </table><↵
1103. </div>         </div><↵
1104. <↵
1105.         <↵
1106.         <div class="row border-bottom pb-3 vh-50 pt-3"><↵
1107.     <div class="col-lg-1 ps-5 align-self-center fs-4"><↵
1108.         1x<↵
1109.     </div><↵
1110.     <div class="col-lg-2 col-md-2"><↵
1111.         <a class="item-card z" href=/item/4><↵
1112.             <↵
1114.             </a><↵
1115.         </div><↵
1116.     <div class="col-7 border-left border-dark"><↵
1117.         <div class="row"><↵
1118.             <div class="col-sm-8 col-12"><↵
1119.                 <a class="item-card z" href=/item/4><↵
1120.                     <h3 class="title">The Intelligent Investor</h3><↵
1121.                     <p class="text">The Definitive Book on Value Investing</p><↵
1122.                 </a><↵
1123.             </div><↵
1124.         </div><↵
1125.     </div><↵
1126. </div><↵
1127.     <div class="col d-flex flex-column justify-content-center text-center"><↵
1128.         <p><span class="title fs-5">$19.60</span></p><↵
1129.     </div><↵
1130. </div>         <↵
1131.         <div class="purchase-shipping-method row pt-3"><↵

```

```

1132.         <div class="col-lg-10 col-3 d-flex flex-column justify-content-center text-lg-end text-center pe-lg-5
fs-5">Shipping:</div>↵
1133.         <div class="col-lg-2 col-9 fs-4 text-center">FedEx - $2.40</div>↵
1134.     </div>↵
1135.     ↵
1136.     <div class="row pt-3 purchase-total">↵
1137.         <div class="col-lg-10 col-3 d-flex flex-column justify-content-center text-lg-end text-center pe-lg-5
fs-5">Total:</div>↵
1138.         <div class="col-lg-2 col-9 fs-4 text-center">$22.00</div>↵
1139.     </div>↵
1140. </div>↵
1141. </div>↵
1142. <div class="modal fade" id="changeStatusModal_11" tabindex="-1" aria-labelledby="balanceModalLabel" aria-
hidden="true">↵
1143.     <div class="modal-dialog modal-content modal-body">↵
1144.         <form>↵
1145.             <legend class="d-flex justify-content-between">↵
1146.                 <span>Purchase (ID = 11)</span>↵
1147.                 <span class="badge bg-info text-dark d-flex flex-column justify-content-center" id="status-modal-
11">↵
1148.                     Processing↵
1149.                 </span>↵
1150.             </legend>↵
1151.             Please select the new status for this purchase↵
1152.             <div class="row mt-3">↵
1153.                 <div class="col-4 text-center d-flex flex-column justify-content-center fs-5">↵
1154.                     <label for="status_11" class="form-label">Status</label>↵
1155.                 </div>↵
1156.                 <div class="col-8">↵
1157.                     <select id="status_11" class="form-select">↵
1158.                         <option value="Processing" ↵
1159.                             selected↵
1160.                         ↵
1161.                         Processing↵
1162.                         </option>↵
1163.                         <option value="Sent"↵
1164.                             ↵
1165.                             Sent↵
1166.                         </option>↵
1167.                         <option value="Arrived"↵
1168.                             ↵
1169.                             Arrived↵
1170.                         </option>↵
1171.                     </select>↵
1172.                 </div>↵
1173.             </div>↵
1174.         </form>↵
1174.     </div>↵
1174. </div>↵
1174. <div class="text-end mt-2">↵

```

```

1175.         <input class="btn btn-success change-status-submit" type="button" data-id="11" value="Submit" data-bs-
dismiss="modal">↵
1176.         <button class="btn btn-secondary" data-bs-dismiss="modal">Cancel</button>↵
1177.     </footer>↵
1178. </form>↵
1179. </div>↵
1180. </div>↵
1181. </li>    </ul>↵
1182. </div>↵
1183. </div>↵
1184. ↵
1185.         <!-- separator -->↵
1186. ↵
1187.     ↵
1188. </div>↵
1189. </main>↵
1190. <footer class="footer" style="background-color: #EAE7DE;">↵
1191.     <a href="/about" class="ps-2 float-right"> About </a>↵
1192.     <a href="/faq" class="ps-2 float-right"> FAQ </a>↵
1193.     <a href="/contacts" class="ps-2 float-right"> Contact Us </a>↵
1194. </footer>↵
1195. ↵
1196. <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta2/dist/js/bootstrap.bundle.min.js" ↵
1197.     integrity="sha384-b5kHyXgcpbZJ0/tY9U17kGkf1S0CWuKcCD38l8YkeH8z8QjE0GmW1gYU5S9FOnJ0"
crossorigin="anonymous">↵
1198. </script>↵
1199. ↵
1200. <script>↵
1201.     var tooltipTriggerList = [].slice.call(document.querySelectorAll('[data-bs-toggle="tooltip"]'))↵
1202.     var tooltipList = tooltipTriggerList.map(function (tooltipTriggerEl) {↵
1203.         return new bootstrap.Tooltip(tooltipTriggerEl)↵
1204.     })↵
1205. ↵
1206.     var popoverTriggerList = [].slice.call(document.querySelectorAll('[data-bs-toggle="popover"]'))↵
1207.     var popoverList = popoverTriggerList.map(function (popoverTriggerEl) {↵
1208.         return new bootstrap.Popover(popoverTriggerEl)↵
1209.     })↵
1210. </script>↵
1211. ↵
1212. </body>↵
1213. ↵
1214. </html>

```

Used the HTML parser.

Total execution time 49 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 21.5.28