Evaluation results

There are three levels of importance in pitfalls according to their impact on the ontology:

- Critical It is crucial to correct the pitfall. Otherwise, it could affect the ontology consistency, reasoning, applicability, etc.
- Important Though not critical for ontology function, it is important to correct this type of pitfall.
- Minor It is not really a problem, but by correcting it we will make the ontology nicer.

Pitfalls detected:

Results for P04: Creating unconnected ontology elements. 3 cases Minor

Ontology elements (classes, object properties and datatype properties) are created isolated, with no relation to the rest of the ontology.

• This pitfall appears in the following elements:
› http://www.w3.org/ns/prov#Agent
› http://www.semanticweb.org/g-oops#Prompt
› http://www.w3.org/ns/prov#Entity

Results for P08: Missing annotations. 7 cases Minor

This pitfall consists in creating an ontology element and failing to provide human readable annotations attached to it. Consequently, ontology elements lack annotation properties that label them (e.g. rdfs:label, lemon:LexicalEntry, skos:prefLabel or skos:altLabel) or that define them (e.g. rdfs:comment or dc:description). This pitfall is related to the guidelines provided in [5].

• The following elements have neither rdfs:label or rdfs:comment (nor skos:definition) defined:
› http://www.w3.org/ns/prov#wasAttributedTo
› http://www.w3.org/ns/prov#wasGeneratedBy

• The following elements have neither rdfs:comment or skos:definition defined:
› http://www.w3.org/ns/prov#Agent
› http://www.w3.org/ns/prov#SoftwareAgent
› http://www.w3.org/ns/prov#Entity
› http://www.w3.org/ns/prov#Activity
› http://www.w3.org/ns/prov#endedAtTime

Results for P11: Missing domain or range in properties. 5 cases Important

Object and/or datatype properties without domain or range (or none of them) are included in the ontology.

• This pitfall appears in the following elements:
› http://purl.org/dc/terms/isPartOf
› http://www.w3.org/ns/prov#wasGeneratedBy
› http://purl.org/dc/terms/hasPart
› http://www.w3.org/ns/prov#wasAttributedTo
› http://purl.org/dc/terms/description

• **Tip:** Solving this pitfall may lead to new results for other pitfalls and suggestions. We encourage you to solve all cases when needed and see what else you can get from OOPS!

Results for P13: Inverse relationships not explicitly declared. 2 cases Minor

This pitfall appears when any relationship (except for those that are defined as symmetric properties using owl:SymmetricProperty) does not have an inverse relationship (owl:inverseOf) defined within the ontology.

• This pitfall appears in the following elements:
› http://www.w3.org/ns/prov#wasAttributedTo
› http://www.w3.org/ns/prov#wasGeneratedBy

The ontology elements are not named following the same convention (for example CamelCase or use of delimiters as "-" or "_") . Some notions about naming conventions are provided in [2].

*This pitfall applies to the ontology in general instead of specific elements.

Results for P41: No license declared. Ontology* Important

The ontology metadata omits information about the license that applies to the ontology.

*This pitfall applies to the ontology in general instead of specific elements.

Suggestions or warnings:

According to the highest importance level of pitfall found in your ontology the conformace bagde suggested is "Important pitfalls" (see below). You can use the following HTML code to insert the badge within your ontology documentation:




```
<p>
<a href="http://oops.linkeddata.es">
<img src="http://oops.linkeddata.es/resource/image/oops_important.png"
alt="Important pitfalls were found" height="69.6" width="100" /></a>
</p>
```

References

[1] Aguado-De Cea, G., Montiel-Ponsoda, E., Poveda-Villalón, M., and Giraldo-Pasmin, O.X. (2015).

[2] Noy, N. F., McGuinness, D. L., et al. (2001).

[3] Gómez-Pérez, A. (1999).

[4] Montiel-Ponsoda, E., Vila Suero, D., Villazón-Terrazas, B., Dunsire, G., Escolano Rodríguez, E., Gómez-Pérez, A. (2011).

[5] Vrandecic, D. (2010).

[6] Gómez-Pérez, A. (2004).

[7] Rector, A., Drummond, N., Horridge, M., Rogers, J., Knublauch, H., Stevens, R., Wang, H., and Wroe, C. (2004).

[8] Hogan, A., Harth, A., Passant, A., Decker, S., and Polleres, A. (2010).

[9] Archer, P., Goedertier, S., and Loutas, N. (2012).

[10] Bernes-Lee Tim. (2006).

[11] Heath, T. and Bizer, C. (2011).

[12] Vatant, B. (2012).

<?xml version="1.0"?>
<rdf:RDF xmlns="http://www.semanticweb.org/g-oops/"
    xml:base="http://www.semanticweb.org/g-oops/"
    xmlns:dc="http://purl.org/dc/elements/1.1/"
    xmlns:owl="http://www.w3.org/2002/07/owl#"
    xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#"
    xmlns:xml="http://www.w3.org/XML/1998/namespace"
    xmlns:xsd="http://www.w3.org/2001/XMLSchema#"

Uncheck this checkbox if you don't want us to keep a copy of your ontology.

Scan

Advanced evaluation

How to cite OOPS!

Poveda-Villalón, María, Asunción Gómez-Pérez, and Mari Carmen Suárez-Figueroa. "OOPS!(Ontology Pitfall Scanner!): An on-line tool for ontology evaluation." International Journal on Semantic Web and Information Systems (IJSWIS) 10.2 (2014): 7-34.

BibTex:

```
@article{poveda2014oops,
title={{OOPS! (OntOlogy Pitfall Scanner!): An On-line Tool for Ontology Evaluation}},
author={Poveda-Villal{\'o}n, Mar{\'i}a and G{\'o}mez-P{\'e}rez, Asunci{\'o}n and Su{\'a}rez-Figueroa, Mari Ca
journal={International Journal on Semantic Web and Information Systems (IJSWIS)},
volume={10},
number={2},
pages={7--34},
year={2014},
publisher={IGI Global}
}
```

Escuela Técnica Superior de Ingenieros Informáticos

Univ Polit de M

María Poveda

Contact email: oops(at)delicias.dia.fi.upm.es. Latest revision April 2021