APPENDIX A: THE SURFACES

In this section we describe all the surfaces listed in Table 1, 2 and 3 $\,$

K_S^2	Sing(X)	Sign.	G^0	G	$H_1(S,\mathbb{Z})$	$\pi_1(S)$	Label
1	$2C_{2,1}, 2D_{2,1}$	2^3 , 4	$D_4 \times \mathbb{Z}_2$	$\mathbb{Z}_2^3 \rtimes \mathbb{Z}_4$	\mathbb{Z}_4	\mathbb{Z}_4	1.1
2	$6C_{2,1}$	2^{5}	\mathbb{Z}_2^3	$\mathbb{Z}_2^2 \rtimes \mathbb{Z}_4$	$\mathbb{Z}_2 \times \mathbb{Z}_4$	$\mathbb{Z}_2 \times \mathbb{Z}_4$	1.2
2	$6C_{2,1}$	4^3	$(\mathbb{Z}_2 \times \mathbb{Z}_4) \rtimes \mathbb{Z}_4$	G(64,82)	\mathbb{Z}_2^3	\mathbb{Z}_2^3	1.3
2	$C_{2,1}, 2D_{2,1}$	$2^3, 4$	$\mathbb{Z}_2^4 \rtimes \mathbb{Z}_2$	$\mathbb{Z}_2^4 \rtimes \mathbb{Z}_4$	\mathbb{Z}_4	\mathbb{Z}_4	1.4
2	$C_{2,1}, 2D_{2,1}$	$2^2, 3^2$	$\mathbb{Z}_3^2 \rtimes \mathbb{Z}_2$	$\mathbb{Z}_3^2 \rtimes \mathbb{Z}_4$	\mathbb{Z}_3	\mathbb{Z}_3	1.5
2	$2C_{4,1}, 3C_{2,1}$	$2^3, 4$	G(64,73)	G(128,1535)	\mathbb{Z}_2^3	\mathbb{Z}_2^3	1.6
2	$2C_{3,1}, 2C_{3,2}$	$3^2, 4$	G(384,4)	G(768,1083540)	\mathbb{Z}_4	\mathbb{Z}_4	1.7
2	$2C_{3,1}, 2C_{3,2}$	$3^2, 4$	G(384,4)	G(768,1083541)	\mathbb{Z}_2^2	\mathbb{Z}_2^2	1.8
3	$C_{8,3}, C_{8,5}$	$2^3, 8$	G(32, 39)	G(64, 42)	$\mathbb{Z}_2 \times \mathbb{Z}_4$	$\mathbb{Z}_2 \times \mathbb{Z}_4$	1.9
4	$4C_{2,1}$	2^{5}	$D_4 \times \mathbb{Z}_2$	$D_{2,8,5} \rtimes \mathbb{Z}_2$	$\mathbb{Z}_2 \times \mathbb{Z}_8$	$\mathbb{Z}_2^2 \rtimes \mathbb{Z}_8$	1.10
4	$4C_{2,1}$	2^{5}	\mathbb{Z}_2^4	$(\mathbb{Z}_2^2 \rtimes \mathbb{Z}_4) \times \mathbb{Z}_2$	$\mathbb{Z}_2^3 \times \mathbb{Z}_4$	∞	1.11
4	$4C_{2,1}$	4^3	G(64, 23)	G(128, 836)	\mathbb{Z}_2^3	$\mathbb{Z}_4^2 \rtimes \mathbb{Z}_2$	1.12
8	Ø	2^{5}	$D_4 \times \mathbb{Z}_2^2$	$(D_{2,8,5} \rtimes \mathbb{Z}_2) \times \mathbb{Z}_2$	$\mathbb{Z}_2^3 \times \mathbb{Z}_8$	∞	1.13
8	Ø	4^3	G(128, 36)	G(256, 3678)	\mathbb{Z}_4^3	∞	1.14
8	Ø	4^3	G(128, 36)	G(256, 3678)	$\mathbb{Z}_2^4 \times \mathbb{Z}_4$	∞	1.15
8	Ø	4^{3}	G(128, 36)	G(256, 3678)	$\mathbb{Z}_2^2 \times \mathbb{Z}_4^2$	∞	1.16
8	Ø	4^{3}	G(128, 36)	G(256, 3679)	$\mathbb{Z}_2^2 \times \mathbb{Z}_4^2$	∞	1.17

TABLE 1. $p_g = q = 0$

K_S^2	g_{alb}	Sing(X)	Sign.	G^0	G	$H_1(S,\mathbb{Z})$	Label
2	2	$C_{2,1}, 2D_{2,1}$	2^2	\mathbb{Z}_2	\mathbb{Z}_4	\mathbb{Z}^2	2.1
2	2	$C_{2,1}, 2D_{2,1}$	2	D_8	$D_{2,8,3}$	\mathbb{Z}^2	2.2
2	2	$C_{2,1}, 2D_{2,1}$	2	Q_8	BD_4	\mathbb{Z}^2	2.3
4	3	$4C_{2,1}$	2^2	\mathbb{Z}_4	\mathbb{Z}_8	$\mathbb{Z}_2 \times \mathbb{Z}^2$	2.4
4	3	$4C_{2,1}$	2^2	$\mathbb{Z}_2 \times \mathbb{Z}_2$	$\mathbb{Z}_2 \times \mathbb{Z}_4$	$\mathbb{Z}_2^2 \times \mathbb{Z}^2$	2.5
4	2	$4C_{2,1}$	2	$\mathbb{Z}_2^2 \rtimes \mathbb{Z}_4$	G(32,29)	$\mathbb{Z}_2^2 \times \mathbb{Z}^2$	2.6
4	3	$4C_{2,1}$	2	$D_{4,4,3}$	$D_{4,8,3}$	$\mathbb{Z}_2 \times \mathbb{Z}^2$	2.7
4	3	$4C_{2,1}$	2	$D_{4,4,3}$	$D_{4,8,7}$	$\mathbb{Z}_2 \times \mathbb{Z}^2$	2.8
4	2	$4C_{2,1}$	2	$D_{4,4,3}$	G(32,32)	$\mathbb{Z}_2^2 \times \mathbb{Z}^2$	2.9
4	2	$4C_{2,1}$	2	$D_{4,4,3}$	G(32,35)	$\mathbb{Z}_2^2 \times \mathbb{Z}^2$	2.10
4	3	$4C_{2,1}$	2	$D_{2,8,5}$	G(32,15)	$\mathbb{Z}_2 \times \mathbb{Z}^2$	2.11
5	3	$C_{3,1}, C_{3,2}$	3	BD_3	BD_6	$\mathbb{Z}_2 \times \mathbb{Z}^2$	2.12
5	3	$C_{3,1}, C_{3,2}$	3	D_6	$D_{2,12,5}$	$\mathbb{Z}_2^2 \times \mathbb{Z}^2$	2.13
6	3	$2C_{2,1}$	2	$A_4 \times \mathbb{Z}_2$	G(48,30)	$\mathbb{Z}_2 \times \mathbb{Z}^2$	2.14
6	7	$2C_{2,1}$	2	$A_4 \times \mathbb{Z}_2$	$A_4 \times \mathbb{Z}_4$	$\mathbb{Z}_2 \times \mathbb{Z}^2$	2.15
6	5	$C_{5,3}$	5	D_5	G(20,3)	$\mathbb{Z}_2 \times \mathbb{Z}^2$	2.16
8	5	Ø	2^2	$\mathbb{Z}_2 \times \mathbb{Z}_4$	$D_{2,8,5}$	$\mathbb{Z}_4 \times \mathbb{Z}^2$	2.17
8	5	Ø	2^2	D_4	$D_{2,8,3}$	$\mathbb{Z}_4 \times \mathbb{Z}^2$	2.18
8	5	Ø	2^2	\mathbb{Z}_2^3	$\mathbb{Z}_2^2 \rtimes \mathbb{Z}_4$	$\mathbb{Z}_2^3 \times \mathbb{Z}^2$	2.19

Table 2. $p_q = q = 1$

K_S^2	Sing(X)	Sign.	G^0	G	$H_1(S,\mathbb{Z})$	Label
8	Ø	-	\mathbb{Z}_2	\mathbb{Z}_4	$\mathbb{Z}_2 imes \mathbb{Z}^4$	3.1
Table 3. $p_q = q = 2$						

We will follow the scheme below:

G: the Galois group.

 G^0 : the index 2 subgroup of the elements that do not exchanges the factors.

T: the type of the generating vector.

L: here we list the set of elements of G that is a generating vector for G^0 that gives the curve C.

 H_1 : the first homology group of the surface.

 π_1 : the fundamental group of the surface (only if $q \neq 0$).

1.
$$p_q = q = 0$$

$$K^2 = 1$$
, Basket $\{2 \times C_{2,1}, 2 \times D_{2,1}\}$.

1.1. Galois group G(32,6):
$$(\mathbb{Z}_{2})^{3} \rtimes_{\varphi} \mathbb{Z}_{4} : \varphi(1) = \begin{pmatrix} 1 & 1 & 1 \\ 0 & 1 & 1 \\ 0 & 0 & 1 \end{pmatrix}$$
G: $\langle (2,5,6,8)(3,7), (1,2)(3,5)(4,6)(7,8), (1,3)(2,5)(4,7)(6,8), (2,6)(5,8), (1,4)(2,6)(3,7)(5,8) \rangle < \mathfrak{S}_{8}$

$$G^{0} : D_{4} \times \mathbb{Z}_{2}$$
T: $(2,2,2,4)$

```
L: (1,8)(2,7)(3,6)(4,5), (1,7)(2,8)(3,4)(5,6), (1,3)(2,8)(4,7)(5,6), (1,5,4,8)(2,7,6,3)
H_1\colon \mathbb{Z}_4
\pi_1\colon \mathbb{Z}_4
K^2=2, Basket \{6\times C_{2,1}\}.
```

1.2. Galois group G(16,3):
$$(\mathbb{Z}_{2})^{2} \rtimes_{\varphi} \mathbb{Z}_{4}$$
: $\varphi(1) = \begin{pmatrix} 1 & 1 \\ 0 & 1 \end{pmatrix}$
G: $\langle (1,2,4,6)(3,5,7,8), (2,5)(6,8), (1,3)(2,5)(4,7)(6,8), (1,4)(2,6)(3,7)(5,8) \rangle < \mathfrak{S}_{8}$
 G^{0} : $(\mathbb{Z}_{2})^{3}$
T: $(2,2,2,2,2)$
L: $(1,3)(4,7), (1,7)(2,6)(3,4)(5,8), (1,3)(2,5)(4,7)(6,8), (2,5)(6,8), (1,7)(2,6)(3,4)(5,8)$
 H_{1} : $\mathbb{Z}_{2} \times \mathbb{Z}_{4}$
 π_{1} : $\mathbb{Z}_{2} \times \mathbb{Z}_{4}$

1.3. Galois group G(64,82): Sylow 2-subgroup of the Suzuki group Sz(8),

G:
$$\langle g_1, g_2, g_3 \mid g_3^4, g_2^4, g_1^4, g_1g_3g_1^{-1}g_3g_2^2, g_2^{-2}g_3^{-1}g_1^{-1}g_3^{-1}g_1, g_2g_3g_1^2g_2g_3^{-1}, g_1^{-1}g_3^2g_2g_1g_2^{-1}, g_2^{-1}g_3^2g_2g_3^2, g_1^{-2}g_3^{-1}g_2g_3g_2\rangle$$

$$G^0: G(32,2): \langle h_1, h_2 \mid h_1^4, h_2^4, h_2^{-1}h_1^{-2}h_2h_1^{-2}, h_2^{-2}h_1h_2^{-2}h_1^{-1}, (h_1h_2h_1^{-1}h_2)^2, (h_2^{-1}h_1h_2h_1)^2, h_1^{-2}h_2^{-3}h_1^{-2}h_2^{-1}, (h_2, h_1^{-1})^2\rangle$$
it is isomorphic to $(\mathbb{Z}_2 \times \mathbb{Z}_4) \rtimes_{\varphi} \mathbb{Z}_4$ where $\varphi(1) = \begin{pmatrix} 1 & 1 \\ 0 & 3 \end{pmatrix}$

$$T: (4, 4, 4)$$

$$L: g_3^{-1}, g_1g_3^{-2}, g_1g_3g_2^{-2}g_3^2g_2^2g_1^{-2}$$

$$H_1: (\mathbb{Z}_2)^3$$

$$\pi_1: (\mathbb{Z}_2)^3$$

 $K^2 = 2$, Basket $\{C_{2,1}, 2 \times D_{2,1}\}$.

1.4. Galois group G(64,32):
$$(\mathbb{Z}_{2})^{4} \rtimes_{\varphi} \mathbb{Z}_{4}$$
: $\varphi(1) = \begin{pmatrix} 1 & 1 & 0 & 0 \\ 0 & 1 & 1 & 1 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 1 \end{pmatrix}$

G: $\langle (2,6,7,12)(3,9,10,16)(4,11)(8,14,15,13), (1,2)(3,6)(4,7)(5,8)(9,13)(10,14)(11,15)(12,16), (1,3)(2,6)(4,9)(5,10)(7,13)(8,14)(11,16)(12,15), (2,7)(3,10)(6,12)(8,15)(9,16)(13,14), (1,4)(2,7)(3,9)(5,11)(6,13)(8,15)(10,16)(12,14), (1,5)(2,8)(3,10)(4,11)(6,14)(7,15)(9,16)(12,13) \rangle < \mathfrak{S}_{16}$
 G^{0} : $(\mathbb{Z}_{2})^{4} \rtimes_{\psi} \mathbb{Z}_{2}, \psi(1) = \varphi(2)$

T: $(2,2,2,4)$

L: $(2,7)(3,10)(6,12)(8,15)(9,16)(13,14),$

```
(1,16)(2,12)(3,11)(4,10)(5,9)(6,15)(7,14)(8,13), (1,14)(2,10)(3,8)(4,12)(5,6)(7,16)(9,15)(11,13), (1,2,4,7)(3,14,9,12)(5,8,11,15)(6,16,13,10)
H_1 \colon \mathbb{Z}_4
\pi_1 \colon \mathbb{Z}_4
```

1.5. Galois group G(36,9): $(\mathbb{Z}_3)^2 \rtimes_{\varphi} \mathbb{Z}_4$: $\varphi(1) = \begin{pmatrix} 0 & 1 \\ 2 & 0 \end{pmatrix}$ G: $\langle (1,2)(3,4,5,6), (3,5)(4,6), (2,4,6), (1,3,5)(2,4,6) \rangle < \mathfrak{S}_6$ G^0 : $(\mathbb{Z}_3)^2 \rtimes_{\psi} \mathbb{Z}_2, \psi(1) = \varphi(2)$ T: (2,2,3,3) L: (3,5)(4,6), (2,6)(3,5), (1,3,5), (1,5,3)(2,4,6) H_1 : \mathbb{Z}_3 π_1 : \mathbb{Z}_3

$$K^2 = 2$$
, Basket $\{2 \times C_{4,1}, 3 \times C_{2,1}\}$.

1.6. Galois group G(128,1535):

```
G: \langle g_1, g_2, g_3, g_4 \mid g_1^{-1}g_4g_1g_4, g_4^4, (g_2^{-1}g_3^{-1})^2, g_2^4, (g_3, g_4^{-1}), (g_3^{-1}g_2)^2, g_2^{-1}g_4g_2^{-1}g_4^{-1}, g_1^{-1}g_2^{-1}g_1g_2^{-1}, g_1^{-1}g_3^{-1}g_1^2g_3g_1^{-1}, g_3^{-2}g_1g_3^2g_1^{-1}, g_4^{-2}g_1g_3g_2^{-1}g_3^{-1}, g_4^{-2}g_3^{-1}g_1g_3g_1^{-1}g_2^2, g_4^2g_1^{-2}g_3^{-1}g_2^2g_3^{-1}, g_4^{-1}g_1^{-1}g_2g_3g_2^{-1}g_4g_3^{-1}g_1^{-1}, g_4^{-2}g_1^3g_4^{-2}g_1\rangle
G^0\colon G(64,73)\colon \langle h_1, h_2, h_3 \mid h_1^2, h_2^2, h_3^2, (h_1h_3)^4, (h_1h_2)^4, (h_2h_3)^4, (h_2h_3h_2h_1h_3)^2, (h_1h_2h_3h_1h_3)^2, (h_2h_1h_3)^4\rangle
T\colon (2,2,2,4)
L\colon g_1g_3g_4^{-1}g_2^2, g_1g_3g_2^{-2}g_3^{-2}g_2^2, g_2g_3, g_2g_3g_4g_2^{-2}g_4^{-2}g_2^2g_3^{-2}g_2^2
H_1\colon (\mathbb{Z}_2)^3
\pi_1\colon (\mathbb{Z}_2)^3
```

$K^2 = 2$, Basket $\{2 \times C_{3,1}, 2 \times C_{3,2}\}$.

1.7. Galois group G(768,1083540):

```
G: \langle g_1, g_2, g_3, g_4, g_5, g_6, g_7, g_8, g_9 \mid g_1^3, g_2^2(g_5g_6g_7)^{-1}, g_3^2(g_5g_6), g_4^2(g_5)^{-1}, g_5^2, g_6^2, g_7^2, g_8^2, g_9^2, (g_2, g_1)(g_4g_6g_7g_9)^{-1}, (g_3, g_1)(g_3g_7g_9)^{-1}, (g_3, g_2)g_5^{-1}, (g_4, g_1)(g_8g_9)^{-1}, (g_4, g_2)g_6^{-1}, (g_4, g_3)g_7^{-1}, (g_5, g_1)(g_6g_7)^{-1}, (g_5, g_2)g_8^{-1}, (g_5, g_3)g_9^{-1}, (g_6, g_1)g_8^{-1}, (g_6, g_2) = g_8g_9, (g_6, g_3)g_9^{-1}, (g_6, g_4)g_8^{-1}, (g_7, g_1)g_9^{-1}, (g_7, g_2)g_9^{-1}, (g_7, g_3)g_8^{-1}, (g_7, g_4)g_9^{-1}, (g_8, g_1)g_9^{-1}, (g_9, g_1)\rangle
G^0: G(384, 4): \langle h_1, h_2 \mid h_1^3, h_2^4, (h_2^{-1}h_1)^3, (h_2^{-1}h_1^{-1})^6, (h_2, h_1)^4, h_1^{-1}h_2^{-1}h_1h_2h_1h_2^{-1}h_1^{-1}h_2h_1h_2h_1^{-1}h_2h_1h_2h_1h_2h_1^{-1}h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h_2h_1h
```

1.8. Galois group G(768,1083541):

```
G: \langle g_1, g_2, g_3 \mid g_1^3, g_3^4, g_2^4, g_2g_3g_1g_2^{-1}g_1^{-1}g_3, g_3^2g_2^2g_3^{-2}g_2^2, g_3g_2^{-1}g_3g_1^{-1}g_2g_3^{-2}g_1, g_1^{-1}g_3^{-2}g_1g_2g_3g_2^{-1}g_3^{-1}, g_2g_3g_2^{-1}g_1g_2g_1^{-1}g_2^{-1}g_3, g_3g_2^2g_3g_1^{-1}g_2g_1g_2, (g_3^{-1}g_2^{-1}g_3g_2^{-1})^2, g_2^{-1}g_3^{-1}g_1^{-1}g_3^2g_1g_2g_3, (g_3^{-1}g_2)^4, g_3g_1g_2^{-2}g_3^{-1}g_2^{-1}g_3^{-1}g_1^{-1}g_2^{-1}g_3, g_3g_2^2g_3^{-1}g_1^{-1}g_3g_2^{-2}g_3^{-1}g_1, g_2g_1^{-1}g_2g_1g_3^{-1}g_2g_3g_1g_2g_1^{-1}, g_3^{-1}g_2^2g_1^{-1}g_3^{-1}g_3^{-1}g_1^{-1}g_3g_1, g_3^{-1}g_2g_3^{-1}g_2g_3^{-1}g_2^{-1}g_3^{-1}g_2^{-1}g_3^{-1}, g_1^{-1}g_2g_3^{-1}g_1g_3^{-1}g_1^{-2}g_3^{-1}g_1^{-1}g_3g_1, g_3^{-1}g_2^{-2}g_3g_2^{-1}g_2^{-1}g_1g_3g_1^{-1}, g_1^{-1}g_2g_3^{-1}g_1g_3^{-1}g_1^{-1}g_3g_2^{-2}g_1g_3, g_3^{-1}g_1^{-1}g_2^{-1}g_3^{-1}g_1^{-1}g_3g_2^{-2}g_1g_3, g_3^{-1}g_1^{-1}g_2^{-1}g_3^{-1}g_1^{-1}g_3g_2^{-2}g_1g_3, g_3^{-1}g_1^{-1}g_2^{-1}g_3^{-1}g_1^{-1}g_3g_2^{-2}g_1g_3, g_3^{-1}g_1^{-1}g_2^{-1}g_3^{-1}g_1^{-1}g_3g_2^{-1}g_3^{-1}g_1g_3^{-2}g_2g_3^{-1}g_1^{-1}g_2^{-1}\rangle G^0\colon G(384,4), as above. T\colon (3,3,4) L\colon g_1^2g_2g_3g_2^{-2}g_3g_2^2g_1g_3^{-1}g_2^{-2}g_3g_2^2g_1g_3^{-1}g_2^{-2}g_3g_2^2g_1g_3^{-1}g_2^{-2}g_3g_2^2g_1^{-1}, g_1g_2^3g_3g_2^2g_1g_3^{-1}g_2^2g_3g_2^2g_1^{-1}, g_2g_3^{-1}g_1^{-1}g_3g_1g_2^{-1}g_3^{-2}g_2^{-1}g_3^{-1}g_2^{-2}g_3g_2^2g_1g_3^{-1}g_2^{-2}g_3g_2^2g_1^{-1}, g_2g_3^{-1}g_1^{-1}g_3g_1g_2^{-1}g_3^{-2}g_2^{-1}g_3^{-1}g_2^2g_3g_2^2g_1^{-1}, g_1g_2^3g_3g_2^2g_1g_3^{-1}g_2^2g_3g_2^2g_1^{-1}, g_2g_3^{-1}g_1^{-1}g_3g_1g_2^{-1}g_3^{-2}g_2^{-1}g_3^{-1}g_3^2g_3g_2^2g_1^{-1}, g_1g_2^3g_3g_2^2g_1g_3^{-1}g_2^2g_3g_2^2g_1^{-1}, g_2g_3^{-1}g_1^{-1}g_3g_1g_2^{-1}g_3^{-2}g_2^{-1}g_3^{-1}g_3^2g_3g_2^2 \pi_1\colon (\mathbb{Z}_2)^2
```

 $K^2 = 3$, Basket $\{C_{8,3}, C_{8,5}\}$.

```
1.9. Galois group G(64,42):
```

```
G: \langle (1,2,3,5,8,13,6,10)(4,7,11,14,15,16,9,12), (2,4)(3,6)(5,9)(7,12)(10,11)(13,15)(14,16)\rangle < \mathfrak{S}_{16}

G^0: G(32,39): \langle (2,4)(5,7)(6,8)(9,11)(10,12)(13,15), (1,2)(3,5)(4,6)(7,9)(8,10)(11,13)(12,14)(15,16), (1,3)(2,5)(4,7)(6,9)(8,11)(10,13)(12,15)(14,16)\rangle < \mathfrak{S}_{16}

T: (2,2,2,8)

L: (2,13)(4,15)(5,10)(9,11), (1,7)(2,5)(3,12)(4,15)(6,14)(8,16)(10,13), (2,15)(3,6)(4,13)(5,11)(7,12)(9,10)(14,16), (1,7,3,14,8,16,6,12)(2,15,10,11,13,4,5,9)

H_1: \mathbb{Z}_2 \times \mathbb{Z}_4

\pi_1: \mathbb{Z}_2 \times \mathbb{Z}_4
```

 $K^2 = 4$, Basket $\{4 \times C_{2,1}\}$.

1.10. Galois group G(32,7):
$$D_{2,8,5} \rtimes_{\varphi} \mathbb{Z}_{2}$$
, $\varphi(1) = \begin{cases} x \mapsto x \\ y \mapsto yxy^{4} \end{cases}$
G: $\langle (1,2,3,6,4,5,7,8), (2,5)(3,7), (2,5)(6,8), (1,3,4,7)(2,6,5,8), (1,4)(2,5)(3,7)(6,8) \rangle < \mathfrak{S}_{8}$
 G^{0} : $D_{4} \times \mathbb{Z}_{2}$
T: $(2,2,2,2,2)$
L: $(2,5)(6,8), (1,7)(2,6)(3,4)(5,8), (1,4)(2,5), (1,4)(2,5), (1,7)(2,8)(3,4)(5,6)$
 H_{1} : $\mathbb{Z}_{2} \times \mathbb{Z}_{8}$
 π_{1} : $(\mathbb{Z}_{2})^{2} \rtimes_{\psi} \mathbb{Z}_{8}$, $\psi(1) = \begin{pmatrix} 1 & 1 \\ 0 & 1 \end{pmatrix}$

```
1.11. Galois group G(32,22): ((\mathbb{Z}_2)^2 \rtimes_{\varphi} \mathbb{Z}_4) \times \mathbb{Z}_2, \ \varphi(1) = \begin{pmatrix} 1 & 1 \\ 0 & 1 \end{pmatrix}
   G: \langle (1,2,5,8)(3,7,10,14)(4,6,11,13)(9,12,15,16), \rangle
      (2,6)(7,12)(8,13)(14,16),
      (1,3)(2,7)(4,9)(5,10)(6,12)(8,14)(11,15)(13,16),
      (1,4)(2,6)(3,9)(5,11)(7,12)(8,13)(10,15)(14,16),
      (1,5)(2,8)(3,10)(4,11)(6,13)(7,14)(9,15)(12,16) < \mathfrak{S}_{16}
   G^0: \mathbb{Z}_2^4
   T: (2, 2, 2, 2, 2)
   L: (1,5)(2,13)(3,10)(4,11)(6,8)(7,16)(9,15)(12,14),
      (1,3)(2,12)(4,9)(5,10)(6,7)(8,16)(11,15)(13,14),
      (1,4)(3,9)(5,11)(10,15),
      (1,10)(2,16)(3,5)(4,15)(6,14)(7,13)(8,12)(9,11),
      (1,4)(2,6)(3,9)(5,11)(7,12)(8,13)(10,15)(14,16)
   H_1: (\mathbb{Z}_2)^3 \times \mathbb{Z}_4
   \pi_1: \langle p_1, p_2, p_3, p_4 \mid p_1^2, p_3^2, (p_3p_2)^2, (p_1p_2^{-1})^2, p_4p_2^{-1}p_4^{-1}p_2^{-1}, p_4p_1p_3p_4^{-1}p_3p_1, (p_1p_4^2)^2, (p_4^{-2}p_3)^2 \rangle
1.12. Galois group G(128,836): Sylow 2-subgroup of a double cover of
the Suzuki group Sz(8)
   G: \langle (2,4,9,13)(3,7,12,15)(8,10)(11,16),
          (1, 2, 5, 9)(3, 6)(4, 10, 13, 8)(7, 11)(12, 14)(15, 16),
          (1,3,8,7)(2,6,4,11)(5,12,10,15)(9,14,13,16) \langle \mathfrak{S}_{16}
   G^0: G(64, 23): ((2, 3, 5, 8)(6, 10)(7, 11, 12, 13)(14, 16),
         (1,2,4,7)(3,6,11,14)(5,9,12,15)(8,10,13,16) \langle \mathfrak{S}_{16}
   T: (4,4,4)
   L: (1, 12, 8, 15)(2, 14, 4, 16)(3, 10, 7, 5)(6, 13, 11, 9)
      (1, 13, 5, 4)(2, 8, 9, 10)(3, 11)(6, 7)(12, 16)(14, 15),
      (1, 14, 8, 16)(2, 3, 13, 15)(4, 7, 9, 12)(5, 6, 10, 11)
   H_1: (\mathbb{Z}_2)^3
   \pi_1: (\mathbb{Z}_4 \times \mathbb{Z}_4) \rtimes_{\psi} \mathbb{Z}_2, \psi(1) = \begin{pmatrix} 3 & 2 \\ 2 & 1 \end{pmatrix}
K^2 = 8, Basket \emptyset.
1.13. Galois group G(64,92): (D_{2,8,5} \rtimes_{\varphi} \mathbb{Z}_2) \times \mathbb{Z}_2, \ \varphi(1) = \begin{cases} x \mapsto x \\ y \mapsto yxy^4 \end{cases}
   G: \langle (1, 2, 4, 8, 5, 9, 12, 16)(3, 7, 10, 15, 11, 6, 13, 14), \rangle
      (2,6)(4,12)(7,9)(8,15)(10,13)(14,16),
      (1,3)(2,7)(4,10)(5,11)(6,9)(8,15)(12,13)(14,16),
      (1,3)(2,6)(4,10)(5,11)(7,9)(8,14)(12,13)(15,16),
      (1,4,5,12)(2,8,9,16)(3,10,11,13)(6,14,7,15),
      (1,5)(2,9)(3,11)(4,12)(6,7)(8,16)(10,13)(14,15) \langle \mathfrak{S}_{16}
   G^0: D_4 \times \mathbb{Z}_2 \times \mathbb{Z}_2
   T: (2, 2, 2, 2, 2)
   L: (1,5)(2,7)(3,11)(6,9)(8,14)(15,16),
      (2,7)(4,12)(6,9)(8,14)(10,13)(15,16),
```

(1,13)(2,8)(3,12)(4,11)(5,10)(6,14)(7,15)(9,16),

$$(1,4)(2,14)(3,10)(5,12)(6,8)(7,16)(9,15)(11,13),$$

 $(1,3)(2,6)(4,10)(5,11)(7,9)(8,14)(12,13)(15,16)$
 $H_1: (\mathbb{Z}_2)^3 \times \mathbb{Z}_8$
 $\pi_1: 1 \to \Pi_{17} \times \Pi_{17} \to \pi_1 \to G \to 1$

1.14. Galois group G(256,3678):

G:
$$\langle g_1, g_2, g_3 \mid g_1^4, g_2^4, g_3^4, g_1g_2g_3^2g_1^{-1}g_2^{-1}, g_2^{-1}g_1^2g_3^{-1}g_2^{-1}g_3, g_3g_1^{-1}g_2^{-1}g_3^{-1}g_1^{-1}g_2, g_1g_2g_3g_2^{-1}g_1g_3, g_3g_1^{-1}g_2^{-1}g_1g_2g_3, g_2^2g_3g_1^{-1}g_3g_1, g_3g_1g_2^{-1}g_3^{-1}g_2^{-1}g_3^{-1}g_1g_3, g_2^{-1}g_1g_2g_3^{-1}g_2^{-1}g_3^{-1}g_1g_3^{-1}g_1g_3^{-1}g_1g_2g_1g_3^{-1}g_1g_3^{-1}g_1g_3^{-1}g_1g_3^{-1}g_1g_3^{-1}g_1g_2^{-1}g_3^{-1}g_1g_3^{-1}g_1g_3^{-1}g_1g_3^{-1}g_1g_3^{-1}g_1g_2^{-1}g_3^{-1}g_1g_3^{-1}g_1g_3^{-1}g_1g_2^{-1}g_3^{-1}g_1g_2^{-1}g_3^{-1}g_1g_3^{-1}g_1g_3^{-1}g_1g_2^{-1}g_3^{-1}g_1g_2g_3^{-1}\rangle$$

$$G^0: G(128,36): \langle h_1, h_2 \mid h_2^4, h_1^4, h_1h_2^2h_1^{-2}h_2^{-2}h_1, (h_2^{-1}h_1h_2h_1)^2, (h_1, h_2)^2, (h_1^{-1}h_2^{-1}h_1h_2^{-1})^2, (h_1^{-1}h_2^{-1}h_1h_2^{-1})^2, (h_2^2h_1^{-1}h_2^2h_1)^2\rangle$$

$$T: (4,4,4)$$

$$L: g_2g_3, g_3g_2^{-1}g_3^{-1}g_2g_3g_1^{-1}g_3g_1g_3g_2g_3^{-2}g_2g_3^2, g_2^{-1}g_3^2g_2^{-1}g_3^{-1}g_2g_3$$

$$H_1: (\mathbb{Z}_4)^3$$

$$\pi_1: 1 \to \Pi_9 \times \Pi_9 \to \pi_1 \to G \to 1$$

1.15. Galois group G(256,3678):

G: as above

 G^0 : G(128, 36), as above

T: (4,4,4)

L: $g_1g_3^{-2}g_1^{-1}g_3g_1g_3g_2^2$, $g_3g_2^{-2}g_3^2g_2^{-1}g_3^{-1}g_2g_3$, $g_1g_3^{-1}g_2^{-2}g_3^2g_1^{-1}g_3g_1g_3g_2g_3^{-2}g_2g_3^2$ $H_1:(\mathbb{Z}_2)^4\times\mathbb{Z}_4$

 $\pi_1: 1 \to \Pi_9 \times \Pi_9 \to \pi_1 \to G \to 1$

1.16. Galois group G(256,3678):

G: as above

 G^0 : G(128, 36), as above

L: $g_1g_3g_2^{-2}g_3^2g_2^{-1}g_3^{-2}g_2g_3^2$, $g_1g_2g_3g_1^{-1}g_3g_1g_3g_2^2$, $g_2g_3^{-2}g_1^{-1}g_3g_1g_3g_2^2$ H_1 : $(\mathbb{Z}_2)^2 \times (\mathbb{Z}_4)^2$

 $\pi_1: 1 \to \Pi_9 \times \Pi_9 \to \pi_1 \to G \to 1$

1.17. Galois group G(256,3679):

G:
$$\langle g_1, g_2, g_3 \mid g_3^4, g_1^4, g_2^4, g_2g_3^2g_1^{-1}g_2^{-1}g_1, g_3^{-1}g_2^{-1}g_3^{-1}g_1g_2^{-1}g_1, g_3^{-1}g_2g_3g_2g_1^{-1}, g_2^{-1}g_3^{-1}g_1g_2^{-1}g_1, g_3^{-1}g_2g_3g_2g_1^{-1}, g_2^{-1}g_3^{-1}g_1^{-1}g_3, g_1^2g_2^{-1}g_3^{-1}g_2^{-1}g_3, g_2^{-1}g_3g_2g_1g_3g_1, g_1^{-1}g_2^{-1}g_1^2g_3g_1^{-1}g_3^{-1}g_2^{-1}, g_3^{-1}g_2g_3g_2^{-1}g_1^{-2}g_2^{-2}, (g_3^{-1}g_2)^4, g_2^{-1}g_1g_2^{-1}g_1g_3^{-1}g_1g_3g_1, \rangle$$

$$G^0: G(128, 36), \text{ as above}$$
T: $(4, 4, 4, 4)$

L: g_2g_3 , $g_3g_2^{-1}g_3^{-1}g_2g_3g_1g_3^2g_1^{-1}g_3^{-2}g_2^{-1}g_3^{-2}g_2g_3^{-2}$, $g_2^{-1}g_3^2g_2^{-1}g_3^{-1}g_2g_3$ H_1 : $(\mathbb{Z}_2)^2 \times (\mathbb{Z}_4)^2$

 $\pi_1: 1 \to \Pi_9 \times \Pi_9 \to \pi_1 \to G \to 1$

2.
$$p_q = q = 1$$

 $K^2 = 2$, Basket $\{C_{2,1}, 2 \times D_{2,1}\}$.

2.1. Galois group G(4,1): \mathbb{Z}_4

 $G: \mathbb{Z}_4$

$$G^0$$
: \mathbb{Z}_2
T: (2,2)
L: 2, 0, 2, 2
 H_1 : \mathbb{Z}^2

2.2. Galois group G(16,8): $D_{2,8,3}$

G:
$$D_{2,8,3}$$

 G^0 : D_4
T: (2)
L: x, xy^2, y^4
 H_1 : \mathbb{Z}^2

2.3. Galois group G(16,9): BD_4

G:
$$BD_4$$

 G^0 : Q_8
T: (2)
L: y^6, yx, y^4
 H_1 : \mathbb{Z}^2

$$K^2 = 4$$
, Basket $\{4 \times C_{2,1}\}$.

2.4. Galois group G(8,1): \mathbb{Z}_8

 $G: \mathbb{Z}_8$ G^0 : \mathbb{Z}_4 T:(2,2)L: 2,0,4,4 $H_1: \mathbb{Z}_2 \times \mathbb{Z}^2$

2.5. Galois group G(8,2): $\mathbb{Z}_2 \times \mathbb{Z}_4$

G:
$$\mathbb{Z}_2 \times \mathbb{Z}_4$$

 G^0 : $\mathbb{Z}_2 \times \mathbb{Z}_2$
T: (2,2)
L: (1,0),(1,2),(1,0),(1,0),
 H_1 : $\mathbb{Z}_2^2 \times \mathbb{Z}^2$

2.6. Galois group G(32,29): G:
$$\langle x, y, z \mid z^2, y^4, x^4, x^{-1}y^2x^{-1}, x^{-1}y^{-1}xy^{-1}, xy^{-1}xy, y^{-1}zyz, zy^{-1}x^2zy^{-1}, (zxzx^{-1})^2 \rangle$$
 G^0 : $(\mathbb{Z}_2)^2 \rtimes_{\varphi} \mathbb{Z}_4$: $\varphi(1) = \begin{pmatrix} 1 & 1 \\ 0 & 1 \end{pmatrix}$ T: (2) L: $z^2xzx^{-1}, x, zxzx^{-1}$ H_1 : $\mathbb{Z}_2^2 \times \mathbb{Z}^2$

2.7. Galois group G(32,13): $D_{4,8,3}$

G:
$$D_{4,8,3}$$

 G^0 : $D_{4,4,3}$
T: (2)
L: y^6 , x , y^4
 H_1 : $\mathbb{Z}_2 \times \mathbb{Z}^2$

```
2.8. Galois group G(32,14): D_{4,8,-1}
   G: D_{4.8,-1}
   G^0: D_{4,4,3}
   T:(2)
   L: y^2, x, y^4
   H_1: \mathbb{Z}_2 \times \mathbb{Z}^2
2.9. Galois group G(32,32):
   G: \langle x, y, z | y^4, x^4, x^2z^2, x^{-1}yx^{-1}y^{-1}, (y, z^{-1}), y^{-1}xzx^{-1}z^{-1}y^{-1} \rangle
   G^0: D_{4,4,3}
   T:(2)
   L: yz^{-1}y^{-2}, xz, z^{-2}y^{-2}
   H_1: \mathbb{Z}_2^2 \times \mathbb{Z}^2
2.10. Galois group G(32,35):
   G: \langle x, y, z \mid x^2y^2, x^{-1}y^{-1}x^{-1}y, z^4, x^4, x^{-1}zxz, (y, z^{-1}) \rangle
   G^0: D_{4,4,3}
   T:(2)
   L: xy^{-2}, z^{-1}, z^{-2}

H_1: \mathbb{Z}_2^2 \times \mathbb{Z}^2
2.11. Galois group G(32,15):
   G: \langle x, y \mid x^{-1}y^3xy^{-1}, x^{-1}yx^{-1}yx^{-2}, xy^{-1}x^{-2}yx, xy^{-1}x^{-1}y^{-1}x^{-1}y^{-1}xy^{-1}, \rangle
   G^0: D_{2,8,5}
   T:(2)
   L: y^{-2}, x, y^{-4}
   H_1: \mathbb{Z}_2 \times \mathbb{Z}^2
K^2 = 5, Basket \{C_{3,1}, C_{3,2}\}.
2.12. Galois group G(24,4): BD_6
   G: BD_6
   G^0: BD_3
   T: (3)
   L: y^{8}, xy^{3}, y^{8},
   H_1: \mathbb{Z}_2 \times \mathbb{Z}^2
2.13. Galois group G(24,5): D_{2,12,5}
   G: D_{2,12,5}
   G^0: D_6
   T: (3)
   L: y^4x, y^4, y^2x
   H_1: \mathbb{Z}_2^2 \times \mathbb{Z}^2
K^2 = 6, Basket \{2 \times C_{2,1}\}.
2.14. Galois group G(48,30):
   G: ((1,2,3,6)(4,8,9,13)(5,7,10,12)(11,14,15,16),
      (1,3)(2,6)(4,9)(5,10)(7,12)(8,13)(11,15)(14,16),
      (4,5,11)(7,8,14)(9,10,15)(12,13,16),
```

$$\begin{array}{l} (1,4)(2,7)(3,9)(5,11)(6,12)(8,14)(10,15)(13,16),\\ (1,5)(2,8)(3,10)(4,11)(6,13)(7,14)(9,15)(12,16))<<\mathfrak{S}_{16}\\ G^0\colon A_4\times\mathbb{Z}_2\\ T\colon (2)\\ \text{L: }(1,15,5,3,11,10)(2,16,8,6,14,13)(4,9)(7,12)\\ (1,11)(2,14)(3,15)(4,5)(6,16)(7,8)(9,10)(12,13)\\ (4,5,11)(7,8,14)(9,10,15)(12,13,16)\\ H_1\colon\mathbb{Z}_2^2\times\mathbb{Z}^2\\ \textbf{2.15. Galois group }G(\textbf{48,31})\colon A_4\times\mathbb{Z}_4\\ G\colon \langle (1,2)(3,4),(1,2,3),(5,6,7,8)\rangle<\mathfrak{S}_8\\ G^0\colon A_4\times\mathbb{Z}_2\\ \text{T: }(2)\\ \text{L: }(2,3,4),(1,2)(3,4),(1,3,4)(5,7)(6,8)\\ H_1\colon\mathbb{Z}_2^2\times\mathbb{Z}^2\\ \textbf{K}^2=\textbf{6, Basket }\{C_{5,3}\}.\\ \textbf{2.16. Galois group }G(\textbf{20,3})\colon \text{Suzuki group }Sz(2)\\ G\colon \langle x,y\mid x^4,y^5,x^{-1}yxy^3,(x^2y)^2\rangle\\ G^0\colon D_5\\ \text{T: }(5)\\ \text{L: }x^2y^3,y^3,y\\ H_1\colon\mathbb{Z}_2^2\times\mathbb{Z}^2\\ \textbf{2.17. Galois group }G(\textbf{16,6})\colon D_{2,8,5}\\ G\colon D_{2,8,5}\\ G^0\colon\mathbb{Z}_2\times\mathbb{Z}_4\\ \text{T: }(2,2)\\ \text{L: }y^2,xy^4,xY^4,xy^4\\ H_1\colon\mathbb{Z}_4\times\mathbb{Z}^2\\ \textbf{2.18. Galois group }G(\textbf{16,6})\colon D_{2,8,3}\\ G\colon D_{2,8,3}\\ G^0\colon D_4\\ \text{T: }(2,2)\\ \text{L: }Id(G),xy^4,xy^2,xy^2\\ H_1\colon\mathbb{Z}_4\times\mathbb{Z}^2\\ \textbf{2.19. Galois group }G(\textbf{16,3})\colon(\mathbb{Z}_2)^2\rtimes_{\varphi}\mathbb{Z}_4\colon\varphi(1)=\begin{pmatrix}1&1\\0&1\end{pmatrix}\\ G\colon \langle (1,2,4,6)(3,5,7,8),(2,5)(6,8),(1,3)(2,5)(4,7)(6,8),\\ (1,4)(2,6)(3,7)(5,8)\rangle<\mathfrak{S}_8\\ G^0\colon\mathbb{Z}_2^3\\ \text{T: }(2,2)\\ \text{L: }(14)(28)(37)(56),(25)(68),(17)(26)(34)(58)\\ \end{array}$$

3.
$$p_q = q = 2$$

 $H_1: \mathbb{Z}_2^3 \times \mathbb{Z}^2$

3.1. Galois group G(4,1): \mathbb{Z}_4

G: \mathbb{Z}_4 G^0 : \mathbb{Z}_2 T: L: 1,1,0,1 H_1 : $\mathbb{Z}_2 \times \mathbf{B}_Z^4$