

- [Riggs.1988] L. S. Riggs and R. G. Smith, "Efficient current expansion modes for the triarm frequency-selective surface," *IEEE Trans. Antennas Propag.*, vol. 36, no. 8, pp. 1172-1177, Aug. 1988 (DOI: 10.1109/8.7235).
- [Johansson.1989] F. S. Johansson, "Frequency-scanned gratings consisting of photo-etched arrays," *IEEE Trans. Antennas Propag.*, vol. 37, no. 8, pp. 996-1002, Aug. 1989 (DOI: 10.1109/8.34136).
- [Gurel.1990] L. Gurel and W. C. Chew, "Recursive algorithms for calculating the scattering from N strips or patches," *IEEE Trans. Antennas Propag.*, vol. 38, no. 4, pp. 507-515, Apr. 1990 (DOI: 10.1109/8.52269).
- [Grounds.1991] P. W. Grounds and K. J. Webb, "Numerical analysis of finite frequency selective surfaces with rectangular patches of various aspect ratios," *IEEE Trans. Antennas Propag.*, vol. 39, no. 5, pp. 569-575, May 1991 (DOI: 10.1109/8.81482).
- [Pous.1991] R. Pous and D. M. Pozar, "A frequency-selective surface using aperture-coupled microstrip patches," *IEEE Trans. Antennas Propag.*, vol. 39, no. 12, pp. 1763-1769, Dec. 1991 (DOI: 10.1109/8.121598).
- [Huang.1994] J. Huang, Te-Kao Wu, and Shung-Wu Lee, "Tri-band frequency selective surface with circular ring elements," *IEEE Trans. Antennas Propag.*, vol. 42, no. 2, pp. 166-175, Feb. 1994 (DOI: 10.1109/8.277210).
- [Costa.1995] J. C. W. A. Costa and A. J. Giarola, "Analysis of the selective behavior of multilayer structures with a dielectric grating," *IEEE Trans. Antennas Propag.*, vol. 43, no. 5, pp. 529-533, May 1995 (DOI: 10.1109/8.384198).
- [Shin-Lin.2000] Shin-Lin Wang, Young-Huang Chou, and Shyh-Jong Chung, "A distributed-feedback antenna oscillator," *IEEE Trans. Microw. Theory Techn.*, vol. 48, no. 5, pp. 857-860, May 2000 (DOI: 10.1109/22.841885).
- [de.2003] P. de Maagt, R. Gonzalo, Y. C. Vardaxoglou, and J.-M. Baracco, "Electromagnetic bandgap antennas and components for microwave and (sub)millimeter wave applications," *IEEE Trans. Antennas Propag.*, vol. 51, no. 10, pp. 2667-2677, Oct. 2003 (DOI: 10.1109/TAP.2003.817566).
- [Sung.2003] Y. J. Sung, M. Kim, and Y. S. Kim, "Harmonics reduction with defected ground structure for a microstrip patch antenna," *IEEE Antennas Wireless Propag. Lett.*, vol. 2, pp. 111-113, 2003 (DOI: 10.1109/LAWP.2003.815281).
- [Abbaspour-Tamijani.2004] A. Abbaspour-Tamijani, K. Sarabandi, and G. M. Rebeiz, "Antenna-filter-antenna arrays as a class of bandpass frequency-selective surfaces," *IEEE Trans. Microw. Theory Techn.*, vol. 52, no. 8, pp. 1781-1789, Aug. 2004 (DOI: 10.1109/TMTT.2004.831572).

- [Chakravarty.2004] S. Chakravarty and R. Mittra, "Reply to 'Comments on "Design of a frequency selective surface (fss) with very low cross-polarization discrimination via the parallel micro-genetic algorithm (pmga),"'" *IEEE Trans. Antennas Propag.*, vol. 52, no. 4, pp. 1136-, Apr. 2004 (DOI: 10.1109/TAP.2004.825809).
- [Chin.2005] C.-H. K. Chin, Quan Xue, and Chi Hou Chan, "Design of a 5.8-ghz rectenna incorporating a new patch antenna," *IEEE Antennas Wireless Propag. Lett.*, vol. 4, pp. 175-178, 2005 (DOI: 10.1109/LAWP.2005.846434).
- [Guo.2005] Guo Qing Luo et al., "Theory and experiment of novel frequency selective surface based on substrate integrated waveguide technology," *IEEE Trans. Antennas Propag.*, vol. 53, no. 12, pp. 4035-4043, Dec. 2005 (DOI: 10.1109/TAP.2005.860010).
- [Shiwen.2005] Shiwen Yang and Zaiping Nie, "Mutual coupling compensation in time modulated linear antenna arrays," *IEEE Trans. Antennas Propag.*, vol. 53, no. 12, pp. 4182-4185, Dec. 2005 (DOI: 10.1109/TAP.2005.860000).
- [Cheng.2006] C.-C. Cheng and A. Abbaspour-Tamijani, "Study of 2-bit antenna-filter-antenna elements for reconfigurable millimeter-wave lens arrays," *IEEE Trans. Microw. Theory Techn.*, vol. 54, no. 12, pp. 4498-4506, Dec. 2006 (DOI: 10.1109/TMTT.2006.885993).
- [Malyuskin.2006] O. Malyuskin, V. Fusco, and A. G. Schuchinsky, "Phase conjugating wire FSS lens," *IEEE Trans. Antennas Propag.*, vol. 54, no. 5, pp. 1399-1404, May 2006 (DOI: 10.1109/TAP.2006.874352).
- [Tennant.2006] A. Tennant and B. Chambers, "SSB-Type frequency scattering from a single-layer pss with interlaced element modulation," *IEEE Antennas Wireless Propag. Lett.*, vol. 5, pp. 284-285, 2006 (DOI: 10.1109/LAWP.2006.876968).
- [Abbaspour-Tamijani.2007] A. Abbaspour-Tamijani, K. Sarabandi, and G. M. Rebeiz, "A millimetre-wave bandpass filter-lens array," *IET Microw. Antennas Propag.*, vol. 1, no. 2, pp. 388-395, Apr. 2007 (DOI: 10.1049/IET-MAP:20050295).
- [Lee.2007] D. H. Lee, Y. J. Lee, J. Yeo, R. Mittra, and W. S. Park, "Design of novel thin frequency selective surface superstrates for dual-band directivity enhancement," *IET Microw. Antennas Propag.*, vol. 1, no. 1, pp. 248-254, Feb. 2007 (DOI: 10.1049/IET-MAP:20050318).
- [Sarabandi.2007] K. Sarabandi and N. Behdad, "A frequency selective surface with miniaturized elements," *IEEE Trans. Antennas Propag.*, vol. 55, no. 5, pp. 1239-1245, May 2007 (DOI: 10.1109/TAP.2007.895567).
- [Wickenden.2007] D. K. Wickenden et al., "Polarization properties of frequency-selective surfaces comprised of spiral resonators," *IEEE Trans. Antennas Propag.*, vol. 55, no. 9, pp. 2591-2597, Sep. 2007 (DOI: 10.1109/TAP.2007.904089).

- [Yang.2007] G. M. Yang, R. Jin, J. Geng, X. Huang, and G. Xiao, "Ultra-wideband bandpass filter with hybrid quasi-lumped elements and defected ground structure," *IET Microw. Antennas Propag.*, vol. 1, no. 3, pp. 733-736, Jun. 2007 (DOI: 10.1049/IET-MAP:20060288).
- [Bayatpur.2008] F. Bayatpur and K. Sarabandi, "Multipole spatial filters using metamaterial-based miniaturized-element frequency-selective surfaces," *IEEE Trans. Microw. Theory Techn.*, vol. 56, no. 12, pp. 2742-2747, Dec. 2008 (DOI: 10.1109/TMTT.2008.2007332).
- [Bayatpur.2008] F. Bayatpur and K. Sarabandi, "Single-Layer high-order miniaturized-element frequency-selective surfaces," *IEEE Trans. Microw. Theory Techn.*, vol. 56, no. 4, pp. 774-781, Apr. 2008 (DOI: 10.1109/TMTT.2008.919654).
- [Silva.2008] P. H. F. Silva and A. L. P. S. Campos, "Fast and accurate modelling of frequencyselective surfaces using a new modular neural network configuration of multilayer perceptrons," *IET Microw. Antennas Propag.*, vol. 2, no. 5, pp. 503-511, Aug. 2008 (DOI: 10.1049/IET-MAP:20080066).
- [Wang.2008] B.-H. Wang, Y. Guo, Y.-L. Wang, and Y.-Z. Lin, "Frequency-invariant pattern synthesis of conformal array antenna with low cross-polarisation," *IET Microw. Antennas Propag.*, vol. 2, no. 5, pp. 442-450, Aug. 2008 (DOI: 10.1049/IET-MAP:20070258).
- [Wu.2008] C.-H. Wu, C.-H. Wang, S.-Y. Chen, and C. H. Chen, "Balanced-to-Unbalanced bandpass filters and the antenna application," *IEEE Trans. Microw. Theory Techn.*, vol. 56, no. 11, pp. 2474-2482, Nov. 2008 (DOI: 10.1109/TMTT.2008.2005888).
- [Xu.2008] F. Xu, X. Jiang, and K. Wu, "Efficient and accurate design of substrate-integrated waveguide circuits synthesised with metallic via-slot arrays," *IET Microw. Antennas Propag.*, vol. 2, no. 2, pp. 188-193, Mar. 2008 (DOI: 10.1049/IET-MAP:20070009).
- [Al-Joumayly.2009] M. Al-Joumayly and N. Behdad, "A new technique for design of low-profile, second-order, bandpass frequency selective surfaces," *IEEE Trans. Antennas Propag.*, vol. 57, no. 2, pp. 452-459, Feb. 2009 (DOI: 10.1109/TAP.2008.2011382).
- [Bayatpur.2009] F. Bayatpur and K. Sarabandi, "Tuning performance of metamaterial-based frequency selective surfaces," *IEEE Trans. Antennas Propag.*, vol. 57, no. 2, pp. 590-592, Feb. 2009 (DOI: 10.1109/TAP.2008.2011404).
- [Cheng.2009] C.-C. Cheng and A. Abbaspour-Tamijani, "Evaluation of a novel topology for mems programmable reflectarray antennas," *IEEE Trans. Microw. Theory Techn.*, vol. 57, no. 12, pp. 3333-3344, Dec. 2009 (DOI: 10.1109/TMTT.2009.2034420).

- [Fusco.2009] V. Fusco, A. Munir, and O. Malyuskin, "Characterisation of microwave phase conjugate signal generation using nonlinearly loaded wire frequency selective surface (fss)," *IET Microw. Antennas Propag.*, vol. 3, no. 5, pp. 834-842, Aug. 2009 (DOI: 10.1049/IET-MAP.2008.0296).
- [Hoeye.2009] S. V. Hoeye, C. Vazquez, M. Fernandez, L. F. Herran, and F. Las-Heras, "Receiving phased antenna array based on injection-locked harmonic self-oscillating mixers," *IEEE Trans. Antennas Propag.*, vol. 57, no. 3, pp. 645-651, Mar. 2009 (DOI: 10.1109/TAP.2009.2013439).
- [Huang.2009] M.-J. Huang, M.-Y. Lv, J. Huang, and Z. Wu, "A new type of combined element multiband frequency selective surface," *IEEE Trans. Antennas Propag.*, vol. 57, no. 6, pp. 1798-1803, Jun. 2009 (DOI: 10.1109/TAP.2009.2019910).
- [Li.2009] G. Li, S. Yang, and Z. Nie, "A study on the application of time modulated antenna arrays to airborne pulsed doppler radar," *IEEE Trans. Antennas Propag.*, vol. 57, no. 5, pp. 1579-1583, May 2009 (DOI: 10.1109/TAP.2009.2016788).
- [Lopez.2009] E. R. Lopez, T. Lunn, K. Ghorbani, W. S. T. Rowe, and A. Mitchell, "Multiple frequency band microwave photonic receiver," *IEEE Trans. Antennas Propag.*, vol. 57, no. 11, pp. 3688-3692, Nov. 2009 (DOI: 10.1109/TAP.2009.2026923).
- [OKane.2009] S. M. O'Kane and V. F. Fusco, "Circularly polarized curl antenna lens with manual tilt properties," *IEEE Trans. Antennas Propag.*, vol. 57, no. 12, pp. 3984-3987, Dec. 2009 (DOI: 10.1109/TAP.2009.2025526).
- [Yakovlev.2009] A. B. Yakovlev, M. G. Silveirinha, O. Luukkonen, C. R. Simovski, I. S. Nefedov, and S. A. Tretyakov, "Characterization of surface-wave and leaky-wave propagation on wire-medium slabs and mushroom structures based on local and nonlocal homogenization models," *IEEE Trans. Microw. Theory Techn.*, vol. 57, no. 11, pp. 2700-2714, Nov. 2009 (DOI: 10.1109/TMTT.2009.2031933).
- [Chaharmir.2010] M. R. Chaharmir, J. Shaker, and H. Legay, "Dual-band ka/x reflectarray with broadband loop elements," *IET Microw. Antennas Propag.*, vol. 4, no. 2, pp. 225-231, Feb. 2010 (DOI: 10.1049/IET-MAP.2008.0369).
- [Chen.2010] L. Chen, X.-W. Shi, T.-L. Zhang, C.-Y. Cui, and H.-J. Lin, "Design of a dual-frequency retrodirective array," *IEEE Antennas Wireless Propag. Lett.*, vol. 9, pp. 478-480, 2010 (DOI: 10.1109/LAWP.2010.2050855).
- [Chreim.2010] H. Chreim et al., "An enhanced Ka -band reflector focal-plane array using a multifeed EBG structure," *IEEE Antennas Wireless Propag. Lett.*, vol. 9, pp. 1152-1156, 2010 (DOI: 10.1109/LAWP.2010.2096796).

- [Euler.2010] M. Euler, V. Fusco, R. Cahill, and R. Dickie, "Comparison of frequency-selective screen-based linear to circular split-ring polarisation convertors," *IET Microw. Antennas Propag.*, vol. 4, no. 11, pp. 1764-1772, Nov. 2010 (DOI: 10.1049/IET-MAP.2009.0415).
- [Fan.2010] Y. Fan, B.-L. Ooi, H. D. Hristov, and M.-S. Leong, "Compound diffractive lens consisting of fresnel zone plate and frequency selective screen," *IEEE Trans. Antennas Propag.*, vol. 58, no. 6, pp. 1842-1847, Jun. 2010 (DOI: 10.1109/TAP.2010.2046849).
- [Goussetis.2010] G. Goussetis and A. P. Feresidis, "Perturbed frequency selective surfaces for multiband high impedance surfaces," *IET Microw. Antennas Propag.*, vol. 4, no. 8, pp. 1105-1110, Aug. 2010 (DOI: 10.1049/IET-MAP.2009.0586).
- [Kazantsev.2010] Y. N. Kazantsev et al., "Broadening of operating frequency band of magnetic-type radio absorbers by FSS incorporation," *IEEE Trans. Antennas Propag.*, vol. 58, no. 4, pp. 1227-1235, Apr. 2010 (DOI: 10.1109/TAP.2010.2041316).
- [Kazemzadeh.2010] A. Kazemzadeh and A. Karlsson, "On the absorption mechanism of ultra thin absorbers," *IEEE Trans. Antennas Propag.*, vol. 58, no. 10, pp. 3310-3315, Oct. 2010 (DOI: 10.1109/TAP.2010.2055779).
- [Li.2010] S. Li, D. A. Van Orden, and V. Lomakin, "Fast periodic interpolation method for periodic unit cell problems," *IEEE Trans. Antennas Propag.*, vol. 58, no. 12, pp. 4005-4014, Dec. 2010 (DOI: 10.1109/TAP.2010.2078480).
- [Cantu.2011] H. I. Cantù, G. Whyte, D. R. S. Cumming, and T. D. Drysdale, "V band scanner system based on ball grid array integrated circuit transceiver chip set automation," *IET Microw. Antennas Propag.*, vol. 5, no. 5, pp. 551-558, Apr. 2011 (DOI: 10.1049/IET-MAP.2010.0224).
- [Cheng.2011] H. Cheng, Y. Yusuf, and X. Gong, "Vertically integrated three-pole filter/antennas for array applications," *IEEE Antennas Wireless Propag. Lett.*, vol. 10, pp. 278-281, 2011 (DOI: 10.1109/LAWP.2011.2135833).
- [Lin.2011] C.-K. Lin and S.-J. Chung, "A filtering microstrip antenna array," *IEEE Trans. Microw. Theory Techn.*, vol. 59, no. 11, pp. 2856-2863, Nov. 2011 (DOI: 10.1109/TMTT.2011.2160986).
- [Moghadas.2011] H. Moghadas, M. Daneshmand, and P. Mousavi, "A dual-band high-gain resonant cavity antenna with orthogonal polarizations," *IEEE Antennas Wireless Propag. Lett.*, vol. 10, pp. 1220-1223, 2011 (DOI: 10.1109/LAWP.2011.2173454).
- [Naghshvarian-Jahromi.2011] M. Naghshvarian-Jahromi and M. Tayarani, "Defected ground structure band-stop filter by semicomplementary split

ring resonators,” *IET Microw. Antennas Propag.*, vol. 5, no. 11, pp. 1386-1391, Aug. 2011 (DOI: 10.1049/IET-MAP.2010.0476).

- [Neinhüs.2011] M. Neinhüs and K. Solbach, “Finite impulse response-filter-based rf-beamforming network for wideband and ultra-wideband antenna arrays,” *IET Microw. Antennas Propag.*, vol. 5, no. 7, pp. 844-851, May 2011 (DOI: 10.1049/IET-MAP.2010.0302).
- [Sanz-Fernandez.2011] J. J. Sanz-Fernandez, R. Cheung, G. Goussetis, and C. Mateo-Segura, “Power stored and quality factors in frequency selective surfaces at thz frequencies,” *IEEE Trans. Antennas Propag.*, vol. 59, no. 6, pp. 2205-2216, Jun. 2011 (DOI: 10.1109/TAP.2011.2143654).
- [Toh.2011] W. K. Toh, X. Qing, and Z. N. Chen, “A planar dualband antenna array,” *IEEE Trans. Antennas Propag.*, vol. 59, no. 3, pp. 833-838, Mar. 2011 (DOI: 10.1109/TAP.2010.2103039).
- [Van.2011] D. Van Orden and V. Lomakin, “Fundamental electromagnetic properties of twisted periodic arrays,” *IEEE Trans. Antennas Propag.*, vol. 59, no. 8, pp. 2824-2833, Aug. 2011 (DOI: 10.1109/TAP.2011.2158792).
- [Withayachumnankul.2011] W. Withayachumnankul, C. Fumeaux, and D. Abbott, “Planar array of electric- LC resonators with broadband tunability,” *IEEE Antennas Wireless Propag. Lett.*, vol. 10, pp. 577-580, 2011 (DOI: 10.1109/LAWP.2011.2158794).
- [Yusuf.2011] Y. Yusuf, H. Cheng, and X. Gong, “A seamless integration of 3-d vertical filters with highly efficient slot antennas,” *IEEE Trans. Antennas Propag.*, vol. 59, no. 11, pp. 4016-4022, Nov. 2011 (DOI: 10.1109/TAP.2011.2164186).
- [Boccia.2012] L. Boccia, I. Russo, G. Amendola, and G. Di Massa, “Multilayer antenna-filter antenna for beam-steering transmit-array applications,” *IEEE Trans. Microw. Theory Techn.*, vol. 60, no. 7, pp. 2287-2300, Jul. 2012 (DOI: 10.1109/TMTT.2012.2195673).
- [Cooper.2012] J. R. Cooper, S. Kim, and M. M. Tentzeris, “A novel polarization-independent, free-space, microwave beam splitter utilizing an inkjet-printed, 2-d array frequency selective surface,” *IEEE Antennas Wireless Propag. Lett.*, vol. 11, pp. 686-688, 2012 (DOI: 10.1109/LAWP.2012.2204715).
- [de.2012] M. E. de Cos, Y. Alvarez, and F. Las-Heras, “Reply to ‘Comments on “Novel broadband artificial magnetic conductor with hexagonal unit cell,”’” *IEEE Antennas Wireless Propag. Lett.*, vol. 11, pp. 1718-1719, 2012 (DOI: 10.1109/LAWP.2012.2235663).
- [Delihacioglu.2012] K. Delihacioglu, “Frequency selective surfaces with multiple-strip group elements,” *IEEE Antennas Wireless Propag. Lett.*, vol. 11, pp. 1370-1373, 2012 (DOI: 10.1109/LAWP.2012.2228148).

- [Garcia-Vigueras.2012] M. Garcia-Vigueras, F. Mesa, F. Medina, R. Rodriguez-Berral, and J. L. Gomez-Tornero, "Simplified circuit model for arrays of metallic dipoles sandwiched between dielectric slabs under arbitrary incidence," *IEEE Trans. Antennas Propag.*, vol. 60, no. 10, pp. 4637-4649, Oct. 2012 (DOI: 10.1109/TAP.2012.2207364).
- [Ghasr.2012] M. T. Ghasr, M. A. Abou-Khousa, S. Kharkovsky, R. Zoughi, and D. Pommerenke, "Portable real-time microwave camera at 24 GHz," *IEEE Trans. Antennas Propag.*, vol. 60, no. 2, pp. 1114-1125, Feb. 2012 (DOI: 10.1109/TAP.2011.2173145).
- [Holloway.2012] C. L. Holloway, E. F. Kuester, J. A. Gordon, J. O'Hara, J. Booth, and D. R. Smith, "An overview of the theory and applications of metasurfaces: the two-dimensional equivalents of metamaterials," *IEEE Antennas Propag. Mag.*, vol. 54, no. 2, pp. 10-35, Apr. 2012 (DOI: 10.1109/MAP.2012.6230714).
- [Huang.2012] X.-J. Huang, C. Yang, Z.-H. Lu, and P.-G. Liu, "A novel frequency selective structure with quasi-elliptic bandpass response," *IEEE Antennas Wireless Propag. Lett.*, vol. 11, pp. 1497-1500, 2012 (DOI: 10.1109/LAWP.2012.2229256).
- [Li.2012] M. Li and N. Behdad, "Fluidically tunable frequency selective/phase shifting surfaces for high-power microwave applications," *IEEE Trans. Antennas Propag.*, vol. 60, no. 6, pp. 2748-2759, Jun. 2012 (DOI: 10.1109/TAP.2012.2194645).
- [Liu.2012] L. Liu and S. Matitsine, "Tunable transmittivity and effective permittivity of a smart surface loaded by varactor diodes," *IET Microw. Antennas Propag.*, vol. 6, no. 9, pp. 1079-1083, Jun. 2012 (DOI: 10.1049/IET-MAP.2012.0148).
- [Sazegar.2012] M. Sazegar et al., "Beam steering transmitarray using tunable frequency selective surface with integrated ferroelectric varactors," *IEEE Trans. Antennas Propag.*, vol. 60, no. 12, pp. 5690-5699, Dec. 2012 (DOI: 10.1109/TAP.2012.2213057).
- [Zheng.2012] S. Zheng, Y. Yin, J. Fan, X. Yang, B. Li, and W. Liu, "Analysis of miniature frequency selective surfaces based on fractal antenna-filter-antenna arrays," *IEEE Antennas Wireless Propag. Lett.*, vol. 11, pp. 240-243, 2012 (DOI: 10.1109/LAWP.2012.2189749).
- [Alsath.2013] M. G. N. Alsath, M. Kanagasabai, and B. Balasubramanian, "Implementation of slotted meander-line resonators for isolation enhancement in microstrip patch antenna arrays," *IEEE Antennas Wireless Propag. Lett.*, vol. 12, pp. 15-18, 2013 (DOI: 10.1109/LAWP.2012.2237156).
- [Biginton.2013] M. P. Biginton, A. P. Hibbins, J. R. Sambles, and I. J. Youngs, "Microwave transmission through an array of ring slots in a

metal sheet capped with concentric metal rings,” *IEEE Trans. Antennas Propag.*, vol. 61, no. 1, pp. 458-461, Jan. 2013 (DOI: 10.1109/TAP.2012.2220313).

- [Chen.2013] Y. Chen, L. Chen, H. Wang, X.-T. Gu, and X.-W. Shi, “Dual-Band crossed-dipole reflectarray with dual-band frequency selective surface,” *IEEE Antennas Wireless Propag. Lett.*, vol. 12, pp. 1157-1160, 2013 (DOI: 10.1109/LAWP.2013.2280891).
- [da.2013] M. R. da Silva, C. de Lucena Nóbrega, P. H. da Fonseca Silva, and A. G. D’Assuncao, “Stable and compact multiband frequency selective surfaces with peano pre-fractal configurations,” *IET Microw. Antennas Propag.*, vol. 7, no. 7, pp. 543-551, May 2013 (DOI: 10.1049/IET-MAP.2012.0673).
- [Delihacioglu.2013] K. Delihacioglu, C. Sabah, M. Karaaslan, and E. Ünal, “Zigzag metallic conductors as frequency selective surfaces,” *IET Microw. Antennas Propag.*, vol. 7, no. 9, pp. 722-728, Jun. 2013 (DOI: 10.1049/IET-MAP.2013.0107).
- [Li.2013] B. Li and Z. Shen, “Synthesis of quasi-elliptic bandpass frequency-selective surface using cascaded loop arrays,” *IEEE Trans. Antennas Propag.*, vol. 61, no. 6, pp. 3053-3059, Jun. 2013 (DOI: 10.1109/TAP.2013.2250237).
- [Li.2013] M. Li, M. A. Al-Joumayly, and N. Behdad, “Broadband true-time-delay microwave lenses based on miniaturized element frequency selective surfaces,” *IEEE Trans. Antennas Propag.*, vol. 61, no. 3, pp. 1166-1179, Mar. 2013 (DOI: 10.1109/TAP.2012.2227444).
- [Ushijima.2013] Y. Ushijima, T. Sakamoto, E. Nishiyama, M. Aikawa, and I. Toyoda, “5.8-GHz integrated differential rectenna unit using both-sided mic technology with design flexibility,” *IEEE Trans. Antennas Propag.*, vol. 61, no. 6, pp. 3357-3360, Jun. 2013 (DOI: 10.1109/TAP.2013.2247554).
- [Wang.2013] D. Wang, W. Che, Y. Chang, K.-S. Chin, and Y. L. Chow, “A low-profile frequency selective surface with controllable triband characteristics,” *IEEE Antennas Wireless Propag. Lett.*, vol. 12, pp. 468-471, 2013 (DOI: 10.1109/LAWP.2013.2254459).
- [Yang.2013] C. Yang, P.-G. Liu, and X.-J. Huang, “A novel method of energy selective surface for adaptive hpm/emp protection,” *IEEE Antennas Wireless Propag. Lett.*, vol. 12, pp. 112-115, 2013 (DOI: 10.1109/LAWP.2013.2243105).
- [Yusuf.2013] Y. Yusuf, H. Cheng, and X. Gong, “Co-designed substrate-integrated waveguide filters with patch antennas,” *IET Microw. Antennas Propag.*, vol. 7, no. 7, pp. 493-501, May 2013 (DOI: 10.1049/IET-MAP.2012.0431).
- [Zelenchuk.2013] D. Zelenchuk and V. Fusco, “Split-Ring FSS spiral phase plate,” *IEEE Antennas Wireless Propag. Lett.*, vol. 12, pp. 284-287, 2013 (DOI: 10.1109/LAWP.2013.2247735).

- [Abadi.2014] S. M. A. M. H. Abadi and N. Behdad, "Design of wideband, fss-based multibeam antennas using the effective medium approach," *IEEE Trans. Antennas Propag.*, vol. 62, no. 11, pp. 5557-5564, Nov. 2014 (DOI: 10.1109/TAP.2014.2355192).
- [Abdelrahman.2014] A. H. Abdelrahman, A. Z. Elsherbeni, and F. Yang, "Transmission phase limit of multilayer frequency-selective surfaces for transmitarray designs," *IEEE Trans. Antennas Propag.*, vol. 62, no. 2, pp. 690-697, Feb. 2014 (DOI: 10.1109/TAP.2013.2289313).
- [Abdelrahman.2014] A. H. Abdelrahman, A. Z. Elsherbeni, and F. Yang, "Transmitarray antenna design using cross-slot elements with no dielectric substrate," *IEEE Antennas Wireless Propag. Lett.*, vol. 13, pp. 177-180, 2014 (DOI: 10.1109/LAWP.2014.2298851).
- [Augustin.2014] G. Augustin, B. P. Chacko, and T. A. Denidni, "Electronically reconfigurable uni-planar antenna for cognitive radio applications," *IET Microw. Antennas Propag.*, vol. 8, no. 5, pp. 367-376, Apr. 2014 (DOI: 10.1049/IET-MAP.2013.0287).
- [Costa.2014] F. Costa, S. Genovesi, A. Monorchio, and G. Manara, "Low-Cost metamaterial absorbers for sub-ghz wireless systems," *IEEE Antennas Wireless Propag. Lett.*, vol. 13, pp. 27-30, 2014 (DOI: 10.1109/LAWP.2013.2294791).
- [Delihacioglu.2014] K. Delihacioglu, "Chiral frequency selective surfaces comprised of multiple conducting strips per unit cell," *IET Microw. Antennas Propag.*, vol. 8, no. 9, pp. 621-626, 2014 (DOI: 10.1049/IET-MAP.2013.0146).
- [Edalati.2014] A. Edalati and K. Sarabandi, "Reflectarray antenna based on grounded loop-wire miniaturised-element frequency selective surfaces," *IET Microw. Antennas Propag.*, vol. 8, no. 12, pp. 973-979, Sep. 2014 (DOI: 10.1049/IET-MAP.2013.0432).
- [Li.2014] B. Li and Z. Shen, "Bandpass frequency selective structure with wideband spurious rejection," *IEEE Antennas Wireless Propag. Lett.*, vol. 13, pp. 145-148, 2014 (DOI: 10.1109/LAWP.2014.2299278).
- [Mener.2014] S. Mener, R. Gillard, R. Sauleau, C. Cheymol, and P. Potier, "Unit cell for reflectarrays operating with independent dual circular polarizations," *IEEE Antennas Wireless Propag. Lett.*, vol. 13, pp. 1176-1179, 2014 (DOI: 10.1109/LAWP.2014.2330623).
- [Shang.2014] Y. Shang, Z. Shen, and S. Xiao, "Frequency-Selective absorber based on square-loop and cross-dipole arrays," *IEEE Trans. Antennas Propag.*, vol. 62, no. 11, pp. 5581-5589, Nov. 2014 (DOI: 10.1109/TAP.2014.2357427).

- [Smith.2014] T. Smith, U. Gothelf, O. S. Kim, and O. Breinbjerg, "An fss-backed 20/30 GHz circularly polarized reflectarray for a shared aperture l- and ka-band satellite communication antenna," *IEEE Trans. Antennas Propag.*, vol. 62, no. 2, pp. 661-668, Feb. 2014 (DOI: 10.1109/TAP.2013.2292692).
- [Zabri.2014] N. Zabri, R. Cahill, and A. Schuchinsky, "Polarisation independent resistively loaded frequency selective surface absorber with optimum oblique incidence performance," *IET Microw. Antennas Propag.*, vol. 8, no. 14, pp. 1198-1203, 2014 (DOI: 10.1049/IET-MAP.2014.0124).
- [Barton.2015] J. H. Barton, C. R. Garcia, E. A. Berry, R. Salas, and R. C. Rumpf, "3-D printed all-dielectric frequency selective surface with large bandwidth and field of view," *IEEE Trans. Antennas Propag.*, vol. 63, no. 3, pp. 1032-1039, Mar. 2015 (DOI: 10.1109/TAP.2015.2388541).
- [Chaharmir.2015] M. R. Chaharmir and J. Shaker, "Design of a multilayer x-/ka-band frequency-selective surface-backed reflectarray for satellite applications," *IEEE Trans. Antennas Propag.*, vol. 63, no. 4, pp. 1255-1262, Apr. 2015 (DOI: 10.1109/TAP.2015.2389838).
- [Ding.2015] D. Ding, G. Wang, and L. Wang, "High-efficiency scheme and optimisation technique for design of fragment-type isolation structure between multiple-input and multiple-output antennas," *IET Microw. Antennas Propag.*, vol. 9, no. 9, pp. 933-939, 2015 (DOI: 10.1049/IET-MAP.2014.0742).
- [Ketterl.2015] T. P. Ketterl et al., "A 2.45 GHz phased array antenna unit cell fabricated using 3-d multi-layer direct digital manufacturing," *IEEE Trans. Microw. Theory Techn.*, vol. 63, no. 12, pp. 4382-4394, Dec. 2015 (DOI: 10.1109/TMTT.2015.2496180).
- [Lansey.2015] E. Lansey, I. M. Mandel, I. R. Hooper, J. N. Gollub, A. P. Hibbins, and D. T. Crouse, "Measurement of photon sorting at microwave frequencies in a cavity array metasurface," *IEEE Trans. Antennas Propag.*, vol. 63, no. 10, pp. 4521-4524, Oct. 2015 (DOI: 10.1109/TAP.2015.2458011).
- [Li.2015] Y. Li, L. Li, Y. Zhang, and C. Zhao, "Design and synthesis of multilayer frequency selective surface based on antenna-filter-antenna using Minkowski fractal structures," *IEEE Trans. Antennas Propag.*, vol. 63, no. 1, pp. 133-141, Jan. 2015 (DOI: 10.1109/TAP.2014.2367523).
- [Liang.2015] B. Liang, B. Sanz-Izquierdo, E. A. Parker, and J. C. Batchelor, "Cylindrical slot FSS configuration for beam-switching applications," *IEEE Trans. Antennas Propag.*, vol. 63, no. 1, pp. 166-173, Jan. 2015 (DOI: 10.1109/TAP.2014.2367534).

- [Mao.2015] C.-X. Mao, S. Gao, Y. Wang, F. Qin, and Q.-X. Chu, "Multimode resonator-fed dual-polarized antenna array with enhanced bandwidth and selectivity," *IEEE Trans. Antennas Propag.*, vol. 63, no. 12, pp. 5492-5499, Dec. 2015 (DOI: 10.1109/TAP.2015.2496099).
- [Momeni.2015] S. M. A. Momeni Hasan Abadi and N. Behdad, "Inductively-Coupled miniaturized-element frequency selective surfaces with narrow-band, high-order bandpass responses," *IEEE Trans. Antennas Propag.*, vol. 63, no. 11, pp. 4766-4774, Nov. 2015 (DOI: 10.1109/TAP.2015.2477850).
- [Rahmati.2015] B. Rahmati and H. R. Hassani, "Multiband metallic frequency selective surface with wide range of band ratio," *IEEE Trans. Antennas Propag.*, vol. 63, no. 8, pp. 3747-3753, Aug. 2015 (DOI: 10.1109/TAP.2015.2438340).
- [Rodriguez-Berral.2015] R. Rodriguez-Berral, F. Mesa, and F. Medina, "Analytical multimodal network approach for 2-d arrays of planar patches/apertures embedded in a layered medium," *IEEE Trans. Antennas Propag.*, vol. 63, no. 5, pp. 1969-1984, May 2015 (DOI: 10.1109/TAP.2015.2406885).
- [Yan.2015] M. Yan et al., "A miniaturized dual-band FSS with second-order response and large band separation," *IEEE Antennas Wireless Propag. Lett.*, vol. 14, pp. 1602-1605, 2015 (DOI: 10.1109/LAWP.2015.2413942).
- [Zamani.2015] A. Zamani and A. Abbosh, "Hybrid clutter rejection technique for improved microwave head imaging," *IEEE Trans. Antennas Propag.*, vol. 63, no. 11, pp. 4921-4931, Nov. 2015 (DOI: 10.1109/TAP.2015.2479238).
- [Besnoff.2016] J. Besnoff, M. Chabalko, and D. S. Ricketts, "A frequency-selective zero-permeability metamaterial shield for reduction of near-field electromagnetic energy," *IEEE Antennas Wireless Propag. Lett.*, vol. 15, pp. 654-657, 2016 (DOI: 10.1109/LAWP.2015.2466172).
- [Bukhari.2016] S. S. Bukhari, W. G. Whittow, J. C. Vardaxoglou, and S. Maci, "Dipole-slot-dipole metasurfaces," *IET Microw. Antennas Propag.*, vol. 10, no. 13, pp. 1384-1389, 2016 (DOI: 10.1049/IET-MAP.2015.0849).
- [Casula.2016] G. A. Casula, G. Montisci, P. Maxia, G. Valente, A. Fanti, and G. Mazzarella, "A low-cost dual-band cpw-fed printed lpda for wireless communications," *IEEE Antennas Wireless Propag. Lett.*, vol. 15, pp. 1333-1336, 2016 (DOI: 10.1109/LAWP.2015.2507938).
- [Chatterjee.2016] A. Chatterjee and S. K. Parui, "Performance enhancement of a dual-band monopole antenna by using a frequency-selective surface-based corner reflector," *IEEE Trans. Antennas Propag.*, vol. 64, no. 6, pp. 2165-2171, Jun. 2016 (DOI: 10.1109/TAP.2016.2552543).
- [Fakharian.2016] M. M. Fakharian, P. Rezaei, A. A. Orouji, and M. Soltanpur, "A wideband and reconfigurable filtering slot antenna," *IEEE Antennas Wireless Propag. Lett.*, vol. 15, pp. 1610-1613, 2016 (DOI: 10.1109/LAWP.2016.2518859).

- [Fartookzadeh.2016] M. Fartookzadeh and S. H. Mohseni Armaki, "Dual-Band reflection-type circular polarizers based on anisotropic impedance surfaces," *IEEE Trans. Antennas Propag.*, vol. 64, no. 2, pp. 826-830, Feb. 2016 (DOI: 10.1109/TAP.2015.2511152).
- [Kundu.2016] D. Kundu, A. Mohan, and A. Chakrabarty, "Single-Layer wideband microwave absorber using array of crossed dipoles," *IEEE Antennas Wireless Propag. Lett.*, vol. 15, pp. 1589-1592, 2016 (DOI: 10.1109/LAWP.2016.2517663).
- [Lee.2016] D. Lee, J. Lee, and C. Nguyen, "Concurrent dual K/Ka -Band t/r/calibration switch module with quasi-elliptic dual-bandpass frequency response implementing metamaterial transmission line and negative resistance," *IEEE Trans. Microw. Theory Techn.*, vol. 64, no. 2, pp. 585-598, Feb. 2016 (DOI: 10.1109/TMTT.2015.2512578).
- [Liang.2016] L. Liang and S. Victor Hum, "Design of a UWB reflectarray as an impedance surface using bessel filters," *IEEE Trans. Antennas Propag.*, vol. 64, no. 10, pp. 4242-4255, Oct. 2016 (DOI: 10.1109/TAP.2016.2594056).
- [Mao.2016] C.-X. Mao et al., "An integrated filtering antenna array with high selectivity and harmonics suppression," *IEEE Trans. Microw. Theory Techn.*, vol. 64, no. 6, pp. 1798-1805, Jun. 2016 (DOI: 10.1109/TMTT.2016.2561925).
- [Mesa.2016] F. Mesa, R. Rodríguez-Berral, M. Garcia-Vigueras, F. Medina, and J. R. Mosig, "Simplified modal expansion to analyze frequency-selective surfaces: an equivalent circuit approach," *IEEE Trans. Antennas Propag.*, vol. 64, no. 3, pp. 1106-1111, Mar. 2016 (DOI: 10.1109/TAP.2015.2513423).
- [Momeni.2016] S. M. A. Momeni Hasan Abadi and N. Behdad, "Broadband true-time-delay circularly polarized reflectarray with linearly polarized feed," *IEEE Trans. Antennas Propag.*, vol. 64, no. 11, pp. 4891-4896, Nov. 2016 (DOI: 10.1109/TAP.2016.2596900).
- [Momeni.2016] S. M. A. Momeni Hasan Abadi and N. Behdad, "Wideband linear-to-circular polarization converters based on miniaturized-element frequency selective surfaces," *IEEE Trans. Antennas Propag.*, vol. 64, no. 2, pp. 525-534, Feb. 2016 (DOI: 10.1109/TAP.2015.2504999).
- [Niroo.2016] M. Niroo Jazi, M. R. Chaharmir, J. Shaker, and A. R. Sebak, "Broadband transmitarray antenna design using polarization-insensitive frequency selective surfaces," *IEEE Trans. Antennas Propag.*, vol. 64, no. 1, pp. 99-108, Jan. 2016 (DOI: 10.1109/TAP.2015.2500230).
- [Reis.2016] J. R. Reis et al., "FSS-Inspired transmitarray for two-dimensional antenna beamsteering," *IEEE Trans. Antennas Propag.*, vol. 64, no. 6, pp. 2197-2206, Jun. 2016 (DOI: 10.1109/TAP.2016.2543802).

- [Yan.2016] M. Yan et al., “A tri-band, highly selective, bandpass FSS using cascaded multilayer loop arrays,” *IEEE Trans. Antennas Propag.*, vol. 64, no. 5, pp. 2046-2049, May 2016 (DOI: 10.1109/TAP.2016.2536175).
- [Yan.2016] M. Yan et al., “Highly-selective, closely-spaced, dual-band FSS with second-order characteristic,” *IET Microw. Antennas Propag.*, vol. 10, no. 10, pp. 1087-1091, 2016 (DOI: 10.1049/IET-MAP.2015.0713).
- [Yetisir.2016] E. Yetisir, N. Ghalichechian, and J. L. Volakis, “Ultrawideband array with 70° scanning using FSS superstrate,” *IEEE Trans. Antennas Propag.*, vol. 64, no. 10, pp. 4256-4265, Oct. 2016 (DOI: 10.1109/TAP.2016.2594817).
- [Akbari.2017] M. Akbari, M. Farahani, A.-R. Sebak, and T. A. Denidni, “Ka-Band linear to circular polarization converter based on multilayer slab with broadband performance,” *IEEE Access*, vol. 5, pp. 17927-17937, 2017 (DOI: 10.1109/ACCESS.2017.2746800).
- [Ashraf.2017] M. A. Ashraf et al., “Design and analysis of multi-resonators loaded broadband antipodal tapered slot antenna for chipless rfid applications,” *IEEE Access*, vol. 5, pp. 25798-25807, 2017 (DOI: 10.1109/ACCESS.2017.2768118).
- [Azemi.2017] S. N. Azemi, T. Baum, K. Ghorbani, and W. S. T. Rowe, “3D-tapered resonators for fss with incident angle independence,” *IET Microw. Antennas Propag.*, vol. 11, no. 15, pp. 2228-2234, 2017 (DOI: 10.1049/IET-MAP.2016.0954).
- [Chen.2017] F.-C. Chen, J.-F. Chen, Q.-X. Chu, and M. J. Lancaster, “X-Band waveguide filtering antenna array with nonuniform feed structure,” *IEEE Trans. Microw. Theory Techn.*, vol. 65, no. 12, pp. 4843-4850, Dec. 2017 (DOI: 10.1109/TMTT.2017.2705697).
- [Deng.2017] R. Deng, F. Yang, S. Xu, and M. Li, “An fss-backed 20/30-ghz dual-band circularly polarized reflectarray with suppressed mutual coupling and enhanced performance,” *IEEE Trans. Antennas Propag.*, vol. 65, no. 2, pp. 926-931, Feb. 2017 (DOI: 10.1109/TAP.2016.2633159).
- [Dickie.2017] R. Dickie et al., “Low-Pass FSS for 50-230 GHz quasi-optical demultiplexing for the MetOp second-generation microwave sounder instrument,” *IEEE Trans. Antennas Propag.*, vol. 65, no. 10, pp. 5312-5321, Oct. 2017 (DOI: 10.1109/TAP.2017.2740978).
- [Fan.2017] C. Fan, W. Che, W. Yang, and S. He, “A novel pramc-based ultralow-profile transmitarray antenna by using ray tracing principle,” *IEEE Trans. Antennas Propag.*, vol. 65, no. 4, pp. 1779-1787, Apr. 2017 (DOI: 10.1109/TAP.2017.2670600).

- [Ghayekhloo.2017] A. Ghayekhloo, A. Abdolali, and S. H. Mohseni Ar-maki, "Observation of radar cross-section reduction using low-pressure plasma-arrayed coating structure," *IEEE Trans. Antennas Propag.*, vol. 65, no. 6, pp. 3058-3064, Jun. 2017 (DOI: 10.1109/TAP.2017.2690311).
- [Han.2017] Y. Han, W. Che, X. Xiu, W. Yang, and C. Christopoulos, "Switchable low-profile broadband frequency-selective rasorber/absorber based on slot arrays," *IEEE Trans. Antennas Propag.*, vol. 65, no. 12, pp. 6998-7008, Dec. 2017 (DOI: 10.1109/TAP.2017.2759964).
- [Hannachi.2017] C. Hannachi and S. O. Tatu, "Performance comparison of 60 GHz printed patch antennas with different geometrical shapes using miniature hybrid microwave integrated circuits technology," *IET Microw. Antennas Propag.*, vol. 11, no. 1, pp. 106-112, 2017 (DOI: 10.1049/IET-MAP.2015.0720).
- [Hu.2017] H.-T. Hu, F.-C. Chen, J.-F. Qian, and Q.-X. Chu, "A differential filtering microstrip antenna array with intrinsic common-mode rejection," *IEEE Trans. Antennas Propag.*, vol. 65, no. 12, pp. 7361-7365, Dec. 2017 (DOI: 10.1109/TAP.2017.2764097).
- [Hussein.2017] M. Hussein, J. Zhou, Y. Huang, and B. Al-Juboori, "A low-profile miniaturized second-order bandpass frequency selective surface," *IEEE Antennas Wireless Propag. Lett.*, vol. 16, pp. 2791-2794, 2017 (DOI: 10.1109/LAWP.2017.2746266).
- [Khajeh.2017] R. Khajeh Mohammad Lou and M. Naser-Moghadasi, "Wide-band aperture-coupled antenna array based on fabry-perot resonator for c-band applications," *IET Microw. Antennas Propag.*, vol. 11, no. 6, pp. 859-866, 2017 (DOI: 10.1049/IET-MAP.2016.0537).
- [Khan.2017] M. S. Khan, A.-D. Capobianco, S. M. Asif, D. E. Anagnostou, R. M. Shubair, and B. D. Braaten, "A compact csrr-enabled UWB diversity antenna," *IEEE Antennas Wireless Propag. Lett.*, vol. 16, pp. 808-812, 2017 (DOI: 10.1109/LAWP.2016.2604843).
- [Liu.2017] N. Liu, X. Sheng, C. Zhang, J. Fan, and D. Guo, "A miniaturized triband frequency selective surface based on convoluted design," *IEEE Antennas Wireless Propag. Lett.*, vol. 16, pp. 2384-2387, 2017 (DOI: 10.1109/LAWP.2017.2719859).
- [Liu.2017] X. Liu, J. Gao, L. Xu, X. Cao, Y. Zhao, and S. Li, "A coding diffuse metasurface for RCS reduction," *IEEE Antennas Wireless Propag. Lett.*, vol. 16, pp. 724-727, 2017 (DOI: 10.1109/LAWP.2016.2601108).
- [Liu.2017] Z.-G. Liu and W.-B. Lu, "Low-Profile design of broadband high gain circularly polarized fabry-perot resonator antenna and its array with linearly polarized feed," *IEEE Access*, vol. 5, pp. 7164-7172, 2017 (DOI: 10.1109/ACCESS.2017.2675378).

- [Mahmud.2017] R. H. Mahmud and M. J. Lancaster, "High-Gain and wide-bandwidth filtering planar antenna array-based solely on resonators," *IEEE Trans. Antennas Propag.*, vol. 65, no. 5, pp. 2367-2375, May 2017 (DOI: 10.1109/TAP.2017.2670443).
- [Mao.2017] C.-X. Mao, S. Gao, Y. Wang, Q. Luo, and Q.-X. Chu, "A shared-aperture dual-band dual-polarized filtering-antenna-array with improved frequency response," *IEEE Trans. Antennas Propag.*, vol. 65, no. 4, pp. 1836-1844, Apr. 2017 (DOI: 10.1109/TAP.2017.2670325).
- [Matos.2017] S. A. Matos et al., "High gain dual-band beam-steering transmit array for satcom terminals at ka-band," *IEEE Trans. Antennas Propag.*, vol. 65, no. 7, pp. 3528-3539, Jul. 2017 (DOI: 10.1109/TAP.2017.2702658).
- [Naseri.2017] P. Naseri, F. Khosravi, and P. Mousavi, "Antenna-Filter-Antenna-Based transmit-array for circular polarization application," *IEEE Antennas Wireless Propag. Lett.*, vol. 16, pp. 1389-1392, 2017 (DOI: 10.1109/LAWP.2016.2638469).
- [Reis.2017] J. R. Reis, R. F. S. Caldeirinha, A. Hammoudeh, and N. Copner, "Electronically reconfigurable fss-inspired transmitarray for 2-d beam-steering," *IEEE Trans. Antennas Propag.*, vol. 65, no. 9, pp. 4880-4885, Sep. 2017 (DOI: 10.1109/TAP.2017.2723087).
- [Rodriguez-Ulibarri.2017] P. Rodriguez-Ulibarri, M. Navarro-Cia, R. Rodríguez-Berral, F. Mesa, F. Medina, and M. Beruete, "Annular apertures in metallic screens as extraordinary transmission and frequency selective surface structures," *IEEE Trans. Microw. Theory Techn.*, vol. 65, no. 12, pp. 4933-4946, Dec. 2017 (DOI: 10.1109/TMTT.2017.2732985).
- [Tak.2017] J. Tak and J. Choi, "A wearable metamaterial microwave absorber," *IEEE Antennas Wireless Propag. Lett.*, vol. 16, pp. 784-787, 2017 (DOI: 10.1109/LAWP.2016.2604257).
- [Wang.2017] Z.-B. Wang, H.-F. Wang, Z.-H. Wu, L. Sun, and Y.-R. Zhang, "Switchable all-dielectric frequency selective surface based on dielectric resonators," *IET Microw. Antennas Propag.*, vol. 11, no. 15, pp. 2124-2128, 2017 (DOI: 10.1049/IET-MAP.2017.0220).
- [Wang.2017] Z. Wang, P. S. Hall, J. R. Kelly, and P. Gardner, "Wide-band frequency-domain and space-domain pattern reconfigurable circular antenna array," *IEEE Trans. Antennas Propag.*, vol. 65, no. 10, pp. 5179-5189, Oct. 2017 (DOI: 10.1109/TAP.2017.2740969).
- [Wincza.2017] K. Wincza and S. Gruszczynski, "Frequency-Selective feeding network based on directional filter for constant-beamwidth scalable antenna arrays," *IEEE Trans. Antennas Propag.*, vol. 65, no. 8, pp. 4346-4350, Aug. 2017 (DOI: 10.1109/TAP.2017.2717962).

- [Wu.2017] R. Y. Wu, Y. B. Li, W. Wu, C. B. Shi, and T. J. Cui, "High-Gain dual-band transmitarray," *IEEE Trans. Antennas Propag.*, vol. 65, no. 7, pp. 3481-3488, Jul. 2017 (DOI: 10.1109/TAP.2017.2705074).
- [Yuan.2017] W. Yuan, Q. Chen, Y. Xu, H. Xu, S. Bie, and J. Jiang, "Broadband microwave absorption properties of ultrathin composites containing edge-split square-loop FSS embedded in magnetic sheets," *IEEE Antennas Wireless Propag. Lett.*, vol. 16, pp. 278-281, 2017 (DOI: 10.1109/LAWP.2016.2572734).
- [Zamanifekri.2017] A. Zamanifekri et al., "An active ka-band shared-aperture antenna with 50 db isolation for satellite communication," *IEEE Antennas Wireless Propag. Lett.*, vol. 16, pp. 2042-2045, 2017 (DOI: 10.1109/LAWP.2017.2695258).
- [Baladi.2018] E. Baladi and A. K. Iyer, "Far-Field magnification of subdiffraction conducting features using metamaterial-lined aperture arrays," *IEEE Trans. Antennas Propag.*, vol. 66, no. 7, pp. 3482-3490, Jul. 2018 (DOI: 10.1109/TAP.2018.2829822).
- [Bojja.2018] S. Bojja Venkatakrishnan, E. A. Alwan, and J. L. Volakis, "Wideband RF self-interference cancellation circuit for phased array simultaneous transmit and receive systems," *IEEE Access*, vol. 6, pp. 3425-3432, 2018 (DOI: 10.1109/ACCESS.2017.2788179).
- [Borhani.2018] M. Borhani Kakhki, M. Mantash, A. Kesavan, M. M. Tahseen, and T. A. Denidni, "Millimeter-Wave beam-tilting vivaldi antenna with gain enhancement using multilayer FSS," *IEEE Antennas Wireless Propag. Lett.*, vol. 17, no. 12, pp. 2279-2283, Dec. 2018 (DOI: 10.1109/LAWP.2018.2873113).
- [Borja.2018] A. L. Borja, Y. Kabiri, A. Belenguer, and J. R. Kelly, "Programmable multifunctional rf/microwave circuit for antenna and filter operation," *IEEE Trans. Antennas Propag.*, vol. 66, no. 8, pp. 3865-3876, Aug. 2018 (DOI: 10.1109/TAP.2018.2835728).
- [Cao.2018] Y. F. Cao and X. Y. Zhang, "A wideband beam-steerable slot antenna using artificial magnetic conductors with simple structure," *IEEE Trans. Antennas Propag.*, vol. 66, no. 4, pp. 1685-1694, Apr. 2018 (DOI: 10.1109/TAP.2018.2804480).
- [Cho.2018] S.-S. Cho, S.-H. Yoon, and I.-P. Hong, "Design of three-dimensional frequency selective structure with replaceable unit structures using a 3-d printing technique," *IEEE Antennas Wireless Propag. Lett.*, vol. 17, no. 11, pp. 2041-2045, Nov. 2018 (DOI: 10.1109/LAWP.2018.2871175).
- [Costa.2018] F. Costa, D. Bianchi, A. Monorchio, and G. Manara, "Linear fabry-perot/leaky-wave antennas excited by multiple sources," *IEEE Trans. Antennas Propag.*, vol. 66, no. 10, pp. 5150-5159, Oct. 2018 (DOI: 10.1109/TAP.2018.2860038).

- [de.2018] M. R. T. de Oliveira, M. T. de Melo, I. Llamas-Garro, and A. G. Neto, "Reconfigurable cross dipole: hash frequency selective surface," *IET Microw. Antennas Propag.*, vol. 12, no. 2, pp. 224-229, 2018 (DOI: 10.1049/IET-MAP.2017.0544).
- [Delafkar.2018] H. Delafkar and A. Pirhadi, "An accurate method for synthesis of reflecting elements to design wideband reflectarray antenna," *IEEE Trans. Antennas Propag.*, vol. 66, no. 5, pp. 2392-2400, May 2018 (DOI: 10.1109/TAP.2018.2816602).
- [Deng.2018] H. Deng, T. Xu, and F. Liu, "Broadband pattern-reconfigurable filtering microstrip antenna with quasi-yagi structure," *IEEE Antennas Wireless Propag. Lett.*, vol. 17, no. 7, pp. 1127-1131, Jul. 2018 (DOI: 10.1109/LAWP.2018.2825471).
- [Deng.2018] H.-W. Deng, T. Xu, Y.-F. Xue, F. Liu, and L. Sun, "Closely spaced broadband MIMO differential filtering slotline antenna with cm suppression," *IEEE Antennas Wireless Propag. Lett.*, vol. 17, no. 12, pp. 2498-2502, Dec. 2018 (DOI: 10.1109/LAWP.2018.2879523).
- [Deng.2018] R. Deng, S. Xu, F. Yang, and M. Li, "An fss-backed ku/ka quad-band reflectarray antenna for satellite communications," *IEEE Trans. Antennas Propag.*, vol. 66, no. 8, pp. 4353-4358, Aug. 2018 (DOI: 10.1109/TAP.2018.2835725).
- [Elzwawi.2018] G. H. Elzwawi, H. H. Elzwawi, M. M. Tahseen, and T. A. Denidni, "Frequency selective surface-based switched-beamforming antenna," *IEEE Access*, vol. 6, pp. 48042-48050, 2018 (DOI: 10.1109/ACCESS.2018.2850808).
- [Gao.2018] B. Gao, S. Huang, Z. Ren, Y. Chen, and X. Wang, "Design and verification of an integrated free-standing thick-screen FSS radome," *IEEE Antennas Wireless Propag. Lett.*, vol. 17, no. 9, pp. 1630-1634, Sep. 2018 (DOI: 10.1109/LAWP.2018.2859232).
- [Hassan.2018] T. Hassan, M. U. Khan, H. Attia, and M. S. Sharawi, "An FSS based correlation reduction technique for MIMO antennas," *IEEE Trans. Antennas Propag.*, vol. 66, no. 9, pp. 4900-4905, Sep. 2018 (DOI: 10.1109/TAP.2018.2842256).
- [Hsu.2018] C.-Y. Hsu, L.-T. Hwang, T.-S. Horng, S.-M. Wang, F.-S. Chang, and C. N. Dorny, "Transmitarray design with enhanced aperture efficiency using small frequency selective surface cells and discrete Jones matrix analysis," *IEEE Trans. Antennas Propag.*, vol. 66, no. 8, pp. 3983-3994, Aug. 2018 (DOI: 10.1109/TAP.2018.2839755).
- [Hua.2018] C. Hua, R. Li, Y. Wang, and Y. Lu, "Dual-Polarized filtering antenna with printed jerusalem-cross radiator," *IEEE Access*, vol. 6, pp. 9000-9005, 2018 (DOI: 10.1109/ACCESS.2018.2803790).

- [Huang.2018] C. Huang, C. Ji, X. Wu, J. Song, and X. Luo, "Combining FSS and EBG surfaces for high-efficiency transmission and low-scattering properties," *IEEE Trans. Antennas Propag.*, vol. 66, no. 3, pp. 1628-1632, Mar. 2018 (DOI: 10.1109/TAP.2018.2790430).
- [Kesavan.2018] A. Kesavan, M. Mantash, and T. A. Denidni, "Beam-switching millimetre-wave antenna using cantilever-based fss," *IET Microw. Antennas Propag.*, vol. 12, no. 13, pp. 2019-2024, 2018 (DOI: 10.1049/IET-MAP.2018.5017).
- [Khan.2018] S. Khan and T. F. Eibert, "A multifunctional metamaterial-based dual-band isotropic frequency-selective surface," *IEEE Trans. Antennas Propag.*, vol. 66, no. 8, pp. 4042-4051, Aug. 2018 (DOI: 10.1109/TAP.2018.2835667).
- [Kpre.2018] E. Kpré, C. Decroze, M. Mouhamadou, and T. Fromenteze, "Computational imaging for compressive synthetic aperture interferometric radiometer," *IEEE Trans. Antennas Propag.*, vol. 66, no. 10, pp. 5546-5557, Oct. 2018 (DOI: 10.1109/TAP.2018.2858178).
- [Li.2018] M. Li, Y. Wu, L. Jiao, L. Ma, W. Wang, and Y. Liu, "A planar balanced-to-balanced power divider with wideband filtering responses and common-mode suppressions," *IEEE Access*, vol. 6, pp. 42057-42065, 2018 (DOI: 10.1109/ACCESS.2018.2859230).
- [Li.2018] T. Li and X. Gong, "Vertical integration of high- Q filter with circularly polarized patch antenna with enhanced impedance-axial ratio bandwidth," *IEEE Trans. Microw. Theory Techn.*, vol. 66, no. 6, pp. 3119-3128, Jun. 2018 (DOI: 10.1109/TMTT.2018.2832073).
- [Li.2018] W. Li, Y. Hei, P. M. Grubb, X. Shi, and R. T. Chen, "Compact inkjet-printed flexible MIMO antenna for UWB applications," *IEEE Access*, vol. 6, pp. 50290-50298, 2018 (DOI: 10.1109/ACCESS.2018.2868707).
- [Liu.2018] Y. Liu, K. Huang, Y. Yang, and B. Zhang, "A low-profile lightweight circularly polarized rectenna array based on coplanar waveguide," *IEEE Antennas Wireless Propag. Lett.*, vol. 17, no. 9, pp. 1659-1663, Sep. 2018 (DOI: 10.1109/LAWP.2018.2861938).
- [Liu.2018] Y. Liu, S. Wang, N. Li, J.-B. Wang, and J. Zhao, "A compact dual-band dual-polarized antenna with filtering structures for sub-6 GHz base station applications," *IEEE Antennas Wireless Propag. Lett.*, vol. 17, no. 10, pp. 1764-1768, Oct. 2018 (DOI: 10.1109/LAWP.2018.2864604).
- [Luo.2018] Q. Luo, S. Gao, M. Sobhy, and X. Yang, "Wideband transmitarray with reduced profile," *IEEE Antennas Wireless Propag. Lett.*, vol. 17, no. 3, pp. 450-453, Mar. 2018 (DOI: 10.1109/LAWP.2018.2794605).
- [Mao.2018] C.-X. Mao et al., "Integrated dual-band filtering/duplexing antennas," *IEEE Access*, vol. 6, pp. 8403-8411, 2018 (DOI: 10.1109/ACCESS.2018.2805224).

- [Naseri.2018] P. Naseri, S. A. Matos, J. R. Costa, C. A. Fernandes, and N. J. G. Fonseca, "Dual-Band dual-linear-to-circular polarization converter in transmission mode application to K/Ka -band satellite communications," *IEEE Trans. Antennas Propag.*, vol. 66, no. 12, pp. 7128-7137, Dec. 2018 (DOI: 10.1109/TAP.2018.2874680).
- [Rabbani.2018] M. S. Rabbani and H. Ghafouri-Shiraz, "Dual-layer partially reflective surface antennas based on extended size unit cells for 60 GHz band wlan/wpan," *IET Microw. Antennas Propag.*, vol. 12, no. 5, pp. 789-795, 2018 (DOI: 10.1049/IET-MAP.2017.0957).
- [Ramezani.2018] A. Ramezani Varkani, Z. Hossein Firouzeh, and A. Zeidaabadi Nezhad, "Equivalent circuit model for array of circular loop FSS structures at oblique angles of incidence," *IET Microw. Antennas Propag.*, vol. 12, no. 5, pp. 749-755, 2018 (DOI: 10.1049/IET-MAP.2017.1004).
- [Salem.2018] S. Salem Hesari and J. Bornemann, "Frequency-selective substrate integrated waveguide front-end system for tracking applications," *IET Microw. Antennas Propag.*, vol. 12, no. 10, pp. 1620-1624, 2018 (DOI: 10.1049/IET-MAP.2018.0035).
- [Varikuntla.2018] K. K. Varikuntla and R. Singaravelu, "Ultrathin design and implementation of planar and conformal polarisation rotating frequency selective surface based on siw technology," *IET Microw. Antennas Propag.*, vol. 12, no. 12, pp. 1939-1947, 2018 (DOI: 10.1049/IET-MAP.2017.0996).
- [Wang.2018] C. Wang, Y. Chen, and S. Yang, "Dual-Band dual-polarized antenna array with flat-top and sharp cutoff radiation patterns for 2g/3g/lte cellular bands," *IEEE Trans. Antennas Propag.*, vol. 66, no. 11, pp. 5907-5917, Nov. 2018 (DOI: 10.1109/TAP.2018.2866596).
- [Wang.2018] Z. Wang et al., "A high-transmittance frequency-selective absorber based on dipole arrays," *IEEE Access*, vol. 6, pp. 31367-31374, 2018 (DOI: 10.1109/ACCESS.2018.2843795).
- [Wen.2018] L.-H. Wen et al., "A balanced feed filtering antenna with novel coupling structure for low-sidelobe radar applications," *IEEE Access*, vol. 6, pp. 77169-77178, 2018 (DOI: 10.1109/ACCESS.2018.2878793).
- [Wu.2018] G.-B. Wu, S.-W. Qu, Y.-X. Wang, and S. Yang, "Nonuniform fss-backed reflectarray with synthesized phase and amplitude distribution," *IEEE Trans. Antennas Propag.*, vol. 66, no. 12, pp. 6883-6892, Dec. 2018 (DOI: 10.1109/TAP.2018.2871752).
- [Xu.2018] P. Xu, W. X. Jiang, S. Y. Wang, and T. J. Cui, "An ultrathin cross-polarization converter with near unity efficiency for transmitted waves," *IEEE Trans. Antennas Propag.*, vol. 66, no. 8, pp. 4370-4373, Aug. 2018 (DOI: 10.1109/TAP.2018.2839972).

- [Yang.2018] Y. Yang et al., “A 5.8 GHz circularly polarized rectenna with harmonic suppression and rectenna array for wireless power transfer,” *IEEE Antennas Wireless Propag. Lett.*, vol. 17, no. 7, pp. 1276-1280, Jul. 2018 (DOI: 10.1109/LAWP.2018.2842105).
- [Yang.2018] Y. Yang et al., “A circularly polarized rectenna array based on substrate integrated waveguide structure with harmonic suppression,” *IEEE Antennas Wireless Propag. Lett.*, vol. 17, no. 4, pp. 684-688, Apr. 2018 (DOI: 10.1109/LAWP.2018.2811860).
- [Yong.2018] W. Y. Yong et al., “Flexible convoluted ring shaped FSS for x-band screening application,” *IEEE Access*, vol. 6, pp. 11657-11665, 2018 (DOI: 10.1109/ACCESS.2018.2804091).
- [Zeng.2018] X. Zeng, M. Gao, L. Zhang, G. Wan, and B. Hu, “Design of a tuneable and broadband absorber using a switchable transmissive/reflective FSS,” *IET Microw. Antennas Propag.*, vol. 12, no. 7, pp. 1211-1215, 2018 (DOI: 10.1049/IET-MAP.2017.0691).
- [Zhang.2018] B. Zhang, R. Li, L. Wu, H. Sun, and Y.-X. Guo, “A highly integrated 3-d printed metallic k-band passive front end as the unit cell in a large array for satellite communication,” *IEEE Antennas Wireless Propag. Lett.*, vol. 17, no. 11, pp. 2046-2050, Nov. 2018 (DOI: 10.1109/LAWP.2018.2824298).
- [Zhang.2018] C. Zhang, J. Gao, X. Cao, L. Xu, and J. Han, “Low scattering microstrip antenna array using coding artificial magnetic conductor ground,” *IEEE Antennas Wireless Propag. Lett.*, vol. 17, no. 5, pp. 869-872, May 2018 (DOI: 10.1109/LAWP.2018.2820220).
- [Zhao.2018] L. Zhao, F. Liu, X. Shen, G. Jing, Y.-M. Cai, and Y. Li, “A high-pass antenna interference cancellation chip for mutual coupling reduction of antennas in contiguous frequency bands,” *IEEE Access*, vol. 6, pp. 38097-38105, 2018 (DOI: 10.1109/ACCESS.2018.2853709).
- [Zhu.2018] D. Z. Zhu, M. D. Gregory, P. L. Werner, and D. H. Werner, “Fabrication and characterization of multiband polarization independent 3-d-printed frequency selective structures with ultrawide fields of view,” *IEEE Trans. Antennas Propag.*, vol. 66, no. 11, pp. 6096-6105, Nov. 2018 (DOI: 10.1109/TAP.2018.2866507).
- [An.2019] Q. An, A. Hoorfar, W. Zhang, S. Li, and J. Wang, “Range coherence factor for down range sidelobes suppression in radar imaging through multilayered dielectric media,” *IEEE Access*, vol. 7, pp. 66910-66918, 2019 (DOI: 10.1109/ACCESS.2019.2911693).
- [Anwar.2019] R. S. Anwar, Y. Wei, L. Mao, and H. Ning, “Miniaturised frequency selective surface based on fractal arrays with square slots for enhanced bandwidth,” *IET Microw. Antennas Propag.*, vol. 13, no. 11, pp. 1811-1819, 2019 (DOI: 10.1049/IET-MAP.2018.5224).

- [Bartlett.2019] C. Bartlett and J. Bornemann, “Cross-Configuration substrate integrated waveguide beamforming network for 1d and 2d beam patterns,” *IEEE Access*, vol. 7, pp. 151827-151835, 2019 (DOI: 10.1109/ACCESS.2019.2947481).
- [Brown.2019] J. A. Brown, S. Barth, B. P. Smyth, and A. K. Iyer, “Dual-Band microstrip corporate feed network using an embedded metamaterial-based EBG,” *IEEE Trans. Antennas Propag.*, vol. 67, no. 11, pp. 7031-7039, Nov. 2019 (DOI: 10.1109/TAP.2019.2923074).
- [Camacho.2019] M. Camacho, R. R. Boix, and F. Medina, “NUFFT for the efficient spectral domain MoM analysis of a wide variety of multilayered periodic structures,” *IEEE Trans. Antennas Propag.*, vol. 67, no. 10, pp. 6551-6563, Oct. 2019 (DOI: 10.1109/TAP.2019.2920361).
- [Chattha.2019] H. T. Chattha, F. Latif, F. A. Tahir, M. U. Khan, and X. Yang, “Small-Sized UWB MIMO antenna with band rejection capability,” *IEEE Access*, vol. 7, pp. 121816-121824, 2019 (DOI: 10.1109/ACCESS.2019.2937322).
- [Das.2019] G. Das, A. Sharma, R. K. Gangwar, and M. S. Sharawi, “Performance improvement of multiband MIMO dielectric resonator antenna system with a partially reflecting surface,” *IEEE Antennas Wireless Propag. Lett.*, vol. 18, no. 10, pp. 2105-2109, Oct. 2019 (DOI: 10.1109/LAWP.2019.2938004).
- [Ding.2019] X. Ding, Y.-F. Cheng, W. Shao, and B.-Z. Wang, “Broadband low-rs phased array with wide-angle scanning performance based on the switchable stacked artificial structure,” *IEEE Trans. Antennas Propag.*, vol. 67, no. 10, pp. 6452-6460, Oct. 2019 (DOI: 10.1109/TAP.2019.2925202).
- [Duan.2019] W. Duan, Y. F. Cao, Y.-M. Pan, Z. X. Chen, and X. Y. Zhang, “Compact dual-band dual-polarized base-station antenna array with a small frequency ratio using filtering elements,” *IEEE Access*, vol. 7, pp. 127800-127808, 2019 (DOI: 10.1109/ACCESS.2019.2939234).
- [Fang.2019] X. Fang, W. Wang, G.-L. Huang, Q. Luo, and H. Zhang, “A wideband low-profile all-metal cavity slot antenna with filtering performance for space-borne sar applications,” *IEEE Antennas Wireless Propag. Lett.*, vol. 18, no. 6, pp. 1278-1282, Jun. 2019 (DOI: 10.1109/LAWP.2019.2914604).
- [Guyon.2019] F. Guyon, M. A. K. Othman, C. Guclu, and F. Capolino, “Hyperbolic metamaterials at microwaves with stacked inductive coiled-wire arrays,” *IEEE Trans. Antennas Propag.*, vol. 67, no. 10, pp. 6494-6507, Oct. 2019 (DOI: 10.1109/TAP.2019.2925141).
- [Hendry.2019] D. R. Hendry and A. M. Abbosh, “Coupled-Resonator theory of isolation in multi-mode antennas,” *IEEE Trans. Antennas Propag.*, vol. 67, no. 9, pp. 5801-5811, Sep. 2019 (DOI: 10.1109/TAP.2019.2922551).

- [Jin.2019] H. Jin, G. Q. Luo, W. Wang, W. Che, and K.-S. Chin, "Integration design of millimeter-wave filtering patch antenna array with siw four-way anti-phase filtering power divider," *IEEE Access*, vol. 7, pp. 49804-49812, 2019 (DOI: 10.1109/ACCESS.2019.2909771).
- [Kim.2019] Y. Kim, H. Kim, I. Yoon, and J. Oh, " 4×8 patch array-fed fr4-based transmit array antennas for affordable and reliable 5G beam steering," *IEEE Access*, vol. 7, pp. 88881-88893, 2019 (DOI: 10.1109/ACCESS.2019.2926379).
- [Li.2019] X. Li, L. Yang, and L. Huang, "Novel design of 2.45-ghz rectenna element and array for wireless power transmission," *IEEE Access*, vol. 7, pp. 28356-28362, 2019 (DOI: 10.1109/ACCESS.2019.2900329).
- [Li.2019] Y. Li, Z. Zhao, Z. Tang, and Y. Yin, "Differentially-Fed, wide-band dual-polarized filtering antenna with novel feeding structure for 5G sub-6 GHz base station applications," *IEEE Access*, vol. 7, pp. 184718-184725, 2019 (DOI: 10.1109/ACCESS.2019.2960885).
- [Li.2019] Z. Li, C. Yin, and X. Zhu, "Compact UWB MIMO vivaldi antenna with dual band-notched characteristics," *IEEE Access*, vol. 7, pp. 38696-38701, 2019 (DOI: 10.1109/ACCESS.2019.2906338).
- [Lima.2019] E. B. Lima, J. R. Costa, and C. A. Fernandes, "Multiple-Beam focal-plane dual-band fabry-pérot cavity antenna with reduced beam degradation," *IEEE Trans. Antennas Propag.*, vol. 67, no. 7, pp. 4348-4356, Jul. 2019 (DOI: 10.1109/TAP.2019.2911365).
- [Liu.2019] G. Liu, Y. M. Pan, T. L. Wu, and P. F. Hu, "A compact planar quasi-yagi antenna with bandpass filtering response," *IEEE Access*, vol. 7, pp. 67856-67862, 2019 (DOI: 10.1109/ACCESS.2019.2916655).
- [Liu.2019] N. Liu, X. Sheng, C. Zhang, and D. Guo, "Design of dual-band composite radome wall with high angular stability using frequency selective surface," *IEEE Access*, vol. 7, pp. 123393-123401, 2019 (DOI: 10.1109/ACCESS.2019.2937977).
- [Lou.2019] S.-Y. Lou, R. Li, and H.-T. Gao, "Design of a low profile flexible tri-band frequency surface applied in x-band, k-band and millimeter-band," *IEEE Access*, vol. 7, pp. 180127-180133, 2019 (DOI: 10.1109/ACCESS.2019.2959631).
- [Luo.2019] Q. Luo et al., "A hybrid design method for thin-panel transmitarray antennas," *IEEE Trans. Antennas Propag.*, vol. 67, no. 10, pp. 6473-6483, Oct. 2019 (DOI: 10.1109/TAP.2019.2923076).
- [Ma.2019] X. Ma, G. Wan, W. Zhang, Y. Mu, and X. Tang, "Synthesis of second-order wide-passband frequency selective surface using double-periodic structures," *IET Microw. Antennas Propag.*, vol. 13, no. 3, pp. 373-379, 2019 (DOI: 10.1049/IET-MAP.2018.5262).

- [Machado.2019] G. G. Machado, R. Cahill, V. Fusco, and G. A. Conway, "Suppression of antenna backscatter on a nanosat using a resistively loaded FSS absorber," *IEEE Antennas Wireless Propag. Lett.*, vol. 18, no. 12, pp. 2607-2611, Dec. 2019 (DOI: 10.1109/LAWP.2019.2945399).
- [Machado.2019] G. G. Machado, R. Cahill, V. Fusco, and G. Conway, "Resistively loaded ultra-thin FSS absorbers for radio-frequency enhancement of spacecraft thermal blankets," *IET Microw. Antennas Propag.*, vol. 13, no. 11, pp. 1928-1933, 2019 (DOI: 10.1049/IET-MAP.2018.6099).
- [Malakooti.2019] S.-A. Malakooti and C. Fumeaux, "Pattern-Reconfigurable antenna with switchable wideband to frequency-agile bandpass/bandstop filtering operation," *IEEE Access*, vol. 7, pp. 167065-167075, 2019 (DOI: 10.1109/ACCESS.2019.2954343).
- [Malakooti.2019] S.-A. Malakooti, S. M. H. Mousavi, and C. Fumeaux, "Tunable bandpass-to-bandstop quasi-yagi-uda antenna with sum and difference radiation patterns," *IEEE Trans. Antennas Propag.*, vol. 67, no. 4, pp. 2260-2271, Apr. 2019 (DOI: 10.1109/TAP.2019.2891451).
- [Mathur.2019] P. Mathur and G. Kumar, "Dual-frequency dual-polarised shared-aperture microstrip antenna array with suppressed higher order modes," *IET Microw. Antennas Propag.*, vol. 13, no. 9, pp. 1300-1305, 2019 (DOI: 10.1049/IET-MAP.2018.5442).
- [Nguyen.2019] B. D. Nguyen and C. Pichot, "Unit-Cell loaded with pin diodes for 1-bit linearly polarized reconfigurable transmitarrays," *IEEE Antennas Wireless Propag. Lett.*, vol. 18, no. 1, pp. 98-102, Jan. 2019 (DOI: 10.1109/LAWP.2018.2881555).
- [Pan.2019] Y. Pan, G. Q. Luo, Z. Liao, B. Cai, and M. Yao, "Wideband direction-of-arrival estimation with arbitrary array via coherent annihilating," *IEEE Access*, vol. 7, pp. 51058-51068, 2019 (DOI: 10.1109/ACCESS.2019.2911631).
- [Qian.2019] G. Qian et al., "Switchable broadband dual-polarized frequency-selective rasorber/absorber," *IEEE Antennas Wireless Propag. Lett.*, vol. 18, no. 12, pp. 2508-2512, Dec. 2019 (DOI: 10.1109/LAWP.2019.2941661).
- [Ranjan.2019] P. Ranjan, S. K. Mahto, and A. Choubey, "BWDO algorithm and its application in antenna array and pixelated metasurface synthesis," *IET Microw. Antennas Propag.*, vol. 13, no. 9, pp. 1263-1270, 2019 (DOI: 10.1049/IET-MAP.2018.5051).
- [Sun.2019] Z. Sun, Q. Chen, M. Guo, and Y. Fu, "Low-RCS reflectarray antenna based on frequency selective rasorber," *IEEE Antennas Wireless Propag. Lett.*, vol. 18, no. 4, pp. 693-697, Apr. 2019 (DOI: 10.1109/LAWP.2019.2901267).

- [Wang.2019] H. Wang, L. Zheng, M. Yan, J. Wang, S. Qu, and R. Luo, "Design and analysis of miniaturized low profile and second-order multi-band polarization selective surface for multipath communication application," *IEEE Access*, vol. 7, pp. 13455-13467, 2019 (DOI: 10.1109/ACCESS.2019.2894013).
- [Wang.2019] W. Wang, Y. Zheng, Y. Wu, Z. Zhuang, and Y. Liu, "Wide-Band filtering three-port coupler with inherent dc-blocking function," *IEEE Access*, vol. 7, pp. 13170-13177, 2019 (DOI: 10.1109/ACCESS.2019.2892995).
- [Wang.2019] Y. Wang, S.-S. Qi, Z. Shen, and W. Wu, "Tunable frequency-selective rasorber based on varactor-embedded square-loop array," *IEEE Access*, vol. 7, pp. 115552-115559, 2019 (DOI: 10.1109/ACCESS.2019.2935780).
- [Wang.2019] Z. Wang and Y. Dong, "Circularly polarized antennas inspired by dual-mode siw cavities," *IEEE Access*, vol. 7, pp. 173007-173018, 2019 (DOI: 10.1109/ACCESS.2019.2956750).
- [Wang.2019] Z. Wang, J. Fu, Q. Zeng, M. Song, and T. A. Denidni, "Wide-band transmissive frequency-selective absorber," *IEEE Antennas Wireless Propag. Lett.*, vol. 18, no. 7, pp. 1443-1447, Jul. 2019 (DOI: 10.1109/LAWP.2019.2919633).
- [Wei.2019] F. Wei, X.-B. Zhao, and X. W. Shi, "A balanced filtering quasi-yagi antenna with low cross-polarization levels and high common-mode suppression," *IEEE Access*, vol. 7, pp. 100113-100119, 2019 (DOI: 10.1109/ACCESS.2019.2931141).
- [Xu.2019] K. Xu, J. Shi, C. Zhang, and W. Liu, "A low-profile 1×2 filtering dipole array with small unit space and closely placed ground," *IEEE Antennas Wireless Propag. Lett.*, vol. 18, no. 5, pp. 946-950, May 2019 (DOI: 10.1109/LAWP.2019.2906459).
- [Yang.2019] X. Yang, H. Luyen, S. Xu, and N. Behdad, "Design method for low-profile, harmonic-suppressed filter-antennas using miniaturized-element frequency selective surfaces," *IEEE Antennas Wireless Propag. Lett.*, vol. 18, no. 3, pp. 427-431, Mar. 2019 (DOI: 10.1109/LAWP.2019.2893245).
- [Yetisir.2019] E. Yetisir, J. Li, and N. Ghalichechian, "UWB dual-polarised dipole array with dielectric and FSS superstrate and 65° scanning," *IET Microw. Antennas Propag.*, vol. 13, no. 3, pp. 313-321, 2019 (DOI: 10.1049/IET-MAP.2018.5626).
- [Yoon.2019] I. Yoon and J. Oh, "Millimeter-Wave thin lens using multipatch incorporated unit cells for polarization-dependent beam shaping," *IEEE Access*, vol. 7, pp. 45504-45511, 2019 (DOI: 10.1109/ACCESS.2019.2909175).
- [Yu.2019] W. Yu, G. Q. Luo, Y. Yu, Z. Liao, H. Jin, and Z. Shen, "Broad-band band-absorptive frequency-selective rasorber with a hybrid 2-d and

3-d structure,” *IEEE Antennas Wireless Propag. Lett.*, vol. 18, no. 8, pp. 1701-1705, Aug. 2019 (DOI: 10.1109/LAWP.2019.2928362).

- [Yuan.2019] Y. Yuan, X. Xi, and Y. Zhao, “Compact UWB FSS reflector for antenna gain enhancement,” *IET Microw. Antennas Propag.*, vol. 13, no. 10, pp. 1749-1755, 2019 (DOI: 10.1049/IET-MAP.2019.0083).
- [Yue.2019] H. Yue, L. Chen, Y. Yang, L. He, and X. Shi, “Design and implementation of a dual frequency and bidirectional phase gradient metasurface for beam convergence,” *IEEE Antennas Wireless Propag. Lett.*, vol. 18, no. 1, pp. 54-58, Jan. 2019 (DOI: 10.1109/LAWP.2018.2880491).
- [Zeng.2019] Q. Zeng, W. Ren, H. Zhao, Z. Xue, and W. Li, “Dual-band transmission-type circular polariser based on frequency selective surfaces,” *IET Microw. Antennas Propag.*, vol. 13, no. 2, pp. 216-222, 2019 (DOI: 10.1049/IET-MAP.2018.5613).
- [Zhang.2019] B. Zhang et al., “A metallic 3-d printed airborne high-power handling magneto-electric dipole array with cooling channels,” *IEEE Trans. Antennas Propag.*, vol. 67, no. 12, pp. 7368-7378, Dec. 2019 (DOI: 10.1109/TAP.2019.2935085).
- [Zhang.2019] J. F. Zhang, Y. J. Cheng, Y. R. Ding, and C. X. Bai, “A dual-band shared-aperture antenna with large frequency ratio, high aperture reuse efficiency, and high channel isolation,” *IEEE Trans. Antennas Propag.*, vol. 67, no. 2, pp. 853-860, Feb. 2019 (DOI: 10.1109/TAP.2018.2882697).
- [Zhong.2019] J. Zhong, A. Johnson, E. A. Alwan, and J. L. Volakis, “Dual-Linear polarized phased array with 9:1 bandwidth and 60° scanning off broadside,” *IEEE Trans. Antennas Propag.*, vol. 67, no. 3, pp. 1996-2001, Mar. 2019 (DOI: 10.1109/TAP.2019.2891607).
- [Zhong.2019] X. Zhong, H.-X. Xu, L. Chen, W. Li, H. Wang, and X. Shi, “An fss-backed broadband phase-shifting surface array with multimode operation,” *IEEE Trans. Antennas Propag.*, vol. 67, no. 9, pp. 5974-5981, Sep. 2019 (DOI: 10.1109/TAP.2019.2916747).
- [Zhu.2019] Y. Zhu, Y. Chen, and S. Yang, “Decoupling and low-profile design of dual-band dual-polarized base station antennas using frequency-selective surface,” *IEEE Trans. Antennas Propag.*, vol. 67, no. 8, pp. 5272-5281, Aug. 2019 (DOI: 10.1109/TAP.2019.2916730).
- [Borhani.2020] M. Borhani Kakhki, A. Dadgarpour, A.-R. Sebak, and T. A. Denidni, “Twenty-eight-gigahertz beam-switching ridge gap dielectric resonator antenna based on FSS for 5G applications,” *IET Microw. Antennas Propag.*, vol. 14, no. 5, pp. 397-401, 2020 (DOI: 10.1049/IET-MAP.2019.0591).

- [Cheng.2020] Y.-F. Cheng, X. Ding, L. Peng, J. Feng, and C. Liao, “Design and analysis of a wideband low-scattering endfire antenna using a moth tail-inspired metamaterial absorber and a surface waveguide,” *IEEE Trans. Antennas Propag.*, vol. 68, no. 3, pp. 1411-1418, Mar. 2020 (DOI: 10.1109/TAP.2020.2967310).
- [Ding.2020] C. Ding, H.-H. Sun, H. Zhu, and Y. Jay Guo, “Achieving wider bandwidth with full-wavelength dipoles for 5G base stations,” *IEEE Trans. Antennas Propag.*, vol. 68, no. 2, pp. 1119-1127, Feb. 2020 (DOI: 10.1109/TAP.2019.2950108).
- [Guo.2020] W.-L. Guo, K. Chen, G.-M. Wang, X.-Y. Luo, Y.-J. Feng, and C.-W. Qiu, “Transmission-Reflection-Selective metasurface and its application to RCS reduction of high-gain reflector antenna,” *IEEE Trans. Antennas Propag.*, vol. 68, no. 3, pp. 1426-1435, Mar. 2020 (DOI: 10.1109/TAP.2019.2948742).
- [Isaac.2020] A. A. Isaac, H. Al-Rizzo, S. Yahya, A. Al-Wahhamy, and S. Z. Tariq, “Miniaturised MIMO antenna array of two vertical monopoles embedded inside a planar decoupling network for the 2.4 GHz ism band,” *IET Microw. Antennas Propag.*, vol. 14, no. 1, pp. 132-140, 2020 (DOI: 10.1049/IET-MAP.2018.5069).
- [Li.2020] W. Li, Y. Wang, S. Sun, and X. Shi, “An fss-backed reflection/transmission reconfigurable array antenna,” *IEEE Access*, vol. 8, pp. 23904-23911, 2020 (DOI: 10.1109/ACCESS.2020.2970611).
- [Liu.2020] Q. Liu, H. Liu, W. He, and S. He, “A low-profile dual-band dual-polarized antenna with an amc reflector for 5G communications,” *IEEE Access*, vol. 8, pp. 24072-24080, 2020 (DOI: 10.1109/ACCESS.2020.2970473).
- [Yao.2020] Z. Yao, S. Xiao, Z. Jiang, L. Yan, and B.-Z. Wang, “On the design of ultrawideband circuit analog absorber based on quasi-single-layer FSS,” *IEEE Antennas Wireless Propag. Lett.*, vol. 19, no. 4, pp. 591-595, Apr. 2020 (DOI: 10.1109/LAWP.2020.2972919).
- [Zang.2020] J. Zang, E. Carrasco, X. Wang, A. Alvarez-Melcon, and J. S. Gomez-Diaz, “Analysis and design of reflectarray antennas based on delay lines: a filter perspective,” *IEEE Access*, vol. 8, pp. 44947-44956, 2020 (DOI: 10.1109/ACCESS.2020.2976643).

References

- [1] L. S. Riggs and R. G. Smith, “Efficient current expansion modes for the triarm frequency-selective surface,” *IEEE Trans. Antennas Propag.*, vol. 36, no. 8, pp. 1172-1177, Aug. 1988 (DOI: 10.1109/8.7235).

- [2] F. S. Johansson, "Frequency-scanned gratings consisting of photo-etched arrays," *IEEE Trans. Antennas Propag.*, vol. 37, no. 8, pp. 996-1002, Aug. 1989 (DOI: 10.1109/8.34136).
- [3] L. Gurel and W. C. Chew, "Recursive algorithms for calculating the scattering from N strips or patches," *IEEE Trans. Antennas Propag.*, vol. 38, no. 4, pp. 507-515, Apr. 1990 (DOI: 10.1109/8.52269).
- [4] P. W. Grounds and K. J. Webb, "Numerical analysis of finite frequency selective surfaces with rectangular patches of various aspect ratios," *IEEE Trans. Antennas Propag.*, vol. 39, no. 5, pp. 569-575, May 1991 (DOI: 10.1109/8.81482).
- [5] R. Pous and D. M. Pozar, "A frequency-selective surface using aperture-coupled microstrip patches," *IEEE Trans. Antennas Propag.*, vol. 39, no. 12, pp. 1763-1769, Dec. 1991 (DOI: 10.1109/8.121598).
- [6] J. Huang, Te-Kao Wu, and Shung-Wu Lee, "Tri-band frequency selective surface with circular ring elements," *IEEE Trans. Antennas Propag.*, vol. 42, no. 2, pp. 166-175, Feb. 1994 (DOI: 10.1109/8.277210).
- [7] J. C. W. A. Costa and A. J. Giarola, "Analysis of the selective behavior of multilayer structures with a dielectric grating," *IEEE Trans. Antennas Propag.*, vol. 43, no. 5, pp. 529-533, May 1995 (DOI: 10.1109/8.384198).
- [8] Shin-Lin Wang, Young-Huang Chou, and Shyh-Jong Chung, "A distributed-feedback antenna oscillator," *IEEE Trans. Microw. Theory Techn.*, vol. 48, no. 5, pp. 857-860, May 2000 (DOI: 10.1109/22.841885).
- [9] P. de Maagt, R. Gonzalo, Y. C. Vardaxoglou, and J.-M. Baracco, "Electromagnetic bandgap antennas and components for microwave and (sub)millimeter wave applications," *IEEE Trans. Antennas Propag.*, vol. 51, no. 10, pp. 2667-2677, Oct. 2003 (DOI: 10.1109/TAP.2003.817566).
- [10] Y. J. Sung, M. Kim, and Y. S. Kim, "Harmonics reduction with defected ground structure for a microstrip patch antenna," *IEEE Antennas Wireless Propag. Lett.*, vol. 2, pp. 111-113, 2003 (DOI: 10.1109/LAWP.2003.815281).
- [11] A. Abbaspour-Tamijani, K. Sarabandi, and G. M. Rebeiz, "Antenna-filter-antenna arrays as a class of bandpass frequency-selective surfaces," *IEEE Trans. Microw. Theory Techn.*, vol. 52, no. 8, pp. 1781-1789, Aug. 2004 (DOI: 10.1109/TMTT.2004.831572).
- [12] S. Chakravarty and R. Mittra, "Reply to 'Comments on "Design of a frequency selective surface (fss) with very low cross-polarization discrimination via the parallel micro-genetic algorithm (pmga),"'" *IEEE Trans. Antennas Propag.*, vol. 52, no. 4, pp. 1136-, Apr. 2004 (DOI: 10.1109/TAP.2004.825809).

- [13] C.-H. K. Chin, Quan Xue, and Chi Hou Chan, "Design of a 5.8-ghz rectenna incorporating a new patch antenna," *IEEE Antennas Wireless Propag. Lett.*, vol. 4, pp. 175-178, 2005 (DOI: 10.1109/LAWP.2005.846434).
- [14] Guo Qing Luo et al., "Theory and experiment of novel frequency selective surface based on substrate integrated waveguide technology," *IEEE Trans. Antennas Propag.*, vol. 53, no. 12, pp. 4035-4043, Dec. 2005 (DOI: 10.1109/TAP.2005.860010).
- [15] Shiwen Yang and Zaiping Nie, "Mutual coupling compensation in time modulated linear antenna arrays," *IEEE Trans. Antennas Propag.*, vol. 53, no. 12, pp. 4182-4185, Dec. 2005 (DOI: 10.1109/TAP.2005.860000).
- [16] C.-C. Cheng and A. Abbaspour-Tamijani, "Study of 2-bit antenna-filter-antenna elements for reconfigurable millimeter-wave lens arrays," *IEEE Trans. Microw. Theory Techn.*, vol. 54, no. 12, pp. 4498-4506, Dec. 2006 (DOI: 10.1109/TMTT.2006.885993).
- [17] O. Malyuskin, V. Fusco, and A. G. Schuchinsky, "Phase conjugating wire FSS lens," *IEEE Trans. Antennas Propag.*, vol. 54, no. 5, pp. 1399-1404, May 2006 (DOI: 10.1109/TAP.2006.874352).
- [18] A. Tennant and B. Chambers, "SSB-Type frequency scattering from a single-layer pss with interlaced element modulation," *IEEE Antennas Wireless Propag. Lett.*, vol. 5, pp. 284-285, 2006 (DOI: 10.1109/LAWP.2006.876968).
- [19] A. Abbaspour-Tamijani, K. Sarabandi, and G. M. Rebeiz, "A millimetre-wave bandpass filter-lens array," *IET Microw. Antennas Propag.*, vol. 1, no. 2, pp. 388-395, Apr. 2007 (DOI: 10.1049/IET-MAP:20050295).
- [20] D. H. Lee, Y. J. Lee, J. Yeo, R. Mittra, and W. S. Park, "Design of novel thin frequency selective surface superstrates for dual-band directivity enhancement," *IET Microw. Antennas Propag.*, vol. 1, no. 1, pp. 248-254, Feb. 2007 (DOI: 10.1049/IET-MAP:20050318).
- [21] K. Sarabandi and N. Behdad, "A frequency selective surface with miniaturized elements," *IEEE Trans. Antennas Propag.*, vol. 55, no. 5, pp. 1239-1245, May 2007 (DOI: 10.1109/TAP.2007.895567).
- [22] D. K. Wickenden et al., "Polarization properties of frequency-selective surfaces comprised of spiral resonators," *IEEE Trans. Antennas Propag.*, vol. 55, no. 9, pp. 2591-2597, Sep. 2007 (DOI: 10.1109/TAP.2007.904089).
- [23] G. M. Yang, R. Jin, J. Geng, X. Huang, and G. Xiao, "Ultra-wideband bandpass filter with hybrid quasi-lumped elements and defected ground structure," *IET Microw. Antennas Propag.*, vol. 1, no. 3, pp. 733-736, Jun. 2007 (DOI: 10.1049/IET-MAP:20060288).

- [24] F. Bayatpur and K. Sarabandi, "Multipole spatial filters using metamaterial-based miniaturized-element frequency-selective surfaces," *IEEE Trans. Microw. Theory Techn.*, vol. 56, no. 12, pp. 2742-2747, Dec. 2008 (DOI: 10.1109/TMTT.2008.2007332).
- [25] F. Bayatpur and K. Sarabandi, "Single-Layer high-order miniaturized-element frequency-selective surfaces," *IEEE Trans. Microw. Theory Techn.*, vol. 56, no. 4, pp. 774-781, Apr. 2008 (DOI: 10.1109/TMTT.2008.919654).
- [26] P. H. F. Silva and A. L. P. S. Campos, "Fast and accurate modelling of frequencyselective surfaces using a new modular neural network configuration of multilayer perceptrons," *IET Microw. Antennas Propag.*, vol. 2, no. 5, pp. 503-511, Aug. 2008 (DOI: 10.1049/IET-MAP:20080066).
- [27] B.-H. Wang, Y. Guo, Y.-L. Wang, and Y.-Z. Lin, "Frequency-invariant pattern synthesis of conformal array antenna with low cross-polarisation," *IET Microw. Antennas Propag.*, vol. 2, no. 5, pp. 442-450, Aug. 2008 (DOI: 10.1049/IET-MAP:20070258).
- [28] C.-H. Wu, C.-H. Wang, S.-Y. Chen, and C. H. Chen, "Balanced-to-Unbalanced bandpass filters and the antenna application," *IEEE Trans. Microw. Theory Techn.*, vol. 56, no. 11, pp. 2474-2482, Nov. 2008 (DOI: 10.1109/TMTT.2008.2005888).
- [29] F. Xu, X. Jiang, and K. Wu, "Efficient and accurate design of substrate-integrated waveguide circuits synthesised with metallic via-slot arrays," *IET Microw. Antennas Propag.*, vol. 2, no. 2, pp. 188-193, Mar. 2008 (DOI: 10.1049/IET-MAP:20070009).
- [30] M. Al-Joumayly and N. Behdad, "A new technique for design of low-profile, second-order, bandpass frequency selective surfaces," *IEEE Trans. Antennas Propag.*, vol. 57, no. 2, pp. 452-459, Feb. 2009 (DOI: 10.1109/TAP.2008.2011382).
- [31] F. Bayatpur and K. Sarabandi, "Tuning performance of metamaterial-based frequency selective surfaces," *IEEE Trans. Antennas Propag.*, vol. 57, no. 2, pp. 590-592, Feb. 2009 (DOI: 10.1109/TAP.2008.2011404).
- [32] C.-C. Cheng and A. Abbaspour-Tamijani, "Evaluation of a novel topology for mems programmable reflectarray antennas," *IEEE Trans. Microw. Theory Techn.*, vol. 57, no. 12, pp. 3333-3344, Dec. 2009 (DOI: 10.1109/TMTT.2009.2034420).
- [33] V. Fusco, A. Munir, and O. Malyuskin, "Characterisation of microwave phase conjugate signal generation using nonlinearly loaded wire frequency selective surface (fss)," *IET Microw. Antennas Propag.*, vol. 3, no. 5, pp. 834-842, Aug. 2009 (DOI: 10.1049/IET-MAP.2008.0296).

- [34] S. V. Hoeye, C. Vazquez, M. Fernandez, L. F. Herran, and F. Las-Heras, "Receiving phased antenna array based on injection-locked harmonic self-oscillating mixers," *IEEE Trans. Antennas Propag.*, vol. 57, no. 3, pp. 645-651, Mar. 2009 (DOI: 10.1109/TAP.2009.2013439).
- [35] M.-J. Huang, M.-Y. Lv, J. Huang, and Z. Wu, "A new type of combined element multiband frequency selective surface," *IEEE Trans. Antennas Propag.*, vol. 57, no. 6, pp. 1798-1803, Jun. 2009 (DOI: 10.1109/TAP.2009.2019910).
- [36] G. Li, S. Yang, and Z. Nie, "A study on the application of time modulated antenna arrays to airborne pulsed doppler radar," *IEEE Trans. Antennas Propag.*, vol. 57, no. 5, pp. 1579-1583, May 2009 (DOI: 10.1109/TAP.2009.2016788).
- [37] E. R. Lopez, T. Lunn, K. Ghorbani, W. S. T. Rowe, and A. Mitchell, "Multiple frequency band microwave photonic receiver," *IEEE Trans. Antennas Propag.*, vol. 57, no. 11, pp. 3688-3692, Nov. 2009 (DOI: 10.1109/TAP.2009.2026923).
- [38] S. M. O'Kane and V. F. Fusco, "Circularly polarized curl antenna lens with manual tilt properties," *IEEE Trans. Antennas Propag.*, vol. 57, no. 12, pp. 3984-3987, Dec. 2009 (DOI: 10.1109/TAP.2009.2025526).
- [39] A. B. Yakovlev, M. G. Silveirinha, O. Luukkonen, C. R. Simovski, I. S. Nefedov, and S. A. Tretyakov, "Characterization of surface-wave and leaky-wave propagation on wire-medium slabs and mushroom structures based on local and nonlocal homogenization models," *IEEE Trans. Microw. Theory Techn.*, vol. 57, no. 11, pp. 2700-2714, Nov. 2009 (DOI: 10.1109/TMTT.2009.2031933).
- [40] M. R. Chaharmir, J. Shaker, and H. Legay, "Dual-band ka/x reflectarray with broadband loop elements," *IET Microw. Antennas Propag.*, vol. 4, no. 2, pp. 225-231, Feb. 2010 (DOI: 10.1049/IET-MAP.2008.0369).
- [41] L. Chen, X.-W. Shi, T.-L. Zhang, C.-Y. Cui, and H.-J. Lin, "Design of a dual-frequency retrodirective array," *IEEE Antennas Wireless Propag. Lett.*, vol. 9, pp. 478-480, 2010 (DOI: 10.1109/LAWP.2010.2050855).
- [42] H. Chreim et al., "An enhanced Ka-band reflector focal-plane array using a multifeed EBG structure," *IEEE Antennas Wireless Propag. Lett.*, vol. 9, pp. 1152-1156, 2010 (DOI: 10.1109/LAWP.2010.2096796).
- [43] M. Euler, V. Fusco, R. Cahill, and R. Dickie, "Comparison of frequency-selective screen-based linear to circular split-ring polarisation convertors," *IET Microw. Antennas Propag.*, vol. 4, no. 11, pp. 1764-1772, Nov. 2010 (DOI: 10.1049/IET-MAP.2009.0415).

- [44] Y. Fan, B.-L. Ooi, H. D. Hristov, and M.-S. Leong, "Compound diffractive lens consisting of fresnel zone plate and frequency selective screen," *IEEE Trans. Antennas Propag.*, vol. 58, no. 6, pp. 1842-1847, Jun. 2010 (DOI: 10.1109/TAP.2010.2046849).
- [45] G. Goussetis and A. P. Feresidis, "Perturbed frequency selective surfaces for multiband high impedance surfaces," *IET Microw. Antennas Propag.*, vol. 4, no. 8, pp. 1105-1110, Aug. 2010 (DOI: 10.1049/IET-MAP.2009.0586).
- [46] Y. N. Kazantsev et al., "Broadening of operating frequency band of magnetic-type radio absorbers by FSS incorporation," *IEEE Trans. Antennas Propag.*, vol. 58, no. 4, pp. 1227-1235, Apr. 2010 (DOI: 10.1109/TAP.2010.2041316).
- [47] A. Kazemzadeh and A. Karlsson, "On the absorption mechanism of ultra thin absorbers," *IEEE Trans. Antennas Propag.*, vol. 58, no. 10, pp. 3310-3315, Oct. 2010 (DOI: 10.1109/TAP.2010.2055779).
- [48] S. Li, D. A. Van Orden, and V. Lomakin, "Fast periodic interpolation method for periodic unit cell problems," *IEEE Trans. Antennas Propag.*, vol. 58, no. 12, pp. 4005-4014, Dec. 2010 (DOI: 10.1109/TAP.2010.2078480).
- [49] H. I. Cantù, G. Whyte, D. R. S. Cumming, and T. D. Drysdale, "V band scanner system based on ball grid arrayintegrated circuit transceiver chip set automation," *IET Microw. Antennas Propag.*, vol. 5, no. 5, pp. 551-558, Apr. 2011 (DOI: 10.1049/IET-MAP.2010.0224).
- [50] H. Cheng, Y. Yusuf, and X. Gong, "Vertically integrated three-pole filter/antennas for array applications," *IEEE Antennas Wireless Propag. Lett.*, vol. 10, pp. 278-281, 2011 (DOI: 10.1109/LAWP.2011.2135833).
- [51] C.-K. Lin and S.-J. Chung, "A filtering microstrip antenna array," *IEEE Trans. Microw. Theory Techn.*, vol. 59, no. 11, pp. 2856-2863, Nov. 2011 (DOI: 10.1109/TMTT.2011.2160986).
- [52] H. Moghadas, M. Daneshmand, and P. Mousavi, "A dual-band high-gain resonant cavity antenna with orthogonal polarizations," *IEEE Antennas Wireless Propag. Lett.*, vol. 10, pp. 1220-1223, 2011 (DOI: 10.1109/LAWP.2011.2173454).
- [53] M. Naghshvarian-Jahromi and M. Tayarani, "Defected ground structure band-stop filter by semicomplementary split ring resonators," *IET Microw. Antennas Propag.*, vol. 5, no. 11, pp. 1386-1391, Aug. 2011 (DOI: 10.1049/IET-MAP.2010.0476).
- [54] M. Neinhüs and K. Solbach, "Finite impulse response-filter-based rf-beamforming network for wideband and ultra-wideband antenna arrays,"

- IET Microw. Antennas Propag.*, vol. 5, no. 7, pp. 844-851, May 2011 (DOI: 10.1049/IET-MAP.2010.0302).
- [55] J. J. Sanz-Fernandez, R. Cheung, G. Goussetis, and C. Mateo-Segura, "Power stored and quality factors in frequency selective surfaces at thz frequencies," *IEEE Trans. Antennas Propag.*, vol. 59, no. 6, pp. 2205-2216, Jun. 2011 (DOI: 10.1109/TAP.2011.2143654).
 - [56] W. K. Toh, X. Qing, and Z. N. Chen, "A planar dualband antenna array," *IEEE Trans. Antennas Propag.*, vol. 59, no. 3, pp. 833-838, Mar. 2011 (DOI: 10.1109/TAP.2010.2103039).
 - [57] D. Van Orden and V. Lomakin, "Fundamental electromagnetic properties of twisted periodic arrays," *IEEE Trans. Antennas Propag.*, vol. 59, no. 8, pp. 2824-2833, Aug. 2011 (DOI: 10.1109/TAP.2011.2158792).
 - [58] W. Withayachumnankul, C. Fumeaux, and D. Abbott, "Planar array of electric- LC resonators with broadband tunability," *IEEE Antennas Wireless Propag. Lett.*, vol. 10, pp. 577-580, 2011 (DOI: 10.1109/LAWP.2011.2158794).
 - [59] Y. Yusuf, H. Cheng, and X. Gong, "A seamless integration of 3-d vertical filters with highly efficient slot antennas," *IEEE Trans. Antennas Propag.*, vol. 59, no. 11, pp. 4016-4022, Nov. 2011 (DOI: 10.1109/TAP.2011.2164186).
 - [60] L. Boccia, I. Russo, G. Amendola, and G. Di Massa, "Multilayer antenna-filter antenna for beam-steering transmit-array applications," *IEEE Trans. Microw. Theory Techn.*, vol. 60, no. 7, pp. 2287-2300, Jul. 2012 (DOI: 10.1109/TMTT.2012.2195673).
 - [61] J. R. Cooper, S. Kim, and M. M. Tentzeris, "A novel polarization-independent, free-space, microwave beam splitter utilizing an inkjet-printed, 2-d array frequency selective surface," *IEEE Antennas Wireless Propag. Lett.*, vol. 11, pp. 686-688, 2012 (DOI: 10.1109/LAWP.2012.2204715).
 - [62] M. E. de Cos, Y. Alvarez, and F. Las-Heras, "Reply to 'Comments on "Novel broadband artificial magnetic conductor with hexagonal unit cell,"'" *IEEE Antennas Wireless Propag. Lett.*, vol. 11, pp. 1718-1719, 2012 (DOI: 10.1109/LAWP.2012.2235663).
 - [63] K. Delihacioglu, "Frequency selective surfaces with multiple-strip group elements," *IEEE Antennas Wireless Propag. Lett.*, vol. 11, pp. 1370-1373, 2012 (DOI: 10.1109/LAWP.2012.2228148).
 - [64] M. Garcia-Vigueras, F. Mesa, F. Medina, R. Rodriguez-Berral, and J. L. Gomez-Tornero, "Simplified circuit model for arrays of metallic dipoles sandwiched between dielectric slabs under arbitrary incidence," *IEEE*

- Trans. Antennas Propag.*, vol. 60, no. 10, pp. 4637-4649, Oct. 2012 (DOI: 10.1109/TAP.2012.2207364).
- [65] M. T. Ghasr, M. A. Abou-Khousa, S. Kharkovsky, R. Zoughi, and D. Pommerenke, "Portable real-time microwave camera at 24 GHz," *IEEE Trans. Antennas Propag.*, vol. 60, no. 2, pp. 1114-1125, Feb. 2012 (DOI: 10.1109/TAP.2011.2173145).
 - [66] C. L. Holloway, E. F. Kuester, J. A. Gordon, J. O'Hara, J. Booth, and D. R. Smith, "An overview of the theory and applications of metasurfaces: the two-dimensional equivalents of metamaterials," *IEEE Antennas Propag. Mag.*, vol. 54, no. 2, pp. 10-35, Apr. 2012 (DOI: 10.1109/MAP.2012.6230714).
 - [67] X.-J. Huang, C. Yang, Z.-H. Lu, and P.-G. Liu, "A novel frequency selective structure with quasi-elliptic bandpass response," *IEEE Antennas Wireless Propag. Lett.*, vol. 11, pp. 1497-1500, 2012 (DOI: 10.1109/LAWP.2012.2229256).
 - [68] M. Li and N. Behdad, "Fluidically tunable frequency selective/phase shifting surfaces for high-power microwave applications," *IEEE Trans. Antennas Propag.*, vol. 60, no. 6, pp. 2748-2759, Jun. 2012 (DOI: 10.1109/TAP.2012.2194645).
 - [69] L. Liu and S. Matitsine, "Tunable transmittivity and effective permittivity of a smart surface loaded by varactor diodes," *IET Microw. Antennas Propag.*, vol. 6, no. 9, pp. 1079-1083, Jun. 2012 (DOI: 10.1049/IET-MAP.2012.0148).
 - [70] M. Sazegar et al., "Beam steering transmitarray using tunable frequency selective surface with integrated ferroelectric varactors," *IEEE Trans. Antennas Propag.*, vol. 60, no. 12, pp. 5690-5699, Dec. 2012 (DOI: 10.1109/TAP.2012.2213057).
 - [71] S. Zheng, Y. Yin, J. Fan, X. Yang, B. Li, and W. Liu, "Analysis of miniature frequency selective surfaces based on fractal antenna-filter-antenna arrays," *IEEE Antennas Wireless Propag. Lett.*, vol. 11, pp. 240-243, 2012 (DOI: 10.1109/LAWP.2012.2189749).
 - [72] M. G. N. Alsath, M. Kanagasabai, and B. Balasubramanian, "Implementation of slotted meander-line resonators for isolation enhancement in microstrip patch antenna arrays," *IEEE Antennas Wireless Propag. Lett.*, vol. 12, pp. 15-18, 2013 (DOI: 10.1109/LAWP.2012.2237156).
 - [73] M. P. Biginton, A. P. Hibbins, J. R. Sambles, and I. J. Youngs, "Microwave transmission through an array of ring slots in a metal sheet capped with concentric metal rings," *IEEE Trans. Antennas Propag.*, vol. 61, no. 1, pp. 458-461, Jan. 2013 (DOI: 10.1109/TAP.2012.2220313).

- [74] Y. Chen, L. Chen, H. Wang, X.-T. Gu, and X.-W. Shi, "Dual-Band crossed-dipole reflectarray with dual-band frequency selective surface," *IEEE Antennas Wireless Propag. Lett.*, vol. 12, pp. 1157-1160, 2013 (DOI: 10.1109/LAWP.2013.2280891).
- [75] M. R. da Silva, C. de Lucena Nóbrega, P. H. da Fonseca Silva, and A. G. D'Assuncao, "Stable and compact multiband frequency selective surfaces with peano pre-fractal configurations," *IET Microw. Antennas Propag.*, vol. 7, no. 7, pp. 543-551, May 2013 (DOI: 10.1049/IET-MAP.2012.0673).
- [76] K. Delihacioglu, C. Sabah, M. Karaaslan, and E. Ünal, "Zigzag metallic conductors as frequency selective surfaces," *IET Microw. Antennas Propag.*, vol. 7, no. 9, pp. 722-728, Jun. 2013 (DOI: 10.1049/IET-MAP.2013.0107).
- [77] B. Li and Z. Shen, "Synthesis of quasi-elliptic bandpass frequency-selective surface using cascaded loop arrays," *IEEE Trans. Antennas Propag.*, vol. 61, no. 6, pp. 3053-3059, Jun. 2013 (DOI: 10.1109/TAP.2013.2250237).
- [78] M. Li, M. A. Al-Joumayly, and N. Behdad, "Broadband true-time-delay microwave lenses based on miniaturized element frequency selective surfaces," *IEEE Trans. Antennas Propag.*, vol. 61, no. 3, pp. 1166-1179, Mar. 2013 (DOI: 10.1109/TAP.2012.2227444).
- [79] Y. Ushijima, T. Sakamoto, E. Nishiyama, M. Aikawa, and I. Toyoda, "5.8-GHz integrated differential rectenna unit using both-sided mic technology with design flexibility," *IEEE Trans. Antennas Propag.*, vol. 61, no. 6, pp. 3357-3360, Jun. 2013 (DOI: 10.1109/TAP.2013.2247554).
- [80] D. Wang, W. Che, Y. Chang, K.-S. Chin, and Y. L. Chow, "A low-profile frequency selective surface with controllable triband characteristics," *IEEE Antennas Wireless Propag. Lett.*, vol. 12, pp. 468-471, 2013 (DOI: 10.1109/LAWP.2013.2254459).
- [81] C. Yang, P.-G. Liu, and X.-J. Huang, "A novel method of energy selective surface for adaptive hpm/emp protection," *IEEE Antennas Wireless Propag. Lett.*, vol. 12, pp. 112-115, 2013 (DOI: 10.1109/LAWP.2013.2243105).
- [82] Y. Yusuf, H. Cheng, and X. Gong, "Co-designed substrate-integrated waveguide filters with patch antennas," *IET Microw. Antennas Propag.*, vol. 7, no. 7, pp. 493-501, May 2013 (DOI: 10.1049/IET-MAP.2012.0431).
- [83] D. Zelenchuk and V. Fusco, "Split-Ring FSS spiral phase plate," *IEEE Antennas Wireless Propag. Lett.*, vol. 12, pp. 284-287, 2013 (DOI: 10.1109/LAWP.2013.2247735).
- [84] S. M. A. M. H. Abadi and N. Behdad, "Design of wideband, fss-based multibeam antennas using the effective medium approach," *IEEE Trans.*

- Antennas Propag.*, vol. 62, no. 11, pp. 5557-5564, Nov. 2014 (DOI: 10.1109/TAP.2014.2355192).
- [85] A. H. Abdelrahman, A. Z. Elsherbeni, and F. Yang, "Transmission phase limit of multilayer frequency-selective surfaces for transmitarray designs," *IEEE Trans. Antennas Propag.*, vol. 62, no. 2, pp. 690-697, Feb. 2014 (DOI: 10.1109/TAP.2013.2289313).
 - [86] A. H. Abdelrahman, A. Z. Elsherbeni, and F. Yang, "Transmitarray antenna design using cross-slot elements with no dielectric substrate," *IEEE Antennas Wireless Propag. Lett.*, vol. 13, pp. 177-180, 2014 (DOI: 10.1109/LAWP.2014.2298851).
 - [87] G. Augustin, B. P. Chacko, and T. A. Denidni, "Electronically reconfigurable uni-planar antenna for cognitive radio applications," *IET Microw. Antennas Propag.*, vol. 8, no. 5, pp. 367-376, Apr. 2014 (DOI: 10.1049/IET-MAP.2013.0287).
 - [88] F. Costa, S. Genovesi, A. Monorchio, and G. Manara, "Low-Cost metamaterial absorbers for sub-ghz wireless systems," *IEEE Antennas Wireless Propag. Lett.*, vol. 13, pp. 27-30, 2014 (DOI: 10.1109/LAWP.2013.2294791).
 - [89] K. Delihacıoğlu, "Chiral frequency selective surfaces comprised of multiple conducting strips per unit cell," *IET Microw. Antennas Propag.*, vol. 8, no. 9, pp. 621-626, 2014 (DOI: 10.1049/IET-MAP.2013.0146).
 - [90] A. Edalati and K. Sarabandi, "Reflectarray antenna based on grounded loop-wire miniaturised-element frequency selective surfaces," *IET Microw. Antennas Propag.*, vol. 8, no. 12, pp. 973-979, Sep. 2014 (DOI: 10.1049/IET-MAP.2013.0432).
 - [91] B. Li and Z. Shen, "Bandpass frequency selective structure with wideband spurious rejection," *IEEE Antennas Wireless Propag. Lett.*, vol. 13, pp. 145-148, 2014 (DOI: 10.1109/LAWP.2014.2299278).
 - [92] S. Mener, R. Gillard, R. Sauleau, C. Cheymol, and P. Potier, "Unit cell for reflectarrays operating with independent dual circular polarizations," *IEEE Antennas Wireless Propag. Lett.*, vol. 13, pp. 1176-1179, 2014 (DOI: 10.1109/LAWP.2014.2330623).
 - [93] Y. Shang, Z. Shen, and S. Xiao, "Frequency-Selective rasorber based on square-loop and cross-dipole arrays," *IEEE Trans. Antennas Propag.*, vol. 62, no. 11, pp. 5581-5589, Nov. 2014 (DOI: 10.1109/TAP.2014.2357427).
 - [94] T. Smith, U. Gothelf, O. S. Kim, and O. Breinbjerg, "An fss-backed 20/30 GHz circularly polarized reflectarray for a shared aperture l- and ka-band satellite communication antenna," *IEEE Trans. Antennas Propag.*, vol. 62, no. 2, pp. 661-668, Feb. 2014 (DOI: 10.1109/TAP.2013.2292692).

- [95] N. Zabri, R. Cahill, and A. Schuchinsky, "Polarisation independent resistively loaded frequency selective surface absorber with optimum oblique incidence performance," *IET Microw. Antennas Propag.*, vol. 8, no. 14, pp. 1198-1203, 2014 (DOI: 10.1049/IET-MAP.2014.0124).
- [96] J. H. Barton, C. R. Garcia, E. A. Berry, R. Salas, and R. C. Rumpf, "3-D printed all-dielectric frequency selective surface with large bandwidth and field of view," *IEEE Trans. Antennas Propag.*, vol. 63, no. 3, pp. 1032-1039, Mar. 2015 (DOI: 10.1109/TAP.2015.2388541).
- [97] M. R. Chaharmir and J. Shaker, "Design of a multilayer x-/ka-band frequency-selective surface-backed reflectarray for satellite applications," *IEEE Trans. Antennas Propag.*, vol. 63, no. 4, pp. 1255-1262, Apr. 2015 (DOI: 10.1109/TAP.2015.2389838).
- [98] D. Ding, G. Wang, and L. Wang, "High-efficiency scheme and optimisation technique for design of fragment-type isolation structure between multiple-input and multiple-output antennas," *IET Microw. Antennas Propag.*, vol. 9, no. 9, pp. 933-939, 2015 (DOI: 10.1049/IET-MAP.2014.0742).
- [99] T. P. Ketterl et al., "A 2.45 GHz phased array antenna unit cell fabricated using 3-d multi-layer direct digital manufacturing," *IEEE Trans. Microw. Theory Techn.*, vol. 63, no. 12, pp. 4382-4394, Dec. 2015 (DOI: 10.1109/TMTT.2015.2496180).
- [100] E. Lansey, I. M. Mandel, I. R. Hooper, J. N. Gollub, A. P. Hibbins, and D. T. Crouse, "Measurement of photon sorting at microwave frequencies in a cavity array metasurface," *IEEE Trans. Antennas Propag.*, vol. 63, no. 10, pp. 4521-4524, Oct. 2015 (DOI: 10.1109/TAP.2015.2458011).
- [101] Y. Li, L. Li, Y. Zhang, and C. Zhao, "Design and synthesis of multi-layer frequency selective surface based on antenna-filter-antenna using Minkowski fractal structures," *IEEE Trans. Antennas Propag.*, vol. 63, no. 1, pp. 133-141, Jan. 2015 (DOI: 10.1109/TAP.2014.2367523).
- [102] B. Liang, B. Sanz-Izquierdo, E. A. Parker, and J. C. Batchelor, "Cylindrical slot FSS configuration for beam-switching applications," *IEEE Trans. Antennas Propag.*, vol. 63, no. 1, pp. 166-173, Jan. 2015 (DOI: 10.1109/TAP.2014.2367534).
- [103] C.-X. Mao, S. Gao, Y. Wang, F. Qin, and Q.-X. Chu, "Multimode resonator-fed dual-polarized antenna array with enhanced bandwidth and selectivity," *IEEE Trans. Antennas Propag.*, vol. 63, no. 12, pp. 5492-5499, Dec. 2015 (DOI: 10.1109/TAP.2015.2496099).
- [104] S. M. A. Momeni Hasan Abadi and N. Behdad, "Inductively-Coupled miniaturized-element frequency selective surfaces with narrowband, high-order bandpass responses," *IEEE Trans. Antennas Propag.*, vol. 63, no. 11, pp. 4766-4774, Nov. 2015 (DOI: 10.1109/TAP.2015.2477850).

- [105] B. Rahmati and H. R. Hassani, "Multiband metallic frequency selective surface with wide range of band ratio," *IEEE Trans. Antennas Propag.*, vol. 63, no. 8, pp. 3747-3753, Aug. 2015 (DOI: 10.1109/TAP.2015.2438340).
- [106] R. Rodriguez-Berral, F. Mesa, and F. Medina, "Analytical multimodal network approach for 2-d arrays of planar patches/apertures embedded in a layered medium," *IEEE Trans. Antennas Propag.*, vol. 63, no. 5, pp. 1969-1984, May 2015 (DOI: 10.1109/TAP.2015.2406885).
- [107] M. Yan et al., "A miniaturized dual-band FSS with second-order response and large band separation," *IEEE Antennas Wireless Propag. Lett.*, vol. 14, pp. 1602-1605, 2015 (DOI: 10.1109/LAWP.2015.2413942).
- [108] A. Zamani and A. Abbosh, "Hybrid clutter rejection technique for improved microwave head imaging," *IEEE Trans. Antennas Propag.*, vol. 63, no. 11, pp. 4921-4931, Nov. 2015 (DOI: 10.1109/TAP.2015.2479238).
- [109] J. Besnoff, M. Chabalko, and D. S. Ricketts, "A frequency-selective zero-permeability metamaterial shield for reduction of near-field electromagnetic energy," *IEEE Antennas Wireless Propag. Lett.*, vol. 15, pp. 654-657, 2016 (DOI: 10.1109/LAWP.2015.2466172).
- [110] S. S. Bukhari, W. G. Whittow, J. C. Vardaxoglou, and S. Maci, "Dipole-slot-dipole metasurfaces," *IET Microw. Antennas Propag.*, vol. 10, no. 13, pp. 1384-1389, 2016 (DOI: 10.1049/IET-MAP.2015.0849).
- [111] G. A. Casula, G. Montisci, P. Maxia, G. Valente, A. Fanti, and G. Mazzarella, "A low-cost dual-band cpw-fed printed lpda for wireless communications," *IEEE Antennas Wireless Propag. Lett.*, vol. 15, pp. 1333-1336, 2016 (DOI: 10.1109/LAWP.2015.2507938).
- [112] A. Chatterjee and S. K. Parui, "Performance enhancement of a dual-band monopole antenna by using a frequency-selective surface-based corner reflector," *IEEE Trans. Antennas Propag.*, vol. 64, no. 6, pp. 2165-2171, Jun. 2016 (DOI: 10.1109/TAP.2016.2552543).
- [113] M. M. Fakharian, P. Rezaei, A. A. Orouji, and M. Soltanpur, "A wideband and reconfigurable filtering slot antenna," *IEEE Antennas Wireless Propag. Lett.*, vol. 15, pp. 1610-1613, 2016 (DOI: 10.1109/LAWP.2016.2518859).
- [114] M. Fartookzadeh and S. H. Mohseni Armaki, "Dual-Band reflection-type circular polarizers based on anisotropic impedance surfaces," *IEEE Trans. Antennas Propag.*, vol. 64, no. 2, pp. 826-830, Feb. 2016 (DOI: 10.1109/TAP.2015.2511152).
- [115] D. Kundu, A. Mohan, and A. Chakrabarty, "Single-Layer wide-band microwave absorber using array of crossed dipoles," *IEEE Antennas Wireless Propag. Lett.*, vol. 15, pp. 1589-1592, 2016 (DOI: 10.1109/LAWP.2016.2517663).

- [116] D. Lee, J. Lee, and C. Nguyen, "Concurrent dual K/Ka -Band t/r/calibration switch module with quasi-elliptic dual-bandpass frequency response implementing metamaterial transmission line and negative resistance," *IEEE Trans. Microw. Theory Techn.*, vol. 64, no. 2, pp. 585-598, Feb. 2016 (DOI: 10.1109/TMTT.2015.2512578).
- [117] L. Liang and S. Victor Hum, "Design of a UWB reflectarray as an impedance surface using bessel filters," *IEEE Trans. Antennas Propag.*, vol. 64, no. 10, pp. 4242-4255, Oct. 2016 (DOI: 10.1109/TAP.2016.2594056).
- [118] C.-X. Mao et al., "An integrated filtering antenna array with high selectivity and harmonics suppression," *IEEE Trans. Microw. Theory Techn.*, vol. 64, no. 6, pp. 1798-1805, Jun. 2016 (DOI: 10.1109/TMTT.2016.2561925).
- [119] F. Mesa, R. Rodriguez-Berral, M. Garcia-Vigueras, F. Medina, and J. R. Mosig, "Simplified modal expansion to analyze frequency-selective surfaces: an equivalent circuit approach," *IEEE Trans. Antennas Propag.*, vol. 64, no. 3, pp. 1106-1111, Mar. 2016 (DOI: 10.1109/TAP.2015.2513423).
- [120] S. M. A. Momeni Hasan Abadi and N. Behdad, "Broadband true-time-delay circularly polarized reflectarray with linearly polarized feed," *IEEE Trans. Antennas Propag.*, vol. 64, no. 11, pp. 4891-4896, Nov. 2016 (DOI: 10.1109/TAP.2016.2596900).
- [121] S. M. A. Momeni Hasan Abadi and N. Behdad, "Wideband linear-to-circular polarization converters based on miniaturized-element frequency selective surfaces," *IEEE Trans. Antennas Propag.*, vol. 64, no. 2, pp. 525-534, Feb. 2016 (DOI: 10.1109/TAP.2015.2504999).
- [122] M. Niroo Jazi, M. R. Chaharmir, J. Shaker, and A. R. Sebak, "Broadband transmitarray antenna design using polarization-insensitive frequency selective surfaces," *IEEE Trans. Antennas Propag.*, vol. 64, no. 1, pp. 99-108, Jan. 2016 (DOI: 10.1109/TAP.2015.2500230).
- [123] J. R. Reis et al., "FSS-Inspired transmitarray for two-dimensional antenna beamsteering," *IEEE Trans. Antennas Propag.*, vol. 64, no. 6, pp. 2197-2206, Jun. 2016 (DOI: 10.1109/TAP.2016.2543802).
- [124] M. Yan et al., "A tri-band, highly selective, bandpass FSS using cascaded multilayer loop arrays," *IEEE Trans. Antennas Propag.*, vol. 64, no. 5, pp. 2046-2049, May 2016 (DOI: 10.1109/TAP.2016.2536175).
- [125] M. Yan et al., "Highly-selective, closely-spaced, dual-band FSS with second-order characteristic," *IET Microw. Antennas Propag.*, vol. 10, no. 10, pp. 1087-1091, 2016 (DOI: 10.1049/IET-MAP.2015.0713).

- [126] E. Yetisir, N. Ghalichechian, and J. L. Volakis, "Ultrawideband array with 70° scanning using FSS superstrate," *IEEE Trans. Antennas Propag.*, vol. 64, no. 10, pp. 4256-4265, Oct. 2016 (DOI: 10.1109/TAP.2016.2594817).
- [127] M. Akbari, M. Farahani, A.-R. Sebak, and T. A. Denidni, "Ka-Band linear to circular polarization converter based on multilayer slab with broadband performance," *IEEE Access*, vol. 5, pp. 17927-17937, 2017 (DOI: 10.1109/ACCESS.2017.2746800).
- [128] M. A. Ashraf et al., "Design and analysis of multi-resonators loaded broadband antipodal tapered slot antenna for chipless rfid applications," *IEEE Access*, vol. 5, pp. 25798-25807, 2017 (DOI: 10.1109/ACCESS.2017.2768118).
- [129] S. N. Azemi, T. Baum, K. Ghorbani, and W. S. T. Rowe, "3D-tapered resonators for fsss with incident angle independence," *IET Microw. Antennas Propag.*, vol. 11, no. 15, pp. 2228-2234, 2017 (DOI: 10.1049/IET-MAP.2016.0954).
- [130] F.-C. Chen, J.-F. Chen, Q.-X. Chu, and M. J. Lancaster, "X-Band waveguide filtering antenna array with nonuniform feed structure," *IEEE Trans. Microw. Theory Techn.*, vol. 65, no. 12, pp. 4843-4850, Dec. 2017 (DOI: 10.1109/TMTT.2017.2705697).
- [131] R. Deng, F. Yang, S. Xu, and M. Li, "An fss-backed 20/30-ghz dual-band circularly polarized reflectarray with suppressed mutual coupling and enhanced performance," *IEEE Trans. Antennas Propag.*, vol. 65, no. 2, pp. 926-931, Feb. 2017 (DOI: 10.1109/TAP.2016.2633159).
- [132] R. Dickie et al., "Low-Pass FSS for 50-230 GHz quasi-optical demultiplexing for the MetOp second-generation microwave sounder instrument," *IEEE Trans. Antennas Propag.*, vol. 65, no. 10, pp. 5312-5321, Oct. 2017 (DOI: 10.1109/TAP.2017.2740978).
- [133] C. Fan, W. Che, W. Yang, and S. He, "A novel pramc-based ultralow-profile transmitarray antenna by using ray tracing principle," *IEEE Trans. Antennas Propag.*, vol. 65, no. 4, pp. 1779-1787, Apr. 2017 (DOI: 10.1109/TAP.2017.2670600).
- [134] A. Ghayekhloo, A. Abdolali, and S. H. Mohseni Armaki, "Observation of radar cross-section reduction using low-pressure plasma-arrayed coating structure," *IEEE Trans. Antennas Propag.*, vol. 65, no. 6, pp. 3058-3064, Jun. 2017 (DOI: 10.1109/TAP.2017.2690311).
- [135] Y. Han, W. Che, X. Xiu, W. Yang, and C. Christopoulos, "Switchable low-profile broadband frequency-selective rasorber/absorber based on slot arrays," *IEEE Trans. Antennas Propag.*, vol. 65, no. 12, pp. 6998-7008, Dec. 2017 (DOI: 10.1109/TAP.2017.2759964).

- [136] C. Hannachi and S. O. Tatu, "Performance comparison of 60 GHz printed patch antennas with different geometrical shapes using miniature hybrid microwave integrated circuits technology," *IET Microw. Antennas Propag.*, vol. 11, no. 1, pp. 106-112, 2017 (DOI: 10.1049/IET-MAP.2015.0720).
- [137] H.-T. Hu, F.-C. Chen, J.-F. Qian, and Q.-X. Chu, "A differential filtering microstrip antenna array with intrinsic common-mode rejection," *IEEE Trans. Antennas Propag.*, vol. 65, no. 12, pp. 7361-7365, Dec. 2017 (DOI: 10.1109/TAP.2017.2764097).
- [138] M. Hussein, J. Zhou, Y. Huang, and B. Al-Juboori, "A low-profile miniaturized second-order bandpass frequency selective surface," *IEEE Antennas Wireless Propag. Lett.*, vol. 16, pp. 2791-2794, 2017 (DOI: 10.1109/LAWP.2017.2746266).
- [139] R. Khajeh Mohammad Lou and M. Naser-Moghadasi, "Wideband aperture-coupled antenna array based on fabry-perot resonator for c-band applications," *IET Microw. Antennas Propag.*, vol. 11, no. 6, pp. 859-866, 2017 (DOI: 10.1049/IET-MAP.2016.0537).
- [140] M. S. Khan, A.-D. Capobianco, S. M. Asif, D. E. Anagnostou, R. M. Shubair, and B. D. Braaten, "A compact csrr-enabled UWB diversity antenna," *IEEE Antennas Wireless Propag. Lett.*, vol. 16, pp. 808-812, 2017 (DOI: 10.1109/LAWP.2016.2604843).
- [141] N. Liu, X. Sheng, C. Zhang, J. Fan, and D. Guo, "A miniaturized triband frequency selective surface based on convoluted design," *IEEE Antennas Wireless Propag. Lett.*, vol. 16, pp. 2384-2387, 2017 (DOI: 10.1109/LAWP.2017.2719859).
- [142] X. Liu, J. Gao, L. Xu, X. Cao, Y. Zhao, and S. Li, "A coding diffuse metasurface for RCS reduction," *IEEE Antennas Wireless Propag. Lett.*, vol. 16, pp. 724-727, 2017 (DOI: 10.1109/LAWP.2016.2601108).
- [143] Z.-G. Liu and W.-B. Lu, "Low-Profile design of broadband high gain circularly polarized fabry-perot resonator antenna and its array with linearly polarized feed," *IEEE Access*, vol. 5, pp. 7164-7172, 2017 (DOI: 10.1109/ACCESS.2017.2675378).
- [144] R. H. Mahmud and M. J. Lancaster, "High-Gain and wide-bandwidth filtering planar antenna array-based solely on resonators," *IEEE Trans. Antennas Propag.*, vol. 65, no. 5, pp. 2367-2375, May 2017 (DOI: 10.1109/TAP.2017.2670443).
- [145] C.-X. Mao, S. Gao, Y. Wang, Q. Luo, and Q.-X. Chu, "A shared-aperture dual-band dual-polarized filtering-antenna-array with improved frequency response," *IEEE Trans. Antennas Propag.*, vol. 65, no. 4, pp. 1836-1844, Apr. 2017 (DOI: 10.1109/TAP.2017.2670325).

- [146] S. A. Matos et al., "High gain dual-band beam-steering transmit array for satcom terminals at ka-band," *IEEE Trans. Antennas Propag.*, vol. 65, no. 7, pp. 3528-3539, Jul. 2017 (DOI: 10.1109/TAP.2017.2702658).
- [147] P. Naseri, F. Khosravi, and P. Mousavi, "Antenna-Filter-Antenna-Based transmit-array for circular polarization application," *IEEE Antennas Wireless Propag. Lett.*, vol. 16, pp. 1389-1392, 2017 (DOI: 10.1109/LAWP.2016.2638469).
- [148] J. R. Reis, R. F. S. Caldeirinha, A. Hammoudeh, and N. Copner, "Electronically reconfigurable fss-inspired transmitarray for 2-d beamsteering," *IEEE Trans. Antennas Propag.*, vol. 65, no. 9, pp. 4880-4885, Sep. 2017 (DOI: 10.1109/TAP.2017.2723087).
- [149] P. Rodríguez-Ulibarri, M. Navarro-Cia, R. Rodríguez-Berral, F. Mesa, F. Medina, and M. Beruete, "Annular apertures in metallic screens as extraordinary transmission and frequency selective surface structures," *IEEE Trans. Microw. Theory Techn.*, vol. 65, no. 12, pp. 4933-4946, Dec. 2017 (DOI: 10.1109/TMTT.2017.2732985).
- [150] J. Tak and J. Choi, "A wearable metamaterial microwave absorber," *IEEE Antennas Wireless Propag. Lett.*, vol. 16, pp. 784-787, 2017 (DOI: 10.1109/LAWP.2016.2604257).
- [151] Z.-B. Wang, H.-F. Wang, Z.-H. Wu, L. Sun, and Y.-R. Zhang, "Switchable all-dielectric frequency selective surface based on dielectric resonators," *IET Microw. Antennas Propag.*, vol. 11, no. 15, pp. 2124-2128, 2017 (DOI: 10.1049/IET-MAP.2017.0220).
- [152] Z. Wang, P. S. Hall, J. R. Kelly, and P. Gardner, "Wideband frequency-domain and space-domain pattern reconfigurable circular antenna array," *IEEE Trans. Antennas Propag.*, vol. 65, no. 10, pp. 5179-5189, Oct. 2017 (DOI: 10.1109/TAP.2017.2740969).
- [153] K. Wincza and S. Gruszczynski, "Frequency-Selective feeding network based on directional filter for constant-beamwidth scalable antenna arrays," *IEEE Trans. Antennas Propag.*, vol. 65, no. 8, pp. 4346-4350, Aug. 2017 (DOI: 10.1109/TAP.2017.2717962).
- [154] R. Y. Wu, Y. B. Li, W. Wu, C. B. Shi, and T. J. Cui, "High-Gain dual-band transmitarray," *IEEE Trans. Antennas Propag.*, vol. 65, no. 7, pp. 3481-3488, Jul. 2017 (DOI: 10.1109/TAP.2017.2705074).
- [155] W. Yuan, Q. Chen, Y. Xu, H. Xu, S. Bie, and J. Jiang, "Broad-band microwave absorption properties of ultrathin composites containing edge-split square-loop FSS embedded in magnetic sheets," *IEEE Antennas Wireless Propag. Lett.*, vol. 16, pp. 278-281, 2017 (DOI: 10.1109/LAWP.2016.2572734).

- [156] A. Zamanifekri et al., "An active ka-band shared-aperture antenna with 50 db isolation for satellite communication," *IEEE Antennas Wireless Propag. Lett.*, vol. 16, pp. 2042-2045, 2017 (DOI: 10.1109/LAWP.2017.2695258).
- [157] E. Baladi and A. K. Iyer, "Far-Field magnification of subdiffraction conducting features using metamaterial-lined aperture arrays," *IEEE Trans. Antennas Propag.*, vol. 66, no. 7, pp. 3482-3490, Jul. 2018 (DOI: 10.1109/TAP.2018.2829822).
- [158] S. Bojja Venkatakrishnan, E. A. Alwan, and J. L. Volakis, "Wideband RF self-interference cancellation circuit for phased array simultaneous transmit and receive systems," *IEEE Access*, vol. 6, pp. 3425-3432, 2018 (DOI: 10.1109/ACCESS.2017.2788179).
- [159] M. Borhani Kakhki, M. Mantash, A. Kesavan, M. M. Tahseen, and T. A. Denidni, "Millimeter-Wave beam-tilting vivaldi antenna with gain enhancement using multilayer FSS," *IEEE Antennas Wireless Propag. Lett.*, vol. 17, no. 12, pp. 2279-2283, Dec. 2018 (DOI: 10.1109/LAWP.2018.2873113).
- [160] A. L. Borja, Y. Kabiri, A. Belenguer, and J. R. Kelly, "Programmable multifunctional rf/microwave circuit for antenna and filter operation," *IEEE Trans. Antennas Propag.*, vol. 66, no. 8, pp. 3865-3876, Aug. 2018 (DOI: 10.1109/TAP.2018.2835728).
- [161] Y. F. Cao and X. Y. Zhang, "A wideband beam-steerable slot antenna using artificial magnetic conductors with simple structure," *IEEE Trans. Antennas Propag.*, vol. 66, no. 4, pp. 1685-1694, Apr. 2018 (DOI: 10.1109/TAP.2018.2804480).
- [162] S.-S. Cho, S.-H. Yoon, and I.-P. Hong, "Design of three-dimensional frequency selective structure with replaceable unit structures using a 3-d printing technique," *IEEE Antennas Wireless Propag. Lett.*, vol. 17, no. 11, pp. 2041-2045, Nov. 2018 (DOI: 10.1109/LAWP.2018.2871175).
- [163] F. Costa, D. Bianchi, A. Monorchio, and G. Manara, "Linear fabry-perot/leaky-wave antennas excited by multiple sources," *IEEE Trans. Antennas Propag.*, vol. 66, no. 10, pp. 5150-5159, Oct. 2018 (DOI: 10.1109/TAP.2018.2860038).
- [164] M. R. T. de Oliveira, M. T. de Melo, I. Llamas-Garro, and A. G. Neto, "Reconfigurable cross dipole: hash frequency selective surface," *IET Microw. Antennas Propag.*, vol. 12, no. 2, pp. 224-229, 2018 (DOI: 10.1049/IET-MAP.2017.0544).
- [165] H. Delafkar and A. Pirhadi, "An accurate method for synthesis of reflecting elements to design wideband reflectarray antenna," *IEEE Trans. Antennas Propag.*, vol. 66, no. 5, pp. 2392-2400, May 2018 (DOI: 10.1109/TAP.2018.2816602).

- [166] H. Deng, T. Xu, and F. Liu, "Broadband pattern-reconfigurable filtering microstrip antenna with quasi-yagi structure," *IEEE Antennas Wireless Propag. Lett.*, vol. 17, no. 7, pp. 1127-1131, Jul. 2018 (DOI: 10.1109/LAWP.2018.2825471).
- [167] H.-W. Deng, T. Xu, Y.-F. Xue, F. Liu, and L. Sun, "Closely spaced broadband MIMO differential filtering slotline antenna with cm suppression," *IEEE Antennas Wireless Propag. Lett.*, vol. 17, no. 12, pp. 2498-2502, Dec. 2018 (DOI: 10.1109/LAWP.2018.2879523).
- [168] R. Deng, S. Xu, F. Yang, and M. Li, "An fss-backed ku/ka quad-band reflectarray antenna for satellite communications," *IEEE Trans. Antennas Propag.*, vol. 66, no. 8, pp. 4353-4358, Aug. 2018 (DOI: 10.1109/TAP.2018.2835725).
- [169] G. H. Elzwawi, H. H. Elzwawi, M. M. Tahseen, and T. A. Denidni, "Frequency selective surface-based switched-beamforming antenna," *IEEE Access*, vol. 6, pp. 48042-48050, 2018 (DOI: 10.1109/ACCESS.2018.2850808).
- [170] B. Gao, S. Huang, Z. Ren, Y. Chen, and X. Wang, "Design and verification of an integrated free-standing thick-screen FSS radome," *IEEE Antennas Wireless Propag. Lett.*, vol. 17, no. 9, pp. 1630-1634, Sep. 2018 (DOI: 10.1109/LAWP.2018.2859232).
- [171] T. Hassan, M. U. Khan, H. Attia, and M. S. Sharawi, "An FSS based correlation reduction technique for MIMO antennas," *IEEE Trans. Antennas Propag.*, vol. 66, no. 9, pp. 4900-4905, Sep. 2018 (DOI: 10.1109/TAP.2018.2842256).
- [172] C.-Y. Hsu, L.-T. Hwang, T.-S. Horng, S.-M. Wang, F.-S. Chang, and C. N. Dorny, "Transmitarray design with enhanced aperture efficiency using small frequency selective surface cells and discrete Jones matrix analysis," *IEEE Trans. Antennas Propag.*, vol. 66, no. 8, pp. 3983-3994, Aug. 2018 (DOI: 10.1109/TAP.2018.2839755).
- [173] C. Hua, R. Li, Y. Wang, and Y. Lu, "Dual-Polarized filtering antenna with printed jerusalem-cross radiator," *IEEE Access*, vol. 6, pp. 9000-9005, 2018 (DOI: 10.1109/ACCESS.2018.2803790).
- [174] C. Huang, C. Ji, X. Wu, J. Song, and X. Luo, "Combining FSS and EBG surfaces for high-efficiency transmission and low-scattering properties," *IEEE Trans. Antennas Propag.*, vol. 66, no. 3, pp. 1628-1632, Mar. 2018 (DOI: 10.1109/TAP.2018.2790430).
- [175] A. Kesavan, M. Mantash, and T. A. Denidni, "Beam-switching millimetre-wave antenna using cantilever-based fss," *IET Microw. Antennas Propag.*, vol. 12, no. 13, pp. 2019-2024, 2018 (DOI: 10.1049/IET-MAP.2018.5017).

- [176] S. Khan and T. F. Eibert, "A multifunctional metamaterial-based dual-band isotropic frequency-selective surface," *IEEE Trans. Antennas Propag.*, vol. 66, no. 8, pp. 4042-4051, Aug. 2018 (DOI: 10.1109/TAP.2018.2835667).
- [177] E. Kpré, C. Decroze, M. Mouhamadou, and T. Fromenteze, "Computational imaging for compressive synthetic aperture interferometric radiometer," *IEEE Trans. Antennas Propag.*, vol. 66, no. 10, pp. 5546-5557, Oct. 2018 (DOI: 10.1109/TAP.2018.2858178).
- [178] M. Li, Y. Wu, L. Jiao, L. Ma, W. Wang, and Y. Liu, "A planar balanced-to-balanced power divider with wideband filtering responses and common-mode suppressions," *IEEE Access*, vol. 6, pp. 42057-42065, 2018 (DOI: 10.1109/ACCESS.2018.2859230).
- [179] T. Li and X. Gong, "Vertical integration of high- Q filter with circularly polarized patch antenna with enhanced impedance-axial ratio bandwidth," *IEEE Trans. Microw. Theory Techn.*, vol. 66, no. 6, pp. 3119-3128, Jun. 2018 (DOI: 10.1109/TMTT.2018.2832073).
- [180] W. Li, Y. Hei, P. M. Grubb, X. Shi, and R. T. Chen, "Compact inkjet-printed flexible MIMO antenna for UWB applications," *IEEE Access*, vol. 6, pp. 50290-50298, 2018 (DOI: 10.1109/ACCESS.2018.2868707).
- [181] Y. Liu, K. Huang, Y. Yang, and B. Zhang, "A low-profile lightweight circularly polarized rectenna array based on coplanar waveguide," *IEEE Antennas Wireless Propag. Lett.*, vol. 17, no. 9, pp. 1659-1663, Sep. 2018 (DOI: 10.1109/LAWP.2018.2861938).
- [182] Y. Liu, S. Wang, N. Li, J.-B. Wang, and J. Zhao, "A compact dual-band dual-polarized antenna with filtering structures for sub-6 GHz base station applications," *IEEE Antennas Wireless Propag. Lett.*, vol. 17, no. 10, pp. 1764-1768, Oct. 2018 (DOI: 10.1109/LAWP.2018.2864604).
- [183] Q. Luo, S. Gao, M. Sobhy, and X. Yang, "Wideband transmitarray with reduced profile," *IEEE Antennas Wireless Propag. Lett.*, vol. 17, no. 3, pp. 450-453, Mar. 2018 (DOI: 10.1109/LAWP.2018.2794605).
- [184] C.-X. Mao et al., "Integrated dual-band filtering/duplexing antennas," *IEEE Access*, vol. 6, pp. 8403-8411, 2018 (DOI: 10.1109/ACCESS.2018.2805224).
- [185] P. Naseri, S. A. Matos, J. R. Costa, C. A. Fernandes, and N. J. G. Fonseca, "Dual-Band dual-linear-to-circular polarization converter in transmission mode application to K/Ka -band satellite communications," *IEEE Trans. Antennas Propag.*, vol. 66, no. 12, pp. 7128-7137, Dec. 2018 (DOI: 10.1109/TAP.2018.2874680).

- [186] M. S. Rabbani and H. Ghafouri-Shiraz, "Dual-layer partially reflective surface antennas based on extended size unit cells for 60 GHz band wlan/wpan," *IET Microw. Antennas Propag.*, vol. 12, no. 5, pp. 789-795, 2018 (DOI: 10.1049/IET-MAP.2017.0957).
- [187] A. Ramezani Varkani, Z. Hossein Firouzeh, and A. Zeidaabadi Nezhad, "Equivalent circuit model for array of circular loop FSS structures at oblique angles of incidence," *IET Microw. Antennas Propag.*, vol. 12, no. 5, pp. 749-755, 2018 (DOI: 10.1049/IET-MAP.2017.1004).
- [188] S. Salem Hesari and J. Bornemann, "Frequency-selective substrate integrated waveguide front-end system for tracking applications," *IET Microw. Antennas Propag.*, vol. 12, no. 10, pp. 1620-1624, 2018 (DOI: 10.1049/IET-MAP.2018.0035).
- [189] K. K. Varikuntla and R. Singaravelu, "Ultrathin design and implementation of planar and conformal polarisation rotating frequency selective surface based on siw technology," *IET Microw. Antennas Propag.*, vol. 12, no. 12, pp. 1939-1947, 2018 (DOI: 10.1049/IET-MAP.2017.0996).
- [190] C. Wang, Y. Chen, and S. Yang, "Dual-Band dual-polarized antenna array with flat-top and sharp cutoff radiation patterns for 2g/3g/lte cellular bands," *IEEE Trans. Antennas Propag.*, vol. 66, no. 11, pp. 5907-5917, Nov. 2018 (DOI: 10.1109/TAP.2018.2866596).
- [191] Z. Wang et al., "A high-transmittance frequency-selective absorber based on dipole arrays," *IEEE Access*, vol. 6, pp. 31367-31374, 2018 (DOI: 10.1109/ACCESS.2018.2843795).
- [192] L.-H. Wen et al., "A balanced feed filtering antenna with novel coupling structure for low-sidelobe radar applications," *IEEE Access*, vol. 6, pp. 77169-77178, 2018 (DOI: 10.1109/ACCESS.2018.2878793).
- [193] G.-B. Wu, S.-W. Qu, Y.-X. Wang, and S. Yang, "Nonuniform fss-backed reflectarray with synthesized phase and amplitude distribution," *IEEE Trans. Antennas Propag.*, vol. 66, no. 12, pp. 6883-6892, Dec. 2018 (DOI: 10.1109/TAP.2018.2871752).
- [194] P. Xu, W. X. Jiang, S. Y. Wang, and T. J. Cui, "An ultrathin cross-polarization converter with near unity efficiency for transmitted waves," *IEEE Trans. Antennas Propag.*, vol. 66, no. 8, pp. 4370-4373, Aug. 2018 (DOI: 10.1109/TAP.2018.2839972).
- [195] Y. Yang et al., "A 5.8 GHz circularly polarized rectenna with harmonic suppression and rectenna array for wireless power transfer," *IEEE Antennas Wireless Propag. Lett.*, vol. 17, no. 7, pp. 1276-1280, Jul. 2018 (DOI: 10.1109/LAWP.2018.2842105).

- [196] Y. Yang et al., "A circularly polarized rectenna array based on substrate integrated waveguide structure with harmonic suppression," *IEEE Antennas Wireless Propag. Lett.*, vol. 17, no. 4, pp. 684-688, Apr. 2018 (DOI: 10.1109/LAWP.2018.2811860).
- [197] W. Y. Yong et al., "Flexible convoluted ring shaped FSS for x-band screening application," *IEEE Access*, vol. 6, pp. 11657-11665, 2018 (DOI: 10.1109/ACCESS.2018.2804091).
- [198] X. Zeng, M. Gao, L. Zhang, G. Wan, and B. Hu, "Design of a tuneable and broadband absorber using a switchable transmissive/reflective FSS," *IET Microw. Antennas Propag.*, vol. 12, no. 7, pp. 1211-1215, 2018 (DOI: 10.1049/IET-MAP.2017.0691).
- [199] B. Zhang, R. Li, L. Wu, H. Sun, and Y.-X. Guo, "A highly integrated 3-d printed metallic k-band passive front end as the unit cell in a large array for satellite communication," *IEEE Antennas Wireless Propag. Lett.*, vol. 17, no. 11, pp. 2046-2050, Nov. 2018 (DOI: 10.1109/LAWP.2018.2824298).
- [200] C. Zhang, J. Gao, X. Cao, L. Xu, and J. Han, "Low scattering microstrip antenna array using coding artificial magnetic conductor ground," *IEEE Antennas Wireless Propag. Lett.*, vol. 17, no. 5, pp. 869-872, May 2018 (DOI: 10.1109/LAWP.2018.2820220).
- [201] L. Zhao, F. Liu, X. Shen, G. Jing, Y.-M. Cai, and Y. Li, "A high-pass antenna interference cancellation chip for mutual coupling reduction of antennas in contiguous frequency bands," *IEEE Access*, vol. 6, pp. 38097-38105, 2018 (DOI: 10.1109/ACCESS.2018.2853709).
- [202] D. Z. Zhu, M. D. Gregory, P. L. Werner, and D. H. Werner, "Fabrication and characterization of multiband polarization independent 3-d-printed frequency selective structures with ultrawide fields of view," *IEEE Trans. Antennas Propag.*, vol. 66, no. 11, pp. 6096-6105, Nov. 2018 (DOI: 10.1109/TAP.2018.2866507).
- [203] Q. An, A. Hoorfar, W. Zhang, S. Li, and J. Wang, "Range coherence factor for down range sidelobes suppression in radar imaging through multilayered dielectric media," *IEEE Access*, vol. 7, pp. 66910-66918, 2019 (DOI: 10.1109/ACCESS.2019.2911693).
- [204] R. S. Anwar, Y. Wei, L. Mao, and H. Ning, "Miniaturised frequency selective surface based on fractal arrays with square slots for enhanced bandwidth," *IET Microw. Antennas Propag.*, vol. 13, no. 11, pp. 1811-1819, 2019 (DOI: 10.1049/IET-MAP.2018.5224).
- [205] C. Bartlett and J. Bornemann, "Cross-Configuration substrate integrated waveguide beamforming network for 1d and 2d beam patterns," *IEEE Access*, vol. 7, pp. 151827-151835, 2019 (DOI: 10.1109/ACCESS.2019.2947481).

- [206] J. A. Brown, S. Barth, B. P. Smyth, and A. K. Iyer, "Dual-Band microstrip corporate feed network using an embedded metamaterial-based EBG," *IEEE Trans. Antennas Propag.*, vol. 67, no. 11, pp. 7031-7039, Nov. 2019 (DOI: 10.1109/TAP.2019.2923074).
- [207] M. Camacho, R. R. Boix, and F. Medina, "NUFFT for the efficient spectral domain MoM analysis of a wide variety of multilayered periodic structures," *IEEE Trans. Antennas Propag.*, vol. 67, no. 10, pp. 6551-6563, Oct. 2019 (DOI: 10.1109/TAP.2019.2920361).
- [208] H. T. Chattha, F. Latif, F. A. Tahir, M. U. Khan, and X. Yang, "Small-Sized UWB MIMO antenna with band rejection capability," *IEEE Access*, vol. 7, pp. 121816-121824, 2019 (DOI: 10.1109/ACCESS.2019.2937322).
- [209] G. Das, A. Sharma, R. K. Gangwar, and M. S. Sharawi, "Performance improvement of multiband MIMO dielectric resonator antenna system with a partially reflecting surface," *IEEE Antennas Wireless Propag. Lett.*, vol. 18, no. 10, pp. 2105-2109, Oct. 2019 (DOI: 10.1109/LAWP.2019.2938004).
- [210] X. Ding, Y.-F. Cheng, W. Shao, and B.-Z. Wang, "Broadband low-rcs phased array with wide-angle scanning performance based on the switchable stacked artificial structure," *IEEE Trans. Antennas Propag.*, vol. 67, no. 10, pp. 6452-6460, Oct. 2019 (DOI: 10.1109/TAP.2019.2925202).
- [211] W. Duan, Y. F. Cao, Y.-M. Pan, Z. X. Chen, and X. Y. Zhang, "Compact dual-band dual-polarized base-station antenna array with a small frequency ratio using filtering elements," *IEEE Access*, vol. 7, pp. 127800-127808, 2019 (DOI: 10.1109/ACCESS.2019.2939234).
- [212] X. Fang, W. Wang, G.-L. Huang, Q. Luo, and H. Zhang, "A wideband low-profile all-metal cavity slot antenna with filtering performance for spaceborne sar applications," *IEEE Antennas Wireless Propag. Lett.*, vol. 18, no. 6, pp. 1278-1282, Jun. 2019 (DOI: 10.1109/LAWP.2019.2914604).
- [213] F. Guyon, M. A. K. Othman, C. Guclu, and F. Capolino, "Hyperbolic metamaterials at microwaves with stacked inductive coiled-wire arrays," *IEEE Trans. Antennas Propag.*, vol. 67, no. 10, pp. 6494-6507, Oct. 2019 (DOI: 10.1109/TAP.2019.2925141).
- [214] D. R. Hendry and A. M. Abbosh, "Coupled-Resonator theory of isolation in multi-mode antennas," *IEEE Trans. Antennas Propag.*, vol. 67, no. 9, pp. 5801-5811, Sep. 2019 (DOI: 10.1109/TAP.2019.2922551).
- [215] H. Jin, G. Q. Luo, W. Wang, W. Che, and K.-S. Chin, "Integration design of millimeter-wave filtering patch antenna array with siw four-way anti-phase filtering power divider," *IEEE Access*, vol. 7, pp. 49804-49812, 2019 (DOI: 10.1109/ACCESS.2019.2909771).

- [216] Y. Kim, H. Kim, I. Yoon, and J. Oh, “ 4×8 patch array-fed fr4-based transmit array antennas for affordable and reliable 5G beam steering,” *IEEE Access*, vol. 7, pp. 88881-88893, 2019 (DOI: 10.1109/ACCESS.2019.2926379).
- [217] X. Li, L. Yang, and L. Huang, “Novel design of 2.45-ghz rectenna element and array for wireless power transmission,” *IEEE Access*, vol. 7, pp. 28356-28362, 2019 (DOI: 10.1109/ACCESS.2019.2900329).
- [218] Y. Li, Z. Zhao, Z. Tang, and Y. Yin, “Differentially-Fed, wideband dual-polarized filtering antenna with novel feeding structure for 5G sub-6 GHz base station applications,” *IEEE Access*, vol. 7, pp. 184718-184725, 2019 (DOI: 10.1109/ACCESS.2019.2960885).
- [219] Z. Li, C. Yin, and X. Zhu, “Compact UWB MIMO vivaldi antenna with dual band-notched characteristics,” *IEEE Access*, vol. 7, pp. 38696-38701, 2019 (DOI: 10.1109/ACCESS.2019.2906338).
- [220] E. B. Lima, J. R. Costa, and C. A. Fernandes, “Multiple-Beam focal-plane dual-band fabry-pérot cavity antenna with reduced beam degradation,” *IEEE Trans. Antennas Propag.*, vol. 67, no. 7, pp. 4348-4356, Jul. 2019 (DOI: 10.1109/TAP.2019.2911365).
- [221] G. Liu, Y. M. Pan, T. L. Wu, and P. F. Hu, “A compact planar quasi-yagi antenna with bandpass filtering response,” *IEEE Access*, vol. 7, pp. 67856-67862, 2019 (DOI: 10.1109/ACCESS.2019.2916655).
- [222] N. Liu, X. Sheng, C. Zhang, and D. Guo, “Design of dual-band composite radome wall with high angular stability using frequency selective surface,” *IEEE Access*, vol. 7, pp. 123393-123401, 2019 (DOI: 10.1109/ACCESS.2019.2937977).
- [223] S.-Y. Lou, R. Li, and H.-T. Gao, “Design of a low profile flexible tri-band frequency surface applied in x-band, k-band and millimeter-band,” *IEEE Access*, vol. 7, pp. 180127-180133, 2019 (DOI: 10.1109/ACCESS.2019.2959631).
- [224] Q. Luo et al., “A hybrid design method for thin-panel transmitarray antennas,” *IEEE Trans. Antennas Propag.*, vol. 67, no. 10, pp. 6473-6483, Oct. 2019 (DOI: 10.1109/TAP.2019.2923076).
- [225] X. Ma, G. Wan, W. Zhang, Y. Mu, and X. Tang, “Synthesis of second-order wide-passband frequency selective surface using double-periodic structures,” *IET Microw. Antennas Propag.*, vol. 13, no. 3, pp. 373-379, 2019 (DOI: 10.1049/IET-MAP.2018.5262).
- [226] G. G. Machado, R. Cahill, V. Fusco, and G. A. Conway, “Suppression of antenna backscatter on a nanosat using a resistively loaded FSS absorber,” *IEEE Antennas Wireless Propag. Lett.*, vol. 18, no. 12, pp. 2607-2611, Dec. 2019 (DOI: 10.1109/LAWP.2019.2945399).

- [227] G. G. Machado, R. Cahill, V. Fusco, and G. Conway, "Resistively loaded ultra-thin FSS absorbers for radio-frequency enhancement of spacecraft thermal blankets," *IET Microw. Antennas Propag.*, vol. 13, no. 11, pp. 1928-1933, 2019 (DOI: 10.1049/IET-MAP.2018.6099).
- [228] S.-A. Malakooti and C. Fumeaux, "Pattern-Reconfigurable antenna with switchable wideband to frequency-agile bandpass/bandstop filtering operation," *IEEE Access*, vol. 7, pp. 167065-167075, 2019 (DOI: 10.1109/ACCESS.2019.2954343).
- [229] S.-A. Malakooti, S. M. H. Mousavi, and C. Fumeaux, "Tunable bandpass-to-bandstop quasi-yagi-uda antenna with sum and difference radiation patterns," *IEEE Trans. Antennas Propag.*, vol. 67, no. 4, pp. 2260-2271, Apr. 2019 (DOI: 10.1109/TAP.2019.2891451).
- [230] P. Mathur and G. Kumar, "Dual-frequency dual-polarised shared-aperture microstrip antenna array with suppressed higher order modes," *IET Microw. Antennas Propag.*, vol. 13, no. 9, pp. 1300-1305, 2019 (DOI: 10.1049/IET-MAP.2018.5442).
- [231] B. D. Nguyen and C. Pichot, "Unit-Cell loaded with pin diodes for 1-bit linearly polarized reconfigurable transmitarrays," *IEEE Antennas Wireless Propag. Lett.*, vol. 18, no. 1, pp. 98-102, Jan. 2019 (DOI: 10.1109/LAWP.2018.2881555).
- [232] Y. Pan, G. Q. Luo, Z. Liao, B. Cai, and M. Yao, "Wideband direction-of-arrival estimation with arbitrary array via coherent annihilating," *IEEE Access*, vol. 7, pp. 51058-51068, 2019 (DOI: 10.1109/ACCESS.2019.2911631).
- [233] G. Qian et al., "Switchable broadband dual-polarized frequency-selective rasorber/absorber," *IEEE Antennas Wireless Propag. Lett.*, vol. 18, no. 12, pp. 2508-2512, Dec. 2019 (DOI: 10.1109/LAWP.2019.2941661).
- [234] P. Ranjan, S. K. Mahto, and A. Choubey, "BWDO algorithm and its application in antenna array and pixelated metasurface synthesis," *IET Microw. Antennas Propag.*, vol. 13, no. 9, pp. 1263-1270, 2019 (DOI: 10.1049/IET-MAP.2018.5051).
- [235] Z. Sun, Q. Chen, M. Guo, and Y. Fu, "Low-RCS reflectarray antenna based on frequency selective rasorber," *IEEE Antennas Wireless Propag. Lett.*, vol. 18, no. 4, pp. 693-697, Apr. 2019 (DOI: 10.1109/LAWP.2019.2901267).
- [236] H. Wang, L. Zheng, M. Yan, J. Wang, S. Qu, and R. Luo, "Design and analysis of miniaturized low profile and second-order multi-band polarization selective surface for multipath communication application," *IEEE Access*, vol. 7, pp. 13455-13467, 2019 (DOI: 10.1109/ACCESS.2019.2894013).

- [237] W. Wang, Y. Zheng, Y. Wu, Z. Zhuang, and Y. Liu, "Wide-Band filtering three-port coupler with inherent dc-blocking function," *IEEE Access*, vol. 7, pp. 13170-13177, 2019 (DOI: 10.1109/ACCESS.2019.2892995).
- [238] Y. Wang, S.-S. Qi, Z. Shen, and W. Wu, "Tunable frequency-selective rasorber based on varactor-embedded square-loop array," *IEEE Access*, vol. 7, pp. 115552-115559, 2019 (DOI: 10.1109/ACCESS.2019.2935780).
- [239] Z. Wang and Y. Dong, "Circularly polarized antennas inspired by dual-mode siw cavities," *IEEE Access*, vol. 7, pp. 173007-173018, 2019 (DOI: 10.1109/ACCESS.2019.2956750).
- [240] Z. Wang, J. Fu, Q. Zeng, M. Song, and T. A. Denidni, "Wide-band transmissive frequency-selective absorber," *IEEE Antennas Wireless Propag. Lett.*, vol. 18, no. 7, pp. 1443-1447, Jul. 2019 (DOI: 10.1109/LAWP.2019.2919633).
- [241] F. Wei, X.-B. Zhao, and X. W. Shi, "A balanced filtering quasi-yagi antenna with low cross-polarization levels and high common-mode suppression," *IEEE Access*, vol. 7, pp. 100113-100119, 2019 (DOI: 10.1109/ACCESS.2019.2931141).
- [242] K. Xu, J. Shi, C. Zhang, and W. Liu, "A low-profile 1×2 filtering dipole array with small unit space and closely placed ground," *IEEE Antennas Wireless Propag. Lett.*, vol. 18, no. 5, pp. 946-950, May 2019 (DOI: 10.1109/LAWP.2019.2906459).
- [243] X. Yang, H. Luyen, S. Xu, and N. Behdad, "Design method for low-profile, harmonic-suppressed filter-antennas using miniaturized-element frequency selective surfaces," *IEEE Antennas Wireless Propag. Lett.*, vol. 18, no. 3, pp. 427-431, Mar. 2019 (DOI: 10.1109/LAWP.2019.2893245).
- [244] E. Yetisir, J. Li, and N. Ghalichechian, "UWB dual-polarised dipole array with dielectric and FSS superstrate and 65° scanning," *IET Microw. Antennas Propag.*, vol. 13, no. 3, pp. 313-321, 2019 (DOI: 10.1049/IET-MAP.2018.5626).
- [245] I. Yoon and J. Oh, "Millimeter-Wave thin lens using multi-patch incorporated unit cells for polarization-dependent beam shaping," *IEEE Access*, vol. 7, pp. 45504-45511, 2019 (DOI: 10.1109/ACCESS.2019.2909175).
- [246] W. Yu, G. Q. Luo, Y. Yu, Z. Liao, H. Jin, and Z. Shen, "Broadband band-absorptive frequency-selective rasorber with a hybrid 2-d and 3-d structure," *IEEE Antennas Wireless Propag. Lett.*, vol. 18, no. 8, pp. 1701-1705, Aug. 2019 (DOI: 10.1109/LAWP.2019.2928362).
- [247] Y. Yuan, X. Xi, and Y. Zhao, "Compact UWB FSS reflector for antenna gain enhancement," *IET Microw. Antennas Propag.*, vol. 13, no. 10, pp. 1749-1755, 2019 (DOI: 10.1049/IET-MAP.2019.0083).

- [248] H. Yue, L. Chen, Y. Yang, L. He, and X. Shi, "Design and implementation of a dual frequency and bidirectional phase gradient metasurface for beam convergence," *IEEE Antennas Wireless Propag. Lett.*, vol. 18, no. 1, pp. 54-58, Jan. 2019 (DOI: 10.1109/LAWP.2018.2880491).
- [249] Q. Zeng, W. Ren, H. Zhao, Z. Xue, and W. Li, "Dual-band transmission-type circular polariser based on frequency selective surfaces," *IET Microw. Antennas Propag.*, vol. 13, no. 2, pp. 216-222, 2019 (DOI: 10.1049/IET-MAP.2018.5613).
- [250] B. Zhang et al., "A metallic 3-d printed airborne high-power handling magneto-electric dipole array with cooling channels," *IEEE Trans. Antennas Propag.*, vol. 67, no. 12, pp. 7368-7378, Dec. 2019 (DOI: 10.1109/TAP.2019.2935085).
- [251] J. F. Zhang, Y. J. Cheng, Y. R. Ding, and C. X. Bai, "A dual-band shared-aperture antenna with large frequency ratio, high aperture reuse efficiency, and high channel isolation," *IEEE Trans. Antennas Propag.*, vol. 67, no. 2, pp. 853-860, Feb. 2019 (DOI: 10.1109/TAP.2018.2882697).
- [252] J. Zhong, A. Johnson, E. A. Alwan, and J. L. Volakis, "Dual-Linear polarized phased array with 9:1 bandwidth and 60° scanning off broadside," *IEEE Trans. Antennas Propag.*, vol. 67, no. 3, pp. 1996-2001, Mar. 2019 (DOI: 10.1109/TAP.2019.2891607).
- [253] X. Zhong, H.-X. Xu, L. Chen, W. Li, H. Wang, and X. Shi, "An fss-backed broadband phase-shifting surface array with multimode operation," *IEEE Trans. Antennas Propag.*, vol. 67, no. 9, pp. 5974-5981, Sep. 2019 (DOI: 10.1109/TAP.2019.2916747).
- [254] Y. Zhu, Y. Chen, and S. Yang, "Decoupling and low-profile design of dual-band dual-polarized base station antennas using frequency-selective surface," *IEEE Trans. Antennas Propag.*, vol. 67, no. 8, pp. 5272-5281, Aug. 2019 (DOI: 10.1109/TAP.2019.2916730).
- [255] M. Borhani Kakhki, A. Dadgarpour, A.-R. Sebak, and T. A. Denidni, "Twenty-eight-gigahertz beam-switching ridge gap dielectric resonator antenna based on FSS for 5G applications," *IET Microw. Antennas Propag.*, vol. 14, no. 5, pp. 397-401, 2020 (DOI: 10.1049/IET-MAP.2019.0591).
- [256] Y.-F. Cheng, X. Ding, L. Peng, J. Feng, and C. Liao, "Design and analysis of a wideband low-scattering endfire antenna using a moth tail-inspired metamaterial absorber and a surface waveguide," *IEEE Trans. Antennas Propag.*, vol. 68, no. 3, pp. 1411-1418, Mar. 2020 (DOI: 10.1109/TAP.2020.2967310).
- [257] C. Ding, H.-H. Sun, H. Zhu, and Y. Jay Guo, "Achieving wider bandwidth with full-wavelength dipoles for 5G base stations," *IEEE Trans. Antennas Propag.*, vol. 68, no. 2, pp. 1119-1127, Feb. 2020 (DOI: 10.1109/TAP.2019.2950108).

- [258] W.-L. Guo, K. Chen, G.-M. Wang, X.-Y. Luo, Y.-J. Feng, and C.-W. Qiu, "Transmission-Reflection-Selective metasurface and its application to RCS reduction of high-gain reflector antenna," *IEEE Trans. Antennas Propag.*, vol. 68, no. 3, pp. 1426-1435, Mar. 2020 (DOI: 10.1109/TAP.2019.2948742).
- [259] A. A. Isaac, H. Al-Rizzo, S. Yahya, A. Al-Wahhamy, and S. Z. Tariq, "Miniaturised MIMO antenna array of two vertical monopoles embedded inside a planar decoupling network for the 2.4 GHz ism band," *IET Microw. Antennas Propag.*, vol. 14, no. 1, pp. 132-140, 2020 (DOI: 10.1049/IET-MAP.2018.5069).
- [260] W. Li, Y. Wang, S. Sun, and X. Shi, "An fss-backed reflection/transmission reconfigurable array antenna," *IEEE Access*, vol. 8, pp. 23904-23911, 2020 (DOI: 10.1109/ACCESS.2020.2970611).
- [261] Q. Liu, H. Liu, W. He, and S. He, "A low-profile dual-band dual-polarized antenna with an amc reflector for 5G communications," *IEEE Access*, vol. 8, pp. 24072-24080, 2020 (DOI: 10.1109/ACCESS.2020.2970473).
- [262] Z. Yao, S. Xiao, Z. Jiang, L. Yan, and B.-Z. Wang, "On the design of ultrawideband circuit analog absorber based on quasi-single-layer FSS," *IEEE Antennas Wireless Propag. Lett.*, vol. 19, no. 4, pp. 591-595, Apr. 2020 (DOI: 10.1109/LAWP.2020.2972919).
- [263] J. Zang, E. Carrasco, X. Wang, A. Alvarez-Melcon, and J. S. Gomez-Diaz, "Analysis and design of reflectarray antennas based on delay lines: a filter perspective," *IEEE Access*, vol. 8, pp. 44947-44956, 2020 (DOI: 10.1109/ACCESS.2020.2976643).